

LISTING PROGRAM

index.php

```
<?php
include'koneksi.php';
if(isset($_POST['daftar'])){
    $simpan=mysqli_query($con,"insert into konsumen
values(null,$_POST[email'],$_POST[nama'],$_POST[password'],$_POST[no_tlp],'".$_POST[alamat]."");
if($simpan){
    echo '<script>alert("Data berhasil disimpan");document.location="?";</script>';
}
}??>
<!DOCTYPE html>
<html lang="en">

<head>

<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="">

<title>CV Ran Architecture</title>

<!-- Bootstrap core CSS -->
<link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">

<!-- Custom fonts for this template -->
<link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">
<link href='https://fonts.googleapis.com/css?family=Lora:400,700,400italic,700italic' rel='stylesheet' type='text/css'>
<link
href='https://fonts.googleapis.com/css?family=Open+Sans:300italic,400italic,600italic,700italic,800italic,400,300,600,700,800' rel='stylesheet' type='text/css'>

<!-- Custom styles for this template -->
<link href="css/clean-blog.min.css" rel="stylesheet">

</head>

<script>
$(function){$("#myModal").modal();});
$(function){$("#my").modal();});
</script>
<body>

<form method="POST">
<div id="my" class="modal fade" role="dialog">
<div class="modal-dialog modal-lg">
<!-- Modal content-->
<div class="modal-content">
<div class="modal-body">
    <form method='post' enctype='multipart/form-data'>
    <table width='100%'>
    <tr><td>Email</td><td>
```

```

<input required type='text' name='email' class='form-control'></td></tr>
<tr><td>Nama</td><td>
<input required type='text' name='nama' class='form-control'></td></tr>
<tr><td>Password</td><td>
<input type='password' name='password' class='form-control'></td></tr>
<tr><td>No tlp</td><td>
<input required type='text' name='no_tlp' class='form-control'></td></tr>
<tr><td>Alamat</td><td>
<textarea required name='alamat' class='form-control'></textarea></td></tr>
<tr><td>&nbsp;</td><td><input type='submit' value='Simpan' name='daftar' class='btnbtn-
primary'></td></tr>
</table>
</form>
</div>
</div>
</div>
</div>
</form>
<form method="POST" action="cek_login.php">
<div id="myModal" class="modal fade" role="dialog">
<div class="modal-dialog modal-lg">
<!-- Modal content-->
<div class="modal-content">
<div class="modal-body">
<table width='100%'>
<tr><td>Email</td><td>
<input required type='text' name='username' class='form-control'></td></tr>
<tr><td>Password</td><td>
<input type='password' name='password' class='form-control'></td></tr>
<tr><td>&nbsp;</td><td><input type='submit' value='Login' name='<?php if($aksi=='ubah'){ echo
'ubah';}else{echo 'tambah';}>' class='btnbtn-primary'><button type="button" class="btnbtn-default" data-
dismiss="modal">Close</button></td></tr>
</table>
</div>
</div>
</div>
</div>
</form>
<!-- Navigation -->
<nav class="navbar navbar-expand-lg navbar-light fixed-top" id="mainNav">
<div class="container">
<a class="navbar-brand" href="index.html">Ran Architecture</a>
<button class="navbar-toggler navbar-toggler-right" type="button" data-toggle="collapse" data-
target="#navbarResponsive" aria-controls="navbarResponsive" aria-expanded="false" aria-label="Toggle navigation">
Menu
<i class="fas fa-bars"></i>
</button>
<div class="collapse navbar-collapse" id="navbarResponsive">
<ul class="navbar-nav ml-auto">
<li class="nav-item">
<a class="nav-link" href="login" data-toggle="modal" data-target="#my">Register</a>
</li>
<li class="nav-item">
<a class="nav-link" href="login" data-toggle="modal" data-target="#myModal">Login</a>
</li>
</ul>
</div>
</div>
</div>

```



```

<link href="css/select2.min.css" rel="stylesheet" />
<style>
.dataTables_paginate a{ margin: 1em;}
.select2-results__option{ color:black }
.input-group-text{ color:black!important }

@media print{
    .sidebar,.btn{ display:none }
    .main-panel .content{ padding:0;}
}
</style>
<script src="assets/js/core/jquery.min.js"></script>
<script src="assets/js/core/bootstrap.min.js"></script>
<script src="js/jquery.dataTables.min.js" type="text/javascript"></script>
<script src="js/select2.js" type="text/javascript"></script>

</head>

<body class="white-content">
<div class="wrapper ">

<?php include "sidebar.php";?>

<div class="main-panel">
<!-- Navbar -->
<nav class="navbar navbar-expand-lg navbar-absolute navbar-transparent">
<div class="container-fluid">
<div class="collapse navbar-collapse" id="navigation">
<ul class="navbar-nav ml-auto ">
<li class="dropdown nav-item">
<a href="#" class="dropdown-toggle nav-link" data-toggle="dropdown">
<div class="photo">
<imgsrc="assets/img/anime3.png">
</div>
<b class="caret d-none d-lg-block d-xl-block"></b>
<p class="d-lg-none">
    Log out
</p>
</a>
<ul class="dropdown-menu dropdown-navbar">
<li class="nav-link">
<a href="?p=pass" class="nav-item dropdown-item">Ubah Password</a>
</li>
<div class="dropdown-divider"></div>
<li class="nav-link">
<a href="keluar.php" class="nav-item dropdown-item">Log out</a>
</li>
</ul>
</li>
<li class="separator d-lg-none"></li>
</ul>
</div>
</div>
</nav>
<!-- End Navbar -->
<div class="content">

```

```

<?php
    include $page.".php";

    ?>
</div>
<footer class="footer">
<div class="container-fluid">
<div class="copyright float-right">
    ©
<script>
document.write(new Date().getFullYear())
</script>
</div>
</footer>
</div>
</div>
</div>
<!-- Core JS Files -->
<script src="assets/js/plugins/perfect-scrollbar.jquery.min.js"></script>
<!-- Chart JS -->
<script src="assets/js/plugins/chartjs.min.js"></script>
<!-- Notifications Plugin -->
<script src="assets/js/plugins/bootstrap-notify.js"></script>
<!-- Control Center for Black Dashboard: parallax effects, scripts for the example pages etc -->
<script src="assets/js/black-dashboard.min.js?v=1.0.0" type="text/javascript"></script>
<!-- Black Dashboard DEMO methods, don't include it in your project! -->

</body>

</html>

```

daftar.php

```

<?php
include "koneksi.php";
$aksi='tambah';
if(isset($_GET['e'])){
    $aksi='ubah';
    $id=$_GET['e'];
    $cari=mysqli_query($con,"select * from konsumen where id_konsumen='$id'");
    $cd=mysqli_fetch_array($cari);
}
if(isset($_POST['tambah'])){
    $simpan=mysqli_query($con,"insert into konsumen
values(null,'$_POST[email]','$_POST[password]','$_POST[no_tlp]','$_POST[alamat].')");
    if($simpan){
        echo '<script>alert("Data berhasil disimpan");document.location="?p=konsumen";</script>';
    }
}
if(isset($_POST['ubah'])){
    $simpan=mysqli_query($con,"updatekonsumen set
email='$_POST[email]',no_tlp='$_POST[no_tlp]',alamat='$_POST[alamat]' where id_konsumen='$id'");
    if($simpan){
        echo '<script>alert("Data berhasil diubah");document.location="?p=konsumen";</script>';
    }
}
if(isset($_GET['d'])){
    $hapus=mysqli_query($con,"delete from konsumen where id_konsumen='$_GET[d]');
    if($hapus){

```

```

    echo '<script>alert("Data berhasil dihapus");document.location="?p=konsumen";</script>';
}
}
?>
<!DOCTYPE html>
<html lang="en">

<head>

<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="">

<title>CV Ran Architecture</title>

<!-- Bootstrap core CSS -->
<link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">

<!-- Custom fonts for this template -->
<link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">
<link href='https://fonts.googleapis.com/css?family=Lora:400,700,400italic,700italic' rel='stylesheet' type='text/css'>
<link
href='https://fonts.googleapis.com/css?family=Open+Sans:300italic,400italic,600italic,700italic,800italic,400,300,600,700,800' rel='stylesheet' type='text/css'>

<!-- Custom styles for this template -->
<link href="css/clean-blog.min.css" rel="stylesheet">

</head>

<script>
    $(function(){$("#myModal").modal();});
</script>
<body>

<form method="POST" action="cek_login.php">
<div id="myModal" class="modal fade" role="dialog">
<div class="modal-dialog modal-lg">
<!-- Modal content-->
<div class="modal-content">
<div class="modal-body">
    <table width='100%'>
    <tr><td>Username</td><td>
    <input required type='text' name='username' class='form-control'></td></tr>
    <tr><td>Password</td><td>
    <input type='password' name='password' class='form-control'></td></tr>
    <tr><td>&nbsp;</td><td><input type='submit' value='Login' name='<?php if($aksi=='ubah'){echo
'ubah';}else{echo 'tambah';}'?>' class='btn btn-primary'><button type="button" class="btn btn-default" data-
dismiss="modal">Close</button></td></tr>
    </table>
</div>
</div>
</div>
</div>
</form>

<!-- Navigation -->
<nav class="navbar navbar-expand-lg navbar-light fixed-top" id="mainNav">

```

```

<div class="container">
<a class="navbar-brand" href="index.html">Ran Architecture</a>
<button class="navbar-toggler navbar-toggler-right" type="button" data-toggle="collapse" data-
target="#navbarResponsive" aria-controls="navbarResponsive" aria-expanded="false" aria-label="Toggle navigation">
    Menu
<i class="fas fa-bars"></i>
</button>
<div class="collapse navbar-collapse" id="navbarResponsive">
<ul class="navbar-nav ml-auto">
<li class="nav-item">
<a class="nav-link" href="daftar.php">Daftar</a>
</li>
<li class="nav-item">
<a class="nav-link" href="login" data-toggle="modal" data-target="#myModal">Login</a>
</li>
</ul>
</div>
</div>
</nav>

<!-- Page Header -->
<header class="masthead" style="background-image: url('img/home-bg.jpg')">
<div class="overlay"></div>
<div class="container">
<div class="row">
<div class="col-lg-8 col-md-10 mx-auto">
<div class="site-heading">
<h1>LET'S MAKE YOUR DREAMING HOUSE CAME TRUE</h1>
</div>
</div>
</div>
</div>
</div>
</div>
</header>

<!-- Main Content -->
<div class="container">
<div class="row">
<div class="col-lg-8 col-md-10 mx-auto" align='center'>
        <form method='post' enctype='multipart/form-data'>
        <table width='100%'>
        <tr><td>Email</td><td>
        <input required type='text' <?php if($aksi=='ubah'){echo 'value="'.&#36;cd['email'].'';}> name='email'
class='form-control'></td></tr>
        <tr><td>Nama</td><td>
        <input required type='text' <?php if($aksi=='ubah'){echo 'value="'.&#36;cd['nama'].'';}> name='nama'
class='form-control'></td></tr>
        <tr><td>Password</td><td>
        <input type='password' <?php if($aksi=='ubah'){echo 'readonly';}else{echo 'required';}> name='password'
class='form-control'></td></tr>
        <tr><td>No tlp</td><td>
        <input required type='text' <?php if($aksi=='ubah'){echo 'value="'.&#36;cd['no_tlp'].'';}> name='no_tlp'
class='form-control'></td></tr>
        <tr><td>Alamat</td><td>
        <textarea required name='alamat' class='form-control'><?php if($aksi=='ubah'){echo
&#36;cd['alamat'];}></textarea></td></tr>
        <tr><td>&nbsp;</td><td><input type='submit' value='Simpan' name='<?php if($aksi=='ubah'){echo
'ubah';}else{echo 'tambah';}>' class='btn btn-primary'></td></tr>

```



```

        </table>
    </form>
</div>
</div>
</div>
<hr>
<!-- Footer -->
<footer>
<div class="container">
<div class="row">
<div class="col-lg-8 col-md-10 mx-auto">
<ul class="list-inline text-center">
<li class="list-inline-item">
<a href="#">
<span class="fa-stack fa-lg">
<i class="fas fa-circle fa-stack-2x"></i>
<i class="fab fa-twitter fa-stack-1x fa-inverse"></i>
</span>
</a>
</li>
<li class="list-inline-item">
<a href="#">
<span class="fa-stack fa-lg">
<i class="fas fa-circle fa-stack-2x"></i>
<i class="fab fa-facebook-f fa-stack-1x fa-inverse"></i>
</span>
</a>
</li>
</ul>
<p class="copyright text-muted">Copyright &copy; Ran architecture Website 2019</p>
</div>
</div>
</div>
</footer>
<!-- Bootstrap core JavaScript -->
<script src="vendor/jquery/jquery.min.js"></script>
<script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
<!-- Custom scripts for this template -->
<script src="js/clean-blog.min.js"></script>
</body>
</html>

```

cek_login.php

```

<?php
    include 'koneksi.php';

    $username=$_POST['username'];
    $password=$_POST['password'];

    $query=mysqli_query($con,"select * from admin where username='$username' and password='$password'");

```

```
$query2=mysqli_query($con,"select * from konsumen where email='$username' and password='$password'");
```

```
$cek=mysqli_num_rows($query);
```

```
$cek2=mysqli_num_rows($query2);
```

```
if($cek > 0)
```

```
{
```

```
    $data = mysqli_fetch_array($query);
```

```
    $_SESSION['log']=$username;
```

```
    $_SESSION['username']=$username;
```

```
    $_SESSION['akses']="Admin";
```

```
    echo "<script>
```

```
        alert('SelamatDatang');
```

```
        document.location='dashboard.php';
```

```
    </script>";
```

```
}
```

```
elseif($cek2 > 0)
```

```
{
```

```
    $data = mysqli_fetch_array($query2);
```

```
    $_SESSION['log']=$data['id_konsumen'];
```

```
    $_SESSION['id_konsumen']=$data['id_konsumen'];
```

```
    $_SESSION['akses']='Konsumen';
```

```
    echo "<script>
```

```
        alert('SelamatDatang');
```

```
        document.location='depan.php';
```

```
    </script>";
```

```
}
```

```
else
```

```
{
```

```
echo "<script>
```

```
    alert('ID Penggunaatausandi salah');
```

```
    document.location='index.php';
```

```
    </script>";
```

```
}
```

```
?>
```

pemesanan.php

```
<?php
```

```
$aksi='tambah';
```

```
if(isset($_GET['e'])){
```

```
    $aksi='ubah';
```

```
    $id=$_GET['e'];
```

```
    $cari=mysqli_query($con,"select * from pemesanan where id_pemesanan='$id'");
```

```
    $cd=mysqli_fetch_array($cari);
```

```
}
```

```
if(isset($_POST['tambah'])){
```

```
    $desain_ars=0;
```

```
    $desain_int=0;
```

```
    if(isset($_POST['desain_arsitektur'])){
```

```
        $desain_ars=1;
```

```
    if(isset($_POST['desain_interior'])){
```

```
        $desain_int=1;
```

```
    $simpan=mysqli_query($con,"insert into pemesanan
```

```
values(null,$_SESSION[id_konsumen],curdate(),$_POST[tipe],$desain_ars,$desain_int,$_POST[gaya_desain],$_PO
```

```

ST[alokasi_dana'],'$_POST[luas_tanah'],'$_POST[luas_bangunan]','Pengajuan',0)");
if($simpan){
    move_uploaded_file($_FILES['gambar']['tmp_name'],'bangunan/'.$con->insert_id.'.jpg');}
echo '<script>alert("Data berhasil disimpan");document.location="?p=pemesanan";</script>';
}
?>
<div class="row">
<div class="col-md-2"></div>
<div class="col-md-8">
<br><br><br>
<center><h3>Form Pemesanan</h3><br><br><br>
<form method="post" enctype="multipart/form-data">
<table width="100%">
<tr><td>Tipe bangunan</td></tr>
<tr><td>
<select class="form-control" name="tipe" required>
<option <?php if($aksi=="ubah"){if($cd['tipe']=="Rumah Tinggal"){echo 'selected="";}}?>>Rumah Tinggal</option>
<option <?php if($aksi=="ubah"){if($cd['tipe']=="Apartemen"){echo 'selected="";}}?>>Apartemen</option>
<option <?php if($aksi=="ubah"){if($cd['tipe']=="Resto/cafe"){echo 'selected="";}}?>>Resto/cafe</option>
<option <?php if($aksi=="ubah"){if($cd['tipe']=="Kantor"){echo 'selected="";}}?>>Kantor</option>
<option <?php if($aksi=="ubah"){if($cd['tipe']=="Komersial"){echo 'selected="";}}?>>Komersial</option>
</select></td></tr>
<tr><td>Jasa yang dibutuhkan (Bisa Dipilih lebih dari satu)</td></tr>
<tr><td>
<label><input type="checkbox" name="desain_arsitektur" <?php if($aksi=="ubah"){if($cd['desain_arsitektur']=="1"){echo 'checked';}}?>>Desain Arsitektur</label>
<label><input type="checkbox" name="desain_interior" <?php if($aksi=="ubah"){if($cd['desain_interior']=="1"){echo 'checked';}}?>>Desain Interior</label>
</td></tr>
<tr><td>Gaya desain</td></tr>
<tr><td>
<select class="form-control" name="gaya_desain" required>
<option <?php if($aksi=="ubah"){if($cd['gaya_desain']=="Klasik"){echo 'selected="";}}?>>Klasik</option>
<option <?php if($aksi=="ubah"){if($cd['gaya_desain']=="Minimalis"){echo 'selected="";}}?>>Minimalis</option>
<option <?php if($aksi=="ubah"){if($cd['gaya_desain']=="Industrial"){echo 'selected="";}}?>>Industrial</option>
</select></td></tr>
<tr><td>Alokasi dana</td></tr>
<tr><td>
<div class="input-group">
<div class="input-group-prepend">
<span class="input-group-text">RP</span></div>
<input required type="text" <?php if($aksi=="ubah"){echo 'value="'.$cd['alokasi_dana'].'";}> name="alokasi_dana"
class="form-control"></div></td></tr>
<tr><td>Luas Proyek</td></tr>
<tr><td>
<div class="input-group">
<input required type="text" <?php if($aksi=="ubah"){echo 'value="'.$cd['luas_tanah'].'";}> name="luas_tanah" class="form-
control" placeholder="Luas Tanah dalam m2">
<div class="input-group-append">
<span class="input-group-text">m2</span></div></div></td></tr>
<tr><td>
<div class="input-group">
<input required type="text" <?php if($aksi=="ubah"){echo 'value="'.$cd['luas_bangunan'].'";}> name="luas_bangunan"
class="form-control" placeholder="Luas Bangunan dalam m2">
<div class="input-group-append">
<span class="input-group-text">m2</span></div></div></td></tr>
<tr><td>Unggah Referensi Desain</td></tr>
<tr><td><input type="file" name="gambar" accept="image/*" class="form-

```

```
control round-form' placeholder='File' required></td></tr>
<tr><td><input type='submit' value='Pesan' name='<?php if($aksi=='ubah'){echo 'ubah';}else{echo 'tambah';}?'
class='btnbtn-primary'><input type='button' value='Batal' onclick="document.location='?p=pemesanan'" class='btnbtn-
warning'></td></tr>
</table>
</form></center></div></div></div>
```

riwayat_pemesanan.php

```
<?php
$aksi='tambah';
if(isset($_GET['e'])){
    $aksi='ubah';
    $id=$_GET['e'];
    $cari=mysqli_query($con,"select * from pemesanan where id_pemesanan='$id'");
    $cd=mysqli_fetch_array($cari);
}
if(isset($_POST['tambah'])){
    mysqli_query($con,"updatepemesanan set status_pemesanan='KonfirmasiPembayaran' where
id_pemesanan='$id'");
    move_uploaded_file($_FILES['gambar']['tmp_name'], "bukti/".$id.".jpg");
    echo '<script>alert("Data berhasil disimpan");document.location="?p=riwayat_pemesanan";</script>';
}
?>
<div class="row">
<div class="col-md-1"></div>
<div class="col-md-10">
<br><br><br>
<center><h3>RiwayatPemesanan</h3><br><br><br>
<table class='table table-striped table-no-bordered table-hover' id='tabel'>
<thead><tr>
<th>no pemesanan</th>
<th>tipe</th>
<th>jasa</th>
<th>gayadesain</th>
<th>status pemesanan</th>
<th>Aksi</th>
</tr></thead>
<tbody>
<?php $cari=mysqli_query($con,"select * from pemesanan where id_konsumen =$_SESSION[id_konsumen]");
while($res=mysqli_fetch_array($cari)){ ?>
<tr>
<td>RArt/2019-P00<?=$res['id_pemesanan']?></td>
<td><?=$res['tipe']?></td>
<td><?php
    if($res['desain_arsitektur']=='1"){echo "<li>DesainArsitektur</li>";}
    if($res['desain_interior']=='1"){echo "<li>Desain Interior</li>";}
    ?></td>
<td><?=$res['gaya_desain']?></td>
<td><?=$res['status_pemesanan']?></td>
<?php if($res['status_pemesanan']!="Pengajuan"){ ?>
<td><a href="?p=riwayat_pemesanan&e=<?=$res['id_pemesanan']?>" class='btnbtn-warning'>Detail</a></td>
</tr>
<?php } } ?>
</tbody>
</table>
<script>
$(document).ready(function() {
```

```

$(#tabel').DataTable();
});
</script>
<?php if(isset($_GET['e'])){?>

    <div class="row">
    <div class="col-md-5">
        <imgsrc="bangunan/<?=$cd['id_konsumen']?>.jpg" width="100%" height="100%">
    </div>
    <div class="col-md-7">
    <form method='post' enctype='multipart/form-data'>
        <table>
            <tr>
                <td><h2>RincianPemesanan</h2></td>
            </tr>
            <tr>
                <td>No Pemesanan</td>
                <td>RArt/2019-P00<?=$cd['id_pemesanan']?></td>
            </tr>
            <tr>
                <td>Alokasi Dana</td>
                <td>Rp<?=( $cd['alokasi_dana'] )?></td>
            </tr>
            <tr>
                <td>Luas Tanah</td>
                <td><?=( $cd['luas_tanah'] )?> m2 </td>
            </tr>
            <tr>
                <td>Luas Bangunan</td>
                <td><?=( $cd['luas_bangunan'] )?> m2 </td>
            </tr>
            <tr>
                <td>Material:</td>
                <td>Dinding :batubata<br>
                    Atap: genteng metal<br>
                    Kuda-kuda: bajaringan<br>
                    Pondasi: batubata<br>
                    Lantai: keramik polos<br>
                    Kusenpintu/jendela: kayu<br>
                    Kaca: 9mm<br>
                </td>
            </tr>
            <tr>
                <td>BiayaJasaArsitek</td><td>Rp<?=number_format($cd['harga'] )?></td>
            </tr>
            <?php if($cd['status_pemesanan']=="Penawaran"){?>
            <tr>
                <td>BuktiPembayaran</td><td><input type="file" name='gambar' accept='image/*'
class='form-control round-form' placeholder='File' required></td>
            </tr>
            <tr>
                <td>&nbsp;</td><td><input type='submit' value='Simpan' name='tambah'
class='btnbtn-primary'></td>
            </tr>
            <?php }else{?>
            <tr>
                <td>BuktiPembayaran</td><td><a href="bukti/<?=$cd['id_pemesanan']?>.jpg"
target="_blank">[Lihat...]</a></td>

```

```
        </tr>
        <?php if($cd['status_pemesanan']=="Selesai"){ ?>
        <tr>
            <td>Desain</td><td><a href="desain/<?=$cd['id_pemesanan']?>.pdf"
target="_blank">[Lihat...]</a></td>
        </tr>
        <?php } } ?>
    </table>
</form>
</div>
</div>
```

```
<?php } ?>
</div>
</div>
```

koneksi.php

```
<?php
session_start();
$con = new mysqli('localhost', 'root', '', 'arsitek');
if($con->connect_error){die('Connection failed: '.$con->connect_error);}
?>
```

beranda.php

```
<center><br><br><br><imgsrc="logop.png" style="width:200px">
<br><br><br><h2 style="color:#2182f7">RAN ARCHITECTURE</h2><font>Jalan Bank Raya 1 No.1 Kel. LorokPakjo,
Kec. Ilir Barat 1. Kota Palembang, Sumatera Selatan</font></center>
```

admin.php

```
<?php
$saksi='tambah';
if(isset($_GET['e'])){
    $saksi='ubah';
    $id=$_GET['e'];
    $cari=mysqli_query($con,"select * from admin where username='$id'");
    $cd=mysqli_fetch_array($cari);
}
if(isset($_POST['tambah'])){
    $simpan=mysqli_query($con,"insert into admin values('$_POST[username]',".'$_POST[password]'.")");
    if($simpan){
        echo '<script>alert("Data berhasil disimpan");document.location="?p=admin";</script>';
    }
}
if(isset($_POST['ubah'])){
    $simpan=mysqli_query($con,"update admin set username='$_POST[username]',password='$_POST[password]' where
username='$id'");
    if($simpan){
        echo '<script>alert("Data berhasil diubah");document.location="?p=admin";</script>';
    }
}
if(isset($_GET['d'])){
    $hapus=mysqli_query($con,"delete from admin where username='$_GET[d]");
    if($hapus){
        echo '<script>alert("Data berhasil dihapus");document.location="?p=admin";</script>';
    }
}
?>
```

```

<form method='post' enctype='multipart/form-data'>
<table width='100%'>
<tr><td>Username</td><td>
<input required type='text' <?php if($aksi=='ubah'){echo 'value="'.Scd['username'].'';}> name='username' class='form-control'></td></tr>
<tr><td>Password</td><td>
<input type='password' <?php if($aksi=='ubah'){echo 'readonly';}else{echo 'required';}> name='password' class='form-control'></td></tr>
<tr><td>&nbsp;</td><td><input type='submit' value='Simpan' name='<?php if($aksi=='ubah'){echo 'ubah';}else{echo 'tambah';}>' class='btn btn-primary'><input type='button' value='Refresh' onclick="document.location='?p=admin'" class='btn btn-warning'></td></tr>
</table>
</form>
<table class='table table-striped table-no-bordered table-hover' id='tabel'>
<thead><tr>
<th>username</th>
<th>Aksi</th>
</tr></thead>
<tbody>
<?php $cari=mysqli_query($con,'select * from admin');
while($res=mysqli_fetch_array($cari)){?>
<tr>
<td><?=$res['username']?></td>
<td><a href="?p=admin&e=<?=$res['username']?>" class='btn btn-warning'><i class='fa fa-pencil'></i></a><a href="?p=admin&d=<?=$res['username']?>" class='btn btn-danger' onclick="return confirm('Hapus data?')"><i class='fa fa-trash-o'></i></a></td>
</tr>
<?php }?>
</tbody>
</table>
<script>
$(document).ready(function() {
$('#tabel').DataTable();
});
</script>

```

depan.php

```

<?php
include'koneksi.php';
if(isset($_POST['daftar'])){
    $simpan=mysqli_query($con,"insert into konsumen
values(null,'$_POST[email]','$_POST[nama]','$_POST[password]','$_POST[no_tlp]','$_POST[alamat].'");
    if($simpan){
        echo '<script>alert("Data berhasil disimpan");document.location=""?</script>';
    }
}?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="">
<title>CV Ran Architecture</title>

```

```

<!-- Bootstrap core CSS -->
<link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">

<!-- Custom fonts for this template -->
<link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">
<link href='https://fonts.googleapis.com/css?family=Lora:400,700,400italic,700italic' rel='stylesheet' type='text/css'>
<link
href='https://fonts.googleapis.com/css?family=Open+Sans:300italic,400italic,600italic,700italic,800italic,400,300,600,700,800' rel='stylesheet' type='text/css'>

<!-- Custom styles for this template -->
<link href="css/clean-blog.min.css" rel="stylesheet">

</head>

<script>
    $(function(){$("#myModal").modal();});
    $(function(){$("#my").modal();});
</script>
<body>

<!-- Navigation -->
<nav class="navbar navbar-expand-lg fixed-top is-visible is-fixed" id="mainNav">
<div class="container">
<a class="navbar-brand" href="depan.html">Ran Architecture</a>
<button class="navbar-toggler navbar-toggler-right" type="button" data-toggle="collapse" data-
target="#navbarResponsive" aria-controls="navbarResponsive" aria-expanded="false" aria-label="Toggle navigation">
    Menu
<i class="fas fa-bars"></i>
</button>
<div class="collapse navbar-collapse" id="navbarResponsive">
<ul class="navbar-nav ml-auto">
<li class="nav-item">
<a class="nav-link" href="#">Beranda</a>
</li>
<li class="nav-item">
<a class="nav-link" href="?p=pemesanan">Form Pemesanan</a>
</li>
<li class="nav-item">
<a class="nav-link" href="?p=riwayat_pemesanan">RiwayatPemesanan</a>
</li>
<li class="nav-item">
<a class="nav-link" href="?p=user" >Data User</a>
</li>
<li class="nav-item">
<a class="nav-link" href="?p=keluar" >Keluar</a>
</li>
</ul>
</div>
</div>
</nav>

<?php
if(isset($_GET['p'])){
    include $_GET['p'].".php";
}else{
    include "front.php";
}
?>

```



```

<hr>
<!-- Footer -->
<footer>
<div class="container">
<div class="row">
<div class="col-lg-8 col-md-10 mx-auto">
<ul class="list-inline text-center">
<li class="list-inline-item">
</li>
</ul>
<p class="copyright text-muted">Copyright &copy; Ran architecture Website 2019</p>
</div>
</div>
</div>
</footer>

<!-- Bootstrap core JavaScript -->
<script src="vendor/jquery/jquery.min.js"></script>
<script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

<!-- Custom scripts for this template -->
<script src="js/clean-blog.min.js"></script>

</body>

</html>

```

laporan_konsumen.php

```

<?php
$saksi='tambah';
if(isset($_GET['e'])){
    $saksi='ubah';
    $id=$_GET['e'];
    $cari=mysqli_query($con,"select * from konsumen where id_konsumen='$id'");
    $cd=mysqli_fetch_array($cari);
}
if(isset($_POST['tambah'])){
    $simpan=mysqli_query($con,"insert into konsumen
values(null,$_POST[email'],$_POST[password'],$_POST[no_tlp],".$_POST[alamat].")");
    if($simpan){
        echo '<script>alert("Data berhasil disimpan");document.location="?p=konsumen";</script>';
    }
}
if(isset($_POST['ubah'])){
    $simpan=mysqli_query($con,"updatekonsumen set
email=$_POST[email],no_tlp=$_POST[no_tlp],alamat=$_POST[alamat] where id_konsumen='$id'");
    if($simpan){
        echo '<script>alert("Data berhasil diubah");document.location="?p=konsumen";</script>';
    }
}
if(isset($_GET['d'])){
    $hapus=mysqli_query($con,"delete from konsumen where id_konsumen=$_GET[d]");
    if($hapus){
        echo '<script>alert("Data berhasil dihapus");document.location="?p=konsumen";</script>';
    }
}
?>

```

```
<button class="btnbtn-info" onclick="window.print()">Cetak</button><br><br>
<h2>LaporanKonsumen</h2>
<table class='table table-striped table-no-bordered table-hover' id='tabel'>
<thead><tr>
<th>email</th>
<th>nama</th>
<th>no tlp</th>
<th>alamat</th>
</tr></thead>
<tbody>
<?php $cari=mysqli_query($con,'select * from konsumen');
while($res=mysqli_fetch_array($cari)){ ?>
<tr>
<td><?=$res['email']?></td>
<td><?=$res['nama']?></td>
<td><?=$res['no_tlp']?></td>
<td><?=$res['alamat']?></td>
</tr>
<?php }?>
</tbody>
</table>
<script>
$(document).ready(function() {
$('#tabel').DataTable();
});
</script>
```

laporan_pemesanan.php

```
<form method="post">
<?php if(!isset($_POST['cari'])){ ?>
<br><br><br><br><center>
<b>Periode</b>&nbsp;&nbsp;&nbsp;<input type='date' name="dari" <?php if(isset($_POST['cari'])){ echo
'value="'. $_POST['dari']. '"; }?>> s/d <input type='date' name="sampai" <?php if(isset($_POST['cari'])){ echo
'value="'. $_POST['sampai']. '"; }?>>&nbsp;&nbsp;&nbsp;<input type="submit" name="cari" class="btnbtn-primary"
value='Cari'>&nbsp;&nbsp;&nbsp;</center>
<?php }else{ ?>
<button class="btnbtn-info" onclick="window.print()">Cetak</button>
<a href="" class="btnbtn-primary">Kembali</a>
<center>
<h2>LaporanPemesanan</h2>Periode<?php echo date("d M Y",strtotime($_POST['dari'])) . ' - ' . date("d M
Y",strtotime($_POST['sampai']))?><br><br>
</center>
<?php
    $periode="";
    if(isset($_POST['cari'])){
        $periode="where tgl>='$_POST[dari]' and tgl<='$_POST[sampai]";
    }
?>
<table class='table table-striped table-no-bordered table-hover'>
<thead><tr>
<th>no pemesanan</th>
<th>Nama Konsumen</th>
<th>Email</th>
<th>Telp</th>
<th>tipe</th>
<th>jasa</th>
<th>gayadesain</th>
<th>status pemesanan</th>
```

```

<th>Rp</th>
</tr></thead>
<tbody>
<?php
    $jumlah=0;
    $q=mysqli_query($con,"select * from pemesanan inner join konsumen on
konsumen.id_konsumen=pemesanan.id_konsumen $periode");
    while($cari=mysqli_fetch_array($q))
    {
        $jumlah=$jumlah+$cari['alokasi_dana'];
    }
?>
<tr>
<td>RArt/2019-P00<?=$cari['id_pemesanan']?></td>
<td><?=$cari['nama']?></td>
<td><?=$cari['email']?></td>
<td><?=$cari['no_tlp']?></td>
<td><?=$cari['tipe']?></td>
<td><?php
    if($cari['desain_arsitektur']=="1"){echo "<li>DesainArsitektur</li>";}
    if($cari['desain_interior']=="1"){echo "<li>Desain Interior</li>";}
    ?></td>
<td><?=$cari['gaya_desain']?></td>
<td><?=$cari['status_pemesanan']?></td>
<td><?=$cari['alokasi_dana']?></td>
</tr><tr>
    <?php }?>
    <td colspan="8" align="right"><b>Grand Total</b></td>
    <td align="center"><?=number_format($jumlah);?></td>
</tr>
<?php }?>
</tbody>
</table>
</form>

```

pass.php

```

<?php
if(isset($_POST['ubah']))
{
    if($_POST['baru']==$_POST['konf'])
    {
        if($_SESSION['akses']=='Admin'){
            $ubah=mysqli_query($con,"update admin set password='".$_POST['baru']."' where
username='".$_SESSION[log]' and password='".$_POST['lama'].''");}
        else{
            $ubah=mysqli_query($con,"updatekonsumen set password='".$_POST['passwordbaru']."' where
id_konsumen='".$_SESSION[log]' and password='".$_POST['lama'].''");}
        }
    if($ubah)
    {
        echo'<script>alert("password berhasil diubah")
document.location="?p=pass"
</script>';
    }
    else
    {
        echo"<script>alert('Sandi baru dan konfirmasi sandi tidak sama');</script>";
    }
}

```

```

        echo "<meta http-equiv='refresh' content='0;url=?'>";
    }
}
?>
<center>
<br><br><br>
<div class="well" style="max-width:500px">
<h3>Ubah Password</h3><br>
<form action="" method="post" enctype="multipart/form-data">
<table width="100%">
<tr>
<td>Password Lama</td>
<td><input required type="password" name="lama" class="form-control"></td>
</tr><tr>
<td>Password Baru</td>
<td><input required type="password" name="baru" class="form-control"></td>
</tr><tr>
<td>Konfirmasi Password</td>
<td><input required type="password" name="konf" class="form-control"></td>
</tr><tr>
<td>&nbsp;</td>
<td><br><input type="submit" value="Simpan" name="ubah" class="btn btn-info">&nbsp;<input type="button"
value="Refresh" onclick="document.location='?p=pass'" class="btn btn-success"></td>
</tr>
</table></form>
</div>
</center>

```

user.php

```

<?php
$cari=mysqli_query($con,"select * from konsumen where id_konsumen='$_SESSION[log]'");
$cd=mysqli_fetch_array($cari);
if(isset($_POST['tambah'])){
    $simpan=mysqli_query($con,"updatekonsumen set
email='$_POST[email]',no_tlp='$_POST[no_tlp]',alamat='$_POST[alamat]',password='$_POST[password]' where
id_konsumen='$_SESSION[log]'");
    if($simpan){
        echo '<script>alert("Data berhasil diubah");document.location="?p=user";</script>';
    }
}
?>
<center>
<br><br><br>
<div class="well" style="max-width:500px">
<h3>Profil</h3><br><form method='post' enctype='multipart/form-data'>
    <table width='100%'>
    <tr><td>Email</td><td>
    <input required type='text' <?php echo 'value="'. $cd['email']. ""';?> name='email' class='form-
control'></td></tr>
    <tr><td>Nama</td><td>
    <input required type='text' <?php echo 'value="'. $cd['nama']. ""';?> name='nama' class='form-
control'></td></tr>
    <tr><td>Password</td><td>
    <input type='text' <?php echo 'value="'. $cd['password']. ""';?> name='password' class='form-
control'></td></tr>
    <tr><td>No tlp</td><td>

```

```

        <input required type='text' <?php echo 'value="'. $cd['no_tlp']. ""';?> name='no_tlp' class='form-
control'></td></tr>
        <tr><td>Alamat</td><td>
        <textarea required name='alamat' class='form-control'><?php echo $cd['alamat'];?></textarea></td></tr>
        <tr><td>&nbsp;</td><td><input type='submit' value='Simpan' name='tambah' class='btnbtn-
primary'></td></tr>
    </table>
</form></form>
</div>
</center>

```

sidebar.php

```

<div class="sidebar" data-color="yellow">
<div class="sidebar-wrapper" >
    <div class="logo" styl>
        <a href="?" class="simple-text logo-normal">
            Ran Architecture
        </a>
    </div>
    <ul class="nav">
        <li>
            <a href="dashboard.php">
                <i class="tim-icons icon-chart-pie-36"></i>
                <p>Dashboard</p>
            </a>
        </li>
        <?php if($_SESSION['akses']=="Admin"){ ?>
        <li>
            <a href="?p=kelola_pemesanan">
                <i class="tim-icons icon-atom"></i>
                <p>KelolaPemesanan</p>
            </a>
        </li>
        <li>
            <a href="?p=laporan_pemesanan">
                <i class="tim-icons icon-atom"></i>
                <p>LaporanPemesanan</p>
            </a>
        </li>
        <li>
            <a href="?p=laporan_konsumen">
                <i class="tim-icons icon-atom"></i>
                <p>LaporanKonsumen</p>
            </a>
        </li>
        <?php }else{ ?>
        <li>
            <a href="?p=pemesanan">
                <i class="tim-icons icon-calendar-60"></i>
                <p>Input Pemesanan</p>
            </a>
        </li>
        <li>
            <a href="?p=riwayat_pemesanan">
                <i class="tim-icons icon-calendar-60"></i>
                <p>RiwayatPemesanan</p>
            </a>
        </li>
    </ul>

```

