

index.php

```
<?php
session_start();
include ("koneksi.php");

if(isset($_POST['masuk'])){
$cek_login=mysqli_query($con, "select *
from pengguna where username
='".$_POST['username']."' and password =
".$_POST['password']."'");
$cek2=mysqli_fetch_array($cek_login);
    if(mysqli_num_rows($cek_login)>0)
{
    if($cek2['level']=='Pegawai'){
        $_SESSION['Pegawai']=$_POST['u
sername'];
        echo "<meta http-
equiv='refresh'
content='0;url=./index1.php'>";
    }
    if($cek2['level']=='Admin'){
        $_SESSION['Admin']=$_POST['use
rname'];
        echo "<meta http-
equiv='refresh'
content='0;url=./index1.php'>";
    }
    if($cek2['level']=='Kepala
Badan'){
        $_SESSION['Kepala
Badan']=$_POST['username'];
        echo "<meta http-
equiv='refresh'
content='0;url=./index1.php'>";
    }
}
```

```
else{
        echo "<script>alert('Email/Password
Salah');</script>";
    }
}
?>
```

```
<!doctype html>
<!--[if lt IE 7]> <html class="no-js lt-ie9 lt-
ie8 lt-ie7" lang=""> <![endif-->
<!--[if IE 7]> <html class="no-js lt-ie9 lt-
ie8" lang=""> <![endif-->
<!--[if IE 8]> <html class="no-js lt-ie9"
lang=""> <![endif-->
<!--[if gt IE 8]><!-->
<html class="no-js" lang="en">
<!--<![endif-->
<head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible"
content="IE=edge">
    <title>BKPSDM</title>
    <meta name="description" content="Sufee
Admin - HTML5 Admin Template">
    <meta name="viewport"
content="width=device-width, initial-
scale=1">
    <link rel="apple-touch-icon" href="apple-
icon.png">
    <link rel="shortcut icon"
href="gambar/logo1.png">
```

```
<link rel="stylesheet"
href="vendors/bootstrap/dist/css/bootstrap.min.css">
```

```
<link rel="stylesheet" href="vendors/font-
awesome/css/font-awesome.min.css">
```

```
<link rel="stylesheet"
href="vendors/themify-icons/css/themify-
icons.css">
```

```
<link rel="stylesheet" href="vendors/flag-
icon-css/css/flag-icon.min.css">
```

```
<link rel="stylesheet"
href="vendors/selectFX/css/cs-skin-
elastic.css">
```

```
<link rel="stylesheet"
href="assets/css/style.css">
```

```
<link
href='https://fonts.googleapis.com/css?family
=Open+Sans:400,600,700,800'
rel='stylesheet' type='text/css'>
```

```
</head>
```

```
<body class="bg-dark">
```

```
<div class="sufee-login d-flex align-
content-center flex-wrap">
```

```
<div class="container">
```

```
<div class="login-content">
```

```
<div class="login-logo">
```

```
</div>
```

```
<div class="login-form">
<center><h2>Badan Kepegawaian
dan PSDM Kota Palembang</h2><br>
```

```
<center></center>
```

```
<center><br>
```

```
<form method="post">
```

```
<div class="form-group">
```

```
<input type="text"
class="form-control"
placeholder="Username"
name="username">
```

```
</div>
```

```
<div class="form-group">
```

```
<input type="password"
class="form-control" placeholder="Password"
name="password">
```

```
</div>
```

```
<input type="submit"
name="masuk" class="btn btn-success btn-
flat m-b-30 m-t-30" value="Sign in"></input>
```

```
</div>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<script
src="vendors/jquery/dist/jquery.min.js"></scri
pt>
```

```
<script
src="vendors/popper.js/dist/umd/popper.min.j
s"></script>
```

```
<script
src="vendors/bootstrap/dist/js/bootstrap.min.js"></script>
```

```
<script src="assets/js/main.js"></script>
```

```
</body>
```

```
</html>
```

```
spd.php
```

```
<?php
```

```
if(isset($_GET['edit'])){
```

```
    $getData
```

```
=mysqli_fetch_array(mysqli_query($con,
"SELECT * FROM spd WHERE id_spd=
'$_GET[edit]'"));
```

```
}
```

```
if(isset($_GET['valid'])){
```

```
    $valid =mysqli_query($con, "update
spd set status = 'Valid' where id_spd=
'$_GET[valid]'");
```

```
    if($valid){
```

```
        echo"
```

```
<script>alert('SPD Valid ');
document.location='?r=spd'</script>
```

```
    ";
```

```
    }
```

```
}
```

```
if(isset($_GET['tidak_valid'])){
```

```
    $tdkvalid =mysqli_query($con,
"update spd set status = 'Tidak Valid' where
id_spd= '$_GET[tidak_valid]'");
```

```
    if($tdkvalid){
```

```
        echo"
```

```
<script>alert('SPD Tidak Valid ');
document.location='?r=spd'</script>
```

```
    ";
```

```
    }
```

```
}
```

```
?>
```

```
<?php
```

```
if(isset($_POST['simpan'])){
```

```
    if(isset($_GET['edit'])){
```

```
        $eksekusi = mysqli_query($con,
"UPDATE spd SET id_pegawai =
"$_POST[id_pegawai].", dari=
"$_POST[dari].", sampai=
"$_POST[sampai].", tempat=
"$_POST[tempat].", mata_pasal=
"$_POST[mata_pasal].", tujuan=
"$_POST[tujuan].", ket= "$_POST[ket]."
WHERE id_spd= "$_GET[edit]." ");
```

```
        if($eksekusi){
```

```
            if(!empty($_FILES['nota_dinas']['tmp_name'])){
```

```
                move_uploaded_file($_FILES['nota_dinas']['tmp_name'],
"./berkas/nota_dinas_".$_GET[edit].".png");
```

```
            }
```

```
            if(!empty($_FILES['perintah_tugas']['tmp_name'])){
```

```
                move_uploaded_file($_FILES['perintah_tugas']['tmp_name'],
"./berkas/perintah_tugas_".$_GET[edit].".png");
```

```
            }
```

```
            echo"
```

```
<script>alert('SPD Berhasil Diubah !
Terimakasih')</script>
```

```
<meta
```

```
http-equiv='refresh'
content='0;url=index1.php?r=spd'>
```

```
    ";
```

```

    }
    else{
        echo"
                                <script>
                                alert('Ada Kesalahan ! Periksa
                                Kembali');
                                </script>
                                ";
        }
    }
    else {
        if(isset($_SESSION['Pegawai'])){
            $eksekusi =
            mysqli_query($con, "INSERT INTO spd
            values(null, '".$_POST['id_pegawai']."',
            '".$_POST['dari']."', '".$_POST['sampai']."',
            '".$_POST['tujuan']."', '".$_POST['tempat']."',
            '".$_POST['ket']."', 'Pengajuan', 'Tidak Valid',
            '".$_POST['mata_pasal']."')");
        }

        if(isset($_SESSION['Admin'])){
            $eksekusi =
            mysqli_query($con, "INSERT INTO spd
            values(null, '".$_POST['id_pegawai']."',
            '".$_POST['dari']."', '".$_POST['sampai']."',
            '".$_POST['tujuan']."', '".$_POST['tempat']."',
            '".$_POST['ket']."', 'Valid', 'Tidak Valid',
            '".$_POST['mata_pasal']."')");
        }

        if($eksekusi){
            if(!empty($_FILES['nota_dinas']['tmp
            _name'])){move_uploaded_file($_FILES['not
            a_dinas']['tmp_name'],
            "./berkas/nota_dinas_".mysqli_insert_id($con
            ).".png");
        }

            if(!empty($_FILES['perintah_tugas']['
            tmp_name'])){move_uploaded_file($_FILES['
            perintah_tugas']['tmp_name'],
            "./berkas/perintah_tugas_".mysqli_insert_id($
            con).".png");
        }
        echo"
                                <script>alert('SPD Berhasil
                                Disimpan ! Terimakasih')</script>
                                <meta
                                http-equiv='refresh'
                                content='0;url=index1.php?r=spd'>
                                ";
        }
        else{
            echo"
                                <script>
                                alert('Ada Kesalahan ! Periksa
                                Kembali');
                                </script>
                                ";
        }
    }
}
?>
<div class="breadcrumbs">
    <div class="col-sm-4">
        <div class="page-header float-
        left">
            <div class="page-title">
                <h1>Dashboard</h1>
            </div>
        </div>
    </div>
</div>
<div class="col-sm-8">

```

```

<div class="page-header float-
right">
    <div class="page-title">
        <ol class="breadcrumb text-
right">
            <li><a
href="#">Dashboard</a></li>
            <li><a
href="?p=pegawai">SPD</a></li>
        </ol>
    </div>
</div>
</div>

```

```

<div class="content mt-3">
    <div class="animated fadeIn">
        <div class="row">
            <div class="col-lg-12">
                <div class="card">
                    <div class="card-header">
                        <strong class="card-
title">SPD</strong>
                    </div>
                    <div class="card-body">
                        <!-- Credit Card -->
                        <div id="pay-invoice">
                            <div class="card-
body">
                                <div class="card-
title">
                                    <h3 class="text-
center">SPD</h3>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

<form action=""
method="post" novalidate="novalidate"
enctype="multipart/form-data">
    <div class="form-
group col-md-12" align=left>
        <label>Pegawai</label>
        <select
class="form-control" name="id_pegawai">
            <?php
                if(isset($_SESSION['Pegawai']))){
                    $js=mysqli_query($con,"SELECT *
from pegawai where id_pegawai =
".$_SESSION['id_pegawai'].");
                }
            else {
                $js=mysqli_query($con,"SELECT *
from pegawai");
            }
            while($hjs=mysqli_fetch_array($js)){
                echo'
                    <option
value="'.$hjs['id_pegawai'].'" ";
                    ';
                echo
                    '>'.$hjs['id_pegawai'].' /
                    '.$hjs['nama'].'</option>';
            }
        </select>
    </div>

```

```
<div class="form-group col-md-12"
align=left>
```

```
<label>Dari</label>
```

```
<input
type="date" name="dari" class = "form-
control" value="<?php
if(isset($_GET['edit'])){echo $getData['dari'];
}?>" required></input>
```

```
</div>
```

```
<div class="form-group col-md-12"
align=left>
```

```
<label>Sampai</label>
```

```
<input
type="date" name="sampai" class = "form-
control" value="<?php
if(isset($_GET['edit'])){echo
$getData['sampai']; }?>" required></input>
```

```
</div>
```

```
<div class="form-group col-md-12"
align=left>
```

```
<label>Tujuan</label>
```

```
<input type="text"
name="tujuan" placeholder="Masukkan
Tujuan" class = "form-control" value="<?php
if(isset($_GET['edit'])){echo
$getData['tujuan']; }?>" required></input>
```

```
</div>
```

```
<div class="form-group col-md-12"
align=left>
```

```
<label>Tempat</label>
```

```
<input type="text"
name="tempat" placeholder="Masukkan
Tempat" class = "form-control" value="<?php
if(isset($_GET['edit'])){echo
$getData['tempat']; }?>" required></input>
```

```
</div>
```

```
<div class="form-group col-md-12"
align=left>
```

```
<label>Keterangan</label>
```

```
<textarea name
="ket" class = "form-control" cols="135"
rows="5" placeholder="Masukkan
Keterangan" required><?php
if(isset($_GET['edit'])){echo $getData['ket'];
}?></textarea>
```

```
</div>
```

```
<div class="form-group col-md-12"
align=left>
```

```
<label>Mata Pasa</label>
```

```
<input type="text"
name="mata_pasal" value="<?php
if(isset($_GET['edit'])){echo
$getData['mata_pasal']; }?>" class = "form-
control"></input>
```

```
</div>
```

```
<div class="form-group col-md-12"
align=left>
```

```
<label>Nota Dinas</label>
```

```
<input type="file"
name="nota_dinas" class = "form-
control"></input>
```

```
</div>
```

```
<div class="form-group col-md-12"
align=left>
```

```

        <label>Perintah
Tugas</label>

        <input type="file"
name="perintah_tugas" class = "form-
control"></input>

    </div>

    <div class="form-group col-md-12"
align=right>

        <input type="reset"
value="Batal" class="btn btn-danger"
style="width:100px">

        <input type="submit"
value="<?php if(isset($_GET['edit'])){echo
"Ubah";}else{echo"Simpan";}?>"
name="simpan" class="btn btn-success"
style="width:100px">

    <br><hr>

</div>

    </form>
</div>
</div>

</div>
</div> <!-- .card -->

</div>
<!--/.col-->

```

```

<div class="col-md-12">
    <div class="card">
        <div class="card-header">
            <strong class="card-
title">Data Table</strong>
        </div>
        <div class="card-body">
            <table id="bootstrap-
data-table-export" class="table table-striped
table-bordered">
                <thead>
                    <tr>
                        <td>No</td>
                        <td>Pegawai</td>
                        <td>Tujuan</td>
                        <td>Tanggal</td>
                        <td>Mata Pasa</td>
                        <td>Keterangan</td>
                        <td>Berkas</td>
                        <td width="100">Aksi</td>

```

```

        if($data['status'] == 'Pengajuan' or
        $data['status'] == 'Tidak Valid'){

                $valid= "<a
                href=?r=spd&valid=".$data['id_spd']."
                onclick='return confirm(\"SPD Valid
                ?\")>Valid | </a>";

                $tidak_valid= "<a
                href=?r=spd&tidak_valid=".$data['id_spd']."
                onclick='return confirm(\"SPD Tidak Valid
                ?\")>Tidak Valid</a>";

        }

        if(isset($_SESSION['Pegawai'])){

                $eksekusi = mysqli_query($con,
                "SELECT * FROM spd inner join pegawai p
                on p.id_pegawai=spd.id_pegawai where
                spd.id_pegawai =
                ".$pegawai['id_pegawai'].""");

        }

        else {

                $eksekusi = mysqli_query($con,
                "SELECT * FROM spd inner join pegawai p
                on p.id_pegawai=spd.id_pegawai");

        }

        while ($data =
        mysqli_fetch_array($eksekusi)){

                if($data['status']=='Valid'){

                        $op1="

                                <a
                                href='surat_perjalanan_dinas.php?id=".$data
                                ['id_spd']."' target='_blank'>Cetak SPD</a>

                ";

        }

}

```



```

                                ".$valid." ".$tidak_valid."<br>
                                echo "

                                <a
                                href='./berkas/perintah_tugas_".$data['id_spd
                                '].'.png'>Perintah Tugas</a>
                                }
                                ";
                                echo "
                                }

                                ".$sop1."

                                </td>
                                echo "

                                </tr>

                                </td>
                                ";

                                <td align=center>
                                $no=$no+1;

                                <a
                                href='?r=spd&edit=".$data['id_spd']."'>Edit</a
                                ><br>
                                ";

                                </tbody>

                                </table>
                                </div>
                                </div>
                                </div>
                                echo "

```

```

        </div>
    </div><!-- .animated
-->

</div><!-- .content -->

```

Rincian_biaya.php

```

<?php
if(isset($_GET['hps'])){
    $hps =mysql_query($con, "delete
FROM rincian_biaya WHERE
id_rincian_biaya= '$_GET[hps]'");
    if($hps){
        echo"

        <script>alert('Rincian Biaya
Perjalanan Berhasil Dihapus ');
document.location='?r=rincian_biaya&biaya=
".$_GET['biaya']."'</script>

        ";
    }
}

if(isset($_POST['valid'])){
    $valid =mysql_query($con, "update
spd set status_rincian = 'Valid' where
id_spd= '".$_GET['biaya']."'");
    if($valid){
        echo"

        <script>alert('Rincian Biaya
Perjalanan Dinas Valid ');
document.location='?r=rincian_biaya'</script
>

        ";
    }
}

if(isset($_POST['tdkvalid'])){

```

```

    $tdkvalid =mysql_query($con,
"update spd set status_rincian = 'Tidak Valid'
where id_spd= '".$_GET['biaya']."'");
    if($tdkvalid){
        echo"

        <script>alert('Rincian Biaya
Perjalanan Dinas Tidak Valid ');
document.location='?r=rincian_biaya'</script
>

        ";
    }
}

?>

<?php
if(isset($_POST['simpan'])){
    $eksekusi = mysql_query($con,
"INSERT INTO rincian_biaya values(null,
".$_GET['biaya']." , '".$_POST['jenis']." ,
".$_POST['biaya']." , '".$_POST['jumlah']." ,
".$_POST['ket']."'");
    if($eksekusi){
        if(!empty($_FILES['bukti']['tmp_nam
e'])){move_uploaded_file($_FILES['bukti']['tm
p_name'],
"./bukti/biaya_".mysql_insert_id($con).".png"
);
    }
    echo"

    <script>alert('Rincian Biaya Berhasil
Disimpan ! Terimakasih')</script>

    <meta
http-equiv='refresh'

```

```

content='0;url=index1.php?r=rincian_biaya&b
iaya="$_GET['biaya']."'>
";
}
else{
    echo"
<script>
    alert('Ada Kesalahan ! Periksa
Kembali');
</script>
";
}
?>
<div class="breadcrumbs">
    <div class="col-sm-4">
        <div class="page-header float-
left">
            <div class="page-title">
                <h1>Dashboard</h1>
            </div>
        </div>
    </div>
    <div class="col-sm-8">
        <div class="page-header float-
right">
            <div class="page-title">
                <ol class="breadcrumb text-
right">
                    <li><a
href="#">Dashboard</a></li>
                    <li><a
href="?p=pegawai">Rincian Biaya</a></li>
                </ol>
            </div>
        </div>
    </div>
</div>
</div>
</div>
</div>
<div class="content mt-3">
    <div class="animated fadeIn">
        <div class="row">
            <div class="col-md-12">
                <div class="card">
                    <div class="card-header">
                        <strong class="card-
title">Data Perjalanan Dinas</strong>
                    </div>
                    <div class="card-body">
                        Data SPD
                        <table id="bootstrap-
data-table-export" class="table table-striped
table-bordered">
                            <thead>
                                <tr>
                                    <td>No</td>
                                    <td>Pegawai</td>
                                    <td>Tujuan</td>
                                </tr>
                            </thead>
                        </table>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```

<td>Tanggal</td>	<pre> \$eksekusi = mysqli_query(\$con, "SELECT * FROM spd inner join pegawai p on p.id_pegawai=spd.id_pegawai and status = 'Valid'"); </pre>
<td>Keterangan</td>	}
<td>Berkas</td>	<pre> while (\$data = mysqli_fetch_array(\$eksekusi)){ </pre>
<td width="100">Aksi</td>	<pre> if(\$data['status_rincian']=='Valid'){ </pre>
</tr>	\$op1="
</thead>	<a
<tbody align=left>	<pre> href='surat_rincian_biaya.php?id=".\$data['id_ spd']."' target='_blank'>Cetak Rincian Biaya
 </pre>
<?php	<a
\$no=1;	<pre> href='kwitansi.php?id=".\$data['id_spd']."' target='_blank'>Cetak Kwitansi </pre>
if(isset(\$_SESSION['Pegawai'])){	";
<pre> \$eksekusi = mysqli_query(\$con, "SELECT * FROM spd inner join pegawai p on p.id_pegawai=spd.id_pegawai where spd.id_pegawai = ".\$pegawai['id_pegawai']."' and status='Valid'"); </pre>	}
}	else {
else {	\$op1="";
	}
	echo "


```

        </div>
    </div>
</div>
    <?php
    echo "
    if(isset($_GET['biaya'])){
        $rincian
        =mysqli_fetch_array(mysqli_query($con,
    </td>    "SEIECT * FROM spd inner join pegawai p
    on p.id_pegawai= spd.id_pegawai WHERE
    id_spd= '$_GET[biaya]'"));
        <td align=center>
        $awal =
        date_create($rincian['dari']);
        $akhir =
        date_create($rincian['sampai']);
        $diff = date_diff( $awal, $akhir );
        if($rincian['golongan'] == 'Golongan
        I' or $rincian['golongan'] == 'Golongan II' ){
        $uang_saku = 1000000 ;
        }
        else if($rincian['golongan'] ==
        'Golongan III'){
        $uang_saku = 1200000 ;
        }
        else if($rincian['golongan'] ==
        'Golongan IV'){
        $uang_saku = 1400000 ;
        }
    }
    $no=$no+1;
    }
    ?>
</tbody>
</table>
    ?>

```

```

                                <?php
if(isset($_SESSION['Pegawai']) and
$rincian['status_rincian'] == 'Tidak Valid') {?>
                                <option>Uang Hotel</option>
                                </select>
                                </div>
                                <div class="form-group col-md-12"
                                align=left>
                                <label>Keterangan</label>
                                <textarea name
                                ="ket" class = "form-control" cols="135"
                                rows="5" placeholder="Masukkan
                                Keterangan" required></textarea>
                                </div>
                                <div class="form-group col-md-12"
                                align=left>
                                <label>Biaya</label>
                                <input
                                type="number" name="biaya" class = "form-
                                control" required></input>
                                </div>
                                <option>Tiket Pergi</option>
                                </div>
                                <div class="form-group col-md-12"
                                align=left>
                                <option>Tiket Pulang</option>

```



```

</form>
</div>
<label>Jumlah</label>
</div>
<input
type="number" name="jumlah" class = "form-
control" required></input>
</div> <!-- .card -->
</div>
<!--/.col-->
<?php }?>
<div class="col-md-12">
<div class="card">
<div class="card-header">
<strong class="card-
title">Data Rincian Biaya</strong>
</div>
<div class="card-body">
<table id="bootstrap-
data-table-export" class="table table-striped
table-bordered">
<thead>
<tr>
<td>No</td>
<td>Keterangan</td>
<td>Biaya</td>
<td>Jumlah</td>

```

```

<td>Total</td>
<td>".$data['jenis'].<br>".$data['ket'
]."</td>

<td width="100">Aksi</td>

</tr>
<td>".number_format($data['biaya'])
."</td>

</thead>
<td>".$data['jumlah']."</td>

<tbody align=left>
<td>".number_format($data['biaya']*
$data['jumlah'])."</td>

<?php
<td align=center>

$no=1;
";

$total=0;
";

    $eksekusi = mysqli_query($con,
"SELECT * FROM spd inner join
rincian_biaya r on r.id_spd=spd.id_spd inner
join pegawai p on p.id_pegawai=
spd.id_pegawai where r.id_spd=
".$_GET['biaya'].");
    echo "

    while ($data =
mysqli_fetch_array($eksekusi)){
    <a
href='./bukti/biaya_".$data['id_rincian_biaya'].
".png' target='_blank'>Bukti</a><br>

echo "
";

<tr>
}

<td>".$no++."</td>

```



```
<td colspan="4" align="right">Total
Biaya</td>
```

```
<td colspan=2 align="left"><?php
echo number_format($total + ($uang_saku *
$diff -> d));?></td>
```

```
</tr>
```

```
<form method="post">
```

```
<?php
if(isset($_SESSION['Admin'])){?>
```

```
<tr>
```

```
<td colspan="4" align="right"></td>
```

```
<td colspan=2 align="center">
```

```
<input type="submit"
name="valid" value="Valid" class="btn btn-
primary">
```

```
<input type="submit"
name="tdkvalid" value="Tidak Valid"
class="btn btn-info">
```

```
</td>
```

```
</tr>
```

```
<?php }?>
```

```
</form>
```

```
</table>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
}?>
```

```
<?php
```

```
</div>
```

```
</div><!-- .animated
```

```
-->
```

```
</div><!-- .content -->
```

Laporan_spd.php

```
<div class="breadcrumbs">
```

```
<div class="col-sm-4">
```

```
<div class="page-header
float-left">
```

```
<div class="page-
title">
```

```
<h1>Laporan SPD</h1>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="col-sm-8">
```

```
<div class="page-header
float-right">
```

```
<div class="page-
title">
```

```
<ol
```

```
class="breadcrumb text-right">
```

```
<li><a href="#">Laporan
SPD</a></li>
```



```
<td>Maksud <br> Perjalanan
Dinas</td>
```

```
<td>".$no++."</td>
```

```
<td>Lama <br> Perjalanan
Dinas</td>
```

```
<td
align=center>".$data['dari']."<br> s/d
<br>".$data['sampai']." </td>
```

```
<td>Tujuan<br> Perjalanan
Dinas</td>
```

```
<td> ".$diff-> d ."
Hari."</td>
```

```
<td>Nama<br> Perjalanan
Dinas</td>
```

```
<td>".$data['ket']."</td>
```

```
<td>No SPD</td>
```

```
<td>".$data['tujuan']."</td>
```

```
</tr>
```

```
<td>".$data['nama']."</td>
```

```
</thead>
```

```
align=left>
```

```
<tbody
```

```
<td>".$data['id_spd']."/SPD/BKPSD
M.1/2019</td>
```

```
<?php
```

```
$no=1;
```

```
</tr>
```

```
$eksekusi = mysqli_query($con,
"SELECT * FROM spd inner join pegawai p
on p.id_pegawai=spd.id_pegawai where
status='Valid' and dari >= '".$_GET['tgl1']."'
and dari <= '".$_GET['tgl2']."'");
```

```
";
}
```

```
?>
```

```
</tbody>
```

```
while
($data = mysqli_fetch_array($eksekusi)){
```

```
</table>
```

```
<input type="button"
onclick="printDiv('printableArea')"
value="PRINT" class="btn btn-primary ; d-
print-none"/>
```

```
$awal = date_create($data['dari']);
```

```
<?php }?>
```

```
$akhir =
date_create($data['sampai']);
```

```
</div>
```

```
</div>
```

```
$diff = date_diff( $awal, $akhir );
```

```
</div>
```

```
echo "
```

```
<tr>
```

```
</div>
```



```

<div class="card-body">
    <div class="card-title">
        <h3 class="text-center">Laporan Anggaran</h3>
    </div>
    <hr>
    <div class="form-group">
        <label for="recipient-name" class="col-form-label">Periode</label><br>
        <input type="date" id="tgl_laporan1" required value="<?php if(isset($_GET['tgl1'])){echo $_GET['tgl1'];}?>" > &nbsp; <label >S/D </label>&nbsp; &nbsp;
        <input type="date" id="tgl_laporan2" class="" required value="<?php if(isset($_GET['tgl2'])){echo $_GET['tgl2'];}?>" > &nbsp; &nbsp; &nbsp; &nbsp;
        <button onclick="lihatlaporan()" class="btn btn-primary ; d-print-none">Lihat Laporan</button>
    </div>
</script>
function lihatlaporan(){
    document.location='index1.php?r=laporan_anggaran&tgl1=' +
    document.getElementById("tgl_laporan1").value + '&tgl2=' +
    document.getElementById("tgl_laporan2").value;
}
</script>
<?php if(isset($_GET['tgl1']) && isset($_GET['tgl2'])){?>
    <table id="bootstrap-data-table-export" class="table table-striped table-bordered">
        <thead>
            <tr>
                <td>No</td>
                <td>Tanggal <br> Perjalanan Dinas</td>
                <td>Maksud <br> Perjalanan Dinas</td>
                <td>Lama <br> Perjalanan Dinas</td>
                <td>Tujuan<br> Perjalanan Dinas</td>
                <td>Nama<br> Perjalanan Dinas</td>
                <td>No SPD</td>
                <td>Jumlah Anggaran</td>
            </tr>
        </thead>

```



```

<tbody align=left>
                                $uang_saku = 1200000 ;

<?php                                                                    }

                                $no=1;
                                else
                                if($data['golongan'] == 'Golongan IV'){
                                $uang_saku = 1400000 ;
                                }

                                while ($data =
                                mysqli_fetch_array($eksekusi)){
                                echo "

                                <tr>

                                $total
                                =mysqli_fetch_array(mysqli_query($con,
                                "SEIECT sum(biaya*jumlah) as ttl FROM
                                rincian_biaya WHERE id_spd=
                                '$data[id_spd]')");
                                $awal =
                                date_create($data['dari']);
                                $akhir =
                                date_create($data['sampai']);
                                $diff =
                                date_diff( $awal, $akhir );

                                if($data['golongan'] == 'Golongan I'
                                or $data['golongan'] == 'Golongan II' ){
                                $uang_saku = 1000000 ;

                                }
                                $diff->d ." Hari".</td>
                                $diff =
                                <td>". $data['ket']."</td>
                                <td>". $data['tujuan']."</td>
                                <td>". $data['nama']."</td>
                                <td>". $data['id_spd']. "/SPD/BKPSD
                                M.1/2019</td>

                                else
                                if($data['golongan'] == 'Golongan III'){

```

```
<td>Rp. ".number_format($total['ttl']
+ ($uang_saku * $diff -> d))."</td>
```

```
</tr>
```

```
";
```

```
}
```

```
?>
```

```
</tbody>
```

```
</table>
```

```
<input type="button"
onclick="printDiv('printableArea')"
value="PRINT" class="btn btn-primary ; d-
print-none"/>
```

```
<?php }?>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<script>
```

```
function printDiv(printableArea) {
```

```
var printContents =
document.getElementById(printableArea).inn
erHTML;
```

```
var originalContents =
document.body.innerHTML;
```

```
document.body.innerHTML = printContents;
```

```
window.print();
```

```
document.body.innerHTML =
originalContents;
```

```
}
```

```
</script>
```

logout.php

```
<?php
```

```
session_start();
```

```
session_destroy();
```

```
header('location:./?');
```

```
?>
```