

KODING :

Index.php

```
<?php
include "koneksi.php";
$page="beranda";
if(isset($_GET['p'])){ $page=$_GET['p'];}
?>
<!DOCTYPE html>
<html lang="en">
<head>
<title>Home</title>
<meta charset="UTF-8">
<meta name="viewport"
content="width=device-width, initial-
scale=1">
<!--=====-->
<link rel="icon" type="image/png"
href="images/icons/logo2.png"/>
<!--=====-->
<link rel="stylesheet" type="text/css"
href="vendor/bootstrap/css/bootstrap.
min.css">
<!--=====-->
<link rel="stylesheet" type="text/css"
href="fonts/font-awesome-
4.7.0/css/font-awesome.min.css">
<!--=====-->
<link rel="stylesheet" type="text/css"
href="fonts/ionic/css/material-design-
ionic-font.min.css">
<!--=====-->
```

```
<link rel="stylesheet" type="text/css"
href="fonts/linearicons-v1.0.0/icon-
font.min.css">
<!--=====-->
<link rel="stylesheet" type="text/css"
href="vendor/animate/animate.css">
<!--
=====-->
<link rel="stylesheet" type="text/css"
href="vendor/css-
hamburgers/hamburgers.min.css">
<!--=====-->
<link rel="stylesheet" type="text/css"
href="vendor/ansition/css/ansition
.min.css">
<!--=====-->
<link rel="stylesheet" type="text/css"
href="vendor/select2/select2.min.css">
<!--=====-->
<link rel="stylesheet" type="text/css"
href="vendor/daterangepicker/dateran-
gepicker.css">
<!--=====-->
<link rel="stylesheet" type="text/css"
href="vendor/slick/slick.css">
<!--
=====-->
<link rel="stylesheet" type="text/css"
href="vendor/MagnificPopup/magnific-
popup.css">
<!--=====-->
<link rel="stylesheet" type="text/css"
href="vendor/perfect-scrollbar/perfect-
scrollbar.css">
```

```

<!--
=====-->

<link rel="stylesheet" type="text/css"
href="css/util.css">

<link rel="stylesheet" type="text/css"
href="css/main.css">

<!--=====-->

<link rel="stylesheet"
href="css/datatables.min.css">

</head>

<style>
@media print{
.show_print{display:block !important}
.hide_print{display:none !important}
}
</style>

<body class="animsition">
<!-- Header -->

<header>
<!-- Header desktop -->

<div class="container-menu-desktop
hide_print">

<!-- Topbar -->

<div class="top-bar">

<div class="content-topbar flex-sb-m h-
full container">

<div class="left-top-bar">

</div>

</div>

</div>

```

```

<div class="wrap-menu-desktop
hide_print">

<nav class="limiter-menu-desktop
container hide_print">

<!-- Logo desktop -->

<a href="#" class="logo">



</a>

<!-- Menu desktop -->

<div class="menu-desktop">

<ul class="main-menu">

<li class="active-menu">

<a href="index.php">Home</a>

</li>

<li>

<a href="?p=pesanmontir">Pesan
Montir</a></li>

<li><a href="?p=pesanselesai">Pesanan
Selesai</a></li>

<li><a
href="admin/index.php">Login</a></li>

</ul>

</div>

</nav></div>

</div>

<!-- Header Mobile -->

<div class="wrap-header-mobile
hide_print">

<!-- Logo mobilie -->

<div class="logo-mobile">

```

```

<a href="index.php">

</a>
</div>
<!-- Icon header -->
<div class="wrap-icon-header flex-w
flex-r-m m-r-15"><div class="icon-
header-item cl2 hov-cl1 trans-04 p-r-11
js-show-modal-search">
</div>
</div>
<!-- Button show menu -->
<div class="btn-show-menu-mobile
hamburger hamburger--squeeze">
<span class="hamburger-box">
<span class="hamburger-
inner"></span>
</span>
</div>
</div>
<!-- Menu Mobile -->
<div class="menu-mobile hide_print">
<ul class="topbar-mobile">
<li>
<div class="left-top-bar">
</div></li>
</ul>
<ul class="main-menu-m">
<li class="active-menu">
<a href="index.php">Home</a>
</li>
<li>
<a href="?p=pesananmontir">Pesana
Montir</a></li>
<li><a
href="admin/index.php">Login</a>
</li>
</ul>
</div>
<!-- Modal Search -->
<div class="modal-search-header flex-c-
m trans-04 js-hide-modal-search
hide_print">
<div class="container-search-header">
<button class="flex-c-m btn-hide-
modal-search trans-04 js-hide-modal-
search">
</button>
<form class="wrap-search-header flex-
w p-l-15">
<button class="flex-c-m trans-04">
<i class="zmdi zmdi-search"></i>
</button>
<input class="plh3" type="text"
name="search"
placeholder="Search... ">
</form>
</div>
</div>
</header>
<?php

```

```

include $page.".php";

?>

<!-- Back to top -->

<div class="btn-back-to-top"
id="myBtn">

<span class="symbol-btn-back-to-top">

<i class="zmdi zmdi-chevron-up"></i>

</span>

</div>

<div class="modal fade" id="myModal"
role="dialog">

<div class="modal-dialog"
role="document">

<div class="modal-content"
style="background-color:rgba(255, 255,
255, 0.9);">

<div class="modal-header">

<h4 class="modal-title">Detail Promo &
Event</h4></div>

<div class="modal-body"><div
class="fetched-data"></div>

</div>

<div class="modal-footer">

<button type="button" class="btn btn-
default" data-
dismiss="modal">Close</button></div>

</div>

</div>

</div>

<!--=====-->

<script src="vendor/jquery/jquery-
3.2.1.min.js"></script>

```

```

<!--=====-->

<script
src="vendor/animation/js/animation.m
in.js"></script>

<!--=====-->

<script
src="vendor/bootstrap/js/popper.js"></
script>

<script
src="vendor/bootstrap/js/bootstrap.mi
n.js"></script>

<!--=====-->

<script
src="vendor/select2/select2.min.js"></s
cript>

<script>
$(".js-select2").each(function(){
$(this).select2({
minimumResultsForSearch: 20,
dropdownParent:
$(this).next('.dropDownSelect2')
});
})

</script>

<!--=====-->

<script
src="vendor/daterangepicker/moment.
min.js"></script>

<script
src="vendor/daterangepicker/daterang
epicker.js"></script>

<!--=====-->

```

```

<script
src="vendor/slick/slick.min.js"></script>

<script src="js/slick-
custom.js"></script>

<!--=====-->

<script
src="vendor/parallax100/parallax100.js
"></script>

<script>
$($('.parallax100').parallax100());
</script>

<!--=====-->

<script
src="vendor/MagnificPopup/jquery.ma
gnific-popup.min.js"></script>

<script>

$($('.gallery-lb').each(function() { // the
containers for all your galleries

$(this).magnificPopup({

delegate: 'a', // the selector for gallery
item

type: 'image',

gallery: {

enabled:true

},

mainClass: 'mfp-fade'

});

});

</script>

<!--=====-->

```

```

<script
src="vendor/isotope/isotope.pkgd.min.j
s"></script>

<!--=====-->

<script
src="vendor/sweetalert/sweetalert.min
.js"></script>

<script>

$('.js-addwish-b2').on('click',
function(e){

e.preventDefault();

});

$('.js-addwish-b2').each(function(){

var nameProduct =
$(this).parent().parent().find('.js-name-
b2').html();

$(this).on('click', function(){

swal(nameProduct, "is added to wishlist
!", "success");

$(this).addClass('js-addedwish-b2');

$(this).off('click');

});

});

$('.js-addwish-detail').each(function(){

var nameProduct =
$(this).parent().parent().parent().find('.j
s-name-detail').html();

$(this).on('click', function(){

swal(nameProduct, "is added to wishlist
!", "success");

$(this).addClass('js-addedwish-detail');

```

```

$(this).off('click');
});
});
/*-----*/
$('.js-addcart-detail').each(function(){
var nameProduct =
$(this).parent().parent().parent().parent
().find('.js-name-detail').html();
$(this).on('click', function(){
swal(nameProduct, "Berhasil Dipesan
!", "success");
});
});
</script>
<!--=====-->
<script src="vendor/perfect-
scrollbar/perfect-
scrollbar.min.js"></script>
<script>
$('.js-pscroll').each(function(){
$(this).css('position','relative');
$(this).css('overflow','hidden');
var ps = new PerfectScrollbar(this, {
wheelSpeed: 1,
scrollingThreshold: 1000,
wheelPropagation: false,
});
$(window).on('resize', function(){
ps.update();
});
});
});
</script>
<!--=====-->
<script src="js/main.js"></script>
<script
src="js/datatables.min.js"></script>
</body>
</html>
<script>
$(document).ready( function () {
$('#tabel').DataTable();
});
</script>
<script type="text/javascript">
$(document).ready(function(){
$('#myModal').on('show.bs.modal',
function (e) {
var rowid = $(e.relatedTarget).data('id');
//menggunakan fungsi ajax untuk
pengambilan data
$.ajax({
type : 'post',
url : 'modal.php',
data : 'rowid='+ rowid,
success : function(data){
$('.fetched-
data').html(data);//menampilkan data
ke dalam modal

```

```

}
});
});
});
</script>

```

Beranda.php

```

<!-- Slider -->
<section class="section-slide">
<div class="wrap-slick1">
<div class="slick1">
<div class="item-slick1"
style="background-image:
url(images/logo-Yamaha.png);">
<div class="container h-full">
<div class="flex-col-l-m h-full p-t-100 p-
b-30 respon5">
</div>
</div>
</div>
</div>
</div>
</div>
</section>

```

Pesanmontir.php

```

<?php
if(isset($_GET['e']))
{
$id=$_GET['e'];

```

```

$cari=mysqli_query($con,"select * from
pesanmontir where kodemontir='$id'");
$cd=mysqli_fetch_array($cari);
}
if(isset($_POST['simpan']))
{
$simpan=mysqli_query($con,"insert
into pesanmontir
values(null,,$_POST['namapel'],,$_POST[
'alamatpel'],,$_POST['notlpn'].
,$_POST['nopolisi'],,$_POST['tipe
motor'],,$_POST['keluhan'],curdat
e(),'Pesan'");

if($simpan)
{
echo'<script>alert("Terima Kasih, Pihak
Kami Akan Segera Menghubungi Anda")
document.location="?p=pesanmontir"
</script>';
}else{
echo'<script>alert("Data gagal
disimpan")
document.location="?p=pesanmontir"
</script>';
}
}
?>
<!-- Title page -->
<section class="bg-img1 txt-center p-lr-
15 p-tb-92" style="background-
color:grey">

```

```
<h2 class="ltext-105 cl0 txt-center">
Form Pesan Montir
</h2>
</section>

<!-- Content page -->

<section class="bg0 p-t-104 p-b-116">
<div class="container">
<div class="flex-w flex-tr">
<div class="size-210 bor10 p-lr-70 p-t-55
p-b-70 p-lr-15-lg w-full-md col-md-12"
style="background-color:#f2f2f2">
<form method="post">
<h4 class="mtext-105 cl2 txt-center p-b-
30">
Lengkapi Data Dibawah Ini :
</h4>
<div class="bor8 m-b-20 how-pos4-
parent">
<input class="stext-111 cl2 plh3 size-
116 p-l-62 p-r-30" type="text"
name="nama" placeholder="Nama
Anda" <?php
if(isset($_GET['e']))){echo'value="".$cd['n
ama'].'" readonly=""';} ?></div>

<div class="bor8 m-b-30">
<textarea class="stext-111 cl2 plh3 size-
120 p-lr-28 p-tb-25" name="alamat"
placeholder="Alamat Anda"><?php
if(isset($_GET['e']))){echo
$cd['alamatpel'];} ?></textarea>
</div>
```

```
<div class="bor8 m-b-20 how-pos4-
parent">
<input class="stext-111 cl2 plh3 size-
116 p-l-62 p-r-30" type="text"
name="notlpn" placeholder="No.
Telephone Anda" <?php
if(isset($_GET['e']))){echo'value="".$cd['n
otlpn'].'" readonly=""';} ?>>
</div>
<div class="bor8 m-b-20 how-pos4-
parent">
<input class="stext-111 cl2 plh3 size-
116 p-l-62 p-r-30" type="text"
name="nopolisi" placeholder="No.
Polisi (No. Plat Motor)" <?php
if(isset($_GET['e']))){echo'value="".$cd['n
opolisi'].'" readonly=""';} ?>></div>
<div class="bor8 m-b-20 how-pos4-
parent">
<input class="stext-111 cl2 plh3 size-
116 p-l-62 p-r-30" type="text"
name="tipemotor" placeholder="Tipe
Motor" <?php
if(isset($_GET['e']))){echo'value="".$cd['ti
pemotor'].'"';} ?>></div>
<div class="bor8 m-b-30">
<textarea class="stext-111 cl2 plh3 size-
120 p-lr-28 p-tb-25" name="keluhan"
placeholder="Keluhan Anda"><?php
if(isset($_GET['e']))){echo
$cd['keluhan'];} ?></textarea></div>
<button class="flex-c-m stext-101 cl0
size-121 bg3 bor1 hov-btn3 p-lr-15
trans-04 pointer" type="submit"
style="background-color:green" <?php
if(isset($_GET['e']))){echo'name="ubah"'
;} else {echo'name="simpan"';} ?>>
Pesan</button>
```



```

<br>
<button class="flex-c-m stext-101 cl0
size-121 bg3 bor1 hov-btn3 p-lr-15
trans-04 pointer" type="reset"
style="background-color:red"
onclick="document.location='?p=pesan
montir'">Batal</button>
</form>
</div>
</div>
</div>
</section>

```

Pesanselesai.php

```

<?php
if(isset($_POST['tambahbarang'])){
$simpan=mysqli_query($con,"insert
into barang_pakai
values(null,,$_GET['brgnjasa'],,$_GET['barang'],,$_POST['jumlahpakai']
)");
if($simpan)
{echo"<script>alert('Barang Pakai
Berhasil Ditambah')
document.location='?p=barangjasa&b
rgnjasa=$_GET['brgnjasa']"
</script>';
}else{
echo"<script>alert('Barang Pakai Gagal
Ditambah')
document.location='?p=barangjasa&b
rgnjasa=$_GET['brgnjasa']"

```

```

</script>';
}
}
if(isset($_POST['tambahjasa'])){
$simpan=mysqli_query($con,"insert
into jasa_pakai
values(null,,$_GET['brgnjasa'],,$_GET['jasa']
)");
if($simpan)
{
echo"<script>alert('Jasa Berhasil
Ditambah')
document.location='?p=barangjasa&b
rgnjasa=$_GET['brgnjasa']"
</script>';
}else{
echo"<script>alert('Jasa Gagal
Ditambah')
document.location='?p=barangjasa&b
rgnjasa=$_GET['brgnjasa']"
</script>';
}
}
if(isset($_GET['d']))
{
$did=$_GET['d'];
$hapus=mysqli_query($con,"delete
from barang_pakai where
idbarangpakai=$did");
if($hapus)
{
echo"<script>alert('Data dihapus')

```

```

document.location="?p=barangjasa&b
rgnjasa='.$_GET['brgnjasa'].'"
</script>;
}
}
if(isset($_GET['d1']))
{
$id=$_GET['d1'];
$hapus=mysqli_query($con,"delete
from jasa_pakai where
idjasapakai='$id'");
if($hapus)
{
echo'<script>alert("Data dihapus")
document.location="?p=barangjasa&b
rgnjasa='.$_GET['brgnjasa'].'"
</script>;
}
}
if(isset($_POST['selesai']))
{
$simpan=mysqli_query($con,"update
penugasan set
ongkos=$_POST[ongkos]' where
idpenugasan=$_GET[brgnjasa]");
$simpan1=mysqli_query($con,"update
montir set status='Tersedia' where
kodemontir=$_SESSION[log]");
$cari=mysqli_fetch_array(mysqli_query(
$con,"select * from penugasan where
idpenugasan=$_GET[brgnjasa]"));

```

```

$simpan2=mysqli_query($con,"update
pesanmontir set status='Selesai' where
idpesanmontir=$cari[idpesanmontir]");
if($simpan && $simpan1 && $simpan2)
{
$cari=mysqli_fetch_array(mysqli_query(
$con,"select * from penugasan order by
idpenugasan desc limit 1"));
echo'<script>alert("Data berhasil
disimpan")
document.location="print.php?id='.$cari
[idpenugasan].'"
</script>;
}else{
echo'<script>alert("Data gagal
disimpan")
document.location="?p=barangjasa"
</script>;
}
?>
<!-- Title page -->
<section class="bg-img1 txt-center p-lr-
15 p-tb-92" style="background-
color:grey">
<h2 class="ltext-105 cl0 txt-center">
Form Laporan pesanan Selesai
</h2>
</section>
<!-- Content page -->
<section class="bg0 p-t-104 p-b-116">
<div class="container">

```

```

<div class="flex-w flex-tr">
<div class="size-210 bor10 p-lr-70 p-t-55
p-b-70 p-lr-15-lg w-full-md col-md-12"
style="background-color:#f2f2f2">
<h4 class="mtext-105 cl2 txt-center p-b-
30">

```

Tabel Laporan pesanan Selesai

```

</h4>

```

```

<div class="" style="overflow:auto;
width:100%">

```

```

<table class="table table-bordered"
id="tabel" width=100%>

```

```

<thead>

```

```

<tr>

```

```

<th>Nama Pemesan</th>

```

```

<th>Alamat</th>

```

```

<th>No. Telephone</th>

```

```

<th>No. Polisi</th>

```

```

<th>Tipe Motor</th>

```

```

<th>Keluhan</th>

```

```

<th>Ops</th></tr>

```

```

</thead>

```

```

<tbody>

```

```

<?php

```

```

$i=1;

```

```

$q=mysqli_query($con,"select * from
pesanmontir inner join penugasan on
penugasan.idpesanmontir=pesanmontir
.idpesanmontir inner join montir on
montir.kodemontir=penugasan.kodemo

```

```

ntir where

```

```

pesanmontir.status='Selesai');

```

```

while($cari=mysqli_fetch_array($q))

```

```

{

```

```

?>

```

```

<tr style="background-color:white">

```

```

<td><?php echo $cari['namapel'];

```

```

?></td>

```

```

<td><?php echo $cari['alamatpel'];

```

```

?></td>

```

```

<td><?php echo $cari['notlpn']; ?></td>

```

```

<td><?php echo $cari['nopolisi'];

```

```

?></td>

```

```

<td><?php echo $cari['tipemotor'];

```

```

?></td>

```

```

<td><?php echo $cari['keluhan'];

```

```

?></td>

```

```

<td><a href="print.php?id=<?php echo
$cari['idpenugasan'] ?>"
target="_blank" rel="tooltip" title="Edit
Data" class="btn btn-success btn-simple
btn-xs">Detail</a></td>

```

```

</tr>
<?php }?>
</tbody>
</table>

```

```

</div>

```

```

</div>

```

```

</table>

```

```

</div>

```

```

</div>

```

```

<?php if(isset($_GET['brgnjasa']))){?>

```

```

<div class="size-210 bor10 p-lr-70 p-t-55
p-b-70 p-lr-15-lg w-full-md col-md-6"
style="background-color:#f2f2f2">

```

```

<form method="post"

```

```

enctype="multipart/form-data">

```

```
<h4 class="mtext-105 cl2 txt-center p-b-30">Masukan Barang yg Digunakan :
</h4>
```

```
<div class="bor8 m-b-20 how-pos4-parent">
```

```
<select class="stext-111 cl2 plh3 size-116 p-l-62 p-r-30" name="barang">
```

```
<?php
```

```
$cari=mysqli_query($con,"select * from barang");
```

```
while($res=mysqli_fetch_array($cari)){
```

```
echo "<option value='". $res['kodebarang']. "' ";
```

```
if(isset($_GET['e'])){if($cd['kodebarang'] == $res['kodebarang']){echo "selected='";}}
```

```
echo ">". $res['kodebarang']. " - ". $res['namabarang']. " - ". $res['harga']. "</option>";
```

```
}?></select></div>
```

```
<div class="bor8 m-b-20 how-pos4-parent">
```

```
<input class="stext-111 cl2 plh3 size-116 p-l-62 p-r-30" type="number" name="jumlahpakai"
```

```
placeholder="Jumlah" <?php if(isset($_GET['e'])){echo'value="'. $cd['jumlahpakai']. "' readonly='";} ?>>
```

```
</div>
```

```
<button class="flex-c-m stext-101 cl0 size-121 bg3 bor1 hov-btn3 p-lr-15 trans-04 pointer" type="submit" style="background-color:green" <?php if(isset($_GET['e'])){echo'name="ubah"' ;} else {echo'name="tambahbarang";} ?>> Tambah</button></form>
```

```
<br>
```

```
<div class="" style="overflow:auto; width:100%">
```

```
<table class="table table-bordered" id="" width=100%>
```

```
<thead>
```

```
<
```

```
<th>Nama Barang</th>
```

```
<th>Jumlah</th>
```

```
<th>Ops</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody>
```

```
<?php
```

```
$i=1;
```

```
$q=mysqli_query($con,"select * from penugasan inner join barang_pakai on barang_pakai.idpenugasan=penugasan.idpenugasan inner join barang on barang.kodebarang=barang_pakai.kodebarang where penugasan.kodemontir='$_SESSION[log]' and penugasan.idpenugasan='$_GET[brgnja sa]");
```

```
while($cari=mysqli_fetch_array($q)
```

```
{
```

```
?>
```

```
<tr style="background-color:white">
```

```
<td><?php echo $cari['namabarang']; ?></td>
```

```
<td><?php echo $cari['jumlahpakai']; ?></td>
```

```

<td colspan="6"><a
href="?p=barangjasa&brgnjasa=<?php
echo $_GET['brgnjasa'] ?>&d=<?php
echo $cari['idbarangpakai'] ?>"
rel="tooltip" title="Hapus Data"
class="btn btn-danger btn-simple btn-
xs" onclick="return confirm('Hapus
Data??')">H</a></td>

```

```
</tr>
```

```
<?php }?>
```

```
</tbody>
```

```
</table>
```

```
</div>
```

```
</div>
```

```

<div class="size-210 bor10 p-lr-70 p-t-55
p-b-70 p-lr-15-lg w-full-md col-md-6"
style="background-color:#f2f2f2">

```

```

<form method="post"
enctype="multipart/form-data">

```

```

<h4 class="mtext-105 cl2 txt-center p-b-
30">

```

```
Pilih Jasa :
```

```
</h4>
```

```

<div class="bor8 m-b-20 how-pos4-
parent">

```

```

<select class="stext-111 cl2 plh3 size-
116 p-l-62 p-r-30" name="jasa">

```

```
<?php
```

```

$cari=mysqli_query($con,"select * from
jasa");

```

```
while($res=mysqli_fetch_array($cari)){
```

```

echo "<option
value='".$res['kodejasa']."' ";
if(isset($_GET['e'])){if($cd['kodejasa']==
$res['kodejasa']){echo "selected='";}}
echo ">".$res['kodejasa']." -
".$res['namajasa']." -
".$res['hargajasa']."</option>";

```

```
}
```

```
?>
```

```
</select>
```

```
</div>
```

```

<button class="flex-c-m stext-101 cl0
size-121 bg3 bor1 hov-btn3 p-lr-15
trans-04 pointer" type="submit"
style="background-color:green" <?php
if(isset($_GET['e'])){echo'name="ubah"
;} else {echo'name="tambahjasa";} ?>>

```

```
Tambah
```

```
</button>
```

```
</form>
```

```
<br>
```

```

<div class="" style="overflow:auto;
width:100%">

```

```

<table class="table table-bordered"
id="" width=100%>

```

```
<thead>
```

```
<tr>
```

```
<th>Nama Jasa</th>
```

```
<th>Ops</th>
```

```
</tr>
```

```
</thead>
```

```

<tbody>
<?php
$i=1;
$q=mysqli_query($con,"select * from
penugasan inner join jasa_pakai on
jasa_pakai.idpenugasan=penugasan.idp
enugasan inner join jasa on
jasa.kodejasa=jasa_pakai.kodejasa
where
penugasan.kodemontir='$_SESSION[log
]' and
penugasan.idpenugasan='$_GET[brgnja
sa]");
while($cari=mysqli_fetch_array($q))
{
?>
<tr style="background-color:white">
<td><?php echo $cari['namajasa'];
?></td>
<td colspan="6"><a
href="?p=barangjasa&brgnjasa=<?php
echo $_GET['brgnjasa'] ?>&d1=<?php
echo $cari['idjasapakai'] ?>"
rel="tooltip" title="Hapus Data"
class="btn btn-danger btn-simple btn-
xs" onclick="return confirm('Hapus
Data??')">H</a></td>
</tr>
<?php ?>
</tbody>
</table>
</div>
</div>

```

```

<div class="size-210 bor10 p-lr-70 p-t-55
p-b-70 p-lr-15-lg w-full-md col-md-12"
style="background-color:#f2f2f2">
<h4 class="mtext-105 cl2 txt-center p-b-
30">
Ongkos Jalan
</h4>
<form method="post"
enctype="multipart/form-data">
<div class="bor8 m-b-20 how-pos4-
parent">
<input class="stext-111 cl2 plh3 size-
116 p-l-62 p-r-30" type="number"
name="ongkos" placeholder="Ongkos
Jalan" min="10000" max="30000"
required>
</div>
<button class="flex-c-m stext-101 cl0
size-121 bg3 bor1 hov-btn3 p-lr-15
trans-04 pointer" type="submit"
style="background-color:green" <?php
if(isset($_GET['e'])){echo'ubah'"
;} else {echo'nama="selesai";} ?>>
Selesai
</button>
</form>
</div>
<?php ?>
</div>
</div>
</section>

```

Print.php

```
<?php
include"koneksi.php";

$data=mysqli_fetch_array(mysqli_query($con,"select *,montir.nama as mon,
pesanmontir.namapel as pelanggan
from pesanmontir inner join penugasan
on
penugasan.idpesanmontir=pesanmontir
.idpesanmontir inner join montir on
montir.kodemontir=penugasan.kodemontir where
penugasan.idpenugasan='$_GET[id]'"));
?>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
<title>Faktur Penjualan</title>
<meta charset="UTF-8">
<meta name="viewport"
content="width=device-width, initial-scale=1">
</head>
<style>
@media print{
.show_print{display:block !important}
.hide_print{display:none !important}
}
</style>
<body class="animations">
```

```
<!-- Title page -->
<!-- Content page -->
<section class="bg0 p-t-104 p-b-116">
<div class="container">
<div class="flex-w flex-tr">
<div class="size-210 bor10 p-lr-70 p-t-55
p-b-70 p-lr-15-lg w-full-md col-md-12"
style="background-color:#f2f2f2">
<div class="" style="overflow:auto;
width:100%">
<table class="" id="" width=100%>
<thead>
<tr>
<td rowspan="5" align="left"
width="50%"></td>
</tr>
<tr>
<td>
<th><p style="font-size:12px">PT.
Thamrin Brothers</p></th>
</tr>
<tr>
<td>
<th><p style="font-size:12px">Bellmondo Motor</p></th>
</tr>
<tr>
<td>
<th><p style="font-size:12px">Jalan
Sultan Mahmud Badarrudin II
Palembang</p></th>
</tr>
```



```

$q=mysqli_query($con,"select * from
penugasan inner join jasa_pakai on
jasa_pakai.idpenugasan=penugasan.idp
enugasan inner join jasa on
jasa.kodejasa=jasa_pakai.kodejasa
where
penugasan.idpenugasan='$data[idpenu
gasan]'");

while($cari=mysqli_fetch_array($q))
{
?>

<tr style="background-color:white">

<td><p style="font-size:12px"><?php
echo $cari['namajasa']; ?></td>

<td><p style="font-size:12px">#</td>

<td><p style="font-size:12px">#</td>

<td><p style="font-size:12px"><?php
echo
"".number_format($cari['hargajasa']).""
; ?></td>

</tr>

<?php ?>

<?php
$i=1;

$q=mysqli_query($con,"select *,
(barang_pakai.jumlahpakai*barang.har
ga) as subtotal from penugasan inner
join barang_pakai on
barang_pakai.idpenugasan=penugasan.i
dpenugasan inner join barang on
barang.kodebarang=barang_pakai.kode
barang where
penugasan.idpenugasan='$data[idpenu
gasan]'");

```

```

while($cari=mysqli_fetch_array($q))
{
?>

<tr style="background-color:white">

<td><p style="font-size:12px"><?php
echo $cari['namabarang']; ?></td>

<td><p style="font-size:12px"><?php
echo $cari['jumlahpakai']; ?></td>

<td><p style="font-size:12px"><?php
echo
"".number_format($cari['harga'])."";
?></td>

<td><p style="font-size:12px"><?php
echo
"".number_format($cari['subtotal'])."";
?></td>

</tr>

<?php ?>

<?php
$i=1;

$j=mysqli_fetch_array(mysqli_query($c
on,"select * from penugasan where
idpenugasan='$data[idpenugasan]'"));

$q=mysqli_fetch_array(mysqli_query($c
on,"select sum(jasa.hargajasa) as
grandtotal from penugasan inner join
jasa_pakai on
jasa_pakai.idpenugasan=penugasan.idp
enugasan inner join jasa on
jasa.kodejasa=jasa_pakai.kodejasa
where
penugasan.idpenugasan='$data[idpenu
gasan]'");

```

```
$q1=mysqli_fetch_array(mysqli_query(
$con,"select
sum(barang_pakai.jumlahpakai*barang.
harga) as grandtotal from penugasan
inner join barang_pakai on
barang_pakai.idpenugasan=penugasan.i
dpenugasan inner join barang on
barang.kodebarang=barang_pakai.kode
barang where
penugasan.idpenugasan='$data[idpenu
gasan]");
```

```
$total=$q['grandtotal']+$q1['grandtotal']
+$j['ongkos'];
```

```
?>
```

```
<tr style="background-color:white">
```

```
<th colspan="3" style="text-align:center"><p style="font-size:12px">Ongkos Jalan</th>
```

```
<th><p style="font-size:12px"><?php
echo "".number_format($j['ongkos'])."";
?></th>
```

```
</tr>
```

```
<tr>
```

```
<th colspan="3" style="text-align:right"><p style="font-size:12px">Grand Total :</th>
```

```
<th><p style="font-size:12px"><?php
echo "".number_format($total)."";
?></th>
```

```
</tr>
```

```
</tbody>
```

```
</table>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</section>
```

```
<!------->
```

```
<script src="vendor/jquery/jquery-3.2.1.min.js"></script>
```

```
<!------->
```

```
<script
src="vendor/animstion/js/animstion.m
in.js"></script>
```

```
<!------->
```

```
<script
src="vendor/bootstrap/js/popper.js"></s
cript>
```

```
<script
src="vendor/bootstrap/js/bootstrap.mi
n.js"></script>
```

```
<!------->
```

```
<script
src="vendor/select2/select2.min.js"></s
cript>
```

```
<script>
```

```
$(".js-select2").each(function(){
```

```
$(this).select2({
```

```
minimumResultsForSearch: 20,
```

```
dropdownParent:
```

```
$(this).next('.dropDownSelect2')
```

```
});
```

```
})
```

```
</script>
```

```
<!------->
```

```

<script
src="vendor/daterangepicker/moment.
min.js"></script>

<script
src="vendor/daterangepicker/daterang
epicker.js"></script>

<!--=====-->

<script
src="vendor/slick/slick.min.js"></script>

<script src="js/slick-
custom.js"></script>

<!--=====-->

<script
src="vendor/parallax100/parallax100.js
"></script>

<script>
$('.parallax100').parallax100();
</script>

<!--=====-->

<script
src="vendor/MagnificPopup/jquery.ma
gnific-popup.min.js"></script>

<script>
$('.gallery-lb').each(function() { // the
containers for all your galleries

$(this).magnificPopup({

delegate: 'a', // the selector for gallery
item

type: 'image',

gallery: {

enabled:true

},

mainClass: 'mfp-fade'

```

```

});

});

</script>

<!--=====-->

<script
src="vendor/isotope/isotope.pkgd.min.js"
"></script>

<!--=====-->

<script
src="vendor/sweetalert/sweetalert.min
.js"></script>

<script>
$('.js-addwish-b2').on('click',
function(e){

e.preventDefault();

});

$('.js-addwish-b2').each(function(){

var nameProduct =
$(this).parent().parent().find('.js-name-
b2').html();

$(this).on('click', function(){

swal(nameProduct, "is added to wishlist
!", "success");

$(this).addClass('js-addedwish-b2');

$(this).off('click');

});

});

$('.js-addwish-detail').each(function(){

```

```
var nameProduct =
$(this).parent().parent().parent().find('.js-name-detail').html();
```

```
$(this).on('click', function(){
swal(nameProduct, "is added to wishlist!", "success");
```

```
$(this).addClass('js-addedwish-detail');
```

```
$(this).off('click');
```

```
});
```

```
});
```

```
/*-----*/
```

```
$('.js-addcart-detail').each(function(){
```

```
var nameProduct =
$(this).parent().parent().parent().parent().find('.js-name-detail').html();
```

```
$(this).on('click', function(){
```

```
swal(nameProduct, "Berhasil Dipesan!", "success");
```

```
});
```

```
});
```

```
</script>
```

```
<!--=====-->
```

```
<script src="vendor/perfect-scrollbar/perfect-scrollbar.min.js"></script>
```

```
<script>
```

```
$('.js-pscroll').each(function(){
```

```
$(this).css('position','relative');
```

```
$(this).css('overflow','hidden');
```

```
var ps = new PerfectScrollbar(this, {
```

```
wheelSpeed: 1,
```

```
scrollingThreshold: 1000,
```

```
wheelPropagation: false,
```

```
});
```

```
$(window).on('resize', function(){
```

```
ps.update();
```

```
})
```

```
});
```

```
</script>
```

```
<!--=====-->
```

```
<script src="js/main.js"></script>
```

```
<script src="js/datatables.min.js"></script>
```

```
</body>
```

```
</html>
```

```
<script>
```

```
$(document).ready( function () {
```

```
$('#tabel').DataTable();
```

```
});
```

```
</script>
```

```
<script type="text/javascript">
```

```
$(document).ready(function(){
```

```

$('#myModal').on('show.bs.modal',
function (e) {
var rowid = $(e.relatedTarget).data('id');

//menggunakan fungsi ajax untuk
pengambilan data

$.ajax({

type : 'post',

url : 'modal.php',

data : 'rowid='+ rowid,

success : function(data){

$('.fetched-
data').html(data);//menampilkan data
ke dalam modal

}

});

});

});

});

</script>

```

Koneksi.php

```

<?php

date_default_timezone_set("Asia/Jakar
ta");

$servername = "localhost";

$username = "root";

$password = "";

$dbname = "heru";

// Create connection

$con = new mysqli($servername,
$username, $password, $dbname);

// Check connection

```

```

if ($con->connect_error) {
die("Connection failed: " . $con-
>connect_error);
}
?>

```

Login.php

```

<!-- Content page -->

<section class="bg0 p-t-104 p-b-116">

<div class="container">

<div class="flex-w flex-tr">

<div class="size-210 bor10 p-lr-70 p-t-55
p-b-70 p-lr-15-lg w-full-md col-md-12"
style="background-color:#f2f2f2">

<form method="post">

<h4 class="mtext-105 cl2 txt-center p-b-
30">

Form Login

</h4>

```

```

<div class="bor8 m-b-20 how-pos4-
parent">

<input class="stext-111 cl2 plh3 size-
116 p-l-62 p-r-30" type="text"
name="username"
placeholder="Username">

</div>

```

```

<div class="bor8 m-b-20 how-pos4-
parent">

<input class="stext-111 cl2 plh3 size-
116 p-l-62 p-r-30" type="password"

```

```

name="password"
placeholder="Password">
</div>

<button class="flex-c-m stext-101 cl0
size-121 bg3 bor1 hov-btn3 p-lr-15
trans-04 pointer" type="submit"
style="background-color:green"
name="login">

Login
</button>

</form>

</div>

</div>

</div>

</section>

```

Index.php

```

<?php
session_start();

include "koneksi.php";

$page="beranda";

if(isset($_GET['p'])){ $page=$_GET['p'];}

if(isset($_POST['login'])){

$log1=mysqli_query($con,"select *
from pengguna where
username='".$_POST[username]' and
password='".md5($_POST['password']).
'");

```

```

if(mysqli_num_rows($log1)>0){
$res=mysqli_fetch_array($log1);
$_SESSION['log']=$res['username'];
$_SESSION['status']=$res['status'];

echo "<script>alert('Login
Berhasil');document.location='?'</script
>";

}else{

echo "<script>alert('Login
Gagal')</script>";

}

}

if(!isset($_SESSION['log'])){ $page="login
";}

?>

```

```

<!DOCTYPE html>

<html lang="en">

<head>

<title>Home</title>

<meta charset="UTF-8">

<meta name="viewport"
content="width=device-width, initial-
scale=1">

<!------->

<link rel="icon" type="image/png"
href="images/logo2.png"/>

<!------->

<link rel="stylesheet" type="text/css"
href="vendor/bootstrap/css/bootstrap.
min.css">

<!------->

```

```
<link rel="stylesheet" type="text/css"
href="fonts/font-awesome-
4.7.0/css/font-awesome.min.css">

<!--=====-->

<link rel="stylesheet" type="text/css"
href="fonts/ionic/css/material-design-
ionic-font.min.css">

<!--=====-->

<link rel="stylesheet" type="text/css"
href="fonts/linearicons-v1.0.0/icon-
font.min.css">

<!--=====-->

<link rel="stylesheet" type="text/css"
href="vendor/animate/animate.css">

<!--=====-->

<link rel="stylesheet" type="text/css"
href="vendor/css-
hamburgers/hamburgers.min.css">

<!--=====-->

<link rel="stylesheet" type="text/css"
href="vendor/ansition/css/ansition
.min.css">

<!--=====-->

<link rel="stylesheet" type="text/css"
href="vendor/select2/select2.min.css">

<!--
=====-->

<link rel="stylesheet" type="text/css"
href="vendor/daterangepicker/dateran
gepicker.css">

<!--=====-->

<link rel="stylesheet" type="text/css"
href="vendor/slick/slick.css">

<!--=====-->
```

```
<link rel="stylesheet" type="text/css"
href="vendor/MagnificPopup/magnific-
popup.css">

<!--=====-->

<link rel="stylesheet" type="text/css"
href="vendor/perfect-scrollbar/perfect-
scrollbar.css">

<!--=====-->

<link rel="stylesheet" type="text/css"
href="css/util.css">

<link rel="stylesheet" type="text/css"
href="css/main.css">

<!--=====-->

<link rel="stylesheet"
href="css/datatables.min.css">

</head>

<style>

@media print{

.show_print{display:block !important}

.hide_print{display:none !important}

}

</style>

<body class="ansition">

<!-- Header -->

<header>

<!-- Header desktop -->

<div class="container-menu-desktop
hide_print">

<!-- Topbar -->

<div class="top-bar">
```

```

<div class="content-topbar flex-sb-m h-
full container">
<div class="left-top-bar">
<?php if($page!="login"){?>
<?php echo '<b>Selamat Datang :
"'.$_SESSION['log'].'"'</b>'?>
<?php }?>
</div>
</div>
</div>
<div class="wrap-menu-desktop
hide_print">
<nav class="limiter-menu-desktop
container hide_print">
<!-- Logo desktop -->
<a href="#" class="logo">

</a>
<!-- Menu desktop -->
<div class="menu-desktop">
<ul class="main-menu">
<?php if($page!="login"){?>
<li class="active-menu">
<a href="index.php">Home</a>
</li>

```

```

<?php
if($_SESSION['status']=="Admin"){?>
<li>
<a href="#">Master</a>
<ul class="sub-menu">
<li><a
href="?p=pengguna">Pengguna</a></li
>
<li><a
href="?p=montir">Montir</a></li>
<li><a
href="?p=barang">Barang</a></li>
<li><a href="?p=jasa">jasa</a></li>
<li>
<a href="?p=penugasan">Penugasan
Montir</a>
</li>
</ul>
</li>
<li>
<a href="?p=pesanmontir">Pesan
Montir</a>
</li>
<li>
<a href="?p=pesanselesai">Pesanan
Selesai</a>
</li>

```



```

<?php }
if($_SESSION['status']=="Montir"){?>
<!--<li>
<a href="?p=lihattugas">Lihat
Tugas</a>
</li-->
<li>
<a href="?p=barangjasa">Lihat
Tugas</a>
</li>

<?php }?>
<?php
if($_SESSION['status']=="Pimpinan"){?>
<li>
<a href="?p=laporan">Laporan Pesanan
Montir</a>
</li>
<?php }?>
<li>
<a href="logout.php">Logout</a>
</li>

</ul>
</div>

<?php }?>
</nav>
</div>
</div>

```

```

<!-- Header Mobile -->
<div class="wrap-header-mobile
hide_print">
<!-- Logo mobile -->

<div class="logo-mobile">
<a href="index.php">

</a>
</div>

<!-- Icon header -->
<div class="wrap-icon-header flex-w
flex-r-m m-r-15">
<div class="icon-header-item cl2 hov-cl1
trans-04 p-r-11 js-show-modal-search">
</div>
</div>

<!-- Button show menu -->
<div class="btn-show-menu-mobile
hamburger hamburger--squeeze">
<span class="hamburger-box">
<span class="hamburger-
inner"></span>
</span>
</div>
</div>

```

```

<!-- Menu Mobile -->
<div class="menu-mobile hide_print">
<ul class="topbar-mobile">
<li>
<div class="left-top-bar">

</div>
</li>
</ul>

<ul class="main-menu-m">
<?php if($page!="login"){?>
<li class="active-menu">
<a href="index.php">Home</a>
</li>

<?php
if($_SESSION['status']=="Admin"){?>
<li>
<a href="#">Master</a>
<ul class="sub-menu-m">
<li><a
href="?p=pengguna">Pengguna</a></li>
<li><a
href="?p=montir">Montir</a></li>
<li><a
href="?p=barang">Barang</a></li>
<li><a href="?p=jasa">jasa</a></li>
<li><a
href="?p=penugasan">Penugasan
Montir</a></li>
</ul>
<span class="arrow-main-menu-m">
<i class="fa fa-angle-right" aria-
hidden="true"></i>
</span>
</li>

<li>
<a href="?p=pesanmontir">Pesan
Montir</a>
</li>

<li>
<a href="?p=pesanselesai">Pesanan
Selesai</a>
</li>

<li>
<a href="?p=laporan">Laporan Pesanan
Montir</a>
</li>

<?php }
if($_SESSION['status']=="Montir"){?>
<li>
<a href="?p=lihattugas">Lihat
Tugas</a>
</li>

```

```

</li>
<a href="?p=barangjasa">Barang &
Jasa</a>
</li>

<?php ??>
<?php
if($_SESSION['status']=="Pimpinan"){?>
<li>
<a href="#">Laporan Agen</a>
<ul class="sub-menu">
<li><a
href="?p=laporanstokagen1">Laporan
Stok</a></li>
<li><a
href="?p=laporanpenjualanagen1">Lap
oran Penjualan</a></li>
</ul>
</li>
<li>
<a href="#">Laporan Perusahaan</a>
<ul class="sub-menu">
<li><a href="?p=laporanstok">Laporan
Stok</a></li>
<li><a
href="?p=laporanpemesanan">Laporan
Pemesanan</a></li>
</ul>
</li>
<?php ??>
<li>
<a href="logout.php">Logout</a>
</li>
</li>
<?php ??>
</ul>
</div>

<!-- Modal Search -->
<div class="modal-search-header flex-c-
m trans-04 js-hide-modal-search
hide_print">
<div class="container-search-header">
<button class="flex-c-m btn-hide-
modal-search trans-04 js-hide-modal-
search">

</button>
<form class="wrap-search-header flex-
w p-l-15">
<button class="flex-c-m trans-04">
<i class="zmdi zmdi-search"></i>
</button>
<input class="plh3" type="text"
name="search"
placeholder="Search... ">
</form>
</div>
</div>
</header>

```

<?php	</div>
include \$page.".php";	</div>
?>	</div>
<!-- Back to top -->	<!------->
<div class="btn-back-to-top" id="myBtn">	<script src="vendor/jquery/jquery-3.2.1.min.js"></script>
	<!------->
<i class="zmdi zmdi-chevron-up"></i>	<script src="vendor/animition/js/animition.min.js"></script>
	
</div>	<!------->
	<script src="vendor/bootstrap/js/popper.js"></script>
<div class="modal fade" id="myModal" role="dialog">	<script src="vendor/bootstrap/js/bootstrap.min.js"></script>
<div class="modal-dialog" role="document">	
<div class="modal-content" style="background-color:rgba(255, 255, 255, 0.9);">	<!------->
<div class="modal-header">	<script src="vendor/select2/select2.min.js"></script>
<h4 class="modal-title">Detail Promo & Event</h4>	<script>
</div>	\$(".js-select2").each(function(){
<div class="modal-body">	\$(this).select2({
<div class="fetched-data"></div>	minimumResultsForSearch: 20,
</div>	dropdownParent:
<div class="modal-footer">	\$(this).next('.dropDownSelect2')
<button type="button" class="btn btn-default" data-dismiss="modal">Close</button>	});
</div>	})
	</script>
	<!------->

```

<script
src="vendor/daterangepicker/moment.
min.js"></script>

<script
src="vendor/daterangepicker/daterang
epicker.js"></script>

<!--=====-->

<script
src="vendor/slick/slick.min.js"></script>

<script src="js/slick-
custom.js"></script>

<!--=====-->

<script
src="vendor/parallax100/parallax100.js
"></script>

<script>
$('.parallax100').parallax100();
</script>

<!--=====-->

<script
src="vendor/MagnificPopup/jquery.ma
gnific-popup.min.js"></script>

<script>
$('.gallery-lb').each(function() { // the
containers for all your galleries

$(this).magnificPopup({

delegate: 'a', // the selector for gallery
item

type: 'image',

gallery: {

enabled:true

},

mainClass: 'mfp-fade'
});
});

</script>

<!--=====-->

<script
src="vendor/isotope/isotope.pkgd.min.js
"></script>

<!--=====-->

<script
src="vendor/sweetalert/sweetalert.min
.js"></script>

<script>
$('.js-addwish-b2').on('click',
function(e){

e.preventDefault();

});

$('.js-addwish-b2').each(function(){

var nameProduct =
$(this).parent().parent().find('.js-name-
b2').html();

$(this).on('click', function(){

swal(nameProduct, "is added to wishlist
!", "success");

$(this).addClass('js-addedwish-b2');

$(this).off('click');

});

});

$('.js-addwish-detail').each(function(){

```

```

var nameProduct =
$(this).parent().parent().parent().find('.j
s-name-detail').html();

```

```

$(this).on('click', function(){
swal(nameProduct, "is added to wishlist
!", "success");

```

```

$(this).addClass('js-addedwish-detail');

```

```

$(this).off('click');

```

```

});

```

```

});

```

```

/*-----*/

```

```

$('.js-addcart-detail').each(function(){

```

```

var nameProduct =
$(this).parent().parent().parent().parent
().find('.js-name-detail').html();

```

```

$(this).on('click', function(){

```

```

swal(nameProduct, "Berhasil Dipesan
!", "success");

```

```

});

```

```

});

```

```

</script>

```

```

<!------->

```

```

<script src="vendor/perfect-
scrollbar/perfect-
scrollbar.min.js"></script>

```

```

<script>

```

```

$('.js-pscroll').each(function(){

```

```

$(this).css('position','relative');

```

```

$(this).css('overflow','hidden');

```

```

var ps = new PerfectScrollbar(this, {

```

```

wheelSpeed: 1,

```

```

scrollingThreshold: 1000,

```

```

wheelPropagation: false,

```

```

});

```

```

$(window).on('resize', function(){

```

```

ps.update();

```

```

})

```

```

});

```

```

</script>

```

```

<!--

```

```

=====
=====
=====

```

```

>

```

```

<script src="js/main.js"></script>

```

```

<script

```

```

src="js/datatables.min.js"></script>

```

```

</body>

```

```

</html>

```

```

<script>

```

```

$(document).ready( function () {

```

```

$('#tabel').DataTable();

```

```

});

```

```

</script>

```

```

<script type="text/javascript">

```

```

$(document).ready(function(){

$('#myModal').on('show.bs.modal',
function (e) {

var rowid = $(e.relatedTarget).data('id');

//menggunakan fungsi ajax untuk
pengambilan data

$.ajax({

type : 'post',

url : 'modal.php',

data : 'rowid='+ rowid,

success : function(data){

$('#.fetched-
data').html(data);//menampilkan data
ke dalam modal

}

});

});

});

</script>

```

Penugasan.php

```

<?php

if(isset($_GET['e']))

{

$id=$_GET['e'];

$cari=mysqli_query($con,"select * from
jasa where kodejasa='$id'");

$cd=mysqli_fetch_array($cari);

}

if(isset($_POST['simpan']))

```

```

{

$simpan=mysqli_query($con,"insert
into penugasan
values(null,","",$_GET['kirim'].","",$_POST
['montir'].","",curdate(),'0'");

$simpan1=mysqli_query($con,"update
montir set status='Tidak Tersedia'
where kodemontir='$_POST[montir]'");

$simpan2=mysqli_query($con,"update
pesanmontir set status='Diproses'
where idpesanmontir=$_GET[kirim]");

if($simpan && $simpan1 && $simpan2)

{

echo'<script>alert("Data berhasil
disimpan")

document.location="?p=penugasan"

</script>';

}else{

echo'<script>alert("Data gagal
disimpan")

document.location="?p=penugasan"

</script>';

}

}

if(isset($_POST['ubah']))

{

$simpan=mysqli_query($con,"update
jasa set
namajasa="$_POST['namajasa'].",harg
ajasa="$_POST['hargajasa']. " where
kodejasa=$_GET[e]");

if($simpan)

```

```

{
echo'<script>alert("Data berhasil
disimpan")
document.location="?p=jasa"
</script>';
}else{
echo'<script>alert("Data gagal
disimpan")
document.location="?p=jasa"
</script>';
}
}
if(isset($_GET['d']))
{
$id=$_GET['d'];
$hapus=mysqli_query($con,"delete
from jasa where kodejasa='$id'");
if($hapus)
{
echo'<script>alert("Data dihapus")
document.location="?p=jasa"
</script>';
}
}
?>
<!-- Title page -->
<section class="bg-img1 txt-center p-lr-
15 p-tb-92" style="background-
color:grey">
<h2 class="ltext-105 cl0 txt-center">

```

Form Penugasan Montir

</h2>

</section>

<!-- Content page -->

<section class="bg0 p-t-104 p-b-116">

<div class="container">

<div class="flex-w flex-tr">

<div class="size-210 bor10 p-lr-70 p-t-55
p-b-70 p-lr-15-lg w-full-md col-md-12"
style="background-color:#f2f2f2">

<h4 class="mtext-105 cl2 txt-center p-b-
30">

Tabel Pesanan Montir

</h4>

<div class="" style="overflow:auto;
width:100%">

<table class="table" id="tabel"
width=100%>

<thead>

<tr>

<th>No</th>

<th>Nama Pemesan</th>

<th>Alamat</th>

<th>No. Telephone</th>

<th>No. Polisi</th>


```

<th>Tipe Motor</th>
<th>Keluhan</th>
<th>Tanggal</th>
<th>Status</th>
<th>Opsi</th>
</tr>
</thead>
<tbody>
<?php
$i=1;
$q=mysqli_query($con,"select * from
pesanmontir");
while($cari=mysqli_fetch_array($q))
{
?>
<tr>
<td><?php echo $i++; ?></td>
<td><?php echo $cari['namapel'];
?></td>
<td><?php echo $cari['alamatpel'];
?></td>
<td><?php echo $cari['notlpn']; ?></td>
<td><?php echo $cari['nopolisi'];
?></td>
<td><?php echo $cari['tipemotor'];
?></td>
<td><?php echo $cari['keluhan'];
?></td>
<td><?php echo $cari['tanggal'];
?></td>
<td><?php echo $cari['status']; ?></td>
<td align="center">
<a href="?p=penugasan&kirim=<?php
echo $cari['idpesanmontir'] ?>"
rel="tooltip" title="Edit Data" class="btn
btn-success btn-simple btn-xs">Kirim
Montir</a>
</td>
</tr>
<?php }?>
</tbody>
</table>
</div>
</div>
<?php if(isset($_GET['kirim']))){?>
<div class="size-210 bor10 p-lr-70 p-t-55
p-b-70 p-lr-15-lg w-full-md col-md-12"
style="background-color:#f2f2f2">
<form method="post"
enctype="multipart/form-data">
<h4 class="mtext-105 cl2 txt-center p-b-
30">
Silahkan Pilih Montir :
</h4>
<div class="bor8 m-b-20 how-pos4-
parent">
<select class="stext-111 cl2 plh3 size-
116 p-l-62 p-r-30" name="montir">
<?php
$cari=mysqli_query($con,"select * from
montir where status='Tersedia'");
while($res=mysqli_fetch_array($cari)){

```

```

echo "<option
value='".$res['kodemontir']."' ";

if(isset($_GET['e'])) {if($cd['kodemontir']
==$res['kodemontir']) {echo
"selected='";}}

echo ">".$res['nama']." -
".$res['status']." -
".$res['tlpn']."</option>";
}
?>

</select>

</div>

<button class="flex-c-m stext-101 cl0
size-121 bg3 bor1 hov-btn3 p-lr-15
trans-04 pointer" type="submit"
style="background-color:green" <?php
if(isset($_GET['e'])) {echo'nama="ubah"'
;} else {echo'nama="simpan";} ?>>
Kirim

</button>

<br>

<button class="flex-c-m stext-101 cl0
size-121 bg3 bor1 hov-btn3 p-lr-15
trans-04 pointer" type="reset"
style="background-color:red"
onclick="document.location='?p=jasa'">
Batal</button>

</form>

</div>

<?php ?>

</div>

</div>

</section>

```

Lihattugas.php

```

<!-- Title page -->

<section class="bg-img1 txt-center p-lr-
15 p-tb-92" style="background-
color:grey">

<h2 class="ltext-105 cl0 txt-center">

Form Lihat Tugas

</h2>

</section>

```

```

<!-- Content page -->

<section class="bg0 p-t-104 p-b-116">

<div class="container">

<div class="flex-w flex-tr">

<div class="size-210 bor10 p-lr-70 p-t-55
p-b-70 p-lr-15-lg w-full-md col-md-12"
style="background-color:#f2f2f2">

<h4 class="mtext-105 cl2 txt-center p-b-
30">

Tabel Tugas

</h4>

<div class="" style="overflow:auto;
width:100%">

<table class="table table-bordered"
id="" width=100%>

<thead>

<tr>

<th>Nama Pemesan</th>

<th>Alamat</th>

<th>No. Telephone</th>

```

```

<th>No. Polisi</th>
<th>Tipe Motor</th>
<th>Keluhan</th>
</tr>
</thead>
<tbody>
<?php
    $i=1;
    $q=mysqli_query($con,"select * from
    pesanmontir inner join penugasan on
    penugasan.idpesanmontir=pesanmontir
    .idpesanmontir inner join montir on
    montir.kodemontir=penugasan.kodemo
    ntir where
    montir.kodemontir='$_SESSION[log]'
    and pesanmontir.status='Diproses'");
    while($cari=mysqli_fetch_array($q))
    {
    ?>
    <tr style="background-color:white">
    <td><?php echo $cari['nama']; ?></td>
    <td><?php echo $cari['alamat']; ?></td>
    <td><?php echo $cari['notlpn']; ?></td>
    <td><?php echo $cari['nopolisi'];
    ?></td>
    <td><?php echo $cari['tipemotor'];
    ?></td>
    <td><?php echo $cari['keluhan'];
    ?></td>
    </tr>
    <?php }?>
</tbody>

```

```

</table>
</div>
</div>
</div>
</div>
</section>

```

Laporan.php

```

<!-- Title page -->
<section class="bg-img1 txt-center p-lr-
15 p-tb-92 hide_print"
style="background-color:grey" id="">
<h2 class="ltext-105 cl0 txt-center">
Laporan Pesanan Montir
</h2>
</section>

<!-- Content page -->
<section class="bg0 p-t-104 p-b-116">
<div class="container">
<div class="flex-w flex-tr">
<div class="size-210 bor10 p-lr-70 p-t-55
p-b-70 p-lr-15-lg w-full-md col-md-12"
style="background-color:#f2f2f2">
<h4 class="mtext-105 cl2 txt-center p-b-
30">
Laporan Pesanan Montir
</h4>
<form method="post">

```

```

<div class="row">
<div class="form-group"
style="padding-left:20px">
<label>Periode Awal</label>
<input class="form-control"
type="date" name="tgl1" <?php
if(isset($_POST['cari'])){echo'value="'.$_
POST['tgl1'].''; } ?> required>
</div>

```

```

<div class="form-group"
style="padding-left:20px">
<label>Periode Akhir</label>
<input class="form-control"
type="date" name="tgl2" <?php
if(isset($_POST['cari'])){echo'value="'.$_
POST['tgl2'].''; } ?> required>
</div>

```

```

<div class="form-group"
style="padding-left:20px">
<label>&nbsp;</label>
<input class="flex-c-m stext-101 cl0
size-121 bg3 bor1 hov-btn3 p-lr-15
trans-04 pointer hide__print"
style="background-color:green"
type="submit" name="cari"
value="cari">
</div>

```

```

</div>
</form>

```

```

<div class="" style="overflow:auto;
width:100%">

```

```

<table class="table table-bordered"
id="" width=100%>
<thead>
<tr>
<th>Nama Pemesan</th>
<th>Alamat</th>
<th>No. Telephone</th>
<th>No. Polisi</th>
<th>Tipe Motor</th>
<th>Keluhan</th>
<th>Biaya</th>
</tr>
</thead>
<tbody>
<?php if(isset($_POST['cari'])){
$i=1;
$q4=mysqli_query($con,"select * from
pesanmontir inner join penugasan on
penugasan.idpesanmontir=pesanmontir
.idpesanmontir inner join montir on
montir.kodemontir=penugasan.kodemo
ntir where pesanmontir.status='Selesai'
and
pesanmontir.tanggal>='$_POST[tgl1]'
and
pesanmontir.tanggal<='$_POST[tgl2]'");
while($cari=mysqli_fetch_array($q4)
{
$j=mysqli_fetch_array(mysqli_query($c
on,"select * from penugasan where
idpenugasan='$_cari[idpenugasan]'
group by idpenugasan"));

```

```

$q=mysqli_fetch_array(mysqli_query($con,"select sum(jasa.hargajasa) as grandtotal from penugasan inner join jasa_pakai on jasa_pakai.idpenugasan=penugasan.idpenugasan inner join jasa on jasa.kodejasa=jasa_pakai.kodejasa where penugasan.idpenugasan='$cari[idpenugasan]");

```

```

$q1=mysqli_fetch_array(mysqli_query($con,"select sum(barang_pakai.jumlahpakai*barang.harga) as grandtotal from penugasan inner join barang_pakai on barang_pakai.idpenugasan=penugasan.idpenugasan inner join barang on barang.kodebarang=barang_pakai.kodebarang where penugasan.idpenugasan='$cari[idpenugasan]");

```

```

$total=$q['grandtotal']+$q1['grandtotal']+$j['ongkos'];

```

```

?>

```

```

<tr style="background-color:white">

```

```

<td><?php echo $cari['namapel'];
?></td>

```

```

<td><?php echo $cari['alamatpel'];
?></td>

```

```

<td><?php echo $cari['notlpn']; ?></td>

```

```

<td><?php echo $cari['nopolisi'];
?></td>

```

```

<td><?php echo $cari['tipemotor'];
?></td>

```

```

<td><?php echo $cari['keluhan'];
?></td>

```

```

<td><?php echo
"".number_format($total)."" ?></td>

```

```

</tr>

```

```

<?php }?>

```

```

</tbody>

```

```

</table>

```

```

</div>

```

```

<input type="button"
onclick="window.print()" class="btn
btn-info form-control hide_print"
value="Print">

```

```

</div>

```

```

</div>

```

```

</div>

```

```

</section>

```

Logout.php

```

<?php

```

```

session_start();

```

```

session_destroy();

```

```

header('location:./?');

```

```

?>

```