

Index.php

```
<?php
require_once("template/header.php"); ?>
<!-- CSS kita sendiri -->
<link rel="stylesheet"
href="css/style.css">
<style>
#content-area {
margin-
bottom: 76px;
}
</style>
</head>
<body>
<!-- Panggil Bagian
Header/Tag Header Web (Navbar, dll.) -->
<?php
require_once("template/navbar.php"); ?>
<!-- Content/Primary Area
-->
<div class="container"
id="content-area">
<!-- Main
Content -->
<main
role="main">
<!-- Panggil Slide -->
<?php
require_once("template/slide.php"); ?>
<!-- Panggil Tag Link
Bernilai Tetap -->
```

```

<div
id="selamat-datang">

    <div class="jumbotron jumbotron-fluid">

        <h1>Selamat Datang di</h1>

        <p
class="lead"><?=JUDUL_WEB?></p>

    </div>
    </div>

    </main>

    <!-- AKHIR
Main Content -->

    </div>

    <!-- AKHIR
Content/Primary Area -->

    <!-- Panggil Bagian
Footer/Tag Footer Web (Copyright, dll.) -->

    <?php
require_once("template/footer.php"); ?>

    <script>

        $('[data-
toggle="tooltip"]').tooltip({
            delay: {
                "show": 50, "hide": 50 }

        });
    </script>

</body>

</html>

```

Data table config with button.php

```

<script
src="plugins/DataTables/JSTZip-
2.5.0/jstzip.min.js"></script>

<script
src="plugins/DataTables/pdfmake-
0.1.32/pdfmake.min.js"></script>

<script
src="plugins/DataTables/pdfmake-
0.1.32/vfs_fonts.js"></script>

<script
src="plugins/DataTables/DataTables-
1.10.16/js/jquery.dataTables.min.js"><sc
ript>

<script
src="plugins/DataTables/DataTables-
1.10.16/js/dataTables.bootstrap4.min.js">
</script>

<script
src="plugins/DataTables/Buttons-
1.5.1/js/dataTables.buttons.min.js"><scri
pt>

<script
src="plugins/DataTables/Buttons-
1.5.1/js/buttons.bootstrap4.min.js"><scri
pt>

<script
src="plugins/DataTables/Buttons-
1.5.1/js/buttons.colVis.min.js"></script>

<script
src="plugins/DataTables/Buttons-
1.5.1/js/buttons.html5.min.js"></script>

<script
src="plugins/DataTables/Buttons-
1.5.1/js/buttons.print.min.js"></script>

```

```

<?php
require_once("template/data-tables-
setting.php"); ?>

$(win.document.body).find('table
tbody tr td:nth-child(1)').addClass('text-
right');

}

<script>

$(function() {
    var t =
$('#tabel').fadeIn(700).DataTable({
        <?php if( BAHASA_WEB ==
"id" ) echo $dt_setting; ?>
        processing: true,
        pagingType: "full_numbers",
        order: [<?=$order?>],
        buttons: [
            {
                extend: 'print',
                text: '<?=CETAK?>',
                title: '<?=$judul?>',
                exportOptions: {
                    columns: [
<?=$export_column?> ]
                }
            },
            {
                extend: 'excelHtml5',
                title: '<?=$judul?>',
                className: 'btn-success',
                exportOptions: {
                    columns: [
<?=$export_column?> ]
                }
            },
            {
                extend: 'pdfHtml5',
                title: '<?=$judul?>',
                className: 'btn-danger',
                exportOptions: {
                    columns: [
<?=$export_column?> ]
                }
            }
        ],
        customize: function (win)
{
}
    });
});

```

```

        customize: function ( doc
) {
    for ( i = 0; i <=
<?=$mysqli_num_rows($result)?>; i++) {
        doc.content[1].table.body[i][0].ali
gnment = 'right';
    };
}

}
]

});;

t.buttons().container().insertAfter
( '#add-btn' );

t.on(
'order.dt search.dt', function () {

    t.column(0, {search:'applied',
order:'applied'}).nodes().each( function
(cell, i) {

        cell.innerHTML = i+1;
    });
}).draw();
$('[data-
toggle="tooltip"]').tooltip({

```

Data Tables Config.php

```

<script
src="plugins/DataTables/DataTables-
1.10.16/js/jquery.dataTables.min.js"></sc
ript>

<script
src="plugins/DataTables/DataTables-
1.10.16/js/dataTables.bootstrap4.min.js">
</script>

<script
src="plugins/DataTables/Buttons-
1.5.1/js/dataTables.buttons.min.js"></scri
pt>

<script
src="plugins/DataTables/Buttons-
1.5.1/js/buttons.bootstrap4.min.js"></scri
pt>

<?php
require_once("template/data-tables-
setting.php"); ?>

<script>
$(function() {
    var t =
$('#tabel').fadeIn(700).DataTable({
        <?php if( BAHASA_WEB ==
"id" ) echo $dt_setting; ?>,
        processing: true,

```

```

        pagingType: "full_numbers",
        order: [ <?=$order?> ]
    });

    t.buttons().container().insertAfter
( '#add-btn' );

    t.on(
'order.dt search.dt', function () {

    t.column(0, {search:'applied',
order:'applied'}).nodes().each( function
(cell, i) {

        cell.innerHTML = i+1;

    } );
}

).draw();

$( '[data-
toggle="tooltip"]' ).tooltip({
    delay: { "show": 50, "hide": 50 }
});

</script>

```

Data Table Setting.php

```

$dt_setting =
lengthMenu: [[10, 25, 50, 100, -1],
[10, 25, 50, 100, "Semua"]],
language: {
    "decimal": ",",
    "thousands": ".",
    "sProcessing": "Sedang
memproses...",
    "sLengthMenu": "Tampilkan _MENU_ baris per
halaman",
    "sZeroRecords": "Data
tidak ditemukan",
    "sInfo": "Menampilkan _START_ - _END_ dari
_TOTAL_ entri",
    "sInfoEmpty": "Menampilkan 0 - 0 dari 0 entri",
    "sInfoFiltered": "(disaring dari _MAX_ entri
keseluruhan)",
    "sInfoPostFix": "",
    "sSearch": "Cari:",
    "sUrl": "",
    "oPaginate": {
        "sFirst": "Awal",
        "sPrevious": "<",
        "sNext": ">",
        "sLast": "Akhir"
    }
};

';
?>

```

```

</script -->

Footer.php

<!-- Ripple Effect -->
<!-- script src="js/ripple.js"></script -->

<script>

$(document).ready(function() {
    $('.dropdown').hover(function() {
        $(this).find('.dropdown-toggle').trigger('click');
    });

    // Add slideDown animation to Bootstrap dropdown when expanding.
    $('.dropdown').on('show.bs.dropdown', function() {
        $(this).find('.dropdown-menu').first().stop(true, true).<?=DROPDOWN_IN_EFFECT?>(200);
    });

    // Add slideUp animation to Bootstrap dropdown when collapsing.
    $('.dropdown').on('hide.bs.dropdown', function() {
        $(this).find('.dropdown-menu').first().stop(true, true).<?=DROPDOWN_OUT_EFFECT?>(200);
    });
});

</script>

```

<!-- Optional JavaScript -->

<!-- jQuery first, then Popper.js, then Bootstrap JS -->

```

<script src="js/jquery-1.12.4.min.js"></script>

<script src="js/popper.min.js"></script>

<script src="js/bootstrap.min.js"></script>

<!-- Icon by Font Awesome -->

<script src="plugins/fontawesome/js/all.js"></script>

```

<!-- script>

```

$(function() {
    $('.btn, .btn-group, nav.navbar ul.nav.navbar-nav > li > a').addClass('ripple-effect');
});

```

<?php

```

if( !empty($_GET['status']) and
$_GET['status'] == "login" and

```

```

PEMBERITAHUAN == "Iya" and
METODE_LOGIN == "2"):

    if( session_status() ==
PHP_SESSION_NONE ) {

        session_start();

    }

    if( !empty($_SESSION['status'])
and ( $_SESSION['status'] ==
"username_salah" or
$_SESSION['status'] ==
"password_salah" ) ) {

?>

<script>

$(window).on('load',function(){

    $('#modalLogin').modal('show');

});

</script>

<?php

unset($_SESSION['status']);

}

endif;

?>

Hader.php

    <!-- Tag Meta Bernilai
Variabel (Dapat Diubah/Berubah) -->

    <title><?php if(
isset($judul) ) echo $judul.""
".SEPARATOR." "; echo JUDUL_WEB;
?></title>

```

<!-- Tag Link Bernilai
Tetap -->

<link rel="icon"
href="images/logo.png">

<link rel="apple-touch-
icon" href="images/logo.png">

<!-- Ripple Effect --></p>

<!-- link rel="stylesheet"
href="css/ripple.css" -->

<!-- Google Fonts --></p>

<link rel="stylesheet"
href="fonts/google-fonts.css">

<!-- Bootstrap CSS --></p>

<link rel="stylesheet"
href="css/bootstrap.min.css">

<style>

nav.navbar {

background-color:
<?=UTAMA_WARNA?>;

border-
bottom: solid 3px
<?=KEDUA_WARNA?>;

}

nav.navbar a,
.navbar-toggler-icon {

color:
<?=TULISAN_NAVBAR_WARNA?>;

}

nav.navbar
a:hover {

color:
<?=TULISAN_NAVBAR_HOVER_WAR
NA?>;

```

        }
    }

nav.navbar
.nav-item:hover {
    background-color:
<?=LINK_NAVBAR_HOVER_WARNA?>;
}

nav.navbar
.dropdown-menu {
    background-color:
<?=UTAMA_WARNA?>;
}

.dropdown-
item:hover {
    background-color:
<?=KEDUA_WARNA?>;
}

footer.footer {
    background-color:
<?=FOOTER_WARNA?>;
    color:
<?=TULISAN_FOOTER_WARNA?>;
}

footer.footer a {
    color:
<?=TULISAN_LINK_FOOTER_WARNA?>;
}

.header {
    color:
<?=KEDUA_WARNA?>;
}

.form-
control:focus, .custom-select:focus,
.custom-control-input:focus ~ .custom-
control-label::before, .custom-file-
input:focus ~ .custom-file-label {
    border-
color: <?=KEDUA_WARNA?>;
    box-
shadow: 0 0 2px 3px
<?=UTAMA_WARNA?>;
}

.datepicker table
tr td.active.active, .datepicker table tr
td.active.highlighted.active, .datepicker
table tr td.active.highlighted:active,
.datepicker table tr td.active:active,
.datepicker table tr td span.active.active,
.datepicker table tr td
span.active.disabled.active, .datepicker
table tr td span.active.disabled:active,
.datepicker table tr td
span.active.disabled:hover.active,
.datepicker table tr td
span.active.disabled:hover:active,
.datepicker table tr td span.active:active,
.datepicker table tr td
span.active:hover.active, .datepicker table
tr td span.active:hover:active {
    color:
<?=TULISAN_NAVBAR_WARNA?>
!important;

footer.footer a {
    background-color:
<?=UTAMA_WARNA?> !important;
    border-
color: <?=KEDUA_WARNA?>
!important;
}


}

```

</style>

Meta.php

```
<span class="navbar-toggler-icon"><i class="fas fa-bars"></i></span>

</button>
<a
class="navbar-brand"
href="<?=BASE_SITE?>">

</a>

<div
class="collapse navbar-collapse"
id="navbarSupportedContent">
<ul class="navbar-nav mr-
auto">

<li class="nav-item"><a
class="nav-link"
href="<?=BASE_SITE?>"><?=BERAND
A?></a></li>

<?php if(
!empty($_SESSION['sesi_koperasi_login']
) and $_SESSION['sesi_koperasi_login']
== "iya" ): ?>
<?php if(
$_SESSION['sesi_koperasi_level'] ==
"admin" ): ?>
```

Navbar.php

```
<?php if( session_status() ==
PHP_SESSION_NONE ) session_start();
?>

<header>

<nav
class="navbar navbar-expand-lg">
<button
class="navbar-toggler" type="button"
data-toggle="collapse" data-
target="#navbarSupportedContent" aria-
controls="navbarSupportedContent"
aria-expanded="false" aria-
label="Toggle navigation">
<?php elseif(
$_SESSION['sesi_koperasi_level'] ==
"kepala" ): ?>
<?php
// panggil koneksi
require_once("config/connection.php");
```

```

$query_cek_pinjaman = "SELECT status
FROM pemohon WHERE
status='Menunggu Persetujuan"";

$result_cek_pinjaman =
mysqli_query($koneksi,
$query_cek_pinjaman) or
die(mysqli_error($koneksi));

$byk_pinjaman =
mysqli_num_rows($result_cek_pinjaman)
;

?>

<li class="nav-item">
    <a class="nav-link"
    href="pemohon.php">
        Peminjaman
        <?php if( $byk_pinjaman >= 1 ) {
        ?><span class="badge badge-warning"><?= $byk_pinjaman ?></span>
        <?php } ?>
    </a>
</li>

<li class="nav-item"><a
class="nav-link"
href="user.php">User</a></li>

<?php elseif(
$_SESSION['sesi_koperasi_level'] ==
"bendahara" ): ?>

    <li class="nav-item"><a
    class="nav-link"
    href="pemohon.php">Peminjaman</a></li>

    <li class="nav-item"><a
    class="nav-link"
    href="pegawai.php">Pegawai</a></li>
<?php endif; ?>

<?php else: ?>

    <li class="nav-item"><a
    class="nav-link"
    href="peminjaman.php">Ajukan
    Peminjaman</a></li>

    <li class="nav-item"><a
    class="nav-link" href="peminjaman-
cek.php">Cek Peminjaman</a></li>

<?php endif; ?>

</ul>

<ul class="navbar-nav my-2 my-
lg-0">

<?php if(
!empty($_SESSION['sesi_koperasi_login']
) and $_SESSION['sesi_koperasi_login']
== "iya" ): ?>

    <?php if(
$_SESSION['sesi_koperasi_level'] ==
"admin" ): ?>

        <?php endif; ?>

        <li class="nav-item dropdown">
            <a class="nav-link
dropdown-toggle" href="#" id="navbarDropdown" role="button"
data-toggle="dropdown" aria-
haspopup="true" aria-
expanded="false">
                <i class="fas fa-
user"></i>
                <?=$_SESSION['sesi_koperasi_username'
]?>
            </a>
            <div class="dropdown-
menu dropdown-menu-right" aria-
labelledby="navbarDropdown">

```

```

<h6
class="dropdown-
header"><?=$_SESSION['sesi_koperasi_
nama'].<br>".ucwords($_SESSION['sesi
_koperasi_level'])?></h6>

<div
class="dropdown-divider"></div>

<a
class="dropdown-item"
href="password.php"><?=UBAH_PASS
WORD?></a>

<a
class="dropdown-item"
href="log/logout.php"><?=LOGOUT?><
/a>

</div>

</li>

<?php else: ?>

<!--li class="nav-item">

<?php if( METODE_LOGIN ==
"1" ): ?>

    <a class="nav-link"
href="login.php"><?=LOGIN?></a>

    <?php elseif( METODE_LOGIN
== "2" ): ?>

        <a class="nav-link"
href="#!" data-toggle="modal" data-
target="#modalLogin"><?=LOGIN?></a
>

    <?php endif; ?>

</li->

<?php endif; ?>

</ul>
</div>
</nav>

<?php if( METODE_LOGIN == "2" and
(
empty($_SESSION['sesi_koperasi_login'])
) or $_SESSION['sesi_koperasi_login'] !=
"iya" ): ?>

<!-- Modal -->

<div
class="modal fade" id="modalLogin"
tabindex="-1" role="dialog" aria-
labelledby="modalLoginLabel" aria-
hidden="true">

<div
class="modal-dialog modal-sm"
role="document">

<div class="modal-content">

<div class="modal-header">

    <h5 class="modal-title"
id="modalLoginLabel">Halaman
<?=LOGIN?></h5>

    <button type="button"
class="close" data-dismiss="modal" aria-
label="Close">

        <span aria-
hidden="true">&times;</span>

    </button>

</div>

<form action="log/login.php"
method="post">

```

```

<div class="modal-body">

<?php

if( !empty($_GET['status']) and
$_GET['status'] == "login" and
PEMBERITAHUAN == "Iya" ):

    if( session_status() ==
PHP_SESSION_NONE ) {

        session_start();

    }

    if( !empty($_SESSION['status'])
and ( $_SESSION['status'] ==
"username_salah" or
$_SESSION['status'] ==
"password_salah" ) ) {

?>

<p>
<div
class="alert alert-danger alert-dismissible
fade show" role="alert">

<?php

    if( $_SESSION['status']
== "username_salah" ) {

        echo
USERNAME_SALAH;

    }

    elseif(
$_SESSION['status'] ==
"password_salah" ) {

        echo
PASSWORD_SALAH;

    }

?>

<button type="button"
class="close" data-dismiss="alert" aria-
label="Close">
<span aria-
hidden="true">&times;</span>
</button>
</div>
</p>
<?php
}
endif;
?>

<div
class="form-group">
<label
for="username">Username</label>
<input
type="text" name="username"
id="username" class="form-control"
required>
</div>
<div
class="form-group">
<label
for="password"><?=PASSWORD?></la
bel>
<input

```

Slide isi.php

```

type="password" name="password"
id="password" class="form-control"
required>

</div>
<?php if(
!empty($_SESSION['sesi_koperasi_login'])
) and $_SESSION['sesi_koperasi_login']
== "iya" ): ?>

<a href="pemohon.php"
class="btn btn-lg btn-primary"
data-toggle="tooltip"
data-placement="top"
title="Peminjaman">
<i class="fas fa-money-bill"></i>
</a>
<a href="log/logout.php"
class="btn btn-lg btn-danger"
data-toggle="tooltip"
data-placement="top"
title="<?=LOGOUT?>">
<i class="fas fa-sign-out-alt"></i>
</a>

</div>
</div>
</div>
<!-- Modal -
AKHIR -->
<?php endif; ?>

</header>

```

```

        </a>
        </div>

<?php else: ?>

    <a href="peminjaman.php" class="btn btn-lg btn-primary">Ajukan Peminjaman</a>

    <a href="peminjaman-cek.php" class="btn btn-lg btn-success">Cek Peminjaman</a>

<?php endif; ?>

<div id="carouselSlide" class="carousel slide" data-ride="carousel" data-pause="false" style="margin-top: -10px;">

    <ol class="carousel-indicators">

        <li data-target="#carouselSlide" data-slide-to="0" class="active"></li>

        <li data-target="#carouselSlide" data-slide-to="1"></li>

        <li data-target="#carouselSlide" data-slide-to="2"></li>

    </ol>

    <div class="carousel-inner">

        <div class="carousel-item active">

            <div class="carousel-caption d-none d-md-block">

                <?php require('template/slide-isi.php'); ?>

            </div>

        </div>

        <div class="carousel-item">

            <div class="carousel-caption d-none d-md-block">

                <?php require("template/slide-isi.php"); ?>

            </div>

        </div>

        <div class="carousel-item">

            <div class="carousel-caption d-none d-md-block">

                <?php require("template/slide-isi.php"); ?>

            </div>

        </div>

    </div>

    <a class="carousel-control-prev" href="#carouselSlide" role="button" data-slide="prev">

        <span class="carousel-control-prev-icon" aria-hidden="true"></span>

        <span class="sr-only">Previous</span>

    </a>

    <a class="carousel-control-next" href="#carouselSlide" role="button" data-slide="next">

        <span class="carousel-control-next-icon" aria-hidden="true"></span>

        <span class="sr-only">Next</span>

    </a>

</div>

```

```

<a class="carousel-control-next"
href="#carouselSlide" role="button"
data-slide="next">

    <span class="carousel-control-next-
icon" aria-hidden="true"></span>

    <span class="sr-only">Next</span>
</a>
</div>

```

Kuitansi.php

```

<?php

$url = "peminjaman";
require_once("config/bunga.php");

require_once("config/jumlah-
pinjaman.php");

// panggil koneksi
require_once("config/connection.php");

require_once("function/rupiah.php");
require_once("function/terbilang.php");

// include autoloader

require_once
'plugins/dompdf/autoload.inc.php';

// reference the Dompdf namespace
use Dompdf\Dompdf;

ob_start();

?>

```

```

<!-- Panggil Tag Pembuka HTML dan
Tag Meta Bernilai Tetap -->

<?php
require_once("template/meta.php"); ?>

<!-- Tag Meta Bernilai
Variabel (Dapat Diubah/Berubah) -->

<title><?php if(
isset($judul) ) echo $judul."
".SEPARATOR." "; echo JUDUL_WEB;
?></title>

```

<!-- Tag Link Bernilai
Tetap -->

```

<link rel="icon"
href="images/logo.png">

<link rel="apple-touch-
icon" href="images/logo.png">

<link rel="stylesheet"
href="css/bootstrap.min.css">

<link rel="stylesheet"
href="css/style-pdf.css">

```

</head>

<body>

<main role="main">

```

<?php

$id = $_GET["id"];

$query = "SELECT a.*, b.*, c.* FROM
pembayaran a, pemohon b, pegawai c

```

WHERE a.id_pemohon=b.id
AND b.id_pegawai=c.id AND a.id=\$id

ORDER BY a.id ASC";

// hasil query

```

$result = mysqli_query($koneksi, $query)
or die(mysqli_error($koneksi));

$data = mysqli_fetch_assoc($result);

?>





```

```

<td>
<tr>

Yang Membayar
<td>Pangkat/Gol/Nrp/NIP</td>

</td>
<td>:</td>

<td align="center">
Yang Menerima
>
<td><?=$data["pangkat"]?></td>

</td>
</tr>
<tr>
<td align="center">
<td><br><br><br>ttd</td>
<td><br><br><br>ttd</td>
</tr>
<td></td>
<tr>
<td>
</table>

<table>
</td>
<tr>
<td align="right">
<td>Nama</td>
<td>:</td>
<table>
<td><?=$data["nama"]?></td>
<tr>
</tr>
<td>Nama</td>

```

```

                </body>
<td>:</td>
                </html>

<td></td>
<?php
</tr>
$html = ob_get_clean();

<tr>
// instantiate and use the dompdf class
$dompdf = new Dompdf();

<td>Pangkat/Gol/Nrp/NIP</td>

<td>:</td>
// enable the built-in HTML5 parser at
// runtime
<td></td>
$dompdf-
>set_option('isHtml5ParserEnabled',
true);

<tr>
// load html for pdf content
$dompdf->loadHtml($html);

<td>Kesatuan</td>

<td>:</td>
// (Optional) Setup the paper size and
// orientation
<td></td>
$dompdf->setPaper('A5', 'landscape');

</tr>
// Render the HTML as PDF
$dompdf->render();

</table>

// Output the generated PDF (1 =
download and 0 = preview)

$dompdf-
>stream("Kuitansi",array("Attachment"
=>0));
exit;
?>
</main>

```

Login.php

```
<form action="log/login.php"
method="post" class="form-signin">
    
    <h1 class="h3 mb-3 font-weight-normal"><?=JUDUL_WEB?></h1>
<?php
require_once("template/meta.php"); ?>

    <!-- Panggil Tag Link
Bernilai Tetap -->
    <?php
require_once("template/header.php"); ?>

    <!-- Custom styles for this template -->
    <link rel="stylesheet"
href="css/signin.css">
    <style>
        body {
            background:
url("images/login.jpg")
<?=UTAMA_WARNA?> no-repeat
center fixed;
            background-size: cover;
        }
        .form-signin {
            border:
2px solid <?=KEDUA_WARNA?>;
        }
    </style>
</head>

<body class="text-center"
style="background-color:
<?=UTAMA_WARNA?>;">
    <?php
if( !empty($_GET['status']) and
$_GET['status'] == "login" and
PEMBERITAHUAN == "Iya" ):
    if( session_status() ==
PHP_SESSION_NONE ) {
        session_start();
    }
    if( !empty($_SESSION['status'])
and ( $_SESSION['status'] ==
"username_salah" or
$_SESSION['status'] ==
"password_salah" ) ){
        ?>
        <p>
            <div
class="alert alert-danger" role="alert">
                <?php
                    if( $_SESSION['status']
== "username_salah" ){
                        echo
                            USERNAME_SALAH;
                    }
                    elseif(
                        $_SESSION['status'] ==
"password_salah" ){
                        echo
                            PASSWORD_SALAH;
                    }
                ?>
            </div>
        </p>
    }
}
</body>
```

```

        </div>
        </form>
    </p>
<?php

unset($_SESSION['status']);
}

endif;
?>

<label for="username" class="sr-only"><?=USERNAME?></label>

<input type="text"
name="username" id="username"
placeholder="<?=USERNAME?>"
class="form-control" required>

<label for="password" class="sr-only"><?=PASSWORD?></label>

<input type="password"
name="password" id="password"
placeholder="<?=PASSWORD?>"
class="form-control" required>

<!-- div class="checkbox mb-3">

<label>
    <input type="checkbox"
value="remember-me"> Remember me
</label>
</div -->

<button class="btn btn-lg btn-primary btn-block"
type="submit"><?=LOGIN?></button>

<a href="<?=BASE_SITE?>"'
class="btn btn-lg btn-secondary btn-block"><?=KEMBALI_KE_AWAL?></a
>

<p class="mt-5 mb-3 text-muted">Copyright &copy;
<?=$tahun_web?></p>

```

```

        </body>
</html>

```

Password process.php

```

<?php
/*
Untuk info fungsi tag dan script web,
baca:
INFO Fungsi yang Ada di Web Ini.txt
yang ada di dalam folder ini.
*/
require_once("config/site.php");
require_once("config/secure.php");

// panggil koneksi
require_once("config/connection.php");

// terima data "id" dan "password lama /
yang sedang digunakan"
$id = mysqli_real_escape_string($koneksi,
$_POST['id']);

$password =
mysqli_real_escape_string($koneksi,
md5($_POST['password']));

// menjalankan query cek password lama
$cek_password = mysqli_query($koneksi,
"SELECT password FROM user
WHERE password='$password' and
id=$id");

or die(mysqli_error($koneksi));

```

```

// jika password lama BENAR
if( mysqli_num_rows($cek_password) >=
1 ):

    // terima data password baru
    $password_baru =
$_POST['password_baru'];

    // terima data konfirmasi
    // password baru
    $password_konfirm =
$_POST['password_konfirm'];

    // jika "password baru" dan
    // "konfirmasi password baru" SAMA
    if( $password_baru ===
$password_konfirm ):

        mysqli_query($koneksi,
"UPDATE user SET
password='".md5($password_baru)."'"
WHERE id=$id")

        or
die(mysqli_error($koneksi));

    if( PEMBERITAHUAN
== "Iya" ) {

        $_SESSION['status'] =
"success";
    }

    echo
"<script>location.href='password.php?st
atus=success';</script>";
exit;
}

// jika "password baru" dan
// "konfirmasi password baru" SALAH
else:
echo
"<script>alert('.KONFIRM_PASSWOR
D_BARU_SALAH.');
window.history.back();</script>";

exit;
endif;

// jika password lama SALAH
else:
echo
"<script>alert('.PASSWORD_SALAH.'"
'); window.history.back();</script>";

exit;
endif;

```

Password.php

```

<!-- Panggil Tag Pembuka HTML dan
Tag Meta Bernilai Tetap -->
<?php
require_once("template/meta.php"); ?>

<!-- Panggil Tag Link
Bernilai Tetap -->
<?php
require_once("template/header.php"); ?>

<!-- CSS kita sendiri -->
<link rel="stylesheet"
href="css/style.css">
</head>

```

```

<body>
    <!-- Panggil Bagian
Header/Tag Header Web (Navbar, dll.) --
>

    <?php
require_once("template/navbar.php"); ?>

    <!-- Content/Primary
Area -->
    <!-- Main
Content -->
    <main
role="main">
        <div class="container"
id="content-area">
            <!-- Main
Content -->
            <br>
<?php
if( !empty($_GET['status']) and
$_GET['status'] == "success" and
PEMBERITAHUAN == "Iya" ):
    if( session_status() ==
PHP_SESSION_NONE ) {
        session_start();
    }
    if( !empty($_SESSION['status'])
and $_SESSION['status'] == "success" ) {
?>
        <p>
            <div class="alert alert-success
alert-dismissible fade show"
role="alert">
                <?=UBAH_PASSWORD_BERH
ASIL?>
                <button type="button"
class="close" data-dismiss="alert" aria-
label="Close">
                    <span aria-
hidden="true">&times;</span>
                </button>
            </div>
            <p>
                unset($_SESSION['status']);
            >
            <endif;
?>
<?php
if( !empty($_SESSION['sesi_koperasi_id
_user'])?>">
            <form
action="password-process.php"
method="post">
                <input type="hidden"
name="id"
value="<?=$_SESSION['sesi_koperasi_id
_user']?>">
            <div class="form-row">
                <div class="form-group col-sm-
12 col-md-12 col-lg-9 col-xl-8">
                    <label
for="password"><?=PASSWORD_LAM
A?></label>
                    <input type="password">
                </div>
            </div>
        </form>
    </div>
</body>

```

```

name="password" id="password"
class="form-control" required>
<p>

</div>
</div>

<div class="form-row">
<div class="form-group col-sm-12 col-md-12 col-lg-9 col-xl-8">
<label
for="password_baru"><?=PASSWORD_BARU?></label>
<input type="password"
name="password_baru"
id="password_baru" class="form-control" required>
</div>
</div>

<div class="form-row">
<div class="form-group col-sm-12 col-md-12 col-lg-9 col-xl-8">
<label
for="password_konfirm"><?=KONFIRM_PASSWORD_BARU?></label>
<input type="password"
name="password_konfirm"
id="password_konfirm" class="form-control" required>
</div>
</div>

```

<button type="submit"
id="save"
class="<?=UKURAN_TOMBOL_SIMPAN?>
<?=SIMPAN_STYLE_TOMBOL?>"><?=SIMPAN?></button>

</p>

</div>

</main>

</div>

<!-- AKHIR
Content/Primary Area -->

<!-- Panggil Bagian
Footer/Tag Footer Web (Copyright, dll.) ->

<?php
require_once("template/footer.php"); ?>

</body>

</html>

Pegawai form.php

<?php

// <!-- Panggil Tag Pembuka HTML dan
Tag Meta Bernilai Tetap -->

require_once("template/meta.php");

// cek apakah sudah login

require_once("config/secure.php");

```

$url = $_GET["url"];
require_once("controllers/$url/config.php");
require_once("controllers/$url/config-form.php");

// panggil koneksi
require_once("config/connection.php");
$judul_utama = $judul;
if(isset($_GET["id"])){
    $judul = EDIT." ".$judul;
    $id = $_GET['id'];
    $query = "SELECT * FROM
    $tabel WHERE id=$id ORDER BY id
    DESC";
    $result = mysqli_query($koneksi,
    $query) or die(mysqli_error($koneksi));
    if( mysqli_num_rows($result) >=
    1 ){
        $judul_h1 = $judul;
        $process = "edit";
        $available = TRUE;
    }
    else {
        $judul_h1 =
DATA_TIDAK_DITEMUKAN;
        $available = FALSE;
    }
}
else{
    $judul_h1 = ADD." ".$judul;
    $judul_h1 = $judul;
    $process = "add";
}

$id = 0;
$query = "SELECT * FROM
$tabel WHERE id=$id ORDER BY id
DESC";
$result = mysqli_query($koneksi,
$query) or die(mysqli_error($koneksi));
$available = TRUE;

endif;

$data = mysqli_fetch_array($result);
?>

<!-- Panggil Tag Link
Bernilai Tetap -->
<?php
require_once("template/header.php"); ?>

<?php if( array_search( "date",
array_column($field, "type") ) !==
FALSE ): ?>
<link rel="stylesheet"
href="plugins/bootstrap-
datepicker/css/bootstrap-
datepicker3.min.css">
<?php endif; ?>

<!-- CSS kita sendiri -->

```

```

<link rel="stylesheet"
      href="css/style.css">
</head>

<body>
    <!-- Panggil Bagian
Header/Tag Header Web (Navbar, dll.) --
>

    <?php
require_once("template/navbar.php"); ?>

    <!-- Content/Primary
Area -->
<div class="container"
id="content-area">
    <!-- Main
Content -->
<main
role="main">
    <h1><?=$judul_h1?></h1>
    <br>
    <p>
        <strong>
            <span class="text-
danger">*</span>
<em><?=FORM_REQUIRED?></em>
        </strong>
    </p>
<?php if($available == TRUE): ?>

```

```

$col= "col-sm-12
col-md-12 col-lg-9 col-xl-8";
?>

elseif(
isset($f["panjang_field"]) and
$f["panjang_field"] == "pendek" ):
$col = "col-sm-7
col-md-5 col-lg-4 col-xl-3";
else:
$col = "col";
endif;
?>

<div class="form-group
<?=$col?>">

<label
for="<?=$name?>">

<?php if(
$f["wajib_diisi"] == "iya" and ( $process
== "add" or ( $process == "edit" and
$f["type"] != "password" ) ) : ?>

<span
class="text-danger">*</span>
<?php endif; echo
$f["label"]; ?>

</label>

<?php endif; ?>

<?php
if( $f["type"] == "text"
or $f["type"] == "email" or $f["type"] ==
"number" or $f["type"] == "tel" or
$f["type"] == "password" or $f["type"]
== "date" ):
$tipe = (
$f["type"] == "date" ) ? "text" :
$f["type"];
?>

<input
type="<?=$tipe?>"
name="<?=$name?>" id="<?=$name?>"
class="form-control"
value="<?php
if( $f["type"] == "number" and
!empty($f["value"]) and $process ==
"add" ) { echo $f["value"]; } elseif(
!empty($f["value"]) and $process ==
"add" ) { echo $f["value"]; } elseif(
$f["type"] != "password" ) { echo
$data[$name]; } ?>"

<?php if(
!empty($f["min"]) and $f["type"] ==
"number" ) {
?>min="<?=$f["min"]?>"<?php } ?>

<?php if(
!empty($f["max"]) and $f["type"] ==
"number" ) {
?>max="<?=$f["max"]?>"<?php } ?>

<?php if(
!empty($f["maks_panjang_karakter"])) )
{
?>maxlength="<?=$f["maks_panjang_karakter"]?>"<?php } ?>

<?php if(
!empty($f["keterangan"])) ) { ?>aria-
describedby="<?=$name?>Help"<?php }
?>

<?php if(
!empty($f["placeholder"])) ) {
?>placeholder="<?=$f["placeholder"]?>"<?php } ?>

<?php if(
!empty($f["wajib_diisi"]) and
$f["wajib_diisi"] == "iya" and ( $process
== "add" or ( $process == "edit" and
$f["type"] != "password" ) ) ) echo
"required"; ?>

```

```

<?php if(
!empty($f["readonly"])) and
$f["readonly"] == "iya" ) echo
"readonly"; ?>>

<?php if(
!empty($f["keterangan"])) ) { ?>

<small
id="<?=$name?>Help" class="form-text
text-
muted"><?=$f["keterangan"]?></small>

<?php } ?>

<?php
elseif( $f["type"] ==
"textarea" ):

$byk_baris = 3;

if(
isset($f["banyak_baris"]) and
!empty($f["banyak_baris"])) {

$byk_baris =
$f["banyak_baris"];

?>

<textarea
name="<?=$name?>" id="<?=$name?>"
class="form-control"
rows="<?=$byk_baris?>"

<?php if(
!empty($f["keterangan"])) { ?>aria-
describedby="<?=$name?>Help"<?php }
?>

<?php if(
!empty($f["placeholder"])) {
?>placeholder="<?=$f["placeholder"]?>
"<?php } ?>

<?php if(
!empty($f["kolom_kirim"])) {
?>value_query="<?=$f["kolom_kirim"]?>
"<?php } ?>

<?php if(
!empty($f["kolom_tampil"])) {
?>value="<?=$f["kolom_tampil"]?>
"<?php } ?>

<?php if(
!empty($f["wajib_diisi"])) {
?>aria-
describedby="<?=$name?>Help"<?php }

<?php if(
!empty($f["wajib_diisi"])) == "iya" ) echo
"required"; ?>><?=$data[$name]?></textarea>

<?php if(
!empty($f["keterangan"])) ) { ?>

<small
id="<?=$name?>Help" class="form-text
text-
muted"><?=$f["keterangan"]?></small>

<?php } ?>

<?php elseif($f["type"] ==
"select"): ?>

<select
name="<?=$name?>"
class="<?=$SELECT_CLASS?>"
id="<?=$name?>"

if(!empty($f["keterangan"])) { ?> aria-
describedby="<?=$name?>Help"<?php }
?>

<?php
if($f["wajib_diisi"] == "iya" ) echo
"required"; ?>>

<option
value="" <?php if($f["wajib_diisi"] ==
"iya") echo "disabled"; ?>
selected>&ndash;</option>

<?php
if($f["value_query"] == "iya"): ?>

<?php
if($f["kolom_kirim"] ==
$f["kolom_tampil"]): ?>

```

```

$kolom_select =
$f["kolom_kirim"];

else:
    $kolom_select =
$f["kolom_kirim"].",
".$f["kolom_tampil"];
endif;

$query_select = "SELECT
$kolom_select FROM $f[tabel] ORDER
BY $f[kolom_tampil] ASC";

$result_select =
mysqli_query($koneksi, $query_select) or
die(mysqli_error($koneksi));

while($data_select =
mysqli_fetch_array($result_select)):
    ?>

        <option
value=<?=$data_select[$f['kolom_kirim']]?>" <?php if(
$data_select[$f["kolom_tampil"]] ==
$data[$name] ) echo "selected"; ?>>
<?=$data_select[$f['kolom_tamp
il']]?>

    </option>
    <?php
endwhile; ?>

<?php elseif($f["type"] == "radio"): ?>

```

?>

```

elseif($f["value_query"] ==
"tidak"):

foreach($f["value"] as $n => $v):
    <option
value=<?=$v?>" <?php if( $v ==
$data[$name] ) echo "selected";
?>><?=$f["value_tampil"][$n]?></option
>

    <?php
endforeach;
endif;
?>

</select>
<?php
if(!empty($f["keterangan"])): ?>

```

?>

```

<small
id=<?=$name?>Help" class="form-text
text-
muted"><?=$f["keterangan"]?></small>
<?php endif; ?>
```

?>

```

<?php elseif($f["type"] == "radio"): ?>

```

?>

```

<br>
<?php
$inline = "";
if( $f["inline"] == "iya" ) {
    if(
RADIO_STYLE_CUSTOM == "iya" ) {
```

```

?>

$inline = " custom-control-
inline";
}

else {

    $inline = " form-check-inline";
}

}

}

if($ff["value_query"] == "iya"):

    if($ff["kolom_kirim"] ==
$ff["kolom_tampil"]):

        $kolom_select =
$ff["kolom_kirim"];

    else:

        $kolom_select =
$ff["kolom_kirim"].",
".$ff["kolom_tampil"];

endif;

$query_select = "SELECT
$kolom_select FROM $f[tabel] GROUP
BY $f[kolom_tampil] ORDER BY
$f[kolom_tampil] ASC";

$result_select =
mysqli_query($koneksi, $query_select) or
die(mysqli_error($koneksi));

$i=1;

while($data_select =
mysqli_fetch_array($result_select)):

    <div
class="<?=RADIO_DIV_CLASS.$inline?
>">

        <input
class="<?=RADIO_INPUT_CLASS?>"
type="radio" name="<?=$name?>"
id="<?=$name.$i?>">
value="<?=$data_select[$f["kolom_kirim
"]]?>"

        <?php
if($f["wajib_diisi"] == "iya") echo
"required"; ?><?php if(
$ff["kolom_tampil"] == $data[$name] )
echo "checked"; ?>>

        <label
class="<?=RADIO_LABEL_CLASS?>">
for="<?=$name.$i++?>"><?=$data_sele
ct[$f["kolom_tampil"]]?></label>

    </div>

<?php
endwhile; ?>

        <?php
elseif($f["value_query"] ==
"tidak"):

    $i=1;

        foreach($f["value"] as $n => $v):
?>

            <div
class="<?=RADIO_DIV_CLASS.$inline?
>">

                <input
class="<?=RADIO_INPUT_CLASS?>">

```

```

type="radio" name="<?=$name?>"  

id="<?=$name.$i?>" value="<?=$v?>"  

<?php  

if($f["wajib_diisi"] == "iya") echo  

"required"; ?> <?php if( $v ==  

$data[$name] ) echo "checked"; ?>  

<label  

class="<?=RADIO_LABEL_CLASS?>"  

for="<?=$name.$i++?>"><?=$f["value_t  

ampil"][$n]?></label>  

</div>  

<?php  

endforeach;  

endif;  

?>  

<?php if(  

!empty($f["keterangan"])) : ?>  

<small  

id="<?=$name?>Help" class="form-text  

text-  

muted"><?=$f["keterangan"]?></small>  

<?php endif; ?>  

<?php elseif($f["type"]  

== "checkbox"): ?>  

<br>  

<?php  

$inline = "";  

if( $f["inline"]  

== "iya" ) {  

if( $f["value_query"] == "iya"):  

if($f["kolom_kirim"] ==  

$f["kolom_tampil"]):  

$kolom_select =  

$f["kolom_kirim"];  

else:  

$kolom_select =  

$f["kolom_kirim"].",  

".$f["kolom_tampil"];  

endif;  

$query_select = "SELECT  

$kolom_select FROM $f[tabel] GROUP  

BY $f[kolom_tampil] ORDER BY  

$f[kolom_tampil] ASC";  

$result_select =  

mysqli_query($koneksi, $query_select) or  

die(mysqli_error($koneksi));  

$i=1;

```

```

        while($data_select =
mysqli_fetch_array($result_select)):

    ?>

    <div
class="<?=CHECKBOX_DIV_CLASS.$i
nline?>">

        <input
class="<?=CHECKBOX_INPUT_CLASS
?>" type="checkbox"
name="<?=$name?>"
id="<?=$name.$i?>" value="<?=$v?>"

        <?php
if($f["wajib_diisi"] == "iya") echo
"required"; ?><?php if(
$f["kolom_tampil"] == $data[$name] )
echo "checked"; ?>

        <label
class="<?=CHECKBOX_LABEL_CLAS
S?>" for="<?=$name.$i++?>"><?=$f["value_t
ampil"][$n]?></label>

    </div>
<?php
endwhile; ?>

        <?php
elseif($f["value_query"] ==
"tidak"):

    $i=1;

    foreach($f["value"] as $n => $v):
        ?>
        <div
class="<?=CHECKBOX_DIV_CLASS.$i
nline?>">

            <input
class="<?=CHECKBOX_INPUT_CLASS
?>" type="checkbox"
name="<?=$name?>" id="<?=$name.$i?>" value="<?=$v?>"

            <?php
if($f["wajib_diisi"] == "iya") echo
"required"; ?><?php if(
$f["kolom_tampil"] == $data[$name] )
echo "checked"; ?>

            <label
class="<?=CHECKBOX_LABEL_CLAS
S?>" for="<?=$name.$i++?>"><?=$f["value_t
ampil"][$n]?></label>

        </div>
        <?php
endif;
?>

        <?php if(
!empty($f["keterangan"])) { ?>

            <small
id="<?=$name?>Help" class="form-text
text-
muted"><?=$f["keterangan"]?></small>
        <?php } ?>

    <?php elseif( $f["type"] ==
"file" ): ?>

        <?php
if($process == "edit") { ?>

            <input type="hidden"

```

```

name="<?=$name?>_old"
value="<?=$data[$name]?>">

<p><?=$f["label"]?>
Sebelumnya: <a
href="files/<?=$data[$name]?>"'
target="_blank"><?=$data[$name]?></a>
</p>

<?php
}

foreach($f["accept"] as $accept):
    $file_extensions[] = ".$.$accept;
endforeach;
$file_accept =
implode(", ", $file_extensions);

unset($file_extensions);

if(
FILE_STYLE_CUSTOM == "iya" )
{
?>

<div class="custom-
file">
<?php } ?>

<input
type="file" name="<?=$name?>"'
id="<?=$name?>"
class="<?=$file_input_class?>"
accept="<?=$file_accept?>"

<?php
if( !empty($f["keterangan"]) ) { ?>aria-
describedby="<?=$name?>Help"<?php }
?>

<?php
if( $f["wajib_diisi"] == "iya" and
$process == "add" ) echo "required";
?>>

<?php if(
FILE_STYLE_CUSTOM == "iya" ) { ?>

<label
class="custom-file-label"
for="<?=$name?>"><?php if(
!empty($f["placeholder"]) ) echo
$f["placeholder"]; ?></label>

</div>
<?php } ?>

<?php if(
!empty($f["keterangan"]) ) { ?>

<small
id="<?=$name?>Help" class="form-text
text-
muted"><?=$f["keterangan"]?></small>

<?php } ?>

<?php endif; ?>

<?php if( $f["type"] !=
"hidden" and $f["type"] != "judul" and
$f["type"] != "tulisan" ): ?>

</div>
</div>

<?php
<?php

```

```

        elseif( $f["type"] ==
    "hidden" ): <?php elseif( $f["type"] ==
    == "tulisan" ): ?>

            if( $f["value"]
    == "waktu_sekarang" and $process ==
    "add" ) {

                $value =
    "NOW()"; <p><?= $f["value"] ?></p>
            }

            elseif(
    $f["value"] == "waktu_sekarang" and
    $process == "edit" ) { <?php endif; ?>

                $value =
    ""; <br>
            }

            elseif(
    !empty($f["value"]) and $process ==
    "add" ) {
                $value =
    $f["value"]; <p>
                <button type="submit"
id="save"
class="<?=UKURAN_TOMBOL_SIMPA
N?>
<?=SIMPAN_STYLE_TOMBOL?>"><?
=SIMPAN?></button>
            }

            else {
                $value =
    $data[$name]; <a href="<?=$url?>.php"
class="<?=UKURAN_TOMBOL_BATA
L?>
<?=BATAL_STYLE_TOMBOL?>"><?
=BATAL?></a>
            }

        ?> </p>
        <input type="hidden"
name="<?=$name?>"
value="<?=$value?>"> </form>

        <?php elseif( $f["type"] ==
    == "judul" ): ?> <?php endif; ?>

        <br> </main>
        <h2 <!-- AKHIR
class="h5"><?= $f["value"] ?></h2> Main Content -->
        </div>

```

```

<!-- AKHIR
Content/Primary Area -->

<!-- Panggil Bagian
Footer/Tag Footer Web (Copyright, dll.) -
-->

<?php
require_once("template/footer.php"); ?>

<?php

if( array_search( "date",
array_column($field, "type") ) !==
FALSE ):


?>

<script
src="plugins/bootstrap-
datepicker/js/bootstrap-
datepicker.min.js"></script>

<?php

if( BAHASA_WEB == "id" ) {

?>

<script
src="plugins/bootstrap-
datepicker/locales/bootstrap-
datepicker.id.min.js"></script>

<?php

}

endif;

foreach($field as $f):


if( $f["type"] == "file" and
FILE_STYLE_CUSTOM == "iya" ):


?>

<script>
$(input[type="file"]#<?=$f["na
me"]?>').change(function(e){

var
_size = this.files[0].size;

var
fSExt = new Array('Bytes', 'KB', 'MB',
'GB');

i=0;while(_size>900){_size/=1024;
i++;}
var
exactSize =
(Math.round(_size*100)/100) +' '+fSExt[i];

var
fileName = e.target.files[0].name + ' | ' +
exactSize;

$('label[for=<?=$f["name"]?>"]'
.custom-file-label').text(fileName);

});

</script>

<?php elseif( $f["type"] ==
"textarea" and $f["editor"] == "iya" ):

?>

<script
src="plugins/tinymce/tinymce.min.js"></
script>

<script>
tinymce.init({

selector:
'textarea',


menubar: false,
relative_urls: true,
remove_script_host : false,

```

```

        setup:
function (editor) {

    editor.on('change', function (e) {

        editor.save();
    });
}

plugins: [
    [
        'advlist autolink lists link image
        charmap print preview hr pagebreak',
        '</script>

        'searchreplace wordcount
        visualblocks visualchars code fullscreen',
        '<?php elseif( $f["type"] ==
        "date" ): ?>
        <script>

        $('#<?=$f["name"]?>').datepick
        er({
            <?php
            if( BAHASA_WEB == "id" ) {
            ?>language: 'id', weekStart: 1,<?php } ?>
            <?php
            if( !empty($f["format"]) ) { ?>format:
            '<?=$f["format"]?>', <?php } ?>
            <?php
            if( !empty($f["start_view"]) ) {
            ?>startView: '<?=$f["start_view"]?>',
            <?php } ?>
            <?php
            if( !empty($f["start_date"]) ) {
            ?>startDate: '<?=$f["start_date"]?>',
            <?php } ?>
            <?php
            if( !empty($f["end_date"]) ) { ?>endDate:
            '<?=$f["end_date"]?>', <?php } ?>
            todayBtn: 'linked'
        }
    ],
    [
        toolbar1: 'undo redo pastetext |
        styleselect removeformat | bold italic
        underline | alignleft aligncenter alignright
        alignjustify alignnone | outdent indent
        bullist numlist | fullscreen',
        toolbar2: 'insert | image media
        link | table charmap blockquote hr |
        forecolor backcolor | code print preview
        help',
        plugin_preview_width: 1024,
        image_advtab: true,
        external_filemanager_path:"plug
        ins/filemanager/",
        filemanager_title:"File
        Manager",
        external_plugins: {
        "filemanager" :
        "../filemanager/plugin.min.js"
    });
}
]

```

```

        });
        require_once("function/rupiah.php");
    ?>
    <!-- Panggil Tag Pembuka HTML dan
    Tag Meta Bernilai Tetap -->
<?php
require_once("template/meta.php"); ?>

        <!-- Panggil Tag Link
    Bernilai Tetap -->
<?php
require_once("template/header.php"); ?>

</body>
</html>

<!-- Copyright © 2017 – Jumaidil Fadillah
| Jum Dante. All rights reserved. -->

Pegawai.php

<?php
// panggil konfigurasi/config website
require_once("config/site.php");
// cek apakah sudah login
require_once("config/secure.php");

/*
-----*/
$url = "pegawai";
/*
-----*/
require_once("controllers/$url/config.php");
require_once("controllers/$url/config-
list.php");

```

```

<body>

    <!-- Panggil Bagian
Header/Tag Header Web (Navbar, dll.) --
>

    <?php
require_once("template/navbar.php"); ?>

    <!-- Content/Primary
Area -->

        <div id="content-area"
class="container">

            <!-- Main
Content -->

                <main
role="main">

<?php
// panggil koneksi
require_once("config/connection.php");
// hasil query

$result = mysqli_query($koneksi, $query)
or die(mysqli_error($koneksi));
?>

                <h1
align="center"
id="judul"><?= $judul ?></h1>

<?php
if( !empty($_GET['status']) and
$_GET['status'] == "success" and
PEMBERITAHUAN == "Iya" ):

    if( session_status() ==
PHP_SESSION_NONE ) {

        session_start();
    }
    if( !empty($_SESSION['status']) and ( $_SESSION['status'] ==
"add_success" or $_SESSION['status'] ==
"edit_success" or
$_SESSION['status'] == "delete_success" ) ){

        if( $_SESSION['status'] ==
"add_success" ){

            $alert =
ADD_BERHASIL;
        }

        elseif(
$_SESSION['status'] == "edit_success" ){

            $alert =
EDIT_BERHASIL;
        }

        elseif(
$_SESSION['status'] == "delete_success" ){

            $alert =
DELETE_BERHASIL;
        }

        unset($_SESSION['status']);
    }
?>

                <div
class="alert alert-success alert-dismissible
fade show" role="alert">

                    <?= $alert ?>

                    <button type="button"
class="close" data-dismiss="alert" aria-
label="Close">

                        <span aria-
hidden="true">&times;</span>
                    </button>
                </div>
            
```

```

        </div>
        </thead>
<?php
}
endif;
?>

<p>
<a href="= $url ?>-form.php?url== $url ?" id="add-btn" class="btn <?= ADD_STYLE_TOMBOL ?>"><?= ADD_D." ". $judul ?></a>
</p>
<div
class="table-responsive">
    <table id="tabel" class="table table-bordered table-hover table-sm">
        <thead>
            <tr>
                <th data-orderable="false" class="no">No.</th>
<?php foreach($kolom_tabel as $kt): ?>
                <th><?= $kt ?></th>
<?php endforeach; ?>
                <th data-orderable="false" class="tools">Tools</th>
            </tr>
        <tbody>
<?php
$no = 1;
// tampilan data dari hasil query
while($data = mysqli_fetch_assoc($result)):
    $data_baru = '';
    if( !empty($_GET['status']) and $_GET['status'] == "success" and PEMBERITAHUAN == "Iya" ):
        if( session_status() == PHP_SESSION_NONE ){
            session_start();
        }
        if(
            !empty($_SESSION['status']) and
            (
                (
                    $_SESSION['status'] == "add_success" and $no == 1 ) or
                (
                    $_SESSION['status'] == "edit_success" and $data["id"] ==
                    $_SESSION['status_id'] )
            )
        ) {
            $data_baru =
            class="data-baru";
            unset($_SESSION['status']);
            unset($_SESSION['status_id']);
        }
    }
}

```

```

        }

    endif;

?>

<tr<?=$data_baru?>>

        <td id="no"
class="text-right"><?=$no?></td>

<?php foreach($kolom_tabel_db as
$ktdb): ?>

        <td
id="<?=$ktdb?>">

            <?php if( in_array($ktdb,
$tipe_file) ): ?>

                <a
href="files/<?=$data[$ktdb]?>"
target="_blank"><?=$data[$ktdb]?></a>

            <?php elseif( in_array($ktdb,
$tipe_link) ): ?>

                <a
href="<?=$data[$ktdb]?>"
target="_blank"><?=$data[$ktdb]?></a>

            <?php elseif( $ktdb == "gaji" ):
?>

                <?=rupiah($data[$ktdb])?>

            <?php else: ?>

                <?= $data[$ktdb]?>

            <?php endif; ?>

        </td>

```

<!--a
href="<?=\$url?>-
view.php?url=<?=\$url?>&id=<?=\$data["
id"]?>"

```

            class="btn
<?=VIEW_STYLE_TOMBOL?> btn-
sm"

            data-toggle="tooltip"
            data-placement="top"
            title="<?=VIEW?>"

            <i class="fas fa-eye fa-xs"></i>

            <a
href="<?=$url?>-
form.php?url=<?=$url?>&id=<?=$data["  
id"]?>">

            <?=EDIT_STYLE_TOMBOL?> btn-sm"

            data-toggle="tooltip"
            data-placement="top"
            title="<?=EDIT?>"

        </td>

```

<?php endforeach; ?>

title="<?=EDIT?>"

```

?>

<i class="far fa-edit fa-xs"></i>
</tbody>

</a>
</table>
<a href="controllers/delete.php?id=<?=$data['id']?>&table=<?=$tabel?>&url=<?=$url?>">
</div>
</main>
<!-- AKHIR Main Content -->

<!-- AKHIR Content/Primary Area -->

<!-- Panggil Bagian Footer/Tag Footer Web (Copyright, dll.) ->
<?php
require_once("template/footer.php"); ?>

<?php
require_once("template/data-tables-config-with-buttons.php"); ?>
</body>
</html>

Peminjaman Buki Fdf.php

<?php
$url = "peminjaman";
require_once("config/bunga.php");
require_once("config/jumlah-pinjaman.php");
// panggil koneksi
require_once("config/connection.php");

```

```

require_once("controllers/$url/config.php");

```

```

<link rel="stylesheet"
      href="css/style-pdf.css">

```

```

</head>

```

```

<body>

```

```

require_once("function/rupiah.php");

```

```

<main role="main">

```

```

// include autoloader

```

```

require_once
'plugins/dompdf/autoload.inc.php';

```

```

// reference the Dompdf namespace

```

```

use Dompdf\Dompdf;

```

```

ob_start();

```

```

?>

```

```

<!-- Panggil Tag Pembuka HTML dan
Tag Meta Bernilai Tetap -->

```

```

<?php
require_once("template/meta.php"); ?>

```

```

<!-- Tag Meta Bernilai
Variabel (Dapat Diubah/Berubah) -->

```

```

<title><?php if(
isset($judul) ) echo $judul."
".SEPARATOR." "; echo JUDUL_WEB;
?></title>

```

```

<!-- Tag Link Bernilai
Tetap -->

```

```

<link rel="icon"
      href="images/logo.png">

```

```

<link rel="apple-touch-
icon" href="images/logo.png">

```

```

<?php
$result = mysqli_query($koneksi, $query)
or die(mysqli_error($koneksi));

```

```

$data = mysqli_fetch_assoc($result);
?>

```

```

<table
      class="list">

```

```

<tr>

```

```

<td style="width: 25%;">

```

```



```

```

</td>

```

```

<td style="width: 50%;"
      align="center">

```

```

<h1>Bukti <?=$judul?></h1>

```

```

</td>

```

```

<td style="width: 25%;"
      align="right">

```

```



```

```

</td>
</tr>

</table> <td>:</td>

<br> <td><?=$data["pangkat"]?></td>
>

<table> </tr>
<tr class="font-weight-bold">
<td>ID Peminjaman</td> <td>Jabatan</td>
<td>:</td>
<td><?=$data["id_peminjaman"]?></td> <td><?=$data["jabatan"]?></td>
> </tr>
<tr>
<td>Tanggal</td> <td>Gaji Bersih yang Diterima
<td>:</td> Sebesar</td>
<td><?=$data["tanggal"]?></td> <td><?=$data["gaji"]?></td>
</tr>
<tr>
<td>Nama</td> <td>Mohon Pinjaman Uang
<td>:</td> Sebesar</td>
<td><?=$data["nama"]?></td> <td><?=$data["pinjaman"]?></td>
</tr>
<tr>

```

```

</main>
<td>Lama Angsuran</td>
</body>

<td><?=$data["lama_angsuran"]?
?> Bulan</td>
</tr>
<tr>

<td>Angsuran Per Bulan</td>
<td><?=rupiah($data["angsuran
_per_bulan"])?></td>
</tr>
<tr>

<td>Jumlah Angsuran</td>
<td><td><?=rupiah($data["jumlah_a
ngsuran"])?></td>
</tr>
<tr>

<td>Untuk Keperluan</td>
<td><td><?=$data["keperluan"]?></t
d>
</tr>
</table>

```

exit;

?>

```

</html>

<?php
$html = ob_get_clean();

// instantiate and use the dompdf class
$dompdf = new Dompdf();

// enable the built-in HTML5 parser at
runtime
$dompdf-
>set_option('isHtml5ParserEnabled',
true);

// load html for pdf content
$dompdf->loadHtml($html);

// (Optional) Setup the paper size and
orientation
$dompdf->setPaper('A5', 'portrait');

// Render the HTML as PDF
$dompdf->render();

// Output the generated PDF (1 =
download and 0 = preview)
$dompdf->stream("Bukti
$judul",array("Attachment"=>1));

```

Peminjaman Bukti.php

```
<!-- Panggil Tag Link  
Bernilai Tetap -->  
  
<?php  
require_once("template/header.php"); ?>  
  
<?php  
  
// panggil konfigurasi/config website  
require_once("config/site.php");  
/*  
  
// mulai session  
session_start();  
  
if(  
  
    empty($_SESSION['sesi_koperas  
i_id_user']) or  
  
    empty($_SESSION['sesi_koperas  
i_username']) or  
  
    empty($_SESSION['sesi_koperas  
i_level']) or  
  
    empty($_SESSION['sesi_koperas  
i_nama']) or  
  
    empty($_SESSION['sesi_koperas  
i_login'])  
):  
  
?>  
<script>window.location.replace('<?=BA  
SE_SITE?>/login.php');</script>  
  
<?php  
  
    exit;  
endif;  
*/  
?  
  
<!-- Panggil Tag Pembuka HTML dan  
Tag Meta Bernilai Tetap -->  
  
<?php  
require_once("template/meta.php"); ?>
```

```
<!-- CSS kita sendiri -->  
  
<link rel="stylesheet"  
href="css/style.css">  
  
</head>  
  
<body>  
  
<!-- Panggil Bagian  
Header/Tag Header Web (Navbar, dll.) -->  
  
<?php  
require_once("template/navbar.php"); ?>  
  
<!-- Content/Primary  
Area -->  
  
<div class="container"  
id="content-area">  
  
<!-- Main  
Content -->  
  
<main  
role="main">  
  
<?php  
  
if( !empty($_GET['status']) and  
$_GET['status'] == "success" and  
PEMBERITAHUAN == "Iya" ):  
  
    if( session_status() ==  
PHP_SESSION_NONE ) {  
  
        session_start();  
    }  
  
<!-- Panggil Tag Pembuka HTML dan  
Tag Meta Bernilai Tetap -->  
  
<?php  
require_once("template/meta.php"); ?>
```

```
if( !empty($_SESSION['status'])  
and ( $_SESSION['status'] ==  
"add_success" or $_SESSION['status']  
== "edit_success" or  
$_SESSION['status'] == "delete_success"  
)){
```

```
$alert = "Pengajuan  
peminjaman berhasil. Silahkan  
menunggu persetujuan dari kami.<br>
```

```
Silahkan simpan  
bukti pengajuan  
peminjaman dengan mengklik  
tombol di bawah. Status persetujuan  
dapat diperiksa di menu Cek  
Peminjaman dengan  
memasukkan ID  
Peminjaman.<br>
```

```
ID Peminjaman dapat  
Anda temukan di bukti pengajuan  
peminjaman.";
```

```
unset($_SESSION['status']);  
?>
```

```
<div  
class="alert alert-success"  
role="alert"><?= $alert?></div>  
<?php  
}  
endif;  
?>  

```

```
</main>
```

```
<!-- AKHIR  
Main Content -->
```

```
</div>  
<!-- AKHIR  
Content/Primary Area -->
```

```
<!-- Panggil Bagian  
Footer/Tag Footer Web (Copyright, dll.) -  
-->
```

```
<?php  
require_once("template/footer.php"); ?>  
<script>  
$( '[data-  
toggle="tooltip"]' ).tooltip({  
delay: {  
"show": 50, "hide": 50 }  
});
```

```
</script>  
</body>
```

```
</html>
```

Peminjaman Cek.php

```
<?php  
// panggil konfigurasi/config website  
require_once("config/site.php");  
?>  
<!-- Panggil Tag Pembuka HTML dan  
Tag Meta Bernilai Tetap -->  
<?php  
require_once("template/meta.php"); ?>
```

```
<!-- Panggil Tag Link  
Bernilai Tetap -->
```

```

<?php
require_once("template/header.php"); ?>

<!-- CSS kita sendiri -->
<link rel="stylesheet"
href="css/style.css">

<style>
.table {
    width: auto;
    margin: 0 auto;
}

</style>

</head>

<body>

<!-- Panggil Bagian
Header/Tag Header Web (Navbar, dll.) --
>

<?php
require_once("template/navbar.php"); ?>

<!-- Content/Primary
Area -->

<div class="container"
id="content-area">

<!-- Main
Content -->
<main
role="main">

<form
action="" method="get">

<div class="form-row">
<div class="form-group col-sm-6" style="max-width: 250px;">
<?php
$name = "id-peminjaman";
if( !empty($_GET["id-peminjaman"]) ):
$id_peminjaman = $_GET["id-peminjaman"];
else:
$id_peminjaman = "";
endif;
?>

<label
for="<?=$name?>">ID
Peminjaman</label>

<input type="text"
name="<?=$name?>" id="<?=$name?>"
value="<?=$id_peminjaman?>"
class="form-control" required>

</div>

<div class="form-group col-sm-6
mt-auto">
<button type="submit"
class="btn btn-outline-primary"><i
class="fas fa-search"></i></button>

</div>
</div>

```

```

</form>           <?php
                }

<?php
if( !empty($_GET["id-peminjaman"])):
    $id_peminjaman = $_GET["id-
peminjaman"];

    // panggil koneksi
    require_once("config/connection.
php");

    // query tampil data
    $query = "SELECT a.*, b.* FROM pemohon a, pegawai b WHERE a.id_pegawai=b.id AND a.id_peminjaman=$id_peminjaman ORDER BY a.id DESC";

    // hasil query
    $result = mysqli_query($koneksi,
$query) or die(mysqli_error($koneksi));

    if( mysqli_num_rows($result) >=
1 ) {
        $data =
mysqli_fetch_array($result);

        if( $data["status"] ==
"Menunggu Persetujuan" ) {
            ?>
            <h2
class="h4">

                Status: <span class="badge
badge-
warning"><?=$data["status"]?></span>
            </h2>
        }
    }
}

elseif( $data["status"] ==
"Tidak Disetujui" ) {
    ?>
    <h2
class="h4">

        Status: <span class="badge
badge-
danger"><?=$data["status"]?></span>
    </h2>
}

elseif( $data["status"] ==
"Telah Disetujui" ) {
    require_once("config/bunga.php
");
    require_once("config/jumlah-
pinjaman.php");
    require_once("controllers/pemoh
on/config.php");
    $id_pegawai =
$data["id_pegawai"];
    require_once("controllers/peminj
aman/config-form.php");
    require_once("function/rupiah.p
hp");
    ?>
    <h2
class="h4">

        Status: <span class="badge
badge-
success"><?=$data["status"]?></span>
    </h2>
}

```

```

        </h2>
        <td>
<table           <?php if( !empty($data[$name])
class="tabel-list">          ): ?>
                <tr class="font-weight-bold">
                    <td>ID Peminjaman</td>
                    <td><?=$data["id_peminjaman"
]?: ?></td>
                    <td><?=$data[$name]?>
                    </td>
                </tr>
                <tr>
                    <td>Tanggal Peminjaman</td>
                    <td><?=$data["tanggal"]?></td>
                    <td><?=$data[$name]?>
                    </td>
                </tr>
            <?php
foreach($field as $f):
    <?php } elseif( $name ==
"lama_angsuran" ) { ?>
        <?=$data[$name]?> Bulan
    <?php } else { ?>
        if( $f["type"] != "hidden" ):
            $name = $f["name"];
        <?php } ?>
    <?php endif; ?>
<tr>
    <td><?=$f["label"]?></td>
    <td></td>
    </td>

```

```

</tr>                               </tr>

<?php
endif;
endforeach;
?>                               </thead>

<?php if( $data["status"] == "Telah
Disetujui" ): ?>               <tbody>

<br>
<p><em>Harga Dalam
Rupiah</em></p>                  <?php

$ saldo_hutang =
$data["jumlah_angsuran"];

$ bayar = "Iya";
$ total_pembayaran = 0;

for( $i=1; $i<=$data["lama_angsuran"];
$ i++ ):
    $ query_bayar = "SELECT *
FROM pembayaran WHERE
bulan_ke=$i AND
id_pemohon=\"$data[id\"]";

    $ result_bayar =
mysqli_query($koneksi, $query_bayar) or
die(mysqli_error($koneksi));

    $ data_bayar =
mysqli_fetch_array($result_bayar);

?>

<tr>
<th>Bulan
ke</th>                           <td
align="right"><?= $i ?></td>

<th>Tanggal
Bayar</th>                         <td><?= $data_bayar["tanggal_b
ayar"] ?></td>

<th>Jumlah
Pembayaran</th>                   <th>Saldo
Hutang</th>                         <td
align="right">

<th>Keterangan</th>                <?php
if( !empty($data_bayar["keterangan"]) ):


```

```

        $total_pembayaran +=           endfor;
$data["angsuran_per_bulan"];
?>

        echo
rupiah($data["angsuran_per_bulan"]);
        </tbody>
endif;
?>                                <tfoot>

        </td>                                <tr>

        <td align="right">                  <th colspan="2"></th>
<?php
if( !empty($data_bayar["keterangan"]) ):
    $saldo_hutang -=
$data["angsuran_per_bulan"];
    echo rupiah($saldo_hutang);
endif;
?>                                <th colspan="3"></th>
                                    </tr>

        </td>                                </tfoot>

        <td>                                </table>
<?php
if( empty($data_bayar["keterangan"]) ):      <?php endif; ?>
    echo "Belum Dibayar";
else:
    echo
$data_bayar["keterangan"];
endif;
?>                                <?php
}                                }
else {                                }

        </td>                                <?>
                                    <h2
class="h4">
<span class="badge badge-<?php

```

```

danger">ID Peminjaman Tidak          // <!-- Panggil Tag Pembuka HTML dan
Ditemukan</span>                      Tag Meta Bernilai Tetap -->

</h2>
<?php
}
endif;
?>

</main>
<!-- AKHIR
Main Content -->
</div>
<!-- AKHIR
Content/Primary Area -->

<!-- Panggil Bagian
Footer/Tag Footer Web (Copyright, dll.) -
-->

<?php
require_once("template/footer.php"); ?>

<script>
$('[data-
toggle="tooltip"]').tooltip({
delay: {
"show": 50, "hide": 50 }
});
</script>

</body>
</html>

Peminjaman.php

<?php

```

```

require_once("template/meta.php");

$url = "peminjaman";
require_once("config/bunga.php");
require_once("config/jumlah-
pinjaman.php");
require_once("controllers/$url/config.php
");

// panggil koneksi
require_once("config/connection.php");

$judul_utama = $judul;
if(isset($_GET["id"])){
    $judul = EDIT." ".$judul;
    $id = $_GET['id'];
    $query = "SELECT * FROM
$tabel WHERE id=$id ORDER BY id
DESC";
    $result = mysqli_query($koneksi,
$query) or die(mysqli_error($koneksi));
    if( mysqli_num_rows($result) >=
1 ) {
        $judul_h1 = $judul;
        $process = "edit";
        $available = TRUE;
    }
    else {

```

```

$judul_h1 =
DATA_TIDAK_DITEMUKAN;
$available = FALSE;
}

<!-- CSS kita sendiri -->
<link rel="stylesheet"
href="css/style.css">
</head>

else:
$judul = $judul;
$judul_h1 = $judul;
$process = "add";
$id = 0;
$query = "SELECT * FROM
$tabel WHERE id=$id ORDER BY id
DESC";
$result = mysqli_query($koneksi,
$query) or die(mysqli_error($koneksi));
$available = TRUE;

endif;

$data = mysqli_fetch_array($result);
?>

<!-- Panggil Tag Link
Bernilai Tetap -->
<?php
require_once("template/header.php"); ?>

<!--link rel="stylesheet"
href="plugins/bootstrap-
datepicker/css/bootstrap-
datepicker3.min.css"-->
<!-- Content/Primary
Area -->
<div class="container"
id="content-area">
<!-- Main
Content -->
<main
role="main">
<h1><?=$judul_h1?></h1>
<br>
<p>
<strong>
<span class="text-
danger">*</span>
<em><?=FORM_REQUIRED?></em>
</strong>
</p>
<?php if($available == TRUE): ?>

```

```

placeholder="Masukkan NRP Anda"
value="<?=$nrp?>">
</div>

<?php
if( !empty($_GET["nrp"]) ):>
    $nrp = $_GET["nrp"];
else:>
    $nrp = "";
endif;>

$query_pegawai = "SELECT * FROM
pegawai WHERE nrp='$nrp' AND
hapus!='TRUE'";
$result_pegawai =
mysqli_query($koneksi, $query_pegawai)
or die(mysqli_error($koneksi));
$pegawai =
mysqli_fetch_assoc($result_pegawai);

require_once("controllers/$url/config-
form.php");
?>

<form
action="" method="get">
    <div class="form-row">
        <div class="form-group col-sm-7
col-md-5 col-lg-4 col-xl-3">
            <?php $name = "nrp"; ?>
            <label
for="<?=$name?>"><span class="text-
danger">*</span> NRP</label>
            <input type="text"
name="<?=$name?>" id="<?=$name?>">
class="form-control">
        </div>
    </div>
</div>
<button type="submit"
class="btn btn-info"><i class="fas fa-
search"></i></button>
</div>
</div>
</div class="form-group col-md-6
mt-auto">
</div>
<?php
if( mysqli_num_rows($result_pegawai) >=
1 ):
?>
<hr>
<form
id="peminjaman"
action="controllers/process-
peminjaman.php" method="post"><?php
if( $file_input == "iya" ) { ?>
enctype="multipart/form-data"<?php
?>>
<input type="hidden"
name="process"
value="<?=$process?>">
<input type="hidden"
name="tabel" value="<?=$tabel?>">
<input type="hidden"
name="url" value="<?=$url?>">
<?php if( $process == "edit" ): ?>

```

```

<input type="hidden"
name="id" value="<?=$data["id"]?>">

<?php endif; ?>

<input type="hidden"
name="id_pegawai"
value="<?=$pegawai["id"]?>">

<?php
foreach($field as $f):
if( !empty($f["name"]) ):
    $name =
$f["name"];
endif;

if( $f["type"] != "hidden" and $f["type"] != "judul" and
$f["type"] != "tulisan" ):
?>

<div class="form-row">
<?php
if(
isset($f["panjang_field"]) and
$f["panjang_field"] == "panjang" ):
    $col= "col-sm-12
col-md-12 col-lg-9 col-xl-8";
elseif(
isset($f["panjang_field"]) and
$f["panjang_field"] == "pendek" ):
    $col = "col-sm-7
col-md-5 col-lg-4 col-xl-3";
else:
    $col = "col";
endif;
?>

<div class="form-group
<?=$col?>">

<label
for="<?=$name?>">
<?php if(
$f["wajib_diisi"] == "iya" and ( $process
== "add" or ( $process == "edit" and
$f["type"] != "password" ) ) ): ?>

<span
class="text-danger">*</span>
<?php endif; echo
$f["label"]; ?>
</label>

<?php endif; ?>

<?php
if( $f["type"] == "text"
or $f["type"] == "email" or $f["type"] ==
"number" or $f["type"] == "tel" or
$f["type"] == "password" or $f["type"]
== "date" ):
    $tipe = (
$f["type"] == "date" ) ? "text" :
$f["type"];
?>

<input
type="<?=$tipe?>"'
name="<?=$name?>" id="<?=$name?>"'
class="form-control"
value="<?php
if( $f["type"] == "number" and
!empty($f["value"]) and $process ==
"add" ) { echo $f["value"]; } elseif(
!empty($f["value"]) ) { echo $f["value"]; }
elseif( $f["type"] != "password" ) { echo
$data[$name]; } ?>"
```

```

<?php if(
!empty($f["min"]) and $f["type"] ==
"number" ){
?>min="<?=$f["min"]?>"<?php } ?>

<?php if(
!empty($f["max"]) and $f["type"] ==
"number" ){
?>max="<?=$f["max"]?>"<?php } ?>

<?php if(
!empty($f["maks_panjang_karakter"]) )
{
?>maxlength="<?=$f["maks_panjang_kar-
rakter"]?>"<?php } ?>

<?php if(
!empty($f["keterangan"]) ) { ?>aria-
describedby="<?=$name?>Help"<?php }
?>

<?php if(
!empty($f["placeholder"]) ) {
?>placeholder="<?=$f["placeholder"]?>
"<?php } ?>

<?php if(
!empty($f["wajib_diisi"]) and
$f["wajib_diisi"] == "iya" and ( $process
== "add" or ( $process == "edit" and
$f["type"] != "password" ) ) echo
"required"; ?>

<?php if(
!empty($f["readonly"]) and
$f["readonly"] == "iya" ) echo
"readonly"; ?>>

<?php if(
!empty($f["keterangan"]) ) { ?>

<small
id="<?=$name?>Help" class="form-text
text-muted"><?=$f["keterangan"]?></small>

<?php } ?>

<?php if(
!empty($f["banyak_baris"]) and
!empty($f["banyak_baris"]) ) {

$byk_baris = 3;
if(
isset($f["banyak_baris"]) and
!empty($f["banyak_baris"]) )

$byk_baris =
$f["banyak_baris"];
?>

<textarea
name="<?=$name?>" id="<?=$name?>" class="form-control"
rows="<?=$byk_baris?>">

<?php if(
!empty($f["keterangan"]) ) { ?>aria-
describedby="<?=$name?>Help"<?php }
?>

<?php if(
!empty($f["placeholder"]) ) {
?>placeholder="<?=$f["placeholder"]?>
"<?php } ?>

<?php if(
if($f["wajib_diisi"] == "iya") echo
"required";
?><?=$data[$name]?></textarea>

<?php if(
!empty($f["keterangan"]) ) { ?>

<small
id="<?=$name?>Help" class="form-text
text-muted"><?=$f["keterangan"]?></small>

<?php } ?>

```

```

<?php elseif($f["type"] == "select"): ?>

    <select
name="<?=$name?>" class="<?=SELECT_CLASS?>" id="<?=$name?>"

        <?php
if(!empty($f["keterangan"])) { ?> aria-describedby="<?=$name?>Help"<?php }
?>

        <?php
if($f["wajib_diisi"] == "iya") echo "required"; ?>>

        <option
value="" <?php if($f["wajib_diisi"] == "iya") echo "disabled"; ?>
selected>&ndash;</option>

        <?php
if($f["value_query"] == "iya"): ?>
?>

        <?php
if($f["kolom_kirim"] == $f["kolom_tampil"]):
$kolom_select =
$f["kolom_kirim"];
else:
$kolom_select =
$f["kolom_kirim"].",
".$f["kolom_tampil"];
endif;
?>

        <?php
$query_select = "SELECT

```

\$kolom_select FROM \$f[tabel] ORDER BY \$f[kolom_tampil] ASC";

```

        $result_select =
mysqli_query($koneksi, $query_select) or
die(mysqli_error($koneksi));

        while($data_select =
mysqli_fetch_array($result_select)):

            <option
value="<?=$data_select[$f["kolom_kirim"]]?>" <?php if(
$data_select[$f["kolom_tampil"]] ==
$data[$name] ) echo "selected"; ?>>

            <?php
if($data_select[$f["kolom_tampil"]]?>
?>

            </option>

        <?php
endwhile; ?>

        <?php
elseif($f["value_query"] == "tidak"):
foreach($f["value"] as $n => $v):
?>

            <option
value="<?=$v?>" <?php if( $v ==
$data[$name] ) echo "selected";
?>><?=$f["value_tampil"][$n]?></option
?>

        <?php
endforeach;

```

```

        endif;
    ?>
        if($f['kolom_kirim'] ==
$f['kolom_tampil']):
            $kolom_select =
$f['kolom_kirim'];
        else:
            $kolom_select =
$f['kolom_kirim'].",
".$f['kolom_tampil'];
        endif;
    <?php endif; ?>

        <?php elseif($f['type'] ==
"radio"): ?>
            <br>
            <?php
                $inline = "";
                if( $f["inline"] ==
"iya" ) {
                    if(
$RADIO_STYLE_CUSTOM == "iya" ) {
                        $inline = " custom-control-
inline";
                    }
                    else {
                        $inline = " form-check-inline";
                    }
                }
                if($f["value_query"] == "iya"):
                    <?php
                        if($f['wajib_diisi'] == "iya") echo
"required"; ?><?php if(

```

```

$ff["kolom_tampil"] == $data[$name] )
echo "checked"; ?>>
endforeach;

endif;
?>

<label
class="<?=RADIO_LABEL_CLASS?>"
for="<?=$name.$i++;"><?=$data_sele
ct[$ff["kolom_tampil"]]?></label>

</div>
<?php if(
!empty($ff["keterangan"])): ?>

endwhile; ?>

<?php
<small
id="<?=$name?>Help" class="form-text
text-
muted"><?=$ff["keterangan"]?></small>
<?php endif; ?>

elseif($ff["value_query"] ==
"tidak"):
    $i=1;
    foreach($ff["value"] as $n => $v):
        ?>
        <br>
        <?php
            $inline = "";
            if( $ff["inline"] ==
            "iya" ) {
                if(
                    CHECKBOX_STYLE_CUSTOM ==
                    "iya" ) {
                        $inline = " custom-control-
                        inline";
                    }
                else {
                    $inline = " form-check-inline";
                }
            }
        <?php
            if($ff["wajib_diisi"] == "iya") echo
            "required"; ?> <?php if( $v ==
            $data[$name] ) echo "checked"; ?>>

            <label
            class="<?=RADIO_LABEL_CLASS?>"
            for="<?=$name.$i++;"><?=$ff["value_t
            ampil"][$n]?></label>

            </div>
            <?php

```

```

if($ff["value_query"] == "iya"):

    if($ff["kolom_kirim"] ==
$ff["kolom_tampil"]):

        $kolom_select =
$ff["kolom_kirim"];

        else:

            $kolom_select =
$ff["kolom_kirim"].",
".$ff["kolom_tampil"];

        endif;

        $query_select = "SELECT
$kolom_select FROM $f[tabel] GROUP
BY $f[kolom_tampil] ORDER BY
$ff[kolom_tampil] ASC";

        $result_select =
mysqli_query($koneksi, $query_select) or
die(mysqli_error($koneksi));

        $i=1;

        while($data_select =
mysqli_fetch_array($result_select)):

            ?>

            <div
class="<?=CHECKBOX_DIV_CLASS.$i
nline?>">

                <input
class="<?=CHECKBOX_INPUT_CLASS
?>" type="checkbox"
name="<?=$name?>"
id="<?=$name.$i?>" value="<?=$v?>"

            <?php
if($f["wajib_diisi"] == "iya") echo
"required"; ?><?php if(
$ff["kolom_tampil"] == $data[$name] )
echo "checked"; ?>>

                <label
class="<?=CHECKBOX_LABEL_CLAS
S?>">
for="<?=$name.$i++?>"><?=$data_sele
ct[$ff["kolom_tampil"]]></label>

            </div>
<?php
endwhile; ?>

<?php

elseif($f["value_query"] ==
"tidak"):

    $i=1;

foreach($f["value"] as $n => $v):
    ?>

            <div
class="<?=CHECKBOX_DIV_CLASS.$i
nline?>">

                <input
class="<?=CHECKBOX_INPUT_CLASS
?>" type="checkbox"
name="<?=$name?>"
id="<?=$name.$i?>" value="<?=$v?>"

            <?php
if($f["wajib_diisi"] == "iya") echo
"required"; ?><?php if( $v ==
$data[$name] ) echo "checked"; ?>>

                <label
class="<?=CHECKBOX_LABEL_CLAS
S?>">
```

```
<!-- AKHIR  
Content/Primary Area -->  
  
<!-- Panggil Bagian  
Footer/Tag Footer Web (Copyright, dll.) -  
-->  
  
<?php  
require_once("template/footer.php"); ?>  
  
<?php  
require_once("template/data-tables-  
config.php"); ?>  
  
</body>  
</html>
```