

User

```
<?php
// <!-- Panggil Tag Pembuka HTML dan
Tag Meta Bernilai Tetap -->
require_once("template/meta.php");

// cek apakah sudah login
require_once("config/secure.php");

$url = $_GET["url"];
require_once("controllers/
$url/config.php");

// panggil koneksi
require_once("config/connection.php");

$judul_utama = $judul;

if(isset($_GET["id"])):
    $judul = EDIT." ".$judul;

    $id = $_GET['id'];
    $query = "SELECT * FROM $tabel
WHERE id=$id ORDER BY id DESC";
    $result = mysqli_query($koneksi,
$query) or die(mysqli_error($koneksi));

    if( mysqli_num_rows($result) >=
1 ) {
        $judul_h1 = $judul;
        $process = "edit";
        $available = TRUE;
    }
    else {
        $judul_h1 =
DATA_TIDAK_DITEMUKAN;
        $available = FALSE;
    }
else:
    $judul = ADD." ".$judul;
    $judul_h1 = $judul;
    $process = "add";

    $id = 0;
    $query = "SELECT * FROM $tabel
WHERE id=$id ORDER BY id DESC";

    $result = mysqli_query($koneksi,
$query) or die(mysqli_error($koneksi));

    $available = TRUE;

endif;

$data = mysqli_fetch_array($result);
?>

<!-- Panggil Tag Link Bernilai
Tetap -->
<?php
require_once("template/header.php"); ?>

<!-- CSS kita sendiri -->
<link rel="stylesheet"
href="css/style.css">

<link rel="stylesheet"
href="plugins/bootstrap-
datepicker/css/bootstrap-
datepicker3.min.css">
</head>

<body>
<!-- Panggil Bagian Header/Tag
Header Web (Navbar, dll.) -->
<?php
require_once("template/navbar.php"); ?>

<!-- Content/Primary Area -->
<div class="container"
id="content-area">
    <!-- Main Content -->
    <main role="main">

        <h1><?=$judul_h1?
></h1>

        <br>
        <p>
            <strong>
                <span
class="text-danger">*</span> <em><?
=FORM_REQUIRED?></em>
            </strong>
        </p>

    </main>
</div>

<?php
if($available == TRUE):
```

```

require_once("controllers/
$url/config-form.php");
?>

        <form
action="controllers/process.php"
method="post"<?php if( $file_input ==
"iya" ) { ?> enctype="multipart/form-
data"<?php } ?>>
        <input
type="hidden" name="process"
value="<?=$process?>">
        <input
type="hidden" name="tabel" value="<?
=$tabel?>">
        <input
type="hidden" name="url" value="<?
=$url?>">
        <?php if( $process == "edit" ): ?>
        <input
type="hidden" name="id" value="<?
=$data["id"]?>">
        <?php endif; ?>

        <?php
foreach($field as $f):
            $name = $f["name"];

            if( $f["type"] != "hidden" ):
?>
                <div class="form-
row">
                    <?php
                    if( isset($f["panjang_field"])
and $f["panjang_field"] == "panjang" ):
                        $col = "col-sm-12 col-md-
12 col-lg-9 col-xl-8";

                    elseif( isset($f["panjang_field"])
and $f["panjang_field"] == "pendek" ):
                        $col = "col-sm-7 col-md-5
col-lg-4 col-xl-3";
                    else:
                        $col = "col";
                    endif;
                ?>

                <div
class="form-group <?=$col?>">
                    <label
for="<?=$name?>">

```

```

        <?php if( $f["wajib_diisi"] ==
"iya" and ( $process == "add" or
( $process == "edit" and $f["type"] !=
"password" ) ) ): ?>
        <span
class="text-danger">*</span>
        <?php endif; echo $f["label"]; ?
>
        </label>

        <?php endif; ?>

        <?php
        if( $f["type"] == "text" or
$f["type"] == "email" or $f["type"] ==
"number" or $f["type"] == "tel" or
$f["type"] == "password" or $f["type"]
== "date" ):
            $stipe = ( $f["type"] ==
"date" ) ? "input" : $f["type"];
            ?>
            <input
type="<?=$stipe?>" name="<?=$name?
>" id="<?=$name?>" value="<?php
if( $f["type"] != "password" ) { echo
$data[$name]; } ?>" class="form-
control"

            <?
            php if( !empty($f["min"]) and $f["type"]
== "number" ) { ?>min="<?=$f["min"]?
>"<?php } ?>

            <?
            php if( !empty($f["max"]) and
$f["type"] == "number" ) { ?>min="<?
=$f["max"]?>"<?php } ?>

            <?
            php if( !
empty($f["maks_panjang_karakter"]) ) {
?>maxlength="<?
=$f["maks_panjang_karakter"]?>"<?php
} ?>

            <?
            php if( !empty($f["keterangan"]) ) { ?
>aria-describedby="<?=$name?
>Help"<?php } ?>

            <?
            php if( !empty($f["placeholder"]) ) { ?
>placeholder="<?=$f["placeholder"]?
>"<?php } ?>

```

```

        <?
php if( $f["wajib_diisi"] == "iya" and
( $process == "add" or ( $process ==
"edit" and $f["type"] != "password" ) ) )
echo "required"; ?>>
        <?php if( !
empty($f["keterangan"]) ) { ?>
                <small
id="<?=$name?>Help" class="form-text
text-muted"><?=$f["keterangan"]?
></small>
                <?php } ?>

        <?php
elseif( $f["type"] ==
"textarea" ):

                $byk_baris = 3;

                if( isset($f["banyak_baris"]) and !
empty($f["banyak_baris"]) )
                        $byk_baris =
$f["banyak_baris"];
                ?>

                <textarea
name="<?=$name?>" id="<?=$name?
>" class="form-control" rows="<?
=$byk_baris?>"

        <?
php if( !empty($f["keterangan"]) ) { ?
>aria-describedby="<?=$name?
>Help"<?php } ?>

        <?
php if( !empty($f["placeholder"]) ) { ?
>placeholder="<?=$f["placeholder"]?
>"<?php } ?>

        <?
php if($f["wajib_diisi"] == "iya") echo
"required"; ?>><?=$data[$name]?
></textarea>

        <?php if( !
empty($f["keterangan"]) ) { ?>
                <small
id="<?=$name?>Help" class="form-text
text-muted"><?=$f["keterangan"]?
></small>
                <?php } ?>

        <?php elseif($f["type"] ==
"select"): ?>

```

```

        <select
name="<?=$name?>" class="<?
=SELECT_CLASS?>" id="<?=$name?
>"

        <?php if(!
empty($f["keterangan"])) { ?> aria-
describedby="<?=$name?>Help"<?
php } ?>

        <?php
if($f["wajib_diisi"] == "iya") echo
"required"; ?>>

                <option value="" <?php
if($f["wajib_diisi"] == "iya") echo
"disabled"; ?>
selected>&ndash;</option>

                <?php if($f["value_query"]
== "iya"): ?>
                        <?php
if($f["kolom_kirim"]
== $f["kolom_tampil"]):
                                $kolom_select =
$f["kolom_kirim"];
                                else:
                                        $kolom_select =
$f["kolom_kirim"].", ".
$f["kolom_tampil"];
                                endif;

                                $query_select =
"SELECT $kolom_select FROM
$f[tabel] ORDER BY id DESC";
                                $result_select =
mysqli_query($koneksi, $query_select)
or die(mysqli_error($koneksi));
                                while($data_select =
mysqli_fetch_array($result_select)):
                                        ?>

                                        <option value="<?
=$data_select[$f["kolom_kirim"]]?>" <?
php
if( $data_select[$f["kolom_tampil"]] ==
$data[$name] ) echo "selected"; ?>>

                                <?
=$data_select[$f["kolom_tampil"]]?>

                                </option>

                <?php endwhile; ?>

```

```

                <?php
                elseif($f["value_query"] ==
"tidak"):
                foreach($f["value"] as
$vn => $v):
                ?>
                <option value="<?=$v?>" <?php if(
$vn == $data[$name] ) echo "selected"; ?
>><?=$f["value_tampil"][$n]?
></option>
                <?php
                endforeach;
                endif;
                ?>
                </select>
                <?php if(!
empty($f["keterangan"])): ?>
                <small
id="<?=$name?>Help" class="form-text
text-muted"><?=$f["keterangan"?
></small>
                <?php endif; ?>
                <?php elseif($f["type"] ==
"radio"): ?>
                <br>
                <?php
                $inline = "";
                if( $f["inline"] == "iya" ) {
                if( RADIO_STYLE_CUSTOM ==
"iya" ) {
                $inline = "
custom-control-inline";
                }
                else {
                $inline = " form-
check-inline";
                }
                }
                if($f["value_query"] ==
"iya"):
                if($f["kolom_kirim"]
== $f["kolom_tampil"]):
                $kolom_select =
$f["kolom_kirim"];
                else:
                $kolom_select =
$f["kolom_kirim"].", ".
$f["kolom_tampil"];
                endif;
                $query_select =
"SELECT $kolom_select FROM
$f[tabel] GROUP BY $f[kolom_tampil]
ORDER BY $f[kolom_tampil] ASC";
                $result_select =
mysqli_query($koneksi, $query_select)
or die(mysqli_error($koneksi));
                $i=1;
                while($data_select =
mysqli_fetch_array($result_select)):
                ?>
                <div
class="<?=RADIO_DIV_CLASS.
$inline?>">
                <input class="<?
=RADIO_INPUT_CLASS?>"
type="radio" name="<?=$name?>"
id="<?=$name.$i?>" value="<?
=$data_select[$f["kolom_kirim"]]?>"
                <?php if($f["wajib_diisi"] == "iya")
echo "required"; ?> <?php
if( $f["kolom_tampil"] == $data[$name]
) echo "checked"; ?>>
                <label class="<?
=RADIO_LABEL_CLASS?>" for="<?
=$name.$i++;?>"><?
=$data_select[$f["kolom_tampil"]]?
></label>
                </div>
                <?php endwhile; ?>
                <?php
                elseif($f["value_query"] ==
"tidak"):
                $i=1;
                foreach($f["value"] as
$vn => $v):
                ?>
                <div
class="<?=RADIO_DIV_CLASS.
$inline?>">

```

```

        <input class="<?
=RADIO_INPUT_CLASS?>"
type="radio" name="<?=$name?>"
id="<?=$name.$i?>" value="<?=$v?>"

        <?php if($f["wajib_diisi"] == "iya")
echo "required"; ?> <?php if( $v ==
$data[$name] ) echo "checked"; ?>>

        <label class="<?
=RADIO_LABEL_CLASS?>" for="<?
=$name.$i++;?>"><?
=$f["value_tampil"][$n]?></label>
</div>

                <?php
                endforeach;
                endif;
                ?>

                <?php if( !
empty($f["keterangan"]) ): ?>
                        <small
id="<?=$name?>Help" class="form-text
text-muted"><?=$f["keterangan"?
></small>

                <?php endif; ?>

                <?php elseif($f["type"] ==
"checkbox"): ?>

                <br>
                <?php
                $inline = "";
                if( $f["inline"] == "iya" ) {

if( CHECKBOX_STYLE_CUSTOM ==
"iya" ) {
                        $inline = "
custom-control-inline";
                }
                else {
                        $inline = " form-
check-inline";
                }
                }

                if($f["value_query"] ==
"iya"):

```

```

        if($f["kolom_kirim"]
== $f["kolom_tampil"]):
                $kolom_select =
$f["kolom_kirim"];
                else:
                        $kolom_select =
$f["kolom_kirim"].", ".
$f["kolom_tampil"];
                endif;

                $query_select =
"SELECT $kolom_select FROM
$f[tabel] GROUP BY $f[kolom_tampil]
ORDER BY $f[kolom_tampil] ASC";
                $result_select =
mysqli_query($koneksi, $query_select)
or die(mysqli_error($koneksi));
                $i=1;
                while($data_select =
mysqli_fetch_array($result_select)):
                ?>
                        <div
class="<?=CHECKBOX_DIV_CLASS.
$inline?>">

                <input class="<?
=CHECKBOX_INPUT_CLASS?>"
type="checkbox" name="<?=$name?>"
id="<?=$name.$i?>" value="<?
=$data_select[$f["kolom_kirim"]]?>"

                <?php if($f["wajib_diisi"] == "iya")
echo "required"; ?> <?php
if( $f["kolom_tampil"] == $data[$name]
) echo "checked"; ?>>

                <label class="<?
=CHECKBOX_LABEL_CLASS?>"
for="<?=$name.$i++;?>"><?
=$data_select[$f["kolom_tampil"]]?
></label>
                        </div>
                <?php endwhile; ?>

                <?php
                elseif($f["value_query"] ==
"tidak"):
                        $i=1;
                        foreach($f["value"] as
$n => $v):
                ?>

```

```
        <div
class="<?=CHECKBOX_DIV_CLASS.
$inline?>">
```

```
    <input class="<?=
=CHECKBOX_INPUT_CLASS?>"
type="checkbox" name="<?=$name?>"
id="<?=$name.$i?>" value="<?=$v?>"
```

```
    <?php if($f["wajib_diisi"] == "iya")
echo "required"; ?> <?php if( $v ==
$data[$name] ) echo "checked"; ?>>
```

```
    <label class="<?=
=CHECKBOX_LABEL_CLASS?>"
for="<?=$name.$i++;?>"><?
=$f["value_tampil"][$n]?></label>
</div>
```

```
    <?php
        endforeach;
    endif;
    ?>
```

```
    <?php if( !
empty($f["keterangan"]) ) { ?>
```

```
        <small
id="<?=$name?>Help" class="form-text
text-muted"><?=$f["keterangan"]?
></small>
```

```
        <?php } ?>
```

```
    <?php elseif( $f["type"] ==
"file" ): ?>
```

```
        <?php if($process ==
"edit") { ?>
```

```
            <input
type="hidden" name="<?=$name?
>_old" value="<?=$data[$name]?>">
            <p><?>
```

```
=$f["label"]?> Sebelumnya: <a
href="files/<?=$data[$name]?>"
target="_blank"><?=$data[$name]?
></a></p>
```

```
        <?php
        }
```

```
        foreach($f["accept"] as
$accept):
            $file_extensions[] =
".".$accept;
        endforeach;
```

```
        $file_accept = implode(", ",
$file_extensions);
        unset($file_extensions);
```

```
        $file_input_class =
FILE_STYLE_CUSTOM == "iya" ?
"custom-file-input" : "form-control-file";
```

```
        if( FILE_STYLE_CUSTOM ==
"iya" ) {
            ?>
```

```
            <div
class="custom-file">
                <?php } ?>
```

```
                <input type="file" name="<?
=$name?>" id="<?=$name?>"
class="<?=$file_input_class?>"
accept="<?=$file_accept?>"
```

```
                <?php if( !
empty($f["keterangan"]) ) { ?>aria-
describedby="<?=$name?>Help"<?>
php } ?>
```

```
                <?php if( $f["wajib_diisi"] == "iya"
and $process == "add" ) echo
"required"; ?>>
```

```
                <?php
if( FILE_STYLE_CUSTOM == "iya" )
{ ?>
```

```
                    <label class="custom-file-label"
for="<?=$name?>"><?php if( !
empty($f["placeholder"]) ) echo
$f["placeholder"]; ?></label>
                    </div>
```

```
                <?php } ?>
```

```
                <?php if( !
empty($f["keterangan"]) ) { ?>
```

```
                    <small
id="<?=$name?>Help" class="form-text
text-muted"><?=$f["keterangan"]?
></small>
```

```
                <?php } ?>
```

```
            <?php endif; ?>
```

```

        <?php if( $f["type"] !=
"hidden" ): ?>
                </div>
        </div>
        <?php
        elseif( $f["type"] == "hidden" ):
            if( $f["value"] ==
"waktu_sekarang" and $process ==
"add" ) {
                $value = "NOW()";
            }
            elseif( $f["value"] ==
"waktu_sekarang" and $process ==
"edit" ) {
                $value = "";
            }
            else {
                $value =
$ldata[$name];
            }
        ?>
                <input
type="hidden" name="<?=$name?>"
value="<?=$value?>">
        <?php endif; ?>
        <?php endforeach; ?>
                <br>
                <p>
                    <button
type="submit" id="save" class="<?
=UKURAN_TOMBOL_SIMPAN?> <?
=SIMPAN_STYLE_TOMBOL?>"><?
=SIMPAN?></button>
                    <a href="<?
=$url?>.php" class="<?
=UKURAN_TOMBOL_BATAL?> <?
=BATAL_STYLE_TOMBOL?>"><?
=BATAL?></a>
                </p>
        </form>
<?php endif; ?>
        </main>
        <!-- AKHIR Main Content
-->
</div>

```

```

        <!-- AKHIR Content/Primary
Area -->
        <!-- Panggil Bagian Footer/Tag
Footer Web (Copyright, dll.) -->
        <?php
require_once("template/footer.php"); ?>
        <?php
if( array_search( "date",
array_column($field, "type" ) == true ):
?>
            <script src="plugins/bootstrap-
datepicker/js/bootstrap-
datepicker.min.js"></script>
        <?php
endif;
        foreach($field as $f):
            if( $f["type"] == "file" and
FILE_STYLE_CUSTOM == "iya" ):
?>
                <script>
                    $('input[type="file"]#<?
=$f["name"]?>').change(function(e){
                        var _size =
this.files[0].size;
                        var fSExt = new
Array('Bytes', 'KB', 'MB', 'GB'),
                        i=0;while(_size>900)
                        { _size/=1024;i++;}
                        var exactSize =
(Math.round(_size*100)/100)+'
'+fSExt[i];
                        var fileName =
e.target.files[0].name + ' | ' + exactSize;
                        $('label[for="<?
=$f["name"]?>"].custom-file-
label').text(fileName);
                    });
                </script>
            <?php elseif( $f["type"] ==
"textarea" and $f["editor"] == "iya" ): ?>
                <script
src="plugins/tinymce/tinymce.min.js"><
/script>
                <script>
                    tinymce.init({

```

```

        selector: 'textarea',
        menubar: false,
        relative_urls: false,
        remove_script_host :
false,

        setup: function (editor)
{
        editor.on('change',
function (e) {
                editor.save();
        });
    },

    plugins: [
        'advlist autolink
lists link image charmap print preview
hr pagebreak',
        'searchreplace
wordcount visualblocks visualchars code
fullscreen',
        'insertdatetime
media nonbreaking save table
contextmenu directionality',
        'template paste
textcolor colorpicker textpattern
imagetools toc help
responsivefilemanager'
    ],
    toolbar1: 'undo redo
pastetext | styleselect removeformat |
bold italic underline | alignleft
aligncenter alignright alignjustify
alignnone | outdent indent bullist numlist
| fullscreen',
        toolbar2: 'insert | image
media link | table charmap blockquote hr
| forecolor backcolor | code print
preview help',
        plugin_preview_width:
1024,
        image_advtab: true,

external_filemanager_path:"plugins/file
manager/",
        filemanager_title:"File
Manager" ,

```

```

        external_plugins:
{ "filemanager" :
    "../filemanager/plugin.min.js"
});

</script>

<?php elseif( $f["type"] == "date" ):
?>
    <script>
        $('#<?=$f["name"]?
>').datepicker({
            <?php if( !
empty($f["format"]) ) { ?>format: '<?
=$f["format"]?>', <?php } ?>
            <?php if( !
empty($f["start_view"]) ) { ?>startView:
'<?=$f["start_view"]?>', <?php } ?>
            <?php if( !
empty($f["start_date"]) ) { ?>startDate:
'<?=$f["start_date"]?>', <?php } ?>
            <?php if( !
empty($f["end_date"]) ) { ?>endDate:
'<?=$f["end_date"]?>', <?php } ?>
            todayBtn: 'linked'
        });
    </script>

<?php
    endif;
endforeach;
?>

</body>
</html>
<!-- Copyright © 2017 – Jumaidil
Fadillah | Jum Dante. All rights
reserved. -->

<?php
require_once("config/site.php");

// cek apakah sudah login
require_once("config/secure.php");

/
*-----
-----*/
$url = "user";

```



```

/
*-----
-----*/

require_once("controllers/
$url/config.php");
require_once("controllers/$url/config-
list.php");
?>
<!-- Panggil Tag Pembuka HTML dan
Tag Meta Bernilai Tetap -->
<?php
require_once("template/meta.php"); ?>

    <!-- Panggil Tag Link Bernilai
Tetap -->
    <?php
require_once("template/header.php"); ?>

        <link rel="stylesheet"
href="plugins/DataTables/DataTables-
1.10.16/css/dataTables.bootstrap4.min.cs
s">

        <link rel="stylesheet"
href="plugins/DataTables/Buttons-
1.5.1/css/buttons.bootstrap4.min.css">

        <!-- CSS kita sendiri -->
        <link rel="stylesheet"
href="css/style.css">
        <style>
            .table #tools, .table .tools {
                width: 48px;
            }
        </style>
    </head>

    <body>
        <!-- Panggil Bagian Header/Tag
Header Web (Navbar, dll.) -->
        <?php
require_once("template/navbar.php"); ?>

        <!-- Content/Primary Area -->
        <div id="content-area"
class="container">
            <!-- Main Content -->
            <main role="main">

<?php

```

```

// panggil koneksi

require_once("config/connection.php");
    // query tampil data
    $query = "SELECT *
FROM $tabel WHERE hapus!='TRUE'
ORDER BY id DESC";
    // hasil query
    $result =
mysqli_query($koneksi, $query) or
die(mysqli_error($koneksi));
?>

        <h1 align="center"
id="judul"><?=$judul?></h1>

<?php
if( !empty($_GET['status']) and
$_GET['status'] == "success" and
PEMBERITAHUAN == "Iya" ):
    if( session_status() ==
PHP_SESSION_NONE ) {
        session_start();
    }
    if( !empty($_SESSION['status'])
and ( $_SESSION['status'] ==
"add_success" or $_SESSION['status']
== "edit_success" or
$_SESSION['status'] ==
"delete_success" ) ) {
?>

        <p>
            <div class="alert
alert-success alert-dismissible fade
show" role="alert">
                <?php
                    if( $_SESSION['status'] ==
"add_success" ) {
                        echo ADD_BERHASIL;
                    }
                    elseif( $_SESSION['status'] ==
"edit_success" ) {
                        echo EDIT_BERHASIL;
                    }
                    elseif( $_SESSION['status'] ==
"delete_success" ) {
                        echo
DELETE_BERHASIL;
                    }
                    unset($_SESSION['status']);
                }

```

```

        ?>
                <button
type="button" class="close" data-
dismiss="alert" aria-label="Close">
                <span
aria-hidden="true">&times;</span>
                </button>
        </div>
</p>
<?php
    }
endif;
?>
        <p>
                <a href="<?=$url?
>-form.php?url=<?=$url?" id="add-
btn" class="btn <?
=ADD_STYLE_TOMBOL?"><?
=ADD?></a>
        </p>
        <div class="table-
responsive">
                <table id="tabel"
class="table table-bordered table-hover
table-sm">
                        <thead>
                                <tr>
                                        <th
data-orderable="false">No.</th>
                                <?php foreach($kolom_tabel as $kt): ?>
                                        <th><?=$kt?></th>
                                <?php endforeach; ?>
                                        <th
data-orderable="false"
class="tools">Tools</th>
                                </tr>
                        </thead>
                        <tbody>
                                <?php
                                        $no = 1;
                                        //
tampilkan data dari hasil query
                                        while($data =
mysql_fetch_array($result)):
                                        $data_baru="";

```

```

if( !empty($_GET['status']) and
$_GET['status'] == "success" and
PEMBERITAHUAN == "Iya" ):
        if( session_status() ==
PHP_SESSION_NONE ) {
                session_start();
        }
        if( !empty($_SESSION['status'])
and
                (
                        ( $_SESSION['status']
== "add_success" and $no == 1 ) or
                        ( $_SESSION['status']
== "edit_success" and $data["id"] ==
$_SESSION['status_id'] )
                )
        ) {
                $data_baru = ' class="data-
baru"';
                unset($_SESSION['status']);
                unset($_SESSION['status_id']);
        }
endif;
?>
                <tr?
=$data_baru?>>
                        <td
id="no" class="text-right"><?=$no?
></td>
                                <?php foreach($kolom_tabel_db as
$ktdb): ?>
                                        <td>
                                                <?php if( in_array($ktdb, $tipe_file)
): ?>
                                                        <a href="files/<?=$data[$ktdb]?"
target="_blank"><?=$data[$ktdb]?
></a>
                                                        <?php else: ?>
                                                                <?=$data[$ktdb]?>
                                                                <?php endif; ?>
                                                        </td>
                                                <?php endforeach; ?>
                                        <td
id="tools" class="text-center">
                                                <a href="<?=$url?>-form.php?
url=<?=$url?>&id=<?=$data["id"]?>"

```

```

class="btn <?
=EDIT_STYLE_TOMBOL?> btn-sm"

data-toggle="tooltip"

data-placement="top"

title="<?=EDIT?>"

<i class="far fa-edit fa-xs"></i>

</a>

<a href="controllers/delete2.php?
id=<?=$data["id"]?>&table=<?=$tabel?
>&url=<?=$url?>"

class="btn <?
=DELETE_STYLE_TOMBOL?> btn-
sm"

data-toggle="tooltip"

data-placement="top"

title="<?=DELETE?>"

onClick="javascript: return
confirm('<?=DELETE_CONFIRM?
>');"

<i class="fas fa-trash-alt fa-
xs"></i>

</a>

</td>
</tr>

<?php
$no+
+;
endwhile;
?>

</tbody>
</table>
</div>

</main>
<!-- AKHIR Main Content
-->

</div>
<!-- AKHIR Content/Primary
Area -->

```

```

<!-- Panggil Bagian Footer/Tag
Footer Web (Copyright, dll.) -->
<?php
require_once("template/footer.php"); ?>

<?php
require_once("template/data-tables-
config.php"); ?>

</body>
</html>

```

Riwayat Pembelian

```

<?php
// panggil konfigurasi/config website
require_once("config/site.php");
// cek apakah sudah login
require_once("config/secure.php");

$url = $_GET["url"];

// <!-- Panggil Tag Pembuka HTML dan
Tag Meta Bernilai Tetap -->
require_once("template/meta.php");
?>

<!-- Panggil Tag Link Bernilai
Tetap -->
<?php
require_once("template/header.php"); ?>

<!-- CSS kita sendiri -->

```

```

        <link rel="stylesheet"
href="css/style.css">
        <style>
            .table {
                width: auto;
            }
        </style>
    </head>

    <body>
        <!-- Panggil Bagian Header/Tag
Header Web (Navbar, dll.) -->
        <?php
require_once("template/navbar.php"); ?>

        <!-- Content/Primary Area -->
        <div id="content-area"
class="container">
            <!-- Main Content -->
            <main role="main">

                <a href="<?=$url?
>.php" class="btn <?
=KEMBALI_STYLE_TOMBOL?
>"><?=$KEMBALI?></a>

        <?php
if( !empty($_GET['status']) and
$_GET['status'] == "success" and
PEMBERITAHUAN == "Iya" ):
    if( session_status() ==
PHP_SESSION_NONE ) {
        session_start();
    }
    if( !empty($_SESSION['status'])
and ( $_SESSION['status'] ==
"ubah_status_berhasil" ) ) {
?>

                <p>
                    <div class="alert
alert-success alert-dismissible fade
show" role="alert">
                        <?php
                            if( $_SESSION['status'] ==
"ubah_status_berhasil" ) {
                                echo "Status berhasil
diperbarui.";
                                unset($_SESSION['status']);
                            }
                        ?>

```

```

        <button
type="button" class="close" data-
dismiss="alert" aria-label="Close">
            <span
aria-hidden="true">&times;</span>
        </button>
    </div>
</p>
<?php
}
endif;
?>

        <h1 align="center"
id="judul">Detail <?php echo
( $_SESSION['sesi_bengkel_level'] ==
"distributor" ) ? "Pemesanan" : "Riwayat
Pembelian"; ?></h1>
        <?php
$kode_pemesanan = $_GET["kode-
pemesanan"];

// panggil koneksi
require_once("config/connection.php");

// query tampil data
if( $_SESSION['sesi_bengkel_level'] ==
"distributor" ):
    $query_cek_distributor = "SELECT
a.id_distributor, a.waktu_beli, a.status,
b.nama AS distributor
FROM pemesanan
a, user b
WHERE
a.id_distributor=b.id AND
kode_pemesanan='$kode_pemesanan'
AND (status='Proses' or status='Barang
Diterima / Lunas') AND
a.id_distributor=$_SESSION[sesi_beng
kel_id_user]
GROUP BY
distributor
ORDER BY
distributor ASC";
else:

```

```

$query_cek_distributor = "SELECT
a.id_distributor, a.waktu_beli, a.status,
b.nama AS distributor

FROM pemesanan

a, user b

WHERE
a.id_distributor=b.id AND
kode_pemesanan='$kode_pemesanan'
AND (status='Proses' or status='Barang
Diterima / Lunas')

GROUP BY
distributor

ORDER BY
distributor ASC";
endif;

// hasil query
$cek_distributor =
mysqli_query($koneksi,
$query_cek_distributor) or
die(mysqli_error($koneksi));

if( mysqli_num_rows($cek_distributor)
< 1 ):
?>
<div class="alert alert-
warning" role="alert">
<i class="fas fa-
exclamation-circle"></i> Tidak ada data
riwayat pembelian di kode pemesanan
ini.
</div>

<?php
else:
$data_dis =
mysqli_fetch_assoc($cek_distributor);
$status = $data_dis["status"];

if( $_SESSION['sesi_bengkel_level'] ==
"distributor" ) {
?>
<form
action="controllers/process-status-
pemesanan.php" method="post">

```

```

<input
type="hidden" name="tabel"
value="pemesanan">
<input
type="hidden" name="url" value="<?
=$url?>">
<input
type="hidden" name="url2" value="<?
=$url?>-view">
<input
type="hidden" name="id_distributor"
value="<?
=$_SESSION['sesi_bengkel_id_user']?
">
<input
type="hidden"
name="kode_pemesanan" value="<?
=$kode_pemesanan?>">

<div class="form-
row">
<div
class="form-group col-sm-6 col-md-5
col-lg-4 col-xl-3">
<?php $name = "status"; ?>
<label
for="<?=$name?>">Status</label>
<select
name="<?=$name?>" class="<?
=SELECT_CLASS?>" id="<?=$name?
"> required>
<option
value="Proses">Proses</option>
<option value="Barang Diterima /
Lunas">Barang Diterima /
Lunas</option>
</select>
</div>
<div
class="form-group col mt-sm-auto">
<button
type="submit" id="save" class="btn <?
=SIMPAN_STYLE_TOMBOL?>"><?
=SIMPAN?></button>
</div>
</div>

```

```

        </form>
    <?php
    }
    ?>
    <table class="tabel-
list">
        <tr>
            <td>Kode
Pemesanan</td>
            <td>:</td>
            <td><?
=$kode_pemesanan?></td>
        </tr>
        <tr>
            <td>Waktu
Pembelian</td>
            <td>:</td>
            <td><?
=$data_dis["waktu_beli"]?></td>
        </tr>
    </table>
    <br>
    <p><em>Harga dalam
Rupiah</em></p>
    <hr>
    <?php
    $total_semua = 0;
    $cek_distributor =
mysqli_query($koneksi,
$query_cek_distributor) or
die(mysqli_error($koneksi));
    while( $data_dis =
mysqli_fetch_assoc($cek_distributor) ):

        // query tampil data
        $query = "SELECT a.id,
a.id_barang, a.banyak, a.status, b.nama
AS distributor, c.kode, c.nama, c.harga,
c.stok
FROM
pemesanan a, user b, barang c
WHERE
a.id_distributor=b.id AND
a.id_barang=c.id AND
a.id_distributor=$data_dis[id_distributor
] AND
kode_pemesanan='$kode_pemesanan'
AND a.status='$status'
ORDER
BY c.nama ASC, c.kode ASC";

```

```

// hasil query
$result =
mysqli_query($koneksi, $query) or
die(mysqli_error($koneksi));

$warna_status =
($data_dis["status"] == "Barang
Diterima / Lunas") ? "success" :
"warning";
?>

    <table class="tabel-list
font-weight-bold mb-1">
        <tr>
            <td>Distributor</td>
            <td>:</td>
            <td><?
=$data_dis["distributor"]?></td>
        </tr>
        <tr>
            <td>Status</td>
            <td>:</td>
            <td><span
class="text-<?=$warna_status?>"><?
=$data_dis["status"]?></span></td>
        </tr>
    </table>

    <div class="table-
responsive">
        <table class="table
table-bordered table-hover table-sm">
            <thead>
                <tr>
                    <th>No.</th>
                    <th>Kode Barang</th>
                    <th>Nama Barang</th>
                    <th>Harga Satuan</th>
                    <th>Banyak</th>
                    <th>Jumlah Harga</th>
                </tr>
            </thead>
            <tbody>
    <?php

```

```

        $total = 0;
        $sno = 1;
        // tampilkan data dari hasil
query
        while($data =
mysqli_fetch_array($result)):
        ?>
                <tr>
                <td
id="no" class="text-right"><?=$sno?
></td>

                <td><?=$data["kode"]?></td>

                <td><?=$data["nama"]?></td>
                <td
align="right"><?
=number_format($data["harga"], 0, ",",
".")?></td>
                <td
align="right"><?=$data["banyak"]?
></td>
                <td
align="right"><?
=number_format($data["harga"]*$data["
banyak"], 0, ",", ".")?></td>
                </tr>
                <?php
                $total += $data["harga"] *
$data["banyak"];
                $sno++;
                endwhile;
                ?>
                <tr>
                <td
align="right" colspan="5" class="font-
weight-bold">Total</td>
                <td
align="right"><?
=number_format($total, 0, ",", ".")?
></td>
                </tr>
        </tbody>
    </table>
</div>
<a href="bukti-
pemesanan-pdf.php?url=<?=$url?
>&kode-pemesanan=<?
=$kode_pemesanan?>&id-
distributor=<?

```

```

=$data_dis["id_distributor"]?>"
class="btn btn-success"
target="_blank">
                Bukti Pemesanan
(PDF)
                </a>
                <hr>
                <?php
                $total_semua += $total;
                endwhile;
                ?>
                <h5 class="font-
weight-bold">Total Harga Semua = <?
=number_format($total_semua, 0, ",",
".")?></h5>
                <?php
                endif;
                ?>
                <p><a href="<?=$url?
>.php" class="btn <?
=KEMBALI_STYLE_TOMBOL?
"><?=$KEMBALI?></a></p>
                </main>
                <!-- AKHIR Main Content
-->
                </div>
                <!-- AKHIR Content/Primary
Area -->

                <!-- Panggil Bagian Footer/Tag
Footer Web (Copyright, dll.) -->
                <?php
                require_once("template/footer.php"); ?>
                <script>
                $('select#status').val('<?
=$status?>');
                </script>
                </body>
            </html>
            <!-- Copyright © 2017 – Jumaidil
Fadillah | Jum Dante. All rights
reserved. -->

            <?php
            // panggil konfigurasi/config website
            require_once("config/site.php");
            // cek apakah sudah login

```



```

WHERE
a.id_distributor=b.id AND
kode_pemesanan='$kode_pemesanan'
AND (status='Proses' or status='Barang
Diterima / Lunas') AND
a.id_distributor=$_SESSION[sesi_beng
kel_id_user]

```

```

GROUP BY
distributor

```

```

ORDER BY
distributor ASC";

```

```

else:
$query_cek_distributor = "SELECT
a.id_distributor, a.waktu_beli, a.status,
b.nama AS distributor

```

```

FROM pemesanan
a, user b

```

```

WHERE
a.id_distributor=b.id AND
kode_pemesanan='$kode_pemesanan'
AND (status='Proses' or status='Barang
Diterima / Lunas')

```

```

GROUP BY
distributor

```

```

ORDER BY
distributor ASC";
endif;

```

```

// hasil query
$cek_distributor =
mysqli_query($koneksi,
$query_cek_distributor) or
die(mysqli_error($koneksi));

```

```

if( mysqli_num_rows($cek_distributor)
< 1 ):
?>

```

```

<div class="alert alert-
warning" role="alert">

```

```

<i class="fas fa-
exclamation-circle"></i> Tidak ada data
riwayat pembelian di kode pemesanan
ini.

```

```

</div>

```

```

<?php
else:
$data_dis =
mysqli_fetch_assoc($cek_distributor);
$status = $data_dis["status"];

```

```

if( $_SESSION['sesi_bengkel_level'] ==
"distributor" ) {
?>

```

```

<form
action="controllers/process-status-
pemesanan.php" method="post">

```

```

<input
type="hidden" name="tabel"
value="pemesanan">

```

```

<input
type="hidden" name="url" value="<?
=$url?>">

```

```

<input
type="hidden" name="url2" value="<?
=$url?>-view">

```

```

<input
type="hidden" name="id_distributor"
value="<?
=$_SESSION['sesi_bengkel_id_user']?
">">

```

```

<input
type="hidden"
name="kode_pemesanan" value="<?
=$kode_pemesanan?>">

```

```

<div class="form-
row">

```

```

<div
class="form-group col-sm-6 col-md-5
col-lg-4 col-xl-3">
<?php $name = "status"; ?>

```

```

<label
for="<?=$name?>">Status</label>
<select
name="<?=$name?>" class="<?
=SELECT_CLASS?>" id="<?=$name?
">" required>

```

```

<option
value="Proses">Proses</option>

```

```

<option value="Barang Diterima /

```

```

Lunas">Barang Diterima /
Lunas</option>
        </select>
    </div>

    <div
class="form-group col mt-sm-auto">
        <button
type="submit" id="save" class="btn <?
=SIMPAN_STYLE_TOMBOL?>"><?
=SIMPAN?></button>
    </div>
</div>
</form>

<?php
}
?>

<table class="tabel-
list">
    <tr>
        <td>Kode
Pemesanan</td>
        <td>:</td>
        <td><?
=$kode_pemesanan?></td>
    </tr>
    <tr>
        <td>Waktu
Pembelian</td>
        <td>:</td>
        <td><?
=$data_dis["waktu_beli"]?></td>
    </tr>
</table>
<br>
<p><em>Harga dalam
Rupiah</em></p>
<hr>

<?php
$total_semua = 0;
$cek_distributor =
mysqli_query($koneksi,
$query_cek_distributor) or
die(mysqli_error($koneksi));
while( $data_dis =
mysqli_fetch_assoc($cek_distributor) ):

```

// query tampil data

```

$query = "SELECT a.id,
a.id_barang, a.banyak, a.status, b.nama
AS distributor, c.kode, c.nama, c.harga,
c.stok
FROM
pemesanan a, user b, barang c
WHERE
a.id_distributor=b.id AND
a.id_barang=c.id AND
a.id_distributor=$data_dis[id_distributor
] AND
kode_pemesanan='$kode_pemesanan'
AND a.status='$status'
ORDER
BY c.nama ASC, c.kode ASC";
// hasil query
$result =
mysqli_query($koneksi, $query) or
die(mysqli_error($koneksi));

$warna_status =
($data_dis["status"] == "Barang
Diterima / Lunas") ? "success" :
"warning";
?>

<table class="tabel-list
font-weight-bold mb-1">
    <tr>
        <td>Distributor</td>
        <td>:</td>
        <td><?
=$data_dis["distributor"]?></td>
    </tr>
    <tr>
        <td>Status</td>
        <td>:</td>
        <td><span
class="text-<?=$warna_status?>"><?
=$data_dis["status"]?></span></td>
    </tr>
</table>

<div class="table-
responsive">
    <table class="table
table-bordered table-hover table-sm">
        <thead>
            <tr>

```

```

<th>No.</th>
<th>Kode Barang</th>
<th>Nama Barang</th>
<th>Harga Satuan</th>
<th>Banyak</th>
<th>Jumlah Harga</th>
</tr>
</thead>
<tbody>
<?php
$total = 0;
$no = 1;
// tampilkan data dari hasil
query
while($data =
mysqli_fetch_array($result)):
?>
<tr>
<td
id="no" class="text-right"><?=$no?
></td>
<td><?=$data["kode"]?></td>
<td><?=$data["nama"]?></td>
<td
align="right"><?
=number_format($data["harga"], 0, ",",
".")?></td>
<td
align="right"><?=$data["banyak"]?
></td>
<td
align="right"><?
=number_format($data["harga"]*$data["
banyak"], 0, ",", ".")?></td>
</tr>
<?php
$total += $data["harga"] *
$data["banyak"];
$no++;
endwhile;
?>
<tr>
<td
align="right" colspan="5" class="font-
weight-bold">Total</td>
<td
align="right"><?
=number_format($total, 0, ",", ".")?
></td>
</tr>
</tbody>
</table>
</div>
<a href="bukti-
pemesanan-pdf.php?url=<?=$url?
>&kode-pemesanan=<?
=$kode_pemesanan?>&id-
distributor=<?
=$data_dis["id_distributor"]?>"
class="btn btn-success"
target="_blank">
Bukti Pemesanan
(PDF)
</a>
<hr>
<?php
$total_semua += $total;
endwhile;
?>
<h5 class="font-
weight-bold">Total Harga Semua = <?
=number_format($total_semua, 0, ",",
".")?></h5>
<?php
endif;
?>
<p><a href="<?=$url?
>.php" class="btn <?
=KEMBALI_STYLE_TOMBOL?
>"><?=$KEMBALI?></a></p>
</main>
<!-- AKHIR Main Content
-->
</div>
<!-- AKHIR Content/Primary
Area -->
<!-- Panggil Bagian Footer/Tag
Footer Web (Copyright, dll.) -->
<?php
require_once("template/footer.php"); ?>

```

```

        <script>
            $('select#status').val('<?
            =$status?>');
        </script>

    </body>
</html>

```

```

        <link rel="stylesheet"
        href="plugins/bootstrap-
        datepicker/css/bootstrap-
        datepicker3.min.css">

```

```

        <!-- CSS kita sendiri -->
        <link rel="stylesheet"
        href="css/style.css">
    </head>

```

```

    <body>
        <!-- Panggil Bagian Header/Tag
        Header Web (Navbar, dll.) -->
        <?php
        require_once("template/navbar.php"); ?>

```

```

        <!-- Content/Primary Area -->
        <div class="container"
        id="content-area">
            <!-- Main Content -->
            <main role="main">

```

```

                <h1>Cari Bukti
                Pemesanan / Booking Saya</h1>
                <form action="pesan-
                servis-bukti.php" method="get">

```

```

                    <div class="form-
                    row">

```

```

                        <div
                        class="form-group col-8 col-sm-6 col-
                        md-4 col-lg-3 col-xl-2">
                        <?php $name = "kode-pemesanan"; ?>

```

```

                            <label
                            for="<?=$name?>">Kode
                            Pemesanan</label>

```

```

                                <input
                                type="tel" name="<?=$name?>" id="<?
                                =$name?>" class="form-control"
                                required>

```

```

                                    </div>

```

```

                    <div
                    class="form-group col mt-auto">
                        <button
                        type="submit" id="save" class="btn <?
                        =SIMPAN_STYLE_TOMBOL?>">

```

```

                            <i
                            class="fas fa-search"></i>

```

Pesan Service Cari

```

<!-- Panggil Tag Pembuka HTML dan
Tag Meta Bernilai Tetap -->
<?php
require_once("template/meta.php"); ?>

```

```

        <!-- Panggil Tag Link Bernilai
        Tetap -->
        <?php
        require_once("template/header.php"); ?>

```

```

        </button>
    </div>
</div>
</form>

</main>
<!-- AKHIR Main Content
-->
</div>
<!-- AKHIR Content/Primary
Area -->

<!-- Panggil Bagian Footer/Tag
Footer Web (Copyright, dll.) -->
<?php
require_once("template/footer.php"); ?>
<script src="plugins/bootstrap-
datepicker/js/bootstrap-
datepicker.min.js"></script>
<script>
    $('#tgl_servis').datepicker({
        format: 'yyyy-mm-dd',
        startDate: 'y',
        todayBtn: 'linked'
    });
</script>
</body>
</html>

```

Pesan Service Bukti

```

<!-- Panggil Tag Pembuka HTML dan
Tag Meta Bernilai Tetap -->
<?php
require_once("template/meta.php"); ?>

<!-- Panggil Tag Link Bernilai
Tetap -->
<?php
require_once("template/header.php"); ?>

<!-- CSS kita sendiri -->
<link rel="stylesheet"
href="css/style.css">
</head>

```

```

<body>
    <!-- Panggil Bagian Header/Tag
Header Web (Navbar, dll.) -->
    <?php
require_once("template/navbar.php"); ?>

    <!-- Content/Primary Area -->
    <div class="container"
id="content-area">
        <!-- Main Content -->
        <main role="main">

<?php
if( !empty($_GET['status']) and
$_GET['status'] == "success" and
PEMBERITAHUAN == "Iya" ):
    if( session_status() ==
PHP_SESSION_NONE ) {
        session_start();
    }
    if( !empty($_SESSION['status'])
and ( $_SESSION['status'] ==
"pesan_servis_berhasil" ) ) {
?>
                <p>
                    <div class="alert
alert-success alert-dismissible fade
show" role="alert">
                        <?php
                            if( $_SESSION['status'] ==
"pesan_servis_berhasil" ) {
                                echo
PESAN_SERVIS_BERHASIL;

                                unset($_SESSION['status']);
                            }
                        ?>
                    </div>
                </p>
                <button
type="button" class="close" data-
dismiss="alert" aria-label="Close">
                    <span
aria-hidden="true">&times;</span>
                </button>
            </div>
        </p>

<?php
    }
endif;
?>

```

```

        <?php
require_once("pesan-servis-bukti-
isi.php"); ?>
        <br>
        <a href="pesan-servis-
bukti-pdf.php?kode-pemesanan=<?
=$data["kode_pemesanan"]?>"
class="btn btn-lg btn-danger"
target="_blank">
                Unduh Bukti <?
=PESAN_SERVIS?>
        </a>

</main>
<!-- AKHIR Main Content
-->
</div>
<!-- AKHIR Content/Primary
Area -->

<!-- Panggil Bagian Footer/Tag
Footer Web (Copyright, dll.) -->
<?php
require_once("template/footer.php"); ?>
</body>
</html>

```

Pesan Service

```

<!-- Panggil Tag Pembuka HTML dan
Tag Meta Bernilai Tetap -->
<?php
require_once("template/meta.php"); ?>

        <!-- Panggil Tag Link Bernilai
Tetap -->
        <?php
require_once("template/header.php"); ?>

        <link rel="stylesheet"
href="plugins/bootstrap-
datepicker/css/bootstrap-
datepicker3.min.css">

        <!-- CSS kita sendiri -->

```

```

        <link rel="stylesheet"
href="css/style.css">
</head>

<body>
        <!-- Panggil Bagian Header/Tag
Header Web (Navbar, dll.) -->
        <?php
require_once("template/navbar.php"); ?>

        <!-- Content/Primary Area -->
        <div class="container"
id="content-area">
                <!-- Main Content -->
                <main role="main">

                        <h1><?
=PESAN_SERVIS?></h1>

<?php
if( !empty($_GET['status']) and
$_GET['status'] == "success" and
PEMBERITAHUAN == "Iya" ):
        if( session_status() ==
PHP_SESSION_NONE ) {
                session_start();
        }
        if( !empty($_SESSION['status'])
and ( $_SESSION['status'] ==
"no_hp_pernah_memesan" ) ) {
?>

                <p>
                        <div class="alert
alert-warning alert-dismissible fade
show" role="alert">
                                <?php
                                        if( $_SESSION['status'] ==
"no_hp_pernah_memesan" ) {
                                                echo
NO_HP_PERNAH_MEMESAN;
                                        unset($_SESSION['status']);
                                }
                                ?>

                                <button
type="button" class="close" data-
dismiss="alert" aria-label="Close">
                                        <span
aria-hidden="true">&times;</span>
                                </button>
                        </div>

```

```

        </p>
<?php
}
endif;
?>
        <p><em>No. Telepon
hanya bisa digunakan untuk 1
pemesanan/booking pada 1 tanggal
servis.</em></p>
        <form
action="controllers/process-pesan-
servis.php" method="post">
                <input
type="hidden" name="tabel"
value="servis">
        <div class="form-
row">
                <div
class="form-group col-sm-7 col-md-5
col-lg-4 col-xl-3">
<?php $name = "tgl_servis"; ?>
                        <label
for="<?=$name?>">Tanggal
Servis</label>
                                <input
type="text" name="<?=$name?>"
id="<?=$name?>" class="form-control"
required>
                                        </div>
                                </div>
        <div class="form-
row">
                <div
class="form-group col-sm-12 col-md-12
col-lg-9 col-xl-8">
<?php $name = "nama"; ?>
                        <label
for="<?=$name?>">Nama
Lengkap</label>
                                <input
type="text" name="<?=$name?>"
id="<?=$name?>" class="form-control"
maxlength="40" required>
                                        </div>
                                </div>
        <div class="form-
row">
                <div
class="form-group col-sm-7 col-md-5
col-lg-4 col-xl-3">
<?php $name = "no_telp"; ?>
                        <label
for="<?=$name?>">Nomor
Telepon</label>
                                <input
type="tel" name="<?=$name?>" id="<?=$name?>" class="form-control"
maxlength="15" placeholder="Contoh:
081234567890" required>
                                        </div>
                                </div>
        <p>
                <button
type="submit" id="save" class="<?
=UKURAN_TOMBOL_SIMPAN?> <?
=SIMPAN_STYLE_TOMBOL?
">>Pesan</button>
                        <a href="<?
=BASE_SITE?>" class="<?
=UKURAN_TOMBOL_BATAL?> <?
=BATAL_STYLE_TOMBOL?>"><?
=BATAL?></a>
                                </p>
                                </form>
                                </main>
                                <!-- AKHIR Main Content
-->
                                </div>
                                <!-- AKHIR Content/Primary
Area -->
                                <!-- Panggil Bagian Footer/Tag
Footer Web (Copyright, dll.) -->
                                <?php
require_once("template/footer.php"); ?>
                                <script src="plugins/bootstrap-
datepicker/js/bootstrap-
datepicker.min.js"></script>
                                <script>
                                        $('#tgl_servis').datepicker({
                                                format: 'yyyy-mm-dd',
                                                startDate: 'y',
                                                todayBtn: 'linked'
                                        });
                                </script>

```

```
</body>
</html>
```

Password

```
<?php
/*
```

Untuk info fungsi tag dan script web,
baca:
INFO Fungsi yang Ada di Web Ini.txt
yang ada di dalam folder ini.

```
*/
```

```
require_once("config/site.php");
require_once("config/secure.php");
```

```
// panggil koneksi
require_once("config/connection.php");
```

```
// terima data "id" dan "password lama /
yang sedang digunakan"
```

```
$id =
mysqli_real_escape_string($koneksi,
$_POST['id']);
$password =
mysqli_real_escape_string($koneksi,
md5($_POST['password']));
```

```
// menjalankan query cek password lama
$cek_password =
mysqli_query($koneksi, "SELECT
password FROM user WHERE
password='$password' and id=$id")
or die(mysqli_error($koneksi));
```

```
// jika password lama BENAR
if( mysqli_num_rows($cek_password)
>= 1 ):
```

```
    // terima data password baru
    $password_baru =
    $_POST['password_baru'];
    // terima data konfirmasi password
    baru
    $password_konfirm =
    $_POST['password_konfirm'];
```

```
    // jika "password baru" dan
    "konfirmasi password baru" SAMA
```

```
        if( $password_baru ===
        $password_konfirm ):
            mysqli_query($koneksi,
            "UPDATE user SET
            password='".md5($password_baru)."
            WHERE id=$id")
```

```
                or
            die(mysqli_error($koneksi));
```

```
                if( PEMBERITAHUAN ==
                "Iya" ) {
                    $_SESSION['status'] =
                    "success";
                }
```

```
                echo
                "<script>location.href='password.php?
                status=success';</script>";
                exit;
```

```
                // jika "password baru" dan
                "konfirmasi password baru" SALAH
                else:
                    echo
                    "<script>alert('".KONFIRM_PASSWO
                    RD_BARU_SALAH.'");
                    window.history.back();</script>";
                    exit;
                endif;
```

```
                // jika password lama SALAH
                else:
                    echo
                    "<script>alert('".PASSWORD_SALAH.
                    '"); window.history.back();</script>";
                    exit;
                endif;
```

Login

```
<!-- Panggil Tag Pembuka HTML dan
Tag Meta Bernilai Tetap -->
<?php
require_once("template/meta.php"); ?>
```

```
        <!-- Panggil Tag Link Bernilai
Tetap -->
```

```
        <?php
require_once("template/header.php"); ?>
```



```

    <!-- Custom styles for this template
-->
    <link rel="stylesheet"
href="css/signin.css">
    <style>
        body {
            background:
url("images/login.jpg") <?
=UTAMA_WARNA?> no-repeat center
fixed;
            background-size:
cover;
        }
        .form-signin {
            border: 2px solid <?
=UTAMA_WARNA?>;
        }
        .form-control:focus {
            border-color: <?
=KEDUA_WARNA?>;
            box-shadow: 0 0 0 .
2rem <?=UTAMA_WARNA?>;
        }
    </style>
</head>

<body class="text-center"
style="background-color: <?
=UTAMA_WARNA?>;">
    <form action="log/login.php"
method="post" class="form-signin">
        
        <h1 class="h3 mb-3 font-weight-
normal"><?=JUDUL_WEB?></h1>

<?php
if( !empty($_GET['status']) and
$_GET['status'] == "login" and
PEMBERITAHUAN == "Iya" ):
    if( session_status() ==
PHP_SESSION_NONE ) {
        session_start();
    }
    if( !empty($_SESSION['status'])
and ( $_SESSION['status'] ==
"username_salah" or
$_SESSION['status'] ==
"password_salah" ) ) {

```

```

?>
        <p>
            <div class="alert alert-
danger" role="alert">
                <?php
                    if( $_SESSION['status'] ==
"username_salah" ) {
                        echo
USERNAME_SALAH;
                    }
                    elseif( $_SESSION['status'] ==
"password_salah" ) {
                        echo
PASSWORD_SALAH;
                    }
                }
            </div>
        </p>
    <?php
        unset($_SESSION['status']);
    }
endif;
?>

    <label for="username" class="sr-
only"><?=USERNAME?></label>
    <input type="text"
name="username" id="username"
placeholder="<?=USERNAME?>"
class="form-control" required>
    <label for="password" class="sr-
only"><?=PASSWORD?></label>
    <input type="password"
name="password" id="password"
placeholder="<?=PASSWORD?>"
class="form-control" required>

    <!-- div class="checkbox mb-3">
    <label>
        <input type="checkbox"
value="remember-me"> Remember me
    </label>
</div -->
    <button class="btn btn-lg btn-
primary btn-block" type="submit"><?
=LOGIN?></button>
    <a href="<?=BASE_SITE?>"
class="btn btn-lg btn-secondary btn-
block"><?=KEMBALI_KE_AWAL?
></a>

```

```

    <p class="mt-5 mb-3">Copyright
    &copy; <?=$tahun_web?></p>
    </form>
    </body>
    </html>

```

```

<?php
/*

```

Untuk info fungsi tag dan script web,
baca:
INFO Fungsi yang Ada di Web Ini.txt
yang ada di dalam folder ini.

```

*/

```

```

require_once("config/site.php");
require_once("config/secure.php");

```

```

// panggil koneksi
require_once("config/connection.php");

```

```

// terima data "id" dan "password lama /
yang sedang digunakan"

```

```

$id =
mysql_real_escape_string($koneksi,
$_POST['id']);
$password =
mysql_real_escape_string($koneksi,
md5($_POST['password']));

```

```

// menjalankan query cek password lama
$cek_password =
mysql_query($koneksi, "SELECT
password FROM user WHERE
password='$password' and id=$id")
or die(mysql_error($koneksi));

```

```

// jika password lama BENAR
if( mysql_num_rows($cek_password)
>= 1 ):

```

```

    // terima data password baru
    $password_baru =
    $_POST['password_baru'];
    // terima data konfirmasi password
    baru
    $password_konfirm =
    $_POST['password_konfirm'];

```

```

    // jika "password baru" dan
    "konfirmasi password baru" SAMA

```

```

    if( $password_baru ===
    $password_konfirm ):
        mysql_query($koneksi,
        "UPDATE user SET
        password='".md5($password_baru)."'
        WHERE id=$id")

```

```

        or
        die(mysql_error($koneksi));

```

```

        if( PEMBERITAHUAN ==
        "Iya" ) {
            $_SESSION['status'] =
            "success";
        }

```

```

        echo
        "<script>location.href='password.php?
        status=success';</script>";
        exit;

```

```

        // jika "password baru" dan
        "konfirmasi password baru" SALAH
        else:
            echo
            "<script>alert('".KONFIRM_PASSWO
            RD_BARU_SALAH.'");
            window.history.back();</script>";
            exit;
        endif;

```

```

// jika password lama SALAH
else:
    echo
    "<script>alert('".PASSWORD_SALAH.
    "'); window.history.back();</script>";
    exit;
endif;

```

Keranjang

```

<?php
// panggil konfigurasi/config website
require_once("config/site.php");
// cek apakah sudah login
require_once("config/secure.php");

```

```

// <!-- Panggil Tag Pembuka HTML dan
Tag Meta Bernilai Tetap -->
require_once("template/meta.php");
?>

```

```

        <!-- Panggil Tag Link Bernilai
Tetap -->
        <?php
require_once("template/header.php"); ?>

        <!-- CSS kita sendiri -->
        <link rel="stylesheet"
href="css/style.css">
        <style>
            .table {
                width: auto;
            }
            .table #tools, .table .tools {
                width: auto !important;
            }
        </style>
</head>

        <body>
        <!-- Panggil Bagian Header/Tag
Header Web (Navbar, dll.) -->
        <?php
require_once("template/navbar.php"); ?>

        <!-- Content/Primary Area -->
        <div id="content-area"
class="container">
            <!-- Main Content -->
            <main role="main">

                <h1 align="center"
id="judul"><?=CART?></h1>
                <?php
                $tabel = "pemesanan";
                $url = "keranjang";

                // panggil koneksi
                require_once("config/connection.php");

                // query tampil data
                $query_cek_distributor = "SELECT
a.id_distributor, b.nama AS distributor

                FROM pemesanan a,
                user b

                WHERE
a.id_distributor=b.id AND
status='Keranjang'

```

```

GROUP BY distributor

ORDER BY distributor

ASC";
// hasil query
$cek_distributor =
mysqli_query($koneksi,
$query_cek_distributor) or
die(mysqli_error($koneksi));

if( mysqli_num_rows($cek_distributor)
< 1 ):
?>
        <div class="alert alert-
warning" role="alert">
            <i class="fas fa-
exclamation-circle"></i> <?
=CART_EMPTY?>
        </div>

<?php
else:
?>
        <p><em>Harga dalam
Rupiah</em></p>
        <hr>
        <form
action="controllers/process-
pembelian.php" method="post">
        <?php
        $total_semua = 0;
        while( $data_dis =
mysqli_fetch_assoc($cek_distributor) ):

            // query tampil data
            $query = "SELECT a.id,
a.id_barang, a.banyak, b.nama AS
distributor, c.kode, c.nama, c.harga,
c.stok

                FROM
                pemesanan a, user b, barang c
                WHERE

                a.id_distributor=b.id AND
                a.id_barang=c.id AND
                a.id_distributor=$data_dis[id_distributor
] AND a.status='Keranjang'

                ORDER
                BY c.nama ASC, c.kode ASC";
            // hasil query

```

```

$result =
mysqli_query($koneksi, $query) or
die(mysqli_error($koneksi));
?>

<h5>Distributor: <?
=$data_dis["distributor"]?></h5>

<div class="table-
responsive">
    <table class="table
table-bordered table-hover table-sm">
        <thead>
            <tr>
                <th
class="tools"><?=DELETE?></th>

                <th>No.</th>
                <th>Kode Barang</th>
                <th>Nama Barang</th>
                <th>Harga Satuan</th>
                <th>Banyak</th>
                <th>Jumlah Harga</th>
            </tr>
        </thead>
        <tbody>
            <?php
                $total = 0;
                $no = 1;
                // tampilkan data dari hasil
query
                while($data =
mysqli_fetch_array($result)):
                    ?>
                        <input type="hidden"
name="id[]" value="<?=$data["id"]?>">
                            <tr>
                                <td
id="tools" class="text-center">
                                    <a href="controllers/delete.php?
id=<?=$data["id"]?>&table=<?=$tabel?
>&url=<?=$url?>&id-barang=<?
=$data["id_barang"]?>&banyak=<?
=$data["banyak"]?>"
                                        class="btn <?
=DELETE_STYLE_TOMBOL?> btn-
sm"
                                            data-toggle="tooltip"
                                                data-placement="top"
                                                    title="<?=DELETE?>"
                                                        onClick="javascript: return
confirm('<?=DELETE_CONFIRM?
>');">
                                                            <i class="fas fa-trash-alt fa-
xs"></i>
                                                                </a>
                                                                    </td>
                                                                    <td
id="no" class="text-right"><?=$no?
></td>
                                                                    <td><?=$data["kode"]?></td>
                                                                    <td><?=$data["nama"]?></td>
                                                                    <td
align="right"><?
=number_format($data["harga"], 0, ",",
".")?></td>
                                                                    <td
align="right"><?=$data["banyak"]?
></td>
                                                                    <td
align="right"><?
=number_format($data["harga"]*$data["
banyak"], 0, ",", ".")?></td>
                                                                    </tr>
                                                                    <?php
                                                                        $total += $data["harga"] *
                                                                        $data["banyak"];
                                                                        $no++;
                                                                        endwhile;
                                                                        ?>
                                                                    <tr>
                                                                    <td
align="right" colspan="6" class="font-
weight-bold">Total</td>
                                                                    <td
align="right"><?
=number_format($total, 0, ",", ".")?
></td>

```

```

        </tr>
    </tbody>
</table>
</div>
<hr>
<?php
    $total_semua += $total;
endwhile;
?>
    <h5 class="font-
weight-bold">Total Harga Semua = <?
=number_format($total_semua, 0, ",",
".")?></h5>
    <p>
        <a
href="barang.php" class="btn <?
=BATAL_STYLE_TOMBOL?>">Beli
Barang yang Lain</a>
    </p>
    <p>
        <button
type="submit" id="save" class="<?
=UKURAN_TOMBOL_SIMPAN?> <?
=SIMPAN_STYLE_TOMBOL?>">Beli
Sekarang</button>
    </p>
</form>
<?php
endif;
?>
    </main>
    <!-- AKHIR Main Content
-->
</div>
<!-- AKHIR Content/Primary
Area -->
    <!-- Panggil Bagian Footer/Tag
Footer Web (Copyright, dll.) -->
    <?php
require_once("template/footer.php"); ?>
    </body>
</html>
<!-- Copyright © 2017 – Jumaidil
Fadillah | Jum Dante. All rights
reserved. -->

```

Daftar Service

```

<?php
// panggil konfigurasi/config website
require_once("config/site.php");
// cek apakah sudah login
require_once("config/secure.php");

/
*-----*/
$url = "daftar-servis";
/
*-----*/

require_once("controllers/
$url/config.php");
require_once("controllers/$url/config-
list.php");
?>
<!-- Panggil Tag Pembuka HTML dan
Tag Meta Bernilai Tetap -->
<?php
require_once("template/meta.php"); ?>
    <!-- Panggil Tag Link Bernilai
Tetap -->
    <?php
require_once("template/header.php"); ?>
    <link rel="stylesheet"
href="plugins/DataTables/DataTables-
1.10.16/css/dataTables.bootstrap4.min.cs
s">
    <link rel="stylesheet"
href="plugins/DataTables/Buttons-
1.5.1/css/buttons.bootstrap4.min.css">

```

```

        <link rel="stylesheet"
href="plugins/bootstrap-
datepicker/css/bootstrap-
datepicker3.min.css">

        <!-- CSS kita sendiri -->
        <link rel="stylesheet"
href="css/style.css">
        <style>
            .table {
                width: auto;
                margin: auto;
            }
            .table td#nama {
                min-width: 200px !
important;
            }
            .table td#no_antri {
                text-align: right;
            }
            .dt-buttons {
                margin-bottom: 8px;
            }

            .form-inline .form-control {
                max-width: 150px;
            }
        </style>
    </head>

    <body>
        <!-- Panggil Bagian Header/Tag
Header Web (Navbar, dll.) -->
        <?php
require_once("template/navbar.php"); ?>

        <!-- Content/Primary Area -->
        <div id="content-area"
class="container">
            <!-- Main Content -->
            <main role="main">

                <h1 align="center"
id="judul"><?=$judul?></h1>

                <?php
if( !empty($_GET["tgl-servis"]) ):
    $tgl_servis = $_GET["tgl-servis"];
else:
    $tgl_servis = date("Y-m-d");
endif;

```

```

// panggil koneksi
require_once("config/connection.php");
// query tampil data
$query = "SELECT * FROM $tabel
WHERE tgl_servis='$tgl_servis'
ORDER BY no_antri ASC";
// hasil query
$result = mysqli_query($koneksi,
$query) or die(mysqli_error($koneksi));
?>

        <form action="daftar-
servis.php" method="get" class="form-
inline">
        <?php $name = "tgl-servis"; ?>
            <label class="sr-
only" for="<?=$name?>">Tanggal
Servis</label>
            <input type="text"
name="<?=$name?>" id="<?=$name?
>" value="<?=$tgl_servis?>"
class="form-control mb-2 mr-2"
placeholder="Tanggal Servis" required>
            <button
type="submit" class="btn btn-primary
mb-2"><i class="fas fa-
search"></i></button>
        </form>

        <div id="add-
btn"></div>

        <div class="table-
responsive">
            <table id="tabel"
class="table table-bordered table-hover
table-sm">
                <thead>
                    <tr>
                        <th
data-orderable="false">No.</th>
                        <?php foreach($kolom_tabel as $kt): ?>
                            <th><?=$kt?></th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php
                            $no = 1;

```

```

// endwhile;
tampilkan data dari hasil query ?>
while($data = mysqli_fetch_array($result)): </tbody>
?> </table>
<tr> </div>
id="no" class="text-right"><?=$no? </main>
></td> <!-- AKHIR Main Content
<?php foreach($kolom_tabel_db as -->
$sktdb): ?> </div>
<td <!-- AKHIR Content/Primary
id="<?=$sktdb?>"> Area -->
<?php <!-- Panggil Bagian Footer/Tag
if( !empty($sktdb["isi"]) and ! Footer Web (Copyright, dll.) -->
empty($sktdb["db_tabel"]) and ! <?php
empty($sktdb["db_select"]) ): require_once("template/footer.php"); ?>
$query_isi = "SELECT <?php
$sktdb[db_select] FROM require_once("template/data-tables-
$sktdb[db_tabel] WHERE id=" config-with-buttons.php"); ?>
$data[$sktdb["isi"]]; <script src="plugins/bootstrap-
$result_isi = datepicker/js/bootstrap-
mysqli_query($koneksi, $query_isi) or datepicker.min.js"></script>
die(mysqli_error($koneksi)); <script>
$isi = $('#tgl-servis').datepicker( {
mysqli_fetch_array($result_isi); format: 'yyyy-mm-dd',
echo $isi[0]; todayBtn: 'linked'
?> });
<?php elseif( in_array($sktdb, </script>
$stipe_file) ): ?> </body>
<a href="files/<?=$data[$sktdb]?>" </html>
target="_blank"><?=$data[$sktdb]? <!-- Copyright © 2017 – Jumaidil
></a> Fadillah | Jum Dante. All rights
<?php elseif( in_array($sktdb, reserved. -->
$stipe_link) ): ?>
<a href="<?=$data[$sktdb]?>" <strong>Bukti Pemesanan
target="_blank"><?=$data[$sktdb]?
></a>
<?php else: ?>
<?=$data[$sktdb]?>
<?php endif; ?> </td>
<?php endforeach; ?> </tr>
<?php $no+
+; // include autoloader
require_once
'plugins/dompdf/autoload.inc.php';

```

```

// reference the Dompok namespace
use Dompok\Dompok;

ob_start();
?>

<!-- Panggil Tag Pembuka HTML dan
Tag Meta Bernilai Tetap -->
<?php
require_once("template/meta.php"); ?>

    <!-- Tag Meta Bernilai Variabel
(Dapat Diubah/Berubah) -->
    <title><?php if( isset($judul) )
echo $judul." ".SEPARATOR." "; echo
JUDUL_WEB; ?></title>

    <!-- Tag Link Bernilai Tetap -->
    <link rel="icon"
href="images/logo.png">
    <link rel="apple-touch-icon"
href="images/logo.png">

    <!-- Bootstrap CSS -->
    <link rel="stylesheet"
href="css/bootstrap.min.css">
    <!-- CSS (PDF) kita sendiri -->
    <link rel="stylesheet"
href="css/style-pdf.css">
    </head>
    <body>

        <main role="main">

            <h1 align="center">Bukti
Pemesanan</h1>
            <?php
            $kode_pemesanan = $_GET["kode-
pemesanan"];
            $id_distributor = $_GET["id-
distributor"];

            require_once("config/connection.php");

            // query tampil data
            $query = "SELECT a.waktu_beli,
a.banyak, a.status, b.nama AS
distributor, c.kode, c.nama, c.harga,
c.stok

```

```

FROM pemesanan
a, user b, barang c
WHERE
a.id_distributor=b.id AND
a.id_barang=c.id AND
a.id_distributor=$id_distributor AND
a.kode_pemesanan='$kode_pemesanan'
ORDER BY
c.nama ASC, c.kode ASC";
// hasil query
$result = mysqli_query($koneksi,
$query) or die(mysqli_error($koneksi));
$data = mysqli_fetch_assoc($result);

$warna_status = ($data["status"] ==
"Barang Diterima / Lunas") ? "success" :
"warning";
?>

    <table class="tabel-list">
        <tr>
            <td>Kode
Pemesanan</td>
            <td>:</td>
            <td><?
=$kode_pemesanan?></td>
        </tr>
        <tr>
            <td>Waktu
Pembelian</td>
            <td>:</td>
            <td><?
=$data["waktu_beli"]?></td>
        </tr>
        <tr>
            <td>Distributor
            <td>:</td>
            <td><?
=$data["distributor"]?></td>
        </tr>
        <tr>
            <td>Pembeli</td>
            <td>:</td>
            <td><?
=NAMA_TEMPAT?></td>
        </tr>
        <tr>
            <td>Status</td>
            <td>:</td>

```



```

        <td><span
class="text-<?=$warna_status?"><?
=$data["status"]?></span></td>
        </tr>
    </table>
    <br>
    <p><em>Harga dalam
Rupiah</em></p>
    <table class="table table-
bordered table-hover table-sm">
        <thead>
            <tr>
                <th>No.</th>
                <th>Kode
Barang</th>
                <th>Nama
Barang</th>
                <th>Harga
Satuan</th>
                <th>Banyak</th>
                <th>Jumlah
Harga</th>
            </tr>
        </thead>
        <tbody>
            <?php
            $total = 0;
            $sno = 1;

            // hasil query
            $result =
mysqli_query($koneksi, $query) or
die(mysqli_error($koneksi));
            // tampilkan data dari hasil
            query
            while($data =
mysqli_fetch_array($result)):
                <tr>
                    <td id="no"
class="text-right"><?=$sno?></td>
                    <td><?
=$data["kode"]?></td>
                    <td><?
=$data["nama"]?></td>
                    <td
align="right"><?

```

```

=number_format($data["harga"], 0, ",",
".")?></td>
                <td
align="right"><?=$data["banyak"]?
></td>
                <td
align="right"><?
=number_format($data["harga"]*$data["
banyak"], 0, ",", ".")?></td>
            </tr>
        <?php
            $total += $data["harga"] *
            $data["banyak"];
            $sno++;
        endwhile;
        ?>
            <tr>
                <td
align="right" colspan="5" class="font-
weight-bold">Total</td>
                <td
align="right"><?
=number_format($total, 0, ",", ".")?
></td>
            </tr>
        </tbody>
    </table>
    </main>
</body>
</html>

<?php
$html = ob_get_clean();

// instantiate and use the dompdf class
$dmpdf = new Dompdf();

// enable the built-in HTML5 parser at
runtime
$dmpdf->set_option('isHtml5ParserEnabled',
true);

// load html for pdf content
$dmpdf->loadHtml($html);

// (Optional) Setup the paper size and
orientation
$dmpdf->setPaper('A4', 'portrait');

```

```
// Render the HTML as PDF
$dmpdf->render();

// Output the generated PDF (1 =
download and 0 = preview)
$dmpdf-
>stream("$judul",array("Attachment"=>
0));

exit;
?>
```

Barang Form

```
<?php
// <!-- Panggil Tag Pembuka HTML dan
Tag Meta Bernilai Tetap -->
require_once("template/meta.php");

// cek apakah sudah login
require_once("config/secure.php");

$url = $_GET["url"];
require_once("controllers/
$url/config.php");

// panggil koneksi
require_once("config/connection.php");

$judul_utama = $judul;

if(isset($_GET["id"])):
    $judul = EDIT." ".$judul;

    $id = $_GET['id'];
    $query = "SELECT * FROM $tabel
WHERE id=$id ORDER BY id DESC";
    $result = mysqli_query($koneksi,
$query) or die(mysqli_error($koneksi));

    if( mysqli_num_rows($result) >=
1 ) {
        $judul_h1 = $judul;
        $process = "edit";
        $available = TRUE;
    }
else {
```

```
        $judul_h1 =
DATA_TIDAK_DITEMUKAN;
        $available = FALSE;
    }

else:
    $judul = ADD." ".$judul;
    $judul_h1 = $judul;
    $process = "add";

    $id = 0;
    $query = "SELECT * FROM $tabel
WHERE id=$id ORDER BY id DESC";
    $result = mysqli_query($koneksi,
$query) or die(mysqli_error($koneksi));

    $available = TRUE;

endif;

$data = mysqli_fetch_array($result);
?>

<!-- Panggil Tag Link Bernilai
Tetap -->
<?php
require_once("template/header.php"); ?>

<!-- CSS kita sendiri -->
<link rel="stylesheet"
href="css/style.css">

<link rel="stylesheet"
href="plugins/bootstrap-
datepicker/css/bootstrap-
datepicker3.min.css">
</head>

<body>
<!-- Panggil Bagian Header/Tag
Header Web (Navbar, dll.) -->
<?php
require_once("template/navbar.php"); ?>

<!-- Content/Primary Area -->
<div class="container"
id="content-area">
    <!-- Main Content -->
    <main role="main">
```

```

</h1>
<h1><?=$judul_h1?
<br>
<p>
<strong>
<span
class="text-danger">*</span> <em><?
=FORM_REQUIRED?></em>
</strong>
</p>

<?php
if($available == TRUE):
    require_once("controllers/
$url/config-form.php");
?>

<form
action="controllers/process.php"
method="post"<?php if( $file_input ==
"iya" ) { ?> enctype="multipart/form-
data"<?php } ?>>
    <input
type="hidden" name="process"
value="<?=$process?>">
    <input
type="hidden" name="tabel" value="<?
=$tabel?>">
    <input
type="hidden" name="url" value="<?
=$url?>">
    <input
type="hidden" name="data_sesi"
value="<?=$data_sesi?>">
    <?php if( $process == "edit" ): ?>
        <input
type="hidden" name="id" value="<?
=$data["id"]?>">
        <?php endif; ?>

    <?php
foreach($field as $f):
    if( !empty($f["name"]) ):
        $name = $f["name"];
    endif;

    if( $f["type"] != "hidden" and
$f["type"] != "judul" and $f["type"] !=
"tulisan" ):
        ?>

```

```

<div class="form-
row">
    <?php
    if( isset($f["panjang_field"])
and $f["panjang_field"] == "panjang" ):
        $col= "col-sm-12 col-md-
12 col-lg-9 col-xl-8";

        elseif( isset($f["panjang_field"])
and $f["panjang_field"] == "pendek" ):
            $col = "col-sm-7 col-md-5
col-lg-4 col-xl-3";
        else:
            $col = "col";
        endif;
    ?>

    <div
class="form-group <?=$col?>">
        <label
for="<?=$name?>">
            <?php if( $f["wajib_diisi"] ==
"iya" and ( $process == "add" or
( $process == "edit" and $f["type"] !=
"password" ) ) ): ?>
                <span
class="text-danger">*</span>
                <?php endif; echo $f["label"]; ?
            >
            </label>

            <?php endif; ?>

            <?php
            if( $f["type"] == "text" or
$f["type"] == "email" or $f["type"] ==
"number" or $f["type"] == "tel" or
$f["type"] == "password" or $f["type"]
== "date" ):
                $stipe = ( $f["type"] ==
"date" ) ? "text" : $f["type"];
            ?>

            <input
type="<?=$stipe?>" name="<?=$name?
>" id="<?=$name?>" class="form-
control"

            value="<?php if( $f["type"] ==
"number" and $process == "add" )
{ echo $f["value"]; } elseif( !
empty($f["value"]) ) { echo
$f["value"]; } elseif( $f["type"] !=

```

```

"password" ) { echo $data[$name]; } ?
">
                                <?
php if( !empty($f["min"]) and $f["type"]
== "number" ) { ?>min="<?=$f["min"]?
>"<?php } ?>
                                <?
php if( !empty($f["max"]) and
$f["type"] == "number" ) { ?>max="<?
=$f["max"]?>"<?php } ?>
                                <?
php if( !
empty($f["maks_panjang_karakter"]) ) {
?>maxlength="<?
=$f["maks_panjang_karakter"]?>"<?php
} ?>
                                <?
php if( !empty($f["keterangan"]) ) { ?
>aria-describedby="<?=$name?
>Help"<?php } ?>
                                <?
php if( !empty($f["placeholder"]) ) { ?
>placeholder="<?=$f["placeholder"]?
>"<?php } ?>
                                <?
php if( !empty($f["wajib_diisi"]) and
$f["wajib_diisi"] == "iya" and
( $process == "add" or ( $process ==
"edit" and $f["type"] != "password" ) ) )
echo "required"; ?>
                                <?
php if( !empty($f["readonly"]) and
$f["readonly"] == "iya" ) echo
"readonly"; ?>>
                                <?php if( !
empty($f["keterangan"]) ) { ?>
                                <small
id="<?=$name?>Help" class="form-text
text-muted"><?=$f["keterangan"]?
></small>
                                <?php } ?>
                                <?php
elseif( $f["type"] ==
"textarea" ):
                                $byk_baris = 3;
                                if( isset($f["banyak_baris"]) and !
empty($f["banyak_baris"]) )

```

```

                                $byk_baris =
$f["banyak_baris"];
                                ?>
                                <textarea
name="<?=$name?>" id="<?=$name?
>" class="form-control" rows="<?
=$byk_baris?>"
                                <?
php if( !empty($f["keterangan"]) ) { ?
>aria-describedby="<?=$name?
>Help"<?php } ?>
                                <?
php if( !empty($f["placeholder"]) ) { ?
>placeholder="<?=$f["placeholder"]?
>"<?php } ?>
                                <?
php if($f["wajib_diisi"] == "iya") echo
"required"; ?>><?=$data[$name]?
></textarea>
                                <?php if( !
empty($f["keterangan"]) ) { ?>
                                <small
id="<?=$name?>Help" class="form-text
text-muted"><?=$f["keterangan"]?
></small>
                                <?php } ?>
                                <?php elseif($f["type"] ==
"select"): ?>
                                <select
name="<?=$name?>" class="<?
=SELECT_CLASS?>" id="<?=$name?
>"
                                <?php if(!
empty($f["keterangan"])) { ?> aria-
describedby="<?=$name?>Help"<?
php } ?>
                                <?php
if($f["wajib_diisi"] == "iya") echo
"required"; ?>>
                                <option value="" <?php
if($f["wajib_diisi"] == "iya") echo
"disabled"; ?>
selected>&ndash;</option>
                                <?php if($f["value_query"]
== "iya"): ?>
                                <?php

```

```

        if($f["kolom_kirim"]
== $f["kolom_tampil"]):
            $kolom_select =
$f["kolom_kirim"];
        else:
            $kolom_select =
$f["kolom_kirim"].", ".
$f["kolom_tampil"];
        endif;

        $query_select =
"SELECT $kolom_select FROM
$f[tabel] ORDER BY $f[kolom_tampil]
ASC";

        $result_select =
mysqli_query($koneksi, $query_select)
or die(mysqli_error($koneksi));
        while($data_select =
mysqli_fetch_array($result_select)):
            ?>

            <option value="<?
=$data_select[$f["kolom_kirim"]]?" <?
php
if( $data_select[$f["kolom_tampil"]] ==
$data[$name] ) echo "selected"; ?>>

            <?
=$data_select[$f["kolom_tampil"]]?">

            </option>

            <?php endwhile; ?>

            <?php
elseif($f["value_query"] ==
"tidak"):
                foreach($f["value"] as
$vn => $v):
                    ?>

                    <option value="<?=$v?" <?php if(
$v == $data[$name] ) echo "selected"; ?
>><?=$f["value_tampil"][$n]?
>></option>

                    <?php
                        endforeach;
                    endif;
                    ?>

                    </select>

            <?php if(!
empty($f["keterangan"])): ?>

```

```

            <small
id="<?=$name?>Help" class="form-text
text-muted"><?=$f["keterangan"]?
></small>

            <?php endif; ?>

            <?php elseif($f["type"] ==
"radio"): ?>

            <br>
            <?php
            $inline = "";
            if( $f["inline"] == "iya" ) {

                if( RADIO_STYLE_CUSTOM ==
"iya" ) {
                    $inline = "
custom-control-inline";
                }
                else {
                    $inline = " form-
check-inline";
                }
            }

            if($f["value_query"] ==
"iya"):

                if($f["kolom_kirim"]
== $f["kolom_tampil"]):
                    $kolom_select =
$f["kolom_kirim"];
                else:
                    $kolom_select =
$f["kolom_kirim"].", ".
$f["kolom_tampil"];
                endif;

                $query_select =
"SELECT $kolom_select FROM
$f[tabel] GROUP BY $f[kolom_tampil]
ORDER BY $f[kolom_tampil] ASC";
                $result_select =
mysqli_query($koneksi, $query_select)
or die(mysqli_error($koneksi));
                $i=1;
                while($data_select =
mysqli_fetch_array($result_select)):
                    ?>

```

```

                                <div
class="<?=RADIO_DIV_CLASS.
$inline?>">

    <input class="<?
=RADIO_INPUT_CLASS?>"
type="radio" name="<?=$name?>"
id="<?=$name.$i?>" value="<?
=$data_select[$f["kolom_kirim"]]?>"

    <?php if($f["wajib_diisi"] == "iya")
echo "required"; ?> <?php
if( $f["kolom_tampil"] == $data[$name]
) echo "checked"; ?>>

    <label class="<?
=RADIO_LABEL_CLASS?>" for="<?
=$name.$i++;?>"><?
=$data_select[$f["kolom_tampil"]]?
></label>

                                </div>
                                <?php endwhile; ?>

                                <?php
elseif($f["value_query"] ==
"tidak"):
                                $i=1;
                                foreach($f["value"] as
$vn => $v):
                                    ?>

                                <div
class="<?=RADIO_DIV_CLASS.
$inline?>">

    <input class="<?
=RADIO_INPUT_CLASS?>"
type="radio" name="<?=$name?>"
id="<?=$name.$i?>" value="<?=$v?>"

    <?php if($f["wajib_diisi"] == "iya")
echo "required"; ?> <?php if( $v ==
$data[$name] ) echo "checked"; ?>>

    <label class="<?
=RADIO_LABEL_CLASS?>" for="<?
=$name.$i++;?>"><?
=$f["value_tampil"][$n]?></label>

                                </div>
                                <?php
endforeach;
endif;

```

```

?>

                                <?php if( !
empty($f["keterangan"]) ): ?>
                                <small
id="<?=$name?>Help" class="form-text
text-muted"><?=$f["keterangan"]?
></small>
                                <?php endif; ?>

                                <?php elseif($f["type"] ==
"checkbox"): ?>

                                <br>
                                <?php
$inline = "";
if( $f["inline"] == "iya" ) {

if( CHECKBOX_STYLE_CUSTOM ==
"iya" ) {
                                $inline = "
custom-control-inline";
                                }
                                else {
                                    $inline = " form-
check-inline";
                                }
                                }

                                if($f["value_query"] ==
"iya"):

                                if($f["kolom_kirim"]
== $f["kolom_tampil"]):
                                    $kolom_select =
$f["kolom_kirim"];
                                else:
                                    $kolom_select =
$f["kolom_kirim"].", ".
$f["kolom_tampil"];
                                endif;

                                $query_select =
"SELECT $kolom_select FROM
$f[tabel] GROUP BY $f[kolom_tampil]
ORDER BY $f[kolom_tampil] ASC";
                                $result_select =
mysqli_query($koneksi, $query_select)
or die(mysqli_error($koneksi));
                                $i=1;

```

```

        while($data_select =
mysqli_fetch_array($result_select)):
        ?>
                <div
class="<?=CHECKBOX_DIV_CLASS.
$inline?>">
        <input class="<?
=CHECKBOX_INPUT_CLASS?>"
type="checkbox" name="<?=$name?>"
id="<?=$name.$i?>" value="<?
=$data_select[$f["kolom_kirim"]]?>"

        <?php if($f["wajib_diisi"] == "iya")
echo "required"; ?> <?php
if( $f["kolom_tampil"] == $data[$name]
) echo "checked"; ?>>

        <label class="<?
=CHECKBOX_LABEL_CLASS?>"
for="<?=$name.$i++;?>"><?
=$data_select[$f["kolom_tampil"]]?
></label>
                </div>
        <?php endwhile; ?>

        <?php
elseif($f["value_query"] ==
"tidak"):
                $i=1;
                foreach($f["value"] as
$vn => $v):
                ?>
                        <div
class="<?=CHECKBOX_DIV_CLASS.
$inline?>">
                        <input class="<?
=CHECKBOX_INPUT_CLASS?>"
type="checkbox" name="<?=$name?>"
id="<?=$name.$i?>" value="<?=$v?>"

                        <?php if($f["wajib_diisi"] == "iya")
echo "required"; ?> <?php if( $v ==
$data[$name] ) echo "checked"; ?>>

                        <label class="<?
=CHECKBOX_LABEL_CLASS?>"
for="<?=$name.$i++;?>"><?
=$f["value_tampil"][$n]?></label>
                                </div>

```

```

        <?php
                endforeach;
        endif;
        ?>

        <?php if( !
empty($f["keterangan"]) ) { ?>
                <small
id="<?=$name?>Help" class="form-text
text-muted"><?=$f["keterangan"]?
></small>
                <?php } ?>

        <?php elseif( $f["type"] ==
"file" ): ?>
                <?php if($process ==
"edit") { ?>
                        <input
type="hidden" name="<?=$name?
>_old" value="<?=$data[$name]?>">
                        <p><?
=$f["label"]?> Sebelumnya: <a
href="files/<?=$data[$name]?>"
target="_blank"><?=$data[$name]?
></a></p>
                <?php
                }

                foreach($f["accept"] as
$accept):
                        $file_extensions[] =
".".$accept;
                endforeach;
                $file_accept = implode(" , ",
$file_extensions);
                unset($file_extensions);

                $file_input_class =
FILE_STYLE_CUSTOM == "iya" ?
"custom-file-input" : "form-control-file";

                if( FILE_STYLE_CUSTOM ==
"iya" ) {
                        ?>
                                <div
class="custom-file">
                                        <?php } ?>

                                <input type="file" name="<?
=$name?>" id="<?=$name?>"

```

```

class="<?=$file_input_class?>"
accept="<?=$file_accept?>"

<?php if( !
empty($f["keterangan"]) ) { ?>aria-
describedby="<?=$name?>Help"<?
php } ?>

<?php if( $f["wajib_diisi"] == "iya"
and $process == "add" ) echo
"required"; ?>>
<?php
if( FILE_STYLE_CUSTOM == "iya" )
{ ?>

<label class="custom-file-label"
for="<?=$name?>"><?php if( !
empty($f["placeholder"]) ) echo
$f["placeholder"]; ?></label>
</div>
<?php } ?>

<?php if( !
empty($f["keterangan"]) ) { ?>
<small
id="<?=$name?>Help" class="form-text
text-muted"><?=$f["keterangan"]?
></small>
<?php } ?>

<?php endif; ?>

<?php if( $f["type"] !=
"hidden" and $f["type"] != "judul" and
$f["type"] != "tulisan" ): ?>
</div>
</div>

<?php
elseif( $f["type"] == "hidden" ):
if( $f["value"] ==
"waktu_sekarang" and $process ==
"add" ) {
$value = "NOW()";
}
elseif( $f["value"] ==
"waktu_sekarang" and $process ==
"edit" ) {
$value = "";
}

elseif( !empty($f["value"])
and $process == "add" ) {
$value = $f["value"];
}
else {
$value =
$data[$name];
}
?>

<input
type="hidden" name="<?=$name?>"
value="<?=$value?>"

<?php elseif( $f["type"] ==
"judul" ): ?>
<br>
<h5><?
=$f["value"]?></h5>

<?php elseif( $f["type"] ==
"tulisan" ): ?>
<p><?
=$f["value"]?></p>

<?php endif; ?>

<?php endforeach; ?>

<br>
<p>
<button
type="submit" id="save" class="<?
=UKURAN_TOMBOL_SIMPAN?> <?
=SIMPAN_STYLE_TOMBOL?>"><?
=SIMPAN?></button>
<a href="<?
=$url?>.php" class="<?
=UKURAN_TOMBOL_BATAL?> <?
=BATAL_STYLE_TOMBOL?>"><?
=BATAL?></a>
</p>

</form>

<?php endif; ?>

</main>
<!-- AKHIR Main Content
-->
</div>

```



```

        <!-- AKHIR Content/Primary
Area -->

        <!-- Panggil Bagian Footer/Tag
Footer Web (Copyright, dll.) -->
        <?php
require_once("template/footer.php"); ?>

<?php
if( array_search( "date",
array_column($field, "type") ) == true ):
?>
        <script src="plugins/bootstrap-
datepicker/js/bootstrap-
datepicker.min.js"></script>
<?php
endif;

foreach($field as $f):

        if( $f["type"] == "file" and
FILE_STYLE_CUSTOM == "iya" ):
?>
        <script>
                $('input[type="file"]#<?
=$f["name"]?>').change(function(e) {
                var _size =
this.files[0].size;
                var fSExt = new
Array('Bytes', 'KB', 'MB', 'GB'),
                i=0;while(_size>900)
                {_size/=1024;i++;}
                var exactSize =
(Math.round(_size*100)/100)+'
'+fSExt[i];
                var fileName =
e.target.files[0].name + ' | ' + exactSize;
                $('label[for="<?
=$f["name"]?>"].custom-file-
label').text(fileName);
                });
        </script>

        <?php elseif( $f["type"] ==
"textarea" and $f["editor"] == "iya" ): ?>
        <script
src="plugins/tinymce/tinymce.min.js"><
/script>
        <script>
                tinymce.init( {

```

```

selector: 'textarea',
menubar: false,
relative_urls: false,
remove_script_host :
false,

setup: function (editor)
{
        editor.on('change',
function (e) {
                editor.save();
        });
},

plugins: [
        'advlist autolink
lists link image charmap print preview
hr pagebreak',
        'searchreplace
wordcount visualblocks visualchars code
fullscreen',
        'insertdatetime
media nonbreaking save table
contextmenu directionality',
        'template paste
textcolor colorpicker textpattern
imagetools toc help
responsivefilemanager'
],
        toolbar1: 'undo redo
pastetext | styleselect removeformat |
bold italic underline | alignleft
aligncenter alignright alignjustify
alignnone | outdent indent bullist numlist
| fullscreen',
        toolbar2: 'insert | image
media link | table charmap blockquote hr
| forecolor backcolor | code print
preview help',
        plugin_preview_width:
1024,
        image_advtab: true,

external_filemanager_path:"plugins/file
manager/",
        filemanager_title:"File
Manager" ,

```

```

        external_plugins:
    { "filemanager" :
      "../filemanager/plugin.min.js"
    });

</script>

<?php elseif( $f["type"] == "date" ):
?>
    <script>
        $(#<?=$f["name"]?
>').datepicker({
            <?php if( !
empty($f["format"]) ) { ?>format: '<?
=$f["format"]?>', <?php } ?>
            <?php if( !
empty($f["start_view"]) ) { ?>startView:
'<?=$f["start_view"]?>', <?php } ?>
            <?php if( !
empty($f["start_date"]) ) { ?>startDate:
'<?=$f["start_date"]?>', <?php } ?>
            <?php if( !
empty($f["end_date"]) ) { ?>endDate:
'<?=$f["end_date"]?>', <?php } ?>
                todayBtn: 'linked'
            });
    </script>

<?php
    endif;
endforeach;
?>

</body>
</html>
<!-- Copyright © 2017 – Jumaidil
Fadillah | Jum Dante. All rights
reserved. -->

```

Barang

```

<?php
// panggil konfigurasi/config website
require_once("config/site.php");
// cek apakah sudah login
require_once("config/secure.php");

```

```

/
*-----
-----*/
$url = "barang";
/
*-----
-----*/

require_once("controllers/
$url/config.php");
require_once("controllers/$url/config-
list.php");
?>
<!-- Panggil Tag Pembuka HTML dan
Tag Meta Bernilai Tetap -->
<?php
require_once("template/meta.php"); ?>

<!-- Panggil Tag Link Bernilai
Tetap -->
<?php
require_once("template/header.php"); ?>

<link rel="stylesheet"
href="plugins/DataTables/DataTables-
1.10.16/css/dataTables.bootstrap4.min.cs
s">

<link rel="stylesheet"
href="plugins/DataTables/Buttons-
1.5.1/css/buttons.bootstrap4.min.css">

<!-- CSS kita sendiri -->
<link rel="stylesheet"
href="css/style.css">
<style>
    .dt-buttons {
        margin-bottom: 10px;
    }

    input#banyak {
        width: 80px;
        line-height: 1.1;
    }

    .table {
        width: auto;
        margin: 0 auto;
    }
    .table #tools, .table .tools {

```

```

<?php
if( $_SESSION['sesi_bengkel_level'] ==
"admin" ): ?>
    width: 108px;
<?php else: ?>
    width: 47px;
<?php endif; ?>
    }
</style>
</head>

<body>
    <!-- Panggil Bagian Header/Tag
Header Web (Navbar, dll.) -->
    <?php
require_once("template/navbar.php"); ?>

    <!-- Content/Primary Area -->
    <div id="content-area"
class="container">
        <!-- Main Content -->
        <main role="main">

<?php
// panggil koneksi
require_once("config/connection.php");

// query tampil data
if( $_SESSION['sesi_bengkel_level'] ==
"distributor" ):
    $query = "SELECT * FROM $tabel
WHERE hapus!='TRUE' AND
id_user=$_SESSION[sesi_bengkel_id_u
ser] ORDER BY nama ASC, kode
ASC";
else:
    $query = "SELECT * FROM $tabel
WHERE hapus!='TRUE' ORDER BY
nama ASC, kode ASC";
endif;

// hasil query
$result = mysqli_query($koneksi,
$query) or die(mysqli_error($koneksi));
?>
        <h1 align="center"
id="judul"><?=$judul?></h1>

<?php

```

```

if( !empty($_GET['status']) and
$_GET['status'] == "success" and
PEMBERITAHUAN == "Iya" ):
    if( session_status() ==
PHP_SESSION_NONE ) {
        session_start();
    }
    if( !empty($_SESSION['status'])
and ( $_SESSION['status'] ==
"add_success" or $_SESSION['status']
== "edit_success" or
$_SESSION['status'] ==
"delete_success" or $_SESSION['status']
== "add_cart_success" or
$_SESSION['status'] ==
"add_cart_already" ) ) {

        $tipe_status =
($_SESSION['status'] ==
"add_cart_already") ? "warning" :
"success";
?>

        <p>
            <div class="alert
alert-<?=$tipe_status?> alert-dismissible
fade show" role="alert">
                <?php
                    if( $_SESSION['status'] ==
"add_success" ) {
                        echo ADD_BERHASIL;
                    }
                    elseif( $_SESSION['status'] ==
"edit_success" ) {
                        echo EDIT_BERHASIL;
                    }
                    elseif( $_SESSION['status'] ==
"delete_success" ) {
                        echo
DELETE_BERHASIL;
                    }
                    unset($_SESSION['status']);
                }
                elseif( $_SESSION['status'] ==
"add_cart_success" ) {
                    echo
ADD_CART_BERHASIL; ?> <a
href="keranjang.php" class="alert-
link">Lihat <?=CART?></a><?php

                    unset($_SESSION['status']);
                }

```



```

                ( $_SESSION['status']
== "edit_success" and $data["id"] ==
$_SESSION['status_id'] )
            )
        ) {
            $data_baru = ' class="data-
baru";
            unset($_SESSION['status']);
            unset($_SESSION['status_id']);
        }
    endif;
    ?>
                <tr<?
=$data_baru?>>
                <td
id="no" class="text-right"><?=$no?
></td>
                <?php
foreach($kolom_tabel_db as $ktdb):
if( $_SESSION['sesi_bengkel_level'] !=
"distributor" or
( $_SESSION['sesi_bengkel_level'] ==
"distributor" and ( empty($ktdb["isi"])
or ( !empty($ktdb["isi"]) and
$ktdb["isi"] != "id_user" ) ) ) ):
?>
                <td<?
php if($ktdb == "stok"){?>
align="right"<?php } ?>>
                <?php
                if( !empty($ktdb["isi"]) and !
empty($ktdb["db_tabel"]) and !
empty($ktdb["db_select"]) ):
                    $query_isi = "SELECT
$ktdb[db_select] FROM
$ktdb[db_tabel] WHERE id="
.$data[$ktdb["isi"]];
                    $result_isi =
mysqli_query($koneksi, $query_isi) or
die(mysqli_error($koneksi));
                    $isi =
mysqli_fetch_array($result_isi);
                    echo $isi[0];
                ?>
                <?php elseif( in_array($ktdb,
$stipe_file) ): ?>
                    <a href="files/<?=$data[$ktdb]?>"
target="_blank"><?=$data[$ktdb]?
></a>
                    <?php elseif( in_array($ktdb,
$stipe_link) ): ?>
                        <a href="<?=$data[$ktdb]?>"
target="_blank"><?=$data[$ktdb]?
></a>
                    <?php else: ?>
                        <?=$data[$ktdb]?>
                    <?php endif; ?>
                </td>
            <?php
            endif;
        endforeach;
    ?>
                <td
id="tools" class="text-center">
                <?php
if( $_SESSION['sesi_bengkel_level'] ==
"distributor" ): ?>
                    <a href="<?=$url?>-form.php?
url=<?=$url?>&id=<?=$data["id"]?>"
                    class="btn <?
=EDIT_STYLE_TOMBOL?> btn-sm"
                    data-toggle="tooltip"
                    data-placement="top"
                    title="<?=EDIT?>">
                    <i class="far fa-edit fa-xs"></i>
                </a>
                    <a href="controllers/delete2.php?
id=<?=$data["id"]?>&table=<?=$tabel?
>&url=<?=$url?>"
                    class="btn <?
=DELETE_STYLE_TOMBOL?> btn-
sm"
                    data-toggle="tooltip"
                    data-placement="top"
                    title="<?=DELETE?>"

```

```

onClick="javascript: return
confirm('<?==DELETE_CONFIRM?
&gt;');"&gt;
        &lt;i class="fas fa-trash-alt fa-
xs"&gt;&lt;/i&gt;
        &lt;/a&gt;
&lt;?php
elseif( $_SESSION['sesi_bengkel_level'
] == "admin" ): ?&gt;
        &lt;form action="controllers/process-
tambah-keranjang.php" method="post"
class="form-inline"&gt;
        &lt;input type="hidden" name="url"
value="&lt;?=$url?&gt;"&gt;
        &lt;input type="hidden"
name="id_distributor" value="&lt;?
=$data["id_user"]?&gt;"&gt;
        &lt;input type="hidden"
name="id_barang" value="&lt;?
=$data["id"]?&gt;"&gt;
        &lt;label class="sr-only"
for="banyak"&gt;Banyak&lt;/label&gt;
        &lt;input type="number"
name="banyak" id="banyak" value="1"
min="1" max="&lt;?=$data["stok"]?&gt;"
class="form-control form-control-sm
mr-sm-2" placeholder="Banyak"&gt;
        &lt;button type="submit"
class="btn &lt;?
=ADD_CART_STYLE_TOMBOL?&gt;
btn-sm"
data-
toggle="tooltip"
data-
placement="top"
title="&lt;?
=ADD_CART?&gt;"&gt;
        &lt;i class="fas fa-cart-plus"&gt;&lt;/i&gt;
&lt;/button&gt;
&lt;/form&gt;
&lt;?php endif; ?&gt;
&lt;/td&gt;
&lt;/tr&gt;
&lt;?php
$no+
+;
endwhile;
?&gt;
&lt;/tbody&gt;
&lt;/table&gt;
&lt;/div&gt;
&lt;/main&gt;
&lt;!-- AKHIR Main Content
--&gt;
&lt;/div&gt;
&lt;!-- AKHIR Content/Primary
Area --&gt;
&lt;!-- Panggil Bagian Footer/Tag
Footer Web (Copyright, dll.) --&gt;
&lt;?php
require_once("template/footer.php"); ?&gt;
&lt;?php
require_once("template/data-tables-
config-with-buttons.php"); ?&gt;
&lt;/body&gt;
&lt;/html&gt;
&lt;!-- Copyright © 2017 – Jumaidil
Fadillah | Jum Dante. All rights
reserved. --&gt;
</pre

```