

1. Connection.php

```
<?php
$server = "localhost";
$dbname = "kharisma";
$username = "root";
$password = "";
$conn = mysqli_connect($server,$username,
$password, $dbname);
?>
```

2. Index.php

```
<!DOCTYPE html>
<?php include 'connection.php'; ?>
<html>
<head>
<title>Minimarket Kharisma | Login</title>
<link rel="stylesheet" type="text/css"
href="css/style1.css">
</head>
<body>
<center>
<div class="bingkai">
<table>
<tr>
<td style="width: 70%;"></td>
<td><p>Login</p>
<form method="post" action="login.php">
<input type="text" name="username"
placeholder="Username" required autofocus
autocomplete="off"><br>
<input type="password" name="password"
placeholder="Password" required
autocomplete="off"><br><br>
<button type="submit">LOGIN</button>
</form>
</td>
</tr>
</table>
</div>
</center>
</body>
</html>
```

3. Login.php

```
<?php
include 'connection.php';
$username=$_POST['username'];
$password=$_POST['password'];
$sql = mysqli_query($conn,"SELECT *
FROM pengguna WHERE username='$username'
AND password='$password'");
$cek = mysqli_num_rows($sql);
$res = mysqli_fetch_array($sql);
if($cek > 0){
```

```
session_start();
$_SESSION['id_pengguna'] = $res['id_pengguna'];
$_SESSION['username'] = $res['username'];
$_SESSION['password'] = $res['password'];
$_SESSION['status'] = $res['status'];
$_SESSION['id_toko'] = $res['id_toko'];
if ($res['status']=='head store'){
echo "<script>alert('W E L C O M E');
window.location = 'Head-Store/'</script>";
}
else if ($res['status']=='cashier') {
echo "<script>alert('W E L C O M E');
window.location = 'Cashier/'</script>";
}
else {
echo "<script>alert('W E L C O M E');
window.location = 'Manager/'</script>";
}
}
else{ echo "<script>alert('The username or
password that you`ve entered is incorrect');
window.location = 'index.php'</script>";
}
?>
```

4. Logout.php

```
<?php
session_start();
unset($_SESSION['username']);
session_destroy();
header('location:index.php');
?>
```

5. Function.js

```
function handleEnter (field, event) {
var keyCode = event.keyCode ? event.keyCode :
event.which ? event.which : event.charCode;
if (keyCode == 13) {
var i;
for (i = 0; i < field.form.elements.length; i++)
if (field == field.form.elements[i])
break;
i = (i + 1) % field.form.elements.length;
field.form.elements[i].focus();
return false;}
else
return true;}
}
```

6. Style1.css

```
body{ background: url('../pict/maxresdefault.jpg');}
.bingkai {width: 70%; background-color: white;
box-shadow: 0 5px 8px 0 rgba(0, 0, 0, 0.2), 0 6px
20px 0 rgba(0, 0, 0, 0.19); border-radius: 15px;
padding: 4%; margin-top: 6%;}
p {text-align: center; font-family: cursive; font-
size: 200%; margin-top: -20%; margin-bottom:
10%; padding-left: 15%;}
td {padding-right: 5%; padding-top: 2%; padding-
bottom: 0%;}
input[type=text], input[type=password] { font-
family: arial; width: 100%; padding: 5%; padding-
left: 10%; margin: 2% 9%; display: inline-block;
```

```

background-color: #e5e4e2; border: none; border-
radius: 25px; box-sizing: border-box;}
button {font-family: arial; width: 100%; margin-
left: 9%; padding: 10px 15px 10px; background-
color: #4CAF50; color: white; border: none;
border-radius: 25px;}
button:hover {background-color: #45a049;}
7. Style-k.css
body{background: url('../pict/maxresdefault.jpg');}
/*side-bar*/
.sidebar {height:100%; width:18%; margin: -1%;
padding: 1%; background-color:#fff;
position:fixed!important; z-index:1;overflow:auto}
button {font-family: arial; text-align: left; width:
100%; padding: 5%; background-color: white;
border: white; border-bottom: 3px solid #4CAF50;
}
button:hover {background-color: #45a049; color:
white;}
.active {background-color: #45a049; color: white;
}
p {margin-top: 0; margin-left: 10px;}
.content {width: 73%; background-color: white;
box-shadow: 0 5px 8px 0 rgba(0, 0, 0, 0.2), 0 6px
20px 0 rgba(0, 0, 0, 0.19); border-radius: 15px;
padding: 2%; margin-left: 21.5%;}
.container {display:grid;}
ul {display:grid; list-style-type:none;
margin:0;padding:0; grid-template-columns:
repeat(2, auto); grid-template-rows: repeat(2,
auto);}
ul li span {display:block; background-color: white;
box-shadow: 0 5px 8px 0 rgba(0, 0, 0, 0.2), 0 6px
20px 0 rgba(0, 0, 0, 0.19); border-radius: 15px;
padding: 2%; margin: 5px;}
.container:after, .container:before {content:"";
display:table; clear:both}
/*table*/
.res {overflow-x: auto;}
.rys {height: 300px; overflow-y: scroll;}
table {width: 100%;}
table button {width: 45%; text-align: center; float:
left;}
table td{padding-top: 5px;}
table input[type=submit] {font-family: arial; text-
align: center; float: right; padding: 5px 15px 5px;
background-color: #4CAF50; color: white; border:
none; border-radius: 5px;}
table input[type=submit]:hover {background-color:
#45a049;}
.table1 {width: 100%;}
.table1 th {text-align: left; }
.table1 input {width: 100%;}
.total {vertical-align: top; font-size: 300%;}
.table2 input {width: 95%;}

```

```

.table3 {color: #444; width: 100%; border-color:
black;}
.table3 tr th{background: #27AE60; color: #fff;}
.table3 th {text-align: center;}
.table3 tr:hover {background-color: #f5f5f5;}
.table3 tr:nth-child(even) {background-color:
#f2f2f2;}
.table4 {width: 70%; margin-left: 10%;}
.table4 td {padding-top:3%;}
.table4 input {width: 100%;}
.table4 input[type=submit] {font-family: arial;
text-align: center; float: right; width: 30%; height:
60px; padding: 10px 15px 10px; background-
color: #4CAF50; color: white; border: none;
border-radius: 10px;}
.table4 input[type=submit]:hover {background-
color: #45a049;}
.table5 {border-collapse: collapse; width: 100%;}
.table5 tr th{border-bottom: 2px solid black;
border-top: 2px solid black;}
.table5 th {padding: 5px 20px; text-align: center;}
.table5 tr:hover {background-color: #f5f5f5;}
/*drop-down*/
.dropdown-hover {position:relative; display:inline-
block; cursor:pointer; width: 100%; position:static;
float:left}
.dropdown-hover:hover .dropdown-content
{display:block}
.dropdown-hover .dropdown-content
{position:relative}
.dropdown-content {cursor:auto; display:none;
position:absolute; min-width:160px; margin:0;
padding:0; z-index:1}
.dropdown-content button {width:100%; font-
family: arial; padding: 5%; padding-left: 15%;
background-color: white; border: white; border-
bottom: 3px solid #4CAF50;}
.dropdown-content button:hover {background-
color: #45a049; color: white;}
8. Cashier / index.php
<!DOCTYPE html>
<?php
include '../connection.php';
session_start();
$sql2 = mysqli_query ($connection, "SELECT *
FROM toko WHERE id_toko="
.$_SESSION['id_toko']);
$res = mysqli_fetch_array ($sql2);
date_default_timezone_set('Asia/Jakarta');
$tgl = date('Y-m-d');
$que = mysqli_query ($connection, "SELECT *
FROM penjualan WHERE id_toko ="
.$_SESSION['id_toko']);
$cont = mysqli_num_rows ($que);
$transaksi = $cont + 1;

```

```

$ssql = mysqli_query ($connection, "SELECT *
FROM penjualan");
$count = mysqli_num_rows ($sql);
$jml = $count + 1;
if(!empty($_POST['submit2'])){
$ssql = mysqli_query ($connection, "SELECT *
FROM produk WHERE kode_produk =".
$_POST['kode_produk']);
$cek = mysqli_num_rows($sql);
$res = mysqli_fetch_array ($sql);
if ($cek > 0) {
$kode_produk = $_POST['kode_produk'];
$qty = $_POST['qty'];
$jmlh = $res['harga'] * $qty;
$query = "INSERT INTO detail_penjualan
VALUES (NULL, '$jml', '$kode_produk', '$qty',
$jmlh)";
$res = mysqli_query($connection, $query);
if ($res) {
$ssql = mysqli_query($connection, "UPDATE stok
SET sisa_stok = sisa_stok-". $qty ." WHERE
kode_produk = ".$kode_produk);
header("location: index.php");}
else {echo "<script>alert('Fail'); window.location =
'index.php'</script>";}
else{echo "<script>alert('Not found');
window.location = 'index.php'</script>"; } } ?>
<html>
<head>
<title>Minimarket Kharisma | Transaction</title>
<link rel="stylesheet" type="text/css"
href=".../css/style-k.css">
<script src=".../function.js"></script>
</head>
<body>
<div class="sidebar">
<?php include ('sidebar/side-bar.php') ?>
</div>
<div class="content">
<form action="process-transaction.php"
method="POST" name="autoSumForm">
<table class="table1">
<tr>
<td width="22%">Transactions Number</td>
<td width="28%">: <input type="text"
name="no_transaksi" style="width: 80%"
value="<?php echo $res['kode_toko']; echo '-';
echo $transaksi; ?>" readonly>
<input type="hidden" name="no_idjual"
value="<?php echo $transaksi; ?>">
<input type="hidden" name="id_toko"
value="<?php echo $_SESSION['id_toko'];
?>"></td>
<th width="15%">Total</th>
<?php

```

```

$ssql3 = "SELECT SUM(jumlah) FROM
detail_penjualan WHERE no_idjual = ". $jml;
$res = mysqli_query($connection, $sql3);
while ($row = mysqli_fetch_array($res)) { ?>
<td rowspan="3" width="35%"><input
class="total" type="text" name="total_bayar"
id="total_bayar" value="<?php echo
$row['SUM(jumlah)']; ?>" readonly></td> <?php
} ?>
</tr>
<tr>
<td>User</td>
<td>: <input type="text" name="kasir"
style="width: 80%" value="<?php echo
$_SESSION['username']; ?>" readonly>
<input type="hidden" name="id_pengguna"
value="<?php echo $_SESSION['id_pengguna'];
?>"></td>
</tr>
<tr>
<td>Date</td>
<td>: <input type="text" name="tgl_transaksi"
style="width: 80%" value="<?php echo $tgl; ?>"
readonly></td>
</tr>
<tr>
<td></td>
<td></td>
<th>Pay</th>
<td><input type="text" name="bayar" id="bayar"
onfocus="startCalc();" onblur="stopCalc();"
required autocomplete="off"></td>
</tr>
<tr>
<td></td>
<td></td>
<th>Change</th>
<td><input type="text" name="kembalian"
id="kembalian" onfocus="startCalc();"
onblur="stopCalc();" readonly></td>
</tr>
</table>
<table class="table4" align="right" style="width:
50%; margin-bottom: 2%;">
<tr>
<td><input type="submit" name="submit"
value="Done"></td>
</tr>
</table>
<form action="" method="POST">
<table class="table2" style="margin-bottom:
1%;">
<tr>
<td width="21%">Enter the Item Code:</td>

```

```

<td width="20%"><input type="text"
name="kode_produk" placeholder="Item Code"
autofocus required autocomplete="off"
onkeypress="return handleEnter(this, event)"
onfocus="startCalc();" onblur="stopCalc();"></td>
<td>&nbsp;  </td>
<td width="10%">Quantity:</td>
<td width="5%"><input type="text" name="qty"
value="1" required autocomplete="off"></td>
<td><input type="submit" name="submit2"
style="visibility: hidden; width: 1px;"></td>
</tr>
</table>
</form>
<table class="table3">
<tr>
<th style="width: 5%;">No.</th>
<th style="width: 20%;">Code</th>
<th>Item Name</th>
<th style="width: 15%;">Price</th>
<th style="width: 5%;">Qty</th>
<th style="width: 15%;">Total</th>
<th style="width: 3%;"></th>
</tr>
<?php
$sql3 = mysqli_query($connection, "SELECT
produk.kode_produk, produk.nama, produk.harga,
detail_penjualan.no_id, detail_penjualan.kuantitas,
detail_penjualan.jumlah, detail_penjualan.no_id
FROM produk LEFT OUTER JOIN
detail_penjualan ON produk.kode_produk =
detail_penjualan.kode_produk WHERE
detail_penjualan.no_idjual = ". $jml );
$a=1;
foreach ($sql3 as $key) { ?>
<tr align="center">
<td> <?php echo $a++; ?> </td>
<td style="padding-left: 1%; text-align: left;">
<?php echo $key['kode_produk']; ?> </td>
<td style="padding-left: 1%; text-align: left;">
<?php echo $key['nama']; ?> </td>
<td> <?php echo $key['harga']; ?> </td>
<td> <?php echo $key['kuantitas']; ?> </td>
<td> <?php echo $key['jumlah']; ?> </td>
<td><?php echo '<form
action="remove.php?no_id='. $key['no_id'] .'"
method="GET">
<input type="hidden" value="'. $key['no_id'] .'"
name="no_id"/>
<input type="image" src="'.../pict/remove.png"
width="100%" alt="submit button" id="delete"
title="Remove"/>
</form>; ?> </td>
</tr>
<?php } ?>
</table>

```

```

</div>
<script>
function startCalc(){
interval = setInterval("calc()",1);}
function calc(){
one = document.autoSumForm.total_bayar.value;
two = document.autoSumForm.bayar.value;
document.autoSumForm.kembalian.value = (two-
one);}
function stop(){
clearInterval(interval);}
</script>
</body>
</html>

```

9. Cashier / process-transaction.php

```

<?php
include '../connection.php';
$no_transaksi = $_POST['no_transaksi'];
$id_pengguna = $_POST['id_pengguna'];
$total_bayar = $_POST['total_bayar'];
$id_toko = $_POST['id_toko'];
$ttl_transaksi = $_POST['ttl_transaksi'];
$bayar = $_POST['bayar'];
$kembalian = $_POST['kembalian'];
$query = "INSERT INTO penjualan VALUES
(NULL, '$no_transaksi', '$id_pengguna',
'$ttl_transaksi', '$total_bayar', '$id_toko')";
$res = mysqli_query($connection, $query);
if (!$res) {
echo '<script type="text/javascript">alert("Failed
to save");</script>;'
} else {
echo "<script>var x =
window.open('print.php?no_transaksi=". $no_trans
aksi."&bayar=". $bayar."&kembalian=". $kembalia
n."' ,'_blank');
x.focus();
window.location = 'index.php';</script>"; }
?>

```

10. Cashier / print.php

```

<?php
session_start();
include '../connection.php';
require('../fpdf181/fpdf.php');
$no_transaksi = $_GET['no_transaksi'];
$bayar = $_GET['bayar'];
$kembalian = $_GET['kembalian'];
$branch = $_SESSION['id_toko'];
$kasir = $_SESSION['username'];
$sql = mysqli_query($connection, "SELECT *
FROM toko WHERE id_toko = '$branch'");
$res = mysqli_fetch_array($sql);
$pdf = new FPDF("P", "cm", "A4");
$pdf->AddPage();
$pdf->SetFont("Times", 'B', 12);
$pdf->SetX(3);

```

```

$pdf->Cell(0,0.4,'MINIMARKET
KHARISMA',0,1);
$pdf->SetFont('Times','',10);
$pdf->SetX(4);
$pdf->Cell(0,0.4,'Cabang '. $res['nama'],0,1);
$pdf->SetX(3);
$pdf->Cell(0,0.4,$res['alamat'],0,1);
$pdf->SetX(1);
$pdf->Cell(0,0.4,'-----
-----',0,1);
$sql = mysqli_query($connection,"SELECT *
FROM penjualan WHERE no_transaksi =
'$no_transaksi'");
$res = mysqli_fetch_array($sql);
$pdf->Cell(0,0.4,'No. Trans',0,0);
$pdf->SetX(3);
$pdf->Cell(0,0.4,': '.$no_transaksi,0,0);
$pdf->SetX(7);
$pdf->Cell(0,0.4,'Tgl',0,0);
$pdf->SetX(8);
$pdf->Cell(0,0.4,': '.$res['tgl_transaksi'],0,1);
$pdf->Cell(0,0.4,'Kasir',0,0);
$pdf->SetX(3);
$pdf->Cell(0,0.4,': '.$kasir,0,1);
$pdf->Cell(0,0.4,'-----
-----',0,1);
$sql3 = "SELECT produk.nama, produk.harga,
detail_penjualan.kuantitas,
detail_penjualan.jumlah, penjualan.no_idjual
FROM detail_penjualan JOIN penjualan ON
detail_penjualan.no_idjual = penjualan.no_idjual
JOIN produk ON detail_penjualan.kode_produk =
produk.kode_produk WHERE
penjualan.no_transaksi='$no_transaksi'";
$reslt = mysqli_query($connection, $sql3);
while ($row = mysqli_fetch_array($reslt)) {
$pdf->Cell(0,0.4,$row['nama'],0,1);
$pdf->SetX(1.5);
$pdf->Cell(0,0.4,$row['kuantitas'],0,0);
$pdf->SetX(2.5);
$pdf->Cell(0,0.4,'x',0,0);
$pdf->SetX(3.2);
$pdf->Cell(0,0.4,$row['harga'],0,0);
$pdf->SetX(7);
$pdf->Cell(0,0.4,'=',0,0);
$pdf->SetX(8.9);
$pdf->Cell(0,0.4,$row['jumlah'],0,1); }
$pdf->Cell(0,0.4,'-----
-----',0,1);
$pdf->Cell(0,0.4,'Total Bayar',0,0);
$pdf->SetX(8.9);
$pdf->Cell(0,0.4,$resl['total_bayar'],0,1);
$query = mysqli_query ($connection, "SELECT *
FROM detail_penjualan WHERE
no_idjual=".$resl['no_idjual']);
$count = mysqli_num_rows ($query);

```

```

$item = $count;
$query = mysqli_query($connection,"SELECT
SUM(kuantitas) FROM detail_penjualan WHERE
no_idjual=".$resl['no_idjual']);
$qty = mysqli_fetch_array($query);
$pdf->Cell(0,0.4,'ITEM = '.$item.' - QTY =
'.$qty['SUM(kuantitas)'],0,1);
$pdf->Cell(0,0.4,',',0,1);
$pdf->Cell(0,0.4,'Bayar',0,0);
$pdf->SetX(8.9);
$pdf->Cell(0,0.4,$bayar,0,1);
$pdf->Cell(0,0.4,'Kembali',0,0);
$pdf->SetX(8.9);
$pdf->Cell(0,0.4,$kembalian,0,1);
$pdf->Cell(0,0.4,'-----
-----',0,1);
$pdf->SetX(4);
$pdf->Cell(0,0.4,'TERIMA KASIH',0,1);
$pdf->SetX(3);
$pdf->Cell(0,0.4,'ATAS KUNJUNGAN
ANDA',0,1);
$pdf->Output("Struk.pdf","I");
?>

```

11. Cashier / search.php

```

<!DOCTYPE html>
<?php
include '../connection.php';
session_start(); ?>
<html>
<head>
<title>Minimarket Kharisma | Search
Merchandise</title>
<link rel="stylesheet" type="text/css"
href="../css/style-k.css">
</head>
<body>
<div class="sidebar">
<?php include 'sidebar/side_bar2.php'; ?>
</div>
<div class="content">
<h1>All Merchandise</h1>
<hr>
<table class="table4" style="width: 50%; margin-
left: 0; margin-bottom: 3%;">
<tr>
<form action="" method="GET">
<td><input type="text" name="input"></td>
<td><input type="submit" name="search"
value="Search" style="height: 40%; width:
80%"></td></form>
<form action="" method="POST">
<td><input type="submit" name="refresh"
value="Refresh" style="height: 40%; width:
80%"></td></form>
</tr>
</table>

```

```

<?php if (isset($_POST['refresh'])) {
header("location: all-merchandise.php");
} ?>
<?php
if(isset($_GET['search'])){
$cari = $_GET['input'];
$sql = mysqli_query($connection, "SELECT
produk.kode_produk, produk.nama, produk.harga,
stok.sisa_stok, stok.tgl_kadaluarsa FROM produk
LEFT OUTER JOIN stok ON produk.kode_produk
= stok.kode_produk WHERE stok.id_toko = ".
$_SESSION['id_toko'] ." AND (produk.nama
LIKE '%$cari%' or produk.kode_produk LIKE
'%$cari%')");
$cek = mysqli_num_rows($sql);
if ($cek > 0) {
echo '<div class="res">
<table class="table3" style="width: 100%">
<tr>
<th width="4%">No.</th>
<th width="15%">Item Code</th>
<th width="40%">Item Name</th>
<th width="8%">Price</th>
<th width="8%">Stock</th>
<th width="13%">Expired Date</th>
</tr>;
$a=1;
foreach ($sql as $key) {
echo "<tr>
<td align='center'>". $a++ ."</td>
<td>". $key['kode_produk'] ."</td>
<td>". $key['nama'] ."</td>
<td align='right'>". $key['harga'] ."</td>
<td align='center'>". $key['sisa_stok'] ."</td>
<td align='center'>". $key['tgl_kadaluarsa'] ."</td>
</tr>";}
echo "</table>
</div>"; }
else { echo "Data tidak ditemukan"; } }
else {
echo '<div class="res">
<table class="table3" style="width: 100%">
<tr>
<th width="4%">No.</th>
<th width="15%">Item Code</th>
<th width="40%">Item Name</th>
<th width="8%">Price</th>
<th width="8%">Stock</th>
<th width="13%">Expired Date</th>
</tr>;
$sql = mysqli_query($connection, "SELECT
produk.kode_produk, produk.nama, produk.harga,
stok.sisa_stok, stok.tgl_kadaluarsa FROM produk
LEFT OUTER JOIN stok ON produk.kode_produk
= stok.kode_produk WHERE stok.id_toko = ".
$_SESSION['id_toko']);

```

```

$a=1;
foreach ($sql as $key) {
echo "<tr>
<td align='center'>". $a++ ."</td>
<td>". $key['kode_produk'] ."</td>
<td>". $key['nama'] ."</td>
<td align='right'>". $key['harga'] ."</td>
<td align='center'>". $key['sisa_stok'] ."</td>
<td align='center'>". $key['tgl_kadaluarsa'] ."</td>
</tr>"; }
echo "</table>
</div>"; } ?>
</div>
</body>
</html>

```

12. Cashier / remove.php

```

<?php
include '../connection.php';
$no_id = $_GET['no_id'];
$sql = mysqli_query($connection, "SELECT *
FROM detail_penjualan WHERE no_id =
'$no_id'");
$res = mysqli_fetch_array($sql);
$delete = "DELETE FROM detail_penjualan
WHERE no_id = ".$no_id;
$result = mysqli_query($connection, $delete) or
die(mysqli_error());
if(!$result){
echo "<script>alert('Failed to delete')</script>"; }
else{
$sql = mysqli_query($connection, "UPDATE stok
SET sisa_stok = sisa_stok+ ". $res['kuantitas'] ."
WHERE kode_produk = ".$res['kode_produk'];
echo "<script>window.location =
'index.php'</script>"; }
?>

```

13. Cashier / side-bar.php

```

<!DOCTYPE html>
<?php include '../connection.php'; ?>
<html>
<head>
<link rel="stylesheet" type="text/css"
href="../css/style-k.css">
</head>
<body>
<div class="sidebar">

<p> Hello <?php echo $_SESSION['username'];
?> <a href="../logout.php">  </a> </p>
<hr>
<a href="index.php"> <button class="active">
New Deals </button> </a>

```

```

<a href="search.php"> <button> Search </button>
</a>
</div>
</body>
</html>

```

14. Head-Store / index.php

```

<!DOCTYPE html>
<?php
include '../connection.php';
session_start();
date_default_timezone_set('Asia/Jakarta');
$stgl = date('d F Y');
$nama = mysqli_query($connection,"SELECT
id_toko, nama FROM toko WHERE nama NOT
LIKE 'Kantor Pusat' ORDER BY id_toko ASC");
$spk = mysqli_query($connection,"SELECT
COUNT(no_idjual) as id FROM penjualan
WHERE id_toko = 2 AND tgl_transaksi =
CURDATE()");
$spk = mysqli_fetch_array ($spk);
$sswd = mysqli_query($connection,"SELECT
COUNT(no_idjual) as id FROM penjualan
WHERE id_toko = 3 AND tgl_transaksi =
CURDATE()");
$swd = mysqli_fetch_array ($sswd);
$sbkt = mysqli_query($connection,"SELECT
COUNT(no_idjual) as id FROM penjualan
WHERE id_toko = 4 AND tgl_transaksi =
CURDATE()");
$sbkt = mysqli_fetch_array ($sbkt);
$swyh = mysqli_query($connection,"SELECT
COUNT(no_idjual) as id FROM penjualan
WHERE id_toko = 5 AND tgl_transaksi =
CURDATE()");
$swyh = mysqli_fetch_array ($swyh);
$spkj = mysqli_query($connection,"SELECT
COUNT(no_idjual) as id FROM penjualan
WHERE id_toko = 6 AND tgl_transaksi =
CURDATE()");
$spkj = mysqli_fetch_array ($spkj);
$sbkt = mysqli_query($connection,"SELECT
COUNT(no_idjual) as id FROM penjualan
WHERE id_toko = 7 AND tgl_transaksi =
CURDATE()");
$sbkt = mysqli_fetch_array ($sbkt);
$sql = mysqli_query($connection,"SELECT
produk.nama, detail_penjualan.kuantitas,
penjualan.no_idjual FROM penjualan JOIN
detail_penjualan ON penjualan.no_idjual =
detail_penjualan.no_idjual JOIN produk ON
produk.kode_produk =
detail_penjualan.kode_produk WHERE
penjualan.tgl_transaksi = CURDATE() AND
penjualan.id_toko = ". $_SESSION['id_toko']);
$sql2 = mysqli_query($connection,"SELECT
stok.tgl_kadaluarsa, produk.nama FROM stok

```

```

JOIN produk ON stok.kode_produk =
produk.kode_produk WHERE
YEAR(stok.tgl_kadaluarsa) = YEAR(NOW())
AND stok.id_toko = "._SESSION['id_toko']."
ORDER BY stok.tgl_kadaluarsa ASC");
$sql3 = mysqli_query($connection,"SELECT
stok.sisa_stok, produk.nama FROM stok JOIN
produk ON stok.kode_produk =
produk.kode_produk WHERE stok.sisa_stok < 10
AND stok.id_toko = "._SESSION['id_toko']."
ORDER BY stok.sisa_stok ASC"); ?>
<html>
<head>
<title>Minimarket Kharisma | Dashboard</title>
<link rel="stylesheet" type="text/css"
href="../css/style-k.css">
<script src="../Chart.js/Chart.bundle.js"></script>
</head>
<body>
<div class="sidebar">
<?php include 'sidebar/side-bar.php'; ?></div>
<div class="content">
<h1>Dashboard</h1><hr>
<h4 align="right" style="margin-right: 4%;"> &nbsp;   <?php
echo $stgl;?></h4>
<div class="container">
<ul>
<li>
<span>
<h2>Recent Sales</h2>
<canvas id="myChart" width="100"
height="100"></canvas>
</span>
</li>
<li>
<span>
<h2>Earnings by Items</h2>
<div class="rys">
<table class="table3">
<tr>
<th>No.</th>
<th>Items Name</th>
<th>Qty</th>
</tr>
<?php
$a = 1;
while ($key = mysqli_fetch_array($sql)) { ?>
<tr>
<td align="center"><?php echo $a++; ?></td>
<td><?php echo $key['nama']; ?></td>
<td align="center"><?php echo $key['kuantitas'];
?></td>
</tr>
<?php } ?>

```

```

</table>
</div>
</span>
</li>
<li>
<span>
<h2>Expires Soon</h2>
<div class="rys" style="height: 200px;">
<table class="table3">
<tr>
<th>No.</th>
<th>Items Name</th>
<th>Date of Expired</th>
</tr>
<?php $b=1;
foreach ($sql2 as $up) { ?>
<tr>
<td align="center"><?php echo $b++; ?></td>
<td><?php echo $up['nama']; ?></td>
<td align="center"><?php echo
$up['tgl_kadaluarsa']; ?></td>
</tr>
<?php } ?>
</table>
</div>
</span>
</li>
<li>
<span>
<h2>Out of Stock</h2>
<div class="rys" style="height: 200px;">
<table class="table3">
<tr>
<th>No.</th>
<th>Items Name</th>
<th>Stock</th>
</tr>
<?php $c=1;
foreach ($sql3 as $up) { ?>
<tr>
<td align="center"><?php echo $c++; ?></td>
<td><?php echo $up['nama']; ?></td>
<td align="center"><?php echo $up['sisa_stok'];
?></td>
</tr>
<?php } ?>
</table>
</div>
</span>
</li>
</ul>
</div>
</div>
<script>
var ctx = document.getElementById("myChart");
var myChart = new Chart(ctx, {

```

```

type: 'bar',
data: {
labels: [<?php while ($a =
mysqli_fetch_array($nama)){ echo
"". $a['nama']. ""'; }?>],
datasets: [{
label: '# of Votes',
data: [<?php echo $pk['id']; ?>, <?php echo
$swd['id']; ?>, <?php echo $bkt['id']; ?>, <?php
echo $wyh['id']; ?>, <?php echo $pkj['id']; ?>,
<?php echo $blt['id']; ?>],
backgroundColor: [
'rgba(255, 99, 132, 0.2)',
'rgba(54, 162, 235, 0.2)',
'rgba(255, 206, 86, 0.2)',
'rgba(75, 192, 192, 0.2)',
'rgba(153, 102, 255, 0.2)',
'rgba(255, 159, 64, 0.2)'],
borderColor: [
'rgba(255,99,132,1)',
'rgba(54, 162, 235, 1)',
'rgba(255, 206, 86, 1)',
'rgba(75, 192, 192, 1)',
'rgba(153, 102, 255, 1)',
'rgba(255, 159, 64, 1)'],
borderWidth: 1 } ] },
options: {
scales: {
yAxes: [{
ticks: {
beginAtZero: true}
} } } });
</script>
</body>
</html>

```

15. Head-Store / add-stock.php

```

<!DOCTYPE html>
<?php
include '../connection.php';
session_start();
$item_code = $_GET['item_code'];
$sql = mysqli_query($connection, "SELECT *
FROM produk WHERE
kode_produk='$item_code'");
$result = mysqli_fetch_array($sql);
date_default_timezone_set('Asia/Jakarta');
$stgl = date('Y-m-d');
if(!empty($_POST['submit'])){
$kode_produk = $result['kode_produk'];
$stock = $_POST['stock'];
$expired = $_POST['expired'];
$id_toko = $_SESSION['id_toko'];
$query = "INSERT INTO stok VALUES
('$kode_produk', '$id_toko', '$stock', '$stock',
'$expired', '$stgl)";
$res = mysqli_query($connection, $query);

```



```

if (!$res) {
echo '<script type="text/javascript">alert("Failed
to save");</script>'; }
else {
echo "<script>alert('Successfully saved');
window.location = 'all-merchandise.php'</script>";
} } ?>
<html>
<head>
<title>Minimarket Kharisma | Add Stock</title>
<link rel="stylesheet" type="text/css"
href=" ../css/style-k.css">
</head>
<body>
<div class="sidebar">
<?php include 'sidebar/side-bar-merchandise.php';
?>
</div>
<div class="content">
<h1>Add Stock of New Product</h1>
<hr>
<form action="" method="POST">
<table class="table4">
<tr>
<td>Item Code</td>
<td><input type="text" name="item_code"
value="<?php echo $result['kode_produk']; ?>"
disabled></td>
</tr>
<tr>
<td>Item Name</td>
<td><input type="text" name="item_name"
value="<?php echo $result['nama']; ?>"
disabled></td>
</tr>
<tr>
<td>Price</td>
<td><input type="text" name="price"
value="<?php echo $result['harga']; ?>"
disabled></td>
</tr>
<tr>
<td>New Stock</td>
<td><input type="text" name="stock"
style="width: 15%;" autofocus required
autocomplete="off"> &nbsp; pcs</td>
</tr>
<tr>
<td>Expired Date</td>
<td><input type="Date" name="expired"
style="width: 50%;" required></td>
</tr>
<tr>
<td></td>
</tr>
<tr>

```

```

<td></td>
<td><input type="submit" name="submit"
value="Add"></td>
</tr>
</table>
</form>
</div>
</body>
</html>
16. Head-Store / ajx.php
<?php
include '../connection.php';
session_start();
$query = mysqli_query($connection, "SELECT *
FROM produk JOIN stok USING (kode_produk)
WHERE
kode_produk='".mysqli_escape_string($connection
, $_POST['code'])."' AND stok.id_toko = ".
$_SESSION['id_toko']);
$data = mysqli_fetch_array($query);
echo json_encode($data);
?>
17. Head-Store / all-merchandise.php
<!DOCTYPE html>
<?php
include '../connection.php';
session_start(); ?>
<html>
<head>
<title>Minimarket Kharisma | All
Merchandise</title>
<link rel="stylesheet" type="text/css"
href=" ../css/style-k.css">
</head>
<body>
<div class="sidebar">
<?php include 'sidebar/side-bar-merchandise.php';
?>
</div>
<div class="content">
<h1>All Merchandise</h1>
<hr>
<table class="table4" style="width: 50%; margin-
left: 0; margin-bottom: 3%;">
<tr>
<form action="" method="GET">
<td><input type="text" name="input"></td>
<td><input type="submit" name="search"
value="Search" style="height: 40%; width:
80%"></td></form>
<form action="" method="POST">
<td><input type="submit" name="refresh"
value="Refresh" style="height: 40%; width:
80%;"></td></form>
</tr>
</table>

```

```

<?php if (isset($_POST['refresh'])) {
header("location: all-merchandise.php"); } ?>
<?php
if(isset($_GET['search'])){
$scari = $_GET['input'];
$sql = mysqli_query($connection, "SELECT
produk.kode_produk, produk.nama, produk.harga,
stok.sisa_stok, stok.tgl_kadaluarsa FROM produk
LEFT OUTER JOIN stok ON produk.kode_produk
= stok.kode_produk WHERE stok.id_toko = ".
$_SESSION['id_toko'] ." AND (produk.nama
LIKE '%$scari%' or produk.kode_produk LIKE
'%$scari%')");
$ccek = mysqli_num_rows($sql);
if ($ccek > 0) {
echo '<div class="res">
<table class="table3" style="width: 100%">
<tr>
<th width="4%">No.</th>
<th width="15%">Item Code</th>
<th width="40%">Item Name</th>
<th width="8%">Price</th>
<th width="8%">Stock</th>
<th width="13%">Expired Date</th>
<th></th>
</tr>';
$a=1;
foreach ($sql as $key) {
echo "<tr>
<td align='center'>". $a++ ."</td>
<td>". $key['kode_produk'] ."</td>
<td>". $key['nama'] ."</td>
<td align='right'>". $key['harga'] ."</td>
<td align='center'>". $key['sisa_stok'] ."</td>
<td align='center'>". $key['tgl_kadaluarsa'] ."</td>
<td width='7%' style='padding-left: 2%; padding-
right: 2%;>
<form action='update-
merchandise.php?item_code=" .
$key['kode_produk'] ."' method='GET'>
<input type='hidden' value=" . $key['kode_produk']
.'" name='item_code'/>
<input type='image' src='../pict/edit.png'
width='100%' alt='submit button' id='add'
title='Edit Stock' />
</form>
</td>
</tr>"; }
echo "</table>
</div>"; }
else {
echo "Data tidak ditemukan"; } }
else {
echo '<div class="res">
<table class="table3" style="width: 100%">
<tr>

```

```

<th width="4%">No.</th>
<th width="15%">Item Code</th>
<th width="40%">Item Name</th>
<th width="8%">Price</th>
<th width="8%">Stock</th>
<th width="13%">Expired Date</th>
<th></th>
</tr>';
$sql = mysqli_query($connection, "SELECT
produk.kode_produk, produk.nama, produk.harga,
stok.sisa_stok, stok.tgl_kadaluarsa FROM produk
LEFT OUTER JOIN stok ON produk.kode_produk
= stok.kode_produk WHERE stok.id_toko = ".
$_SESSION['id_toko']);
$a=1;
foreach ($sql as $key) {
echo "<tr>
<td align='center'>". $a++ ."</td>
<td>". $key['kode_produk'] ."</td>
<td>". $key['nama'] ."</td>
<td align='right'>". $key['harga'] ."</td>
<td align='center'>". $key['sisa_stok'] ."</td>
<td align='center'>". $key['tgl_kadaluarsa'] ."</td>
<td width='7%' style='padding-left: 2%; padding-
right: 2%;>
<form action='update-
merchandise.php?item_code=" .
$key['kode_produk'] ."' method='GET'>
<input type='hidden' value=" . $key['kode_produk']
.'" name='item_code'/>
<input type='image' src='../pict/edit.png'
width='100%' alt='submit button' id='add'
title='Edit Stock' />
</form>
</td>
</tr>"; }
echo "</table>
</div>"; } ?>
</div>
</body>
</html>

```

18. Head-Store / delete-user.php

```

<?php
include '../connection.php';
$id_user=$_GET['id_user'];
$delete = "DELETE FROM pengguna WHERE
id_pengguna = ".$id_user;
$result = mysqli_query($connection, $delete) or
die(mysqli_error());
if(!$result){
echo "<script>alert('Failed to delete')</script>"; }
else{
echo "<script>alert('Successfully deleted');
window.location = 'user.php'</script>"; } ?>
19. Head-Store / new-merchandise.php
<!DOCTYPE html>

```

```

<?php
include '../connection.php';
session_start(); ?>
<html>
<head>
<title>Minimarket Kharisma | New
Merchandise</title>
<link rel="stylesheet" type="text/css"
href="../css/style-k.css">
</head>
<body>
<div class="sidebar">
<?php include 'sidebar/side-bar-merchandise.php';
?>
</div>
<div class="content">
<h1>New Merchandise</h1>
<hr>
<table class="table3">
<tr>
<th style="padding-top: 1%; padding-bottom:
1%;">Item Code</th>
<th>Item Name</th>
<th></th>
</tr>
<?php
$sql = mysqli_query($connection, "SELECT *
FROM produk WHERE NOT EXISTS (SELECT
* FROM stok WHERE produk.kode_produk =
stok.kode_produk AND stok.id_toko = ".
$_SESSION['id_toko'] .")");
foreach ($sql as $key) { ?>
<tr>
<td style="padding-left: 2%;"><?php echo
$key['kode_produk']; ?></td>
<td style="padding-left: 2%;"><?php echo
$key['nama']; ?></td>
<td width="7%" style="padding-left: 2%;
padding-right: 2%;">
<?php echo '<form action="add-
stock.php?item_code='. $key['kode_produk'] .'"
method="GET">
<input type="hidden" value="'.
$key['kode_produk'] .'" name="item_code"/>
<input type="image" src="../pict/add.png"
width="100%" alt="submit button" id="add"
title="Add Stock" />
</form>'; ?>
</td>
</tr>
<?php } ?>
</table>
</div>
</body>
</html>

```

20. Head-Store / print.php

```

<?php
include '../connection.php';
require('../fpdf181/fpdf.php');
$start = $_GET['start'];
$end = $_GET['end'];
$branch = $_GET['branch'];
$sql = mysqli_query($connection, "SELECT *
FROM toko WHERE id_toko = '$branch'");
$res = mysqli_fetch_array($sql);
$pdf = new FPDF("L", "cm", "A4");
$pdf->AddPage();
$pdf->SetFont('Times', 'B', 20);
$pdf->Image('../pict/kharisma.png', 1, 0.4, 5, 2.9);
$pdf->SetX(6.5);
$pdf->MultiCell(0, 0.7, 'MINIMARKET
KHARISMA', 0, 1);
$pdf->SetFont('Times', 'B', 14);
$pdf->SetX(6.5);
$pdf->MultiCell(0, 0.6, 'Cabang ' . $res['nama'], 0, 1);
$pdf->SetFont('Times', 'B', 12);
$pdf->SetX(6.5);
$pdf->MultiCell(0, 0.5, $res['alamat'], 0, 1);
$pdf->Line(1, 3.2, 28.5, 3.2);
$pdf->SetLineWidth(0.05);
$pdf->Ln(1);
$pdf->SetFont('Arial', 'B', 11);
$pdf->Cell(3, 0.8, 'Periode : ', 0, 'L');
$pdf->Cell(3, 0.8, $start . ' s/d ' . $end, 0, 1);
$pdf->Line(1, 3.2, 28.5, 3.2);
$pdf->SetLineWidth(0);
$pdf->Cell(1, 0.7, 'No.', 1, 0, 'C');
$pdf->Cell(3.5, 0.7, 'Tanggal', 1, 0, 'C');
$pdf->Cell(3.5, 0.7, 'No. Transaksi', 1, 0, 'C');
$pdf->Cell(10, 0.7, 'Nama Barang', 1, 0, 'C');
$pdf->Cell(3.5, 0.7, 'Harga Satuan', 1, 0, 'C');
$pdf->Cell(2.5, 0.7, 'Kuantitas', 1, 0, 'C');
$pdf->Cell(3.5, 0.7, 'Total', 1, 1, 'C');
$query = mysqli_query($connection, "SELECT
penjualan.tgl_transaksi, penjualan.no_transaksi,
produk.harga, produk.nama,
detail_penjualan.kuantitas FROM penjualan JOIN
detail_penjualan ON penjualan.no_idjual =
detail_penjualan.no_idjual JOIN produk ON
produk.kode_produk =
detail_penjualan.kode_produk WHERE
penjualan.id_toko='$branch' AND
penjualan.tgl_transaksi between '$start' AND
'$end' ORDER BY penjualan.no_transaksi");
$a = 1;
$ttl = "";
$no = "";
while ($dt = mysqli_fetch_assoc($query)) {
$pdf->SetFont('Arial', "", 11);
if ($no != $dt['no_transaksi']) {
$pdf->Cell(1, 0.7, $a++ , 1, 0, 'C');}
else {

```

```

$pdf->Cell(1, 0.7," , 1, 0, 'C');
}
if ($no != $dt['no_transaksi']) {
$pdf->Cell(3.5, 0.7, $dt['tgl_transaksi'] , 1, 0, 'C');
$tgl = $dt['tgl_transaksi'];}
else {
$pdf->Cell(3.5, 0.7," , 1, 0, 'C'); }
if ($no != $dt['no_transaksi']) {
$pdf->Cell(3.5, 0.7, $dt['no_transaksi'] , 1, 0, 'C');
$no = $dt['no_transaksi'];}
else {
$pdf->Cell(3.5, 0.7," , 1, 0, 'C'); }
$pdf->Cell(10, 0.7, $dt['nama'] , 1, 0);
$pdf->Cell(3.5, 0.7, $dt['harga'] , 1, 0, 'C');
$pdf->Cell(2.5, 0.7, $dt['kuantitas'] , 1, 0, 'C');
$pdf->Cell(3.5, 0.7, $dt['kuantitas']*$dt['harga'] ,
1, 1, 'C'); }
$pdf->SetFont('Arial','B',11);
$pdf->Cell(21.5, 0.7, 'Total' , 1, 0, 'C');
$sql3 = "SELECT SUM(kuantitas) FROM
detail_penjualan JOIN penjualan ON
detail_penjualan.no_idjual = penjualan.no_idjual
WHERE penjualan.id_toko='$branch' AND
penjualan.tgl_transaksi between '$start' AND
'$end'";
$res = mysqli_query($connection, $sql3);
while ($row = mysqli_fetch_array($res)) {
$pdf->Cell(2.5, 0.7, $row['SUM(kuantitas)'] , 1, 0,
'C');}
$sql3 = "SELECT SUM(total_bayar) FROM
penjualan WHERE id_toko='$branch' AND
tgl_transaksi between '$start' AND '$end'";
$res = mysqli_query($connection, $sql3);
while ($row = mysqli_fetch_array($res)) {
$pdf->Cell(3.5, 0.7, $row['SUM(total_bayar)'] , 1,
1, 'C');}
$pdf->ln(1);
$pdf->ln(1);
$pdf->Cell(25, 0.7, 'Mengetahui,', 0, 1, 'R');
$sqlkt = "SELECT nama_lengkap FROM
pengguna WHERE id_toko = '$branch' AND status
= 'head store'";
$kt = mysqli_query($connection, $sqlkt);
while ($rwo = mysqli_fetch_array($kt)) {
$pdf->Cell(25, 0.7, 'Kepala Toko' , 0, 0, 'R');
$pdf->ln(1);
$pdf->ln(1);
$pdf->ln(1);
$pdf->Cell(24, 0.7, $rwo['nama_lengkap'] , 0, 0,
'R');}
$pdf->Output("Sales Report.pdf", "I");
?>

```

21. Head-Store / sales-report.php

```

<!DOCTYPE html>
<?php
include '../connection.php';

```

```

session_start();
$select = "SELECT * FROM toko WHERE
id_toko NOT LIKE '1' ORDER BY id_toko ASC
";
$res = mysqli_query($connection, $select); ?>
<html>
<head>
<title>Minimarket Kharisma | Daily Sales
Report</title>
<link rel="stylesheet" type="text/css"
href="../css/style-k.css">
</head>
<body>
<div class="sidebar">
<?php include 'sidebar/side-bar-sales.php'; ?>
</div>
<div class="content">
<h1>Sales Report</h1>
<hr>
<form action="" method="GET">
<table style="width: 60%;">
<tr>
<td style="width: 50%">Period</td>
<td><input type="Date" name="start"></td>
<td>to</td>
<td><input type="Date" name="end"></td>
<td align="right"><input type="submit"
name="submit" value="Filter"></td>
</tr>
</table>
</form>
<br>
<?php
if (isset($_GET['submit'])) {
$start = $_GET['start'];
$end = $_GET['end'];
$branch = $_SESSION['id_toko'];
$branchnm = mysqli_query($connection,
"SELECT nama FROM toko WHERE
id_toko='$branch'");
$ceku = mysqli_fetch_array($branchnm);
$sql = mysqli_query($connection, "SELECT
penjualan.tgl_transaksi, penjualan.no_transaksi,
produk.harga, produk.nama,
detail_penjualan.kuantitas FROM penjualan JOIN
detail_penjualan ON penjualan.no_idjual =
detail_penjualan.no_idjual JOIN produk ON
produk.kode_produk =
detail_penjualan.kode_produk WHERE
penjualan.id_toko='$branch' AND
penjualan.tgl_transaksi between '$start' AND
'$end' ORDER BY penjualan.no_transaksi");
$tgl = "";
$no = "";
echo '<table>
<tr>

```

```

<th align="left">Branch : '. $ceku['nama'] .'</th>
<th align="right" style="padding-right: 2%">
<form action="print.php?start='. $start .'&end='.
$end .'&branch='. $branch ." method="GET">
<input type="hidden" value="". $start ."
name="start"/>
<input type="hidden" value="". $end ."
name="end"/>
<input type="hidden" value="". $branch ."
name="branch"/>
<input type="image" src="../pict/printing-tool.png"
width="5%" alt="submit button" id="add"
title="Print"/>
</form>
</th>
</tr>
</table>
<div class="res">
<table class="table5">
<tr>
<th>Date</th>
<th>Invoice Number</th>
<th style="width: 45%">Description</th>
<th>Quantity</th>
<th>Total</th>
</tr>;
while ($dt = mysqli_fetch_assoc($sql)) {
echo '<tr>
<td>;
if ($tgl != $dt['tgl_transaksi']) {
echo $dt['tgl_transaksi'];
} $tgl = $dt['tgl_transaksi'];
echo '</td>
<td style="padding-left: 2%">;
if ($no != $dt['no_transaksi']) {
echo $dt['no_transaksi'];
} $no = $dt['no_transaksi'];
echo '</td>
<td style="padding-left: 2%">'. $dt['nama'] .'</td>
<td style="text-align: center;">'. $dt['kuantitas']
.'</td>
<td style="text-align: right;">'.
$dt['kuantitas']*$dt['harga'] .'</td>
</tr>; }
$sql3 = "SELECT SUM(kuantitas) FROM
detail_penjualan JOIN penjualan ON
detail_penjualan.no_idjual = penjualan.no_idjual
WHERE penjualan.id_toko='$branch' AND
penjualan.tgl_transaksi between '$start' AND
'$end'";
$res = mysqli_query($connection, $sql3);
while ($row = mysqli_fetch_array($res)) {
echo '<tr>
<th colspan="3" style="text-align:
right;">Total</th>

```

```

<th style="text-align: center;">'.
$row['SUM(kuantitas)] .'</th>;}
$sql3 = "SELECT SUM(total_bayar) FROM
penjualan WHERE id_toko='$branch' AND
tgl_transaksi between '$start' AND '$end'";
$res = mysqli_query($connection, $sql3);
while ($row = mysqli_fetch_array($res)) {
echo '<th style="text-align: right; padding-right:
0">'. $row['SUM(total_bayar)] .'</th>
</tr>
</table>
</div>; } } ?>
</div>
</body>
</html>

```

22. Head-Store / update-merchandise.php

```

<!DOCTYPE html>
<?php
include '../connection.php';
session_start();
$item_code = $_GET['item_code'];
$sql = mysqli_query($connection, "SELECT
produk.kode_produk, produk.nama, produk.harga,
stok.sisa_stok, stok.tgl_kadaluarsa FROM produk
LEFT OUTER JOIN stok ON produk.kode_produk
= stok.kode_produk WHERE produk.kode_produk
= ". $item_code);
$result = mysqli_fetch_array($sql);
date_default_timezone_set('Asia/Jakarta');
$tgl = date('Y-m-d');
if(!empty($_POST['submit'])) {
$old = $_POST['old'];
$new = $_POST['new'];
$expired = $_POST['expired'];
$stok = $new + $old;
$query = "UPDATE stok SET stok_baru='$new',
sisa_stok='$stok', tgl_kadaluarsa='$expired',
tgl_update='$tgl'
WHERE kode_produk='$item_code' AND
id_toko='".$_SESSION['id_toko'].''";
$res = mysqli_query($connection, $query);
if (!$res) {
echo '<script type="text/javascript">alert("Failed
to save");</script>; }
else {
echo "<script>alert('Successfully saved');
window.location = 'all-merchandise.php'</script>";
} } ?>
<html>
<head>
<title>Minimarket Kharisma | Update
Merchandise</title>
<link rel="stylesheet" type="text/css"
href="../css/style-k.css">
</head>
<body>

```

```

<div class="sidebar">
<?php include 'sidebar/side-bar-merchandise.php';
?>
</div>
<div class="content">
<h1>Update Stock of Merchandise</h1>
<hr>
<form action="" method="POST">
<p style="text-align: right; margin-right: 5%;">Old
Stock : <input type="text" name="oldd"
style="width: 5%;" id="oldd" disabled
value="<?php echo $result['sisastok']; ?>">
pcs</p>
<input type="hidden" name="old" id="old"
value="<?php echo $result['sisastok']; ?>">
<table class="table4">
<tr>
<td>Item Code</td>
<td><input type="text" name="code" id="code"
autofocus autocomplete="off" required
value="<?php echo $itemcode; ?>"
disabled</td>
</tr>
<tr>
<td>Item Name</td>
<td><input type="text" name="item_name"
id="item_name" disabled value="<?php echo
$result['nama']; ?>"></td>
</tr>
<tr>
<td>Price</td>
<td><input type="text" name="price" id="price"
disabled value="<?php echo $result['harga'];
?>"></td>
</tr>
<tr>
<td>New Stock</td>
<td><input type="text" name="new" id="new"
style="width: 15%;" autocomplete="off" required>
&nbsp; pcs</td>
</tr>
<tr>
<td>Expired Date</td>
<td><input type="Date" name="expired"
id="expired" required value="<?php echo
$result['tgl_kadaluarsa']; ?>"></td>
</tr>
<tr>
<td></td>
</tr>
<tr>
<td></td>
<td><input type="submit" name="submit"
value="Update"></td>
</tr>
</table>

```

```

</form>
</div>
</body>
</html>
23. Head-Store / update-stock.php
<!DOCTYPE html>
<?php
include '../connection.php';
session_start();
date_default_timezone_set('Asia/Jakarta');
$tgl = date('Y-m-d');
if (!empty($_POST['submit'])) {
$code = $_POST['code'];
$old = $_POST['old'];
$new = $_POST['new'];
$expired = $_POST['expired'];
$stok = $new + $old;
$query = "UPDATE stok SET stok_baru='$new',
sisastok='$stok', tgl_kadaluarsa='$expired',
tgl_update='$tgl' WHERE kode_produk='$code'
AND id_toko='".$_SESSION['id_toko']."'";
$res = mysqli_query($connection, $query);
if (!$res) {
echo '<script type="text/javascript">alert("Failed
to save");</script>; }
else {
echo "<script>alert('Successfully saved');
window.location = 'all-merchandise.php'</script>";
} } ?>
<html>
<head>
<title>Minimarket Kharisma | Update
Merchandise</title>
<link rel="stylesheet" type="text/css"
href="../css/style-k.css">
</head>
<body>
<div class="sidebar">
<?php include 'sidebar/side-bar-merchandise.php';
?>
</div>
<div class="content">
<h1>Update Stock of Merchandise</h1>
<hr>
<form action="" method="POST">
<p style="text-align: right; margin-right: 5%;">Old
Stock : <input type="text" name="oldd"
style="width: 5%;" id="oldd" disabled> pcs</p>
<input type="hidden" name="old" id="old">
<table class="table4">
<tr>
<td>Item Code</td>
<td><input type="text" name="code" id="code"
autofocus autocomplete="off" required</td>
</tr>
<tr>

```

```

<td>Item Name</td>
<td><input type="text" name="item_name"
id="item_name" disabled></td>
</tr>
<tr>
<td>Price</td>
<td><input type="text" name="price" id="price"
disabled></td>
</tr>
<tr>
<td>New Stock</td>
<td><input type="text" name="new" id="new"
style="width: 15%;" autocomplete="off" required>
&nbsp;pcs</td>
</tr>
<tr>
<td>Expired Date</td>
<td><input type="Date" name="expired"
id="expired" required></td>
</tr>
<tr>
<td></td>
</tr>
<tr>
<td></td>
<td><input type="submit" name="submit"
value="Update"></td>
</tr>
</table>
</form>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3
.2.0/jquery.min.js"></script>
<script>
$(function() {
$("#code").change(function(){
var code = $("#code").val();
$.ajax({
url: 'ajx.php',
type: 'POST'
dataType: 'json',
data: {
'code': code },
success: function (hasil) {
$("#item_name").val(hasil['nama']);
$("#price").val(hasil['harga']);
$("#old").val(hasil['sisa_stok']);
$("#oldd").val(hasil['sisa_stok']);
$("#expired").val(hasil['tgl_kadaluarsa']); }
});
});
});
</script>
</div>
</body>
</html>

```

24. Head-Store / user.php

```

<!DOCTYPE html>
<?php
include '../connection.php';
session_start();
if(!empty($_POST['submit'])){
$username = $_POST['username'];
$password = $_POST['password'];
$status = $_POST['status'];
$query = "INSERT INTO pengguna VALUES
(NULL, '$username', '$password', '$status',
'".$_SESSION['id_toko']."', ")";
$res = mysqli_query($connection, $query);
if (!$res) {
echo '<script type="text/javascript">alert("Failed
to save");</script>; }
else {
echo "<script>alert('Successfully saved');
window.location = 'user.php'</script>; } } ?>
<html>
<head>
<title>Minimarket Kharisma | User</title>
<link rel="stylesheet" type="text/css"
href="../css/style-k.css">
</head>
<body>
<div class="sidebar">
<?php include 'sidebar/side-bar-user.php'; ?>
</div>
<div class="content">
<h1>Add User</h1>
<hr>
<br>
<div class="container">
<ul>
<li>
<span style="box-shadow: none;">
<form action="" method="POST">
<table>
<tr>
<td>Username</td>
<td>: <input type="text" name="username"
style="width: 80%;" required autofocus
autocomplete="off"></td>
</tr>
<tr>
<td>Password</td>
<td>: <input type="text" name="password"
style="width: 80%;" required
autocomplete="off"></td>
</tr>
<tr>
<td valign="top">Status</td>
<td>: <input type="radio" name="status"
value="cashier" checked>Cashier</td>
</tr>

```

```

</table>
<br>
<table class="table4" style="width: 85%;">
<tr>
<td></td>
<td colspan="2"><input type="submit"
name="submit" value="Save" style="height: 50%;
width: 50%;"></td>
</tr>
</table>
</form>
</span>
</li>
</li>
<span>
<h2>Users Table</h2>
<table class="table3">
<tr>
<th style="width: 5%">No.</th>
<th style="width: 25%">Username</th>
<th style="width: 25%" style="width:
25%">Password</th>
<th style="width: 25%">Status</th>
<th style="width: 5%;"></th>
</tr>
<?php
$sql = mysqli_query($connection, "SELECT *
FROM pengguna WHERE status NOT LIKE 'head
store' AND id_toko = ". $_SESSION['id_toko']);
$a=1;
foreach ($sql as $ky) { ?>
<tr>
<td align="center"><?php echo $a++; ?></td>
<td><?php echo $ky['username']; ?></td>
<td><?php echo $ky['password']; ?></td>
<td><?php echo $ky['status']; ?></td>
<td><?php echo '<form action="delete-
user.php?id_user='. $ky['id_pengguna'] .'"
method="GET">
<input type="hidden" value="'. $ky['id_pengguna']
.'" name="id_user"/>
<input type="image" src=" ../pict/remove.png"
width="100%" alt="submit button" id="delete"
title="Remove" onclick="return confirm('\Are you
sure you want to delete this ?\')"/>
</form>'; ?> </td>
</tr>
<?php } ?>
</table>
</span>
</li>
</ul>
</div>
</div>
</body>
</html>

```

25. Head-Store / side-bar.php

```

<!DOCTYPE html>
<?php include '../connection.php'; ?>
<html>
<head>
<link rel="stylesheet" type="text/css"
href=" ../css/style-k.css">
</head>
<body>
<div class="sidebar">

<p> Hello <?php echo $_SESSION['username'];
?> <a href=" ../logout.php">  </a> </p>
<hr>
<a href="index.php"> <button class="active">
Dashboard </button> </a>
<div class="dropdown-hover">
<button> Merchandise  </button>
<div class="dropdown-content">
<a href="new-merchandise.php"> <button> New
Merchandise </button> </a>
<a href="update-stock.php"> <button> Update
Stock </button> </a>
<a href="all-merchandise.php"> <button> Show
All </button> </a>
</div>
</div>
<a href="sales-report.php"> <button> Sales Report
</button> </a>
<a href="user.php"> <button> Users </button>
</a>
</div>
</body>
</html>

```

26. Manager / index.php

```

<!DOCTYPE html>
<?php
include '../connection.php';
session_start();
date_default_timezone_set('Asia/Jakarta');
$tgl = date('d F Y');
$nama = mysqli_query($connection, "SELECT
id_toko, nama FROM toko WHERE nama NOT
LIKE 'Kantor Pusat' ORDER BY id_toko ASC");
$spk = mysqli_query($connection, "SELECT
COUNT(no_idjual) as id FROM penjualan
WHERE id_toko = 2 AND tgl_transaksi =
CURDATE()");
$spk = mysqli_fetch_array ($spk);
$sswd = mysqli_query($connection, "SELECT
COUNT(no_idjual) as id FROM penjualan

```



```

WHERE id_toko = 3 AND tgl_transaksi =
CURDATE());
$swd = mysqli_fetch_array ($swd);
$sbkt = mysqli_query($connection,"SELECT
COUNT(no_idjual) as id FROM penjualan
WHERE id_toko = 4 AND tgl_transaksi =
CURDATE()");
$bkt = mysqli_fetch_array ($sbkt);
$swyh = mysqli_query($connection,"SELECT
COUNT(no_idjual) as id FROM penjualan
WHERE id_toko = 5 AND tgl_transaksi =
CURDATE()");
$swyh = mysqli_fetch_array ($swyh);
$spkj = mysqli_query($connection,"SELECT
COUNT(no_idjual) as id FROM penjualan
WHERE id_toko = 6 AND tgl_transaksi =
CURDATE()");
$pkj = mysqli_fetch_array ($spkj);
$sbkt = mysqli_query($connection,"SELECT
COUNT(no_idjual) as id FROM penjualan
WHERE id_toko = 7 AND tgl_transaksi =
CURDATE()");
$bkt = mysqli_fetch_array ($sbkt);
$sql = mysqli_query($connection,"SELECT
stok.stok_baru, stok.tgl_update, produk.nama,
toko.nama as natok FROM stok JOIN produk ON
stok.kode_produk = produk.kode_produk JOIN
toko ON toko.id_toko = stok.id_toko WHERE
YEARWEEK(stok.tgl_update) =
YEARWEEK(NOW()) ORDER BY
stok.tgl_update ASC");
$sql2 = mysqli_query($connection,"SELECT
stok.tgl_kadaluarsa, produk.nama, toko.nama as
natok FROM stok JOIN produk ON
stok.kode_produk = produk.kode_produk JOIN
toko ON toko.id_toko = stok.id_toko WHERE
YEAR(stok.tgl_kadaluarsa) = YEAR(NOW())
ORDER BY stok.tgl_kadaluarsa ASC");
$sql3 = mysqli_query($connection,"SELECT
stok.sisa_stok, produk.nama, toko.nama as natok
FROM stok JOIN produk ON stok.kode_produk =
produk.kode_produk JOIN toko ON toko.id_toko
= stok.id_toko WHERE stok.sisa_stok < 10
ORDER BY stok.sisa_stok ASC"); ?>
<html>
<head>
<title>Minimarket Kharisma | Dashboard</title>
<link rel="stylesheet" type="text/css"
href=" ../css/style-k.css">
<script src=" ../Chart.js/Chart.bundle.js"></script>
</head>
<body>
<div class="sidebar">
<?php include 'sidebar/side-bar.php'; ?>
</div>
<div class="content">

```

```

<h1>Dashboard</h1>
<hr>
<h4 align="right" style="margin-right: 4%;"> &nbsp; <?php
echo $tgl;?></h4>
<div class="container">
<ul>
<li>
<span>
<h2>Recent Sales</h2>
<canvas id="myChart" width="100"
height="100"></canvas>
</span>
</li>
<li>
<span>
<h2>Branch Update</h2>
<div class="rys" style="height: 250px;">
<table class="table3">
<tr>
<th>Branch</th>
<th>Information of Stock</th>
<th>Date</th>
</tr>
<?php foreach ($sql as $up) { ?>
<tr>
<td><?php echo $up['natok']; ?></td>
<td><?php echo "update ".$up['stok_baru']. " pcs of
".$up['nama']; ?></td>
<td><?php echo $up['tgl_update']; ?></td>
</tr>
<?php } ?>
</table>
</div>
</span>
</li>
<li>
<span>
<h2>Expires Soon</h2>
<div class="rys" style="height: 200px;">
<table class="table3">
<tr>
<th>Branch</th>
<th>Items Name</th>
<th>Date of Expired</th>
</tr>
<?php foreach ($sql2 as $up) { ?>
<tr>
<td><?php echo $up['natok']; ?></td>
<td><?php echo $up['nama']; ?></td>
<td><?php echo $up['tgl_kadaluarsa']; ?></td>
</tr>
<?php } ?>
</table>
</span>

```

```

</li>
<li>
<span>
<h2>Out of Stock</h2>
<div class="rys" style="height: 200px;">
<table class="table3">
<tr>
<th>Branch</th>
<th>Items Name</th>
<th>Stock</th>
</tr>
<?php foreach ($sql3 as $sup) { ?>
<tr>
<td><?php echo $sup['natok']; ?></td>
<td><?php echo $sup['nama']; ?></td>
<td align="center"><?php echo $sup['sisastok'];
?></td>
</tr>
<?php } ?>
</table>
</span>
</li>
</ul>
</div>
</div>
<script>
var ctx = document.getElementById("myChart");
var myChart = new Chart(ctx, {
type: 'bar',
data: {
labels: [<?php while ($a =
mysqli_fetch_array($nama)){ echo
"". $a['nama']. " "; } ?>],
datasets: [{
label: '# of Votes',
data: [<?php echo $pk['id']; ?>, <?php echo
$swd['id']; ?>, <?php echo $bkt['id']; ?>, <?php
echo $wyh['id']; ?>, <?php echo $pkj['id']; ?>,
<?php echo $blt['id']; ?>],
backgroundColor: [
'rgba(255, 99, 132, 0.2)',
'rgba(54, 162, 235, 0.2)',
'rgba(255, 206, 86, 0.2)',
'rgba(75, 192, 192, 0.2)',
'rgba(153, 102, 255, 0.2)',
'rgba(255, 159, 64, 0.2)'],
borderColor: [
'rgba(255,99,132,1)',
'rgba(54, 162, 235, 1)',
'rgba(255, 206, 86, 1)',
'rgba(75, 192, 192, 1)',
'rgba(153, 102, 255, 1)',
'rgba(255, 159, 64, 1)'],
borderWidth: 1
}] },
options: {

```

```

scales: {
yAxes: [{
ticks: {
beginAtZero: true } } ] } });
</script>
</body>
</html>
27. Manager / add-merchandise.php
<!DOCTYPE html>
<?php
include '../connection.php';
session_start();
if(!empty($_POST['submit'])){
$code = $_POST['itemcode'];
$name = $_POST['itemname'];
$price = $_POST['price'];
$query = "INSERT INTO produk VALUES
('$code', '$name', '$price')";
$res = mysqli_query($connection, $query);
if (!$res) {
echo '<script type="text/javascript">alert("Failed
to save");</script>'; }
else {
echo "<script>alert('Successfully saved');
window.location = 'add-
merchandise.php'</script>"; } } ?>
<html>
<head>
<title>Minimarket Kharisma | Add New
Merchandise</title>
<link rel="stylesheet" type="text/css"
href="../css/style-k.css">
<script src="../function.js"></script>
</head>
<body>
<div class="sidebar">
<?php include 'sidebar/side-bar-merchandise.php';
?>
</div>
<div class="content">
<h1>Add New Merchandise</h1>
<hr>
<br>
<form method="POST" action="">
<table class="table4">
<tr>
<td>Item Code</td>
<td><input type="text" name="itemcode"
autofocus required autocomplete="off"
onkeypress="return handleEnter(this,
event)"></td>
</tr>
<tr>
<td>Item Name</td>
<td><input type="text" name="itemname"
required autocomplete="off"></td>

```

```

</tr>
<tr>
<td>Price</td>
<td><input type="text" name="price" required
autocomplete="off" style="width: 40%;"></td>
</tr>
<tr>
<td></td>
</tr>
<tr>
<td></td>
<td><input type="submit" name="submit"
value="Add"></td>
</tr>
</table>
</form>
<br>
</div>
</body>
</html>
28. Manager / all-merchandise.php
<!DOCTYPE html>
<?php
include '../connection.php';
session_start(); ?>
<html>
<head>
<title>Minimarket Kharisma | All
Merchandise</title>
<link rel="stylesheet" type="text/css"
href="../css/style-k.css">
</head>
<body>
<div class="sidebar">
<?php include 'sidebar/side-bar-merchandise.php';
?>
</div>
<div class="content">
<h1>All Merchandise</h1>
<hr>
<table class="table4" style="width: 50%; margin-
left: 0; margin-bottom: 3%;">
<tr>
<form action="" method="GET">
<td><input type="text" name="input"
autocomplete="off"></td>
<td><input type="submit" name="search"
value="Search" style="height: 40%; width:
80%;"></td></form>
<form action="" method="POST">
<td><input type="submit" name="refresh"
value="Refresh" style="height: 40%; width:
80%;"></td></form>
</tr>
</table>
<?php if (isset($_POST['refresh'])) {

```

```

header("location: all-merchandise.php"); } ?>
<?php
if(isset($_GET['search'])){
$scari = $_GET['input'];
$sql = mysqli_query($connection, "SELECT *
FROM produk WHERE nama LIKE '%$scari%' or
produk.kode_produk LIKE '%$scari%' GROUP BY
kode_produk ORDER BY nama");
$cek = mysqli_num_rows($sql);
if ($cek > 0) {
echo '<div class="res">
<table class="table3" style="width: 120%">
<tr>
<th rowspan="2" width="4%">No.</th>
<th rowspan="2" width="15%">Item Code</th>
<th rowspan="2" width="40%">Item Name</th>
<th rowspan="2" width="8%">Price</th>
<th rowspan="2"></th>
<th colspan="6" width="35%">Stock</th>
<th rowspan="2" width="18%">Expired
Date</th>
</tr>
<tr style="font-size: 12px;">
<th>Swadaya</th>
<th>Punti Kayu</th>
<th>Way Hitam</th>
<th>Pakjo</th>
<th>Bukit</th>
<th>Belitang</th>
</tr>';
$a=1;
foreach ($sql as $key) {
echo "<tr>
<td align='center'>". $a++ . "</td>
<td>". $key['kode_produk'] . "</td>
<td>". $key['nama'] . "</td>
<td align='right'>". $key['harga'] . "</td>
<td width='5%' style='padding-left: 1%; padding-
right: 1%;>
<form action='edit-merchandise.php?item_code=" .
$key['kode_produk'] . "' method='GET'>
<input type='hidden' value=" . $key['kode_produk']
. "' name='item_code' />
<input type='image' src='../pict/edit.png'
width='100%' alt='submit button' id='add'
title='Edit' />
</form>
</td>";
$swd = mysqli_query($connection, "SELECT
sisastok FROM stok WHERE kode_produk = " .
$key['kode_produk'] . " AND id_toko = 3");
$swadaya = mysqli_fetch_array($swd);
echo "<td align='center'>". $swadaya['sisastok']
. "</td>";

```

```

$pk = mysqli_query($connection, "SELECT
sisas_stok FROM stok WHERE kode_produk = ".
$key['kode_produk'] ." AND id_toko = 2");
$pkj = mysqli_fetch_array($pk);
echo "<td align='center'>". $pkj['sisas_stok']
."</td>";
$wy = mysqli_query($connection, "SELECT
sisas_stok FROM stok WHERE kode_produk = ".
$key['kode_produk'] ." AND id_toko = 5");
$wy = mysqli_fetch_array($wy);
echo "<td align='center'>". $wy['sisas_stok']
."</td>";
$pkj = mysqli_query($connection, "SELECT
sisas_stok FROM stok WHERE kode_produk = ".
$key['kode_produk'] ." AND id_toko = 6");
$pkjo = mysqli_fetch_array($pkj);
echo "<td align='center'>". $pkjo['sisas_stok']
."</td>";
$bk = mysqli_query($connection, "SELECT
sisas_stok FROM stok WHERE kode_produk = ".
$key['kode_produk'] ." AND id_toko = 4");
$bk = mysqli_fetch_array($bk);
echo "<td align='center'>". $bk['sisas_stok']
."</td>";
$bl = mysqli_query($connection, "SELECT
sisas_stok FROM stok WHERE kode_produk = ".
$key['kode_produk'] ." AND id_toko = 7");
$bl = mysqli_fetch_array($bl);
echo "<td align='center'>". $bl['sisas_stok']
."</td>";
$stg = mysqli_query($connection, "SELECT
tgl_kadaluarsa FROM stok WHERE kode_produk
= ". $key['kode_produk'] ." ORDER BY
tgl_kadaluarsa");
$stglk = mysqli_fetch_array($stg);
echo "<td align='center'>". $stglk['tgl_kadaluarsa']
."</td>
</tr>"; }
echo "</table>
</div>"; }
else {
echo "Not found"; } }
else {
echo '<div class="res">
<table class="table3" style="width: 120%">
<tr>
<th rowspan="2" width="4%">No.</th>
<th rowspan="2" width="15%">Item Code</th>
<th rowspan="2" width="40%">Item Name</th>
<th rowspan="2" width="8%">Price</th>
<th colspan="6" width="35%">Stock</th>
<th rowspan="2" width="18%">Expired
Date</th>
</tr>
<tr style="font-size: 12px;">
<th>Swadaya</th>
<th>Punti Kayu</th>
<th>Way Hitam</th>
<th>Pakjo</th>
<th>Bukit</th>
<th>Belitang</th>
</tr>';
$sql = mysqli_query($connection, "SELECT *
FROM produk GROUP BY kode_produk ORDER
BY nama");
$a=1;
foreach ($sql as $key) {
echo "<tr>
<td align='center'>". $a++ ."</td>
<td>". $key['kode_produk'] ."</td>
<td>". $key['nama'] ."</td>
<td align='right'>". $key['harga'] ."</td>
<td width='5%' style='padding-left: 1%; padding-
right: 1%;>
<form action='edit-merchandise.php?item_code=".
$key['kode_produk'] ." method='GET'>
<input type='hidden' value='". $key['kode_produk']
.'" name='item_code'/>
<input type='image' src='./pict/edit.png'
width='100%' alt='submit button' id='add'
title='Edit' />
</form>
</td>";
$swd = mysqli_query($connection, "SELECT
sisas_stok FROM stok WHERE kode_produk = ".
$key['kode_produk'] ." AND id_toko = 3");
$swd = mysqli_fetch_array($swd);
echo "<td align='center'>". $swd['sisas_stok']
."</td>";
$pk = mysqli_query($connection, "SELECT
sisas_stok FROM stok WHERE kode_produk = ".
$key['kode_produk'] ." AND id_toko = 2");
$pkj = mysqli_fetch_array($pk);
echo "<td align='center'>". $pkj['sisas_stok']
."</td>";
$wy = mysqli_query($connection, "SELECT
sisas_stok FROM stok WHERE kode_produk = ".
$key['kode_produk'] ." AND id_toko = 5");
$wy = mysqli_fetch_array($wy);
echo "<td align='center'>". $wy['sisas_stok']
."</td>";
$pkj = mysqli_query($connection, "SELECT
sisas_stok FROM stok WHERE kode_produk = ".
$key['kode_produk'] ." AND id_toko = 6");
$pkjo = mysqli_fetch_array($pkj);
echo "<td align='center'>". $pkjo['sisas_stok']
."</td>";
$bk = mysqli_query($connection, "SELECT
sisas_stok FROM stok WHERE kode_produk = ".
$key['kode_produk'] ." AND id_toko = 4");
$bk = mysqli_fetch_array($bk);

```

```

echo "<td align='center'>". $bkt['sis_a_stok']
.</td>";

$bl = mysqli_query($connection, "SELECT
sis_a_stok FROM stok WHERE kode_produk =".
$key['kode_produk'] ." AND id_toko = 7");
$blt = mysqli_fetch_array($bl);
echo "<td align='center'>". $blt['sis_a_stok']
.</td>";
$tg = mysqli_query($connection, "SELECT
tgl_kadaluarsa FROM stok WHERE kode_produk
=". $key['kode_produk'] ." ORDER BY
tgl_kadaluarsa");
$tgk = mysqli_fetch_array($tg);
echo "<td align='center'>". $tgk['tgl_kadaluarsa']
.</td>
</tr>"; }
echo "</table>
</div>"; } ?>
</div>
</body>
</html>

```

29. Manager / delete-user.php

```

<?php
include '../connection.php';
$id_user=$_GET['id_user'];
$delete = "DELETE FROM pengguna WHERE
id_pengguna =".$id_user;
$result = mysqli_query($connection, $delete) or
die(mysqli_error());
if(!$result){
echo "<script>alert('Failed to delete')</script>"; }
else{
echo "<script>alert('Successfully deleted');
window.location = 'user.php'</script>"; }
?>

```

30. Manager / edit-merchandise.php

```

<!DOCTYPE html>
<?php
include '../connection.php';
session_start();
$item_code = $_GET['item_code'];
$sql = mysqli_query($connection, "SELECT *
FROM produk WHERE
kode_produk='$item_code'");
$result = mysqli_fetch_array($sql);
if(!empty($_POST['submit'])){
$name = $_POST['itemname'];
$price = $_POST['price'];
$query = "UPDATE produk SET nama='$name',
harga='$price' WHERE
kode_produk='$item_code'";
$res = mysqli_query($connection, $query);
if (!$res) {
echo '<script type="text/javascript">alert("Failed
to save");</script>'; }

```

```

else {
echo "<script>alert('Successfully saved');
window.location = 'all-merchandise.php'</script>";
} } ?>
<html>
<head>
<title>Minimarket Kharisma | Edit
Merchandise</title>
<link rel="stylesheet" type="text/css"
href="../css/style-k.css">
</head>
<body>
<div class="sidebar">
<?php include 'sidebar/side-bar-merchandise.php';
?>
</div>
<div class="content">
<h1>Edit Merchandise</h1>
<hr>
<br>
<form method="POST" action="">
<table class="table4">
<tr>
<td>Item Code</td>
<td><input type="text" name="itemcode" disabled
autocomplete="off" value="<?php echo
$item_code; ?>"></td>
</tr>
<tr>
<td>Item Name</td>
<td><input type="text" name="itemname"
required autocomplete="off" value="<?php echo
$result['nama']; ?>"></td>
</tr>
<tr>
<td>Price</td>
<td><input type="text" name="price" required
autocomplete="off" style="width: 40%;"
value="<?php echo $result['harga']; ?>"></td>
</tr>
<tr>
<td></td>
</tr>
<tr>
<td></td>
</tr>
<td><input type="submit" name="submit"
value="Edit"></td>
</tr>
</table>
</form>
<br>
</div>
</body>
</html>

```

31. Manager / print.php

```

<?php

```

```

include './connection.php';
require('./fpdf181/fpdf.php');
$start = $_GET['start'];
$end = $_GET['end'];
$branch = $_GET['branch'];
$sql = mysqli_query($connection,"SELECT *
FROM toko WHERE id_toko = '$branch'");
$res = mysqli_fetch_array($sql);
$pdf = new FPDF("L","cm","A4");
$pdf->AddPage();
$pdf->SetFont('Times','B',20);
$pdf->Image('./pict/kharisma.png',1,0.4,5,2.9);
$pdf->SetX(6.5);
$pdf->MultiCell(0,0.7,'MINIMARKET
KHARISMA',0,1);
$pdf->SetFont('Times','B',14);
$pdf->SetX(6.5);
$pdf->MultiCell(0,0.6,'Cabang ' . $res['nama'],0,1);
$pdf->SetFont('Times','B',12);
$pdf->SetX(6.5);
$pdf->MultiCell(0,0.5,$res['alamat'],0,1);
$pdf->Line(1,3.2,28.5,3.2);
$pdf->SetLineWidth(0.05);
$pdf->Ln(1);
$pdf->SetFont('Arial','B',11);
$pdf->Cell(3,0.8,'Periode      : ',0,'L');
$pdf->Cell(3,0.8,$start.' s/d '. $end,0,1);
$pdf->Line(1,3.2,28.5,3.2);
$pdf->SetLineWidth(0);
$pdf->Cell(1, 0.7, 'No.', 1, 0, 'C');
$pdf->Cell(3.5, 0.7, 'Tanggal', 1, 0, 'C');
$pdf->Cell(3.5, 0.7, 'No. Transaksi', 1, 0, 'C');
$pdf->Cell(10, 0.7, 'Nama Barang', 1, 0, 'C');
$pdf->Cell(3.5, 0.7, 'Harga Satuan', 1, 0, 'C');
$pdf->Cell(2.5, 0.7, 'Kuantitas', 1, 0, 'C');
$pdf->Cell(3.5, 0.7, 'Total', 1, 1, 'C');
$query = mysqli_query($connection,"SELECT
penjualan.tgl_transaksi, penjualan.no_transaksi,
produk.harga, produk.nama,
detail_penjualan.kuantitas FROM penjualan JOIN
detail_penjualan ON penjualan.no_idjual =
detail_penjualan.no_idjual JOIN produk ON
produk.kode_produk =
detail_penjualan.kode_produk WHERE
penjualan.id_toko=' $branch' AND
penjualan.tgl_transaksi between '$start' AND
'$end' ORDER BY penjualan.no_transaksi");
$a = 1;
$ttl = "";
$no = "";
while ($dt = mysqli_fetch_assoc($query)) {
$pdf->SetFont('Arial','',11);
if ($no != $dt['no_transaksi']) {
$pdf->Cell(1, 0.7, $a++, 1, 0, 'C');}
else {

```

```

$pdf->Cell(1, 0.7," , 1, 0, 'C'); }
if ($no != $dt['no_transaksi']) {
$pdf->Cell(3.5, 0.7, $dt['tgl_transaksi'] , 1, 0, 'C');
$ttl = $dt['tgl_transaksi'];}
else {
$pdf->Cell(3.5, 0.7," , 1, 0, 'C'); }
if ($no != $dt['no_transaksi']) {
$pdf->Cell(3.5, 0.7, $dt['no_transaksi'] , 1, 0, 'C');
$no = $dt['no_transaksi'];}
else {
$pdf->Cell(3.5, 0.7," , 1, 0, 'C'); }
$pdf->Cell(10, 0.7, $dt['nama'] , 1, 0);
$pdf->Cell(3.5, 0.7, $dt['harga'] , 1, 0, 'C');
$pdf->Cell(2.5, 0.7, $dt['kuantitas'] , 1, 0, 'C');
$pdf->Cell(3.5, 0.7, $dt['kuantitas']*$dt['harga'] ,
1, 1, 'C'); }
$pdf->SetFont('Arial','B',11);
$pdf->Cell(21.5, 0.7, 'Total' , 1, 0, 'C');
$sql3 = "SELECT SUM(kuantitas) FROM
detail_penjualan JOIN penjualan ON
detail_penjualan.no_idjual = penjualan.no_idjual
WHERE penjualan.id_toko=' $branch' AND
penjualan.tgl_transaksi between '$start' AND
'$end'";
$res = mysqli_query($connection, $sql3);
while ($row = mysqli_fetch_array($res)) {
$pdf->Cell(2.5, 0.7, $row['SUM(kuantitas)'] , 1, 0,
'C');}
$sql3 = "SELECT SUM(total_bayar) FROM
penjualan WHERE id_toko=' $branch' AND
tgl_transaksi between '$start' AND '$end'";
$res = mysqli_query($connection, $sql3);
while ($row = mysqli_fetch_array($res)) {
$pdf->Cell(3.5, 0.7, $row['SUM(total_bayar)'] , 1,
1, 'C');}
$pdf->Ln(1);
$pdf->Ln(1);
$pdf->Cell(25, 0.7, 'Mengetahui,' , 0, 1, 'R');
$sqlkt = "SELECT nama_lengkap FROM
pengguna WHERE id_toko = '$branch' AND status
= 'head store'";
$kt = mysqli_query($connection, $sqlkt);
while ($rwo = mysqli_fetch_array($kt)) {
$pdf->Cell(25, 0.7, 'Kepala Toko' , 0, 0, 'R');
$pdf->Ln(1);
$pdf->Ln(1);
$pdf->Ln(1);
$pdf->Cell(24, 0.7, $rwo['nama_lengkap'] , 0, 0,
'R');}
$pdf->Output("Sales Report.pdf", "I");
?>

```

32. Manager / sales-report.php

```

<!DOCTYPE html>
<?php
include './connection.php';
session_start();

```

```

$select = "SELECT * FROM toko WHERE
id_toko NOT LIKE '1' ORDER BY id_toko ASC
";
$res = mysqli_query($connection, $select); ?>
<html>
<head>
<title>Minimarket Kharisma | Daily Sales
Report</title>
<link rel="stylesheet" type="text/css"
href=" ../css/style-k.css">
</head>
<body>
<div class="sidebar">
<?php include 'sidebar/side-bar-report.php'; ?>
</div>
<div class="content">
<h1>Sales Report</h1>
<hr>
<form action="" method="GET">
<table style="width: 50%;">
<tr>
<td style="width: 50%">Period</td>
<td><input type="Date" name="start"></td>
<td>to</td>
<td><input type="Date" name="end"></td>
</tr>
<tr>
<td>Branch</td>
<td colspan="2">
<select style="width: 100%" name="branch">
<option>-- select branch --</option>
<?php while ($data = mysqli_fetch_array($res))
{ ?>
<option value="<?php echo $data['id_toko'];
?>"><?php echo $data['nama']; ?></option>
<?php } ?>
</select>
</td>
<td align="right"><input type="submit"
name="submit" value="Filter"></td>
</tr>
</table>
</form>
<br>
<?php
if (isset($_GET['submit'])) {
$start = $_GET['start'];
$end = $_GET['end'];
$branch = $_GET['branch'];
$branchnm = mysqli_query($connection,
"SELECT nama FROM toko WHERE
id_toko='$branch'");
$ceku = mysqli_fetch_array($branchnm);
$sql = mysqli_query($connection,"SELECT
penjualan.tgl_transaksi, penjualan.no_transaksi,
produk.harga, produk.nama,

```

```

detail_penjualan.kuantitas FROM penjualan JOIN
detail_penjualan ON penjualan.no_idjual =
detail_penjualan.no_idjual JOIN produk ON
produk.kode_produk =
detail_penjualan.kode_produk WHERE
penjualan.id_toko='$branch' AND
penjualan.tgl_transaksi between '$start' AND
'$end' ORDER BY penjualan.no_transaksi");
$tgl = "";
$no = "";
echo '<table>
<tr>
<th align="left">Branch : '. $ceku['nama'] .'</th>
<th align="right" style="padding-right: 2%">
<form action="print.php?start='. $start .'&end='.
$end .'&branch='. $branch.'" method="GET">
<input type="hidden" value="'. $start.'"
name="start"/>
<input type="hidden" value="'. $end.'"
name="end"/>
<input type="hidden" value="'. $branch.'"
name="branch"/>
<input type="image" src=" ../pict/printing-tool.png"
width="5%" alt="submit button" id="add"
title="Print"/>
</form>
</th>
</tr>
</table>
<div class="res">
<table class="table5">
<tr>
<th>Date</th>
<th>Invoice Number</th>
<th style="width: 45%">Description</th>
<th>Quantity</th>
<th>Total</th>
</tr>';
while ($dt = mysqli_fetch_assoc($sql)) {
echo '<tr>
<td>';
if ($tgl != $dt['tgl_transaksi']) {
echo $dt['tgl_transaksi'];
} $tgl = $dt['tgl_transaksi'];
echo '</td>
<td style="padding-left: 2%">';
if ($no != $dt['no_transaksi']) {
echo $dt['no_transaksi'];
} $no = $dt['no_transaksi'];
echo '</td>
<td style="padding-left: 2%">'. $dt['nama'] .'</td>
<td style="text-align: center;">'. $dt['kuantitas']
.'</td>
<td style="text-align: right;">'.
$dt['kuantitas']*$dt['harga'] .'</td>
</tr>'; }

```

```

$sql3 = "SELECT SUM(kuantitas) FROM
detail_penjualan JOIN penjualan ON
detail_penjualan.no_idjual = penjualan.no_idjual
WHERE penjualan.id_toko='$branch' AND
penjualan.tgl_transaksi between '$start' AND
'$end'";
$res = mysqli_query($connection, $sql3);
while ($row = mysqli_fetch_array($res)) {
echo '<tr>
<th colspan="3" style="text-align:
right;">Total</th>
<th style="text-align: center;">'.
$row['SUM(kuantitas)'] . '</th>';}
$sql3 = "SELECT SUM(total_bayar) FROM
penjualan WHERE id_toko='$branch' AND
tgl_transaksi between '$start' AND '$end'";
$res = mysqli_query($connection, $sql3);
while ($row = mysqli_fetch_array($res)) {
echo '<th style="text-align: right; padding-right:
0">'. $row['SUM(total_bayar)'] . '</th>
</tr>
</table>
</div>'; } } ?>
</div>
</body>
</html>

```

33. Manager / user.php

```

<!DOCTYPE html>
<?php
include '../connection.php';
session_start();
$select = "SELECT * FROM toko WHERE
id_toko NOT LIKE '1' ORDER BY id_toko ASC
";
$res = mysqli_query($connection, $select);
if(!empty($_POST['submit'])){
$username = $_POST['username'];
$password = $_POST['password'];
$branch = $_POST['branch'];
$status = $_POST['status'];
$query = "INSERT INTO pengguna VALUES
(NULL, '$username', '$password', '$status',
'$branch', '')";
$res = mysqli_query($connection, $query);
if (!$res) {
echo '<script type="text/javascript">alert("Failed
to save");</script>'; }
else {
echo "<script>alert('Successfully saved');
window.location = 'user.php'</script>"; } } ?>
<html>
<head>
<title>Minimarket Kharisma | Users</title>
<link rel="stylesheet" type="text/css"
href="../css/style-k.css">
</head>

```

```

<body>
<div class="sidebar">
<?php include 'sidebar/side-bar-user.php'; ?>
</div>
<div class="content">
<h1>Add User</h1>
<hr>
<br>
<div class="container">
<ul>
<li>
<span style="box-shadow: none;">
<form action="" method="POST">
<table>
<tr>
<td>Username</td>
<td>: <input type="text" name="username"
style="width: 80%;" required autocomplete="off"
autofocus></td>
</tr>
<tr>
<td>Password</td>
<td>: <input type="text" name="password"
style="width: 80%;" required
autocomplete="off"></td>
</tr>
<tr>
<td>Branch</td>
<td>: <select name="branch" style="width:
83%;">
<option>Branch</option>
<?php while ($data = mysqli_fetch_array($res))
{?>
<option value="<?php echo $data['id_toko'];
?>"><?php echo $data['nama']; ?></option>
<?php } ?>
</select></td>
</tr>
<tr>
<td valign="top">Status</td>
<td>: <input type="radio" name="status"
value="head store" checked>Head Store <br>
&nbsp;
<input type="radio" name="status"
value="cashier">Cashier</td>
</tr>
</table>
<br>
<table class="table4" style="width: 90%;">
<tr>
<td></td>
<td colspan="2"><input type="submit"
name="submit" value="Save" style="height: 50%;
width: 50%;"></td>
</tr>
</table>

```



```

</form>
</span>
</li>
<li>
<span>
<h2>Users Table</h2>
<table class="table3">
<tr>
<th>No.</th>
<th>Username</th>
<th>Password</th>
<th>Status</th>
<th>Branch</th>
<th style="width: 5%;"></th>
</tr>
<?php
$sql = mysqli_query($connection, "SELECT *
FROM pengguna LEFT OUTER JOIN toko ON
pengguna.id_toko = toko.id_toko WHERE status
NOT LIKE 'manager' ORDER BY toko.id_toko");
$a=1;
foreach ($sql as $ky) { ?>
<tr>
<td><?php echo $a++; ?></td>
<td><?php echo $ky['username']; ?></td>
<td><?php echo $ky['password']; ?></td>
<td><?php echo $ky['status']; ?></td>
<td><?php echo $ky['nama']; ?></td>
<td><?php echo '<form action="delete-
user.php?id_user='. $ky['id_pengguna'] .'"
method="GET">
<input type="hidden" value="'. $ky['id_pengguna']
.'" name="id_user"/>
<input type="image" src=" ../pict/remove.png"
width="100%" alt="submit button" id="delete"
title="Remove" onclick="return confirm('\Are you
sure you want to delete this ?\')"/>
</form>'; ?> </td>
</tr>
<?php } ?>
</table>
</span>
</li>
</ul>
</div>
</div>
</body>
</html>
34. Manager / side-bar.php
<!DOCTYPE html>
<?php include '../connection.php'; ?>
<html>
<head>
<link rel="stylesheet" type="text/css"
href="../css/style-k.css">
</head>

```

```

<body>
<div class="sidebar">

<p> Hello <?php echo $_SESSION['username'];
?> <a href=" ../logout.php">  </a> </p>
<hr>
<a href="index.php"> <button class="active">
Dashboard </button> </a>
<div class="dropdown-hover">
<button> Merchandise  </button>
<div class="dropdown-content">
<a href="add-merchandise.php"> <button> Add
New </button> </a>
<br>
<a href="all-merchandise.php"> <button> Show
All </button> </a>
</div>
</div>
<a href="sales-report.php"> <button> Sales Report
</button> </a>
<a href="user.php"> <button> Users </button>
</a>
</div>
</body>
</html>

```


