

Index.php

```
<?php
session_start();
error_reporting(0);
include "class.php";

?>
<!DOCTYPE html>
<html lang="en"><head>
<meta http-equiv="content-type" content="text/html;
charset=UTF-8">
<meta charset="utf-8">
<link rel="apple-touch-icon" sizes="76x76"
href="http://demos.creative-tim.com/light-bootstrap-
dashboard-pro/assets/img/apple-icon.png">
<link rel="icon" type="image/png"
href="http://demos.creative-tim.com/light-bootstrap-
dashboard-pro/assets/img/favicon.png">
<meta http-equiv="X-UA-Compatible"
content="IE=edge,chrome=1">
<title>Halaman Login Administrator</title>
<meta content="width=device-width, initial-
scale=1.0, maximum-scale=1.0, user-scalable=0, shrink-
to-fit=no" name="viewport">
<!-- Canonical SEO -->
<link rel="canonical" href="https://www.creative-
tim.com/product/light-bootstrap-dashboard-pro">
<!-- Social tags -->
<meta name="keywords" content="creative tim, html
dashboard, html css dashboard, web dashboard,
bootstrap 4 dashboard, bootstrap 4, css3 dashboard,
bootstrap 4 admin, light bootstrap 4 dashboard, frontend,
responsive bootstrap dashboard">
<meta name="description" content="Forget about
boring dashboards, get a bootstrap 4 admin template
designed to be simple and beautiful.">
<!-- Schema.org markup for Google+ -->
<meta itemprop="name" content="Light Bootstrap
Dashboard PRO by Creative Tim">
<meta itemprop="description" content="Forget about
boring dashboards, get a bootstrap 4 admin template
designed to be simple and beautiful.">
<meta itemprop="image"
content="http://s3.amazonaws.com/creativetim_bucket/p
roducts/34/original/opt_lbd_pro_thumbnail.jpg">
<!-- Open Graph data -->
```

```
<meta property="og:title" content="Light Bootstrap
Dashboard PRO by Creative Tim">
<meta property="og:type" content="article">
<meta property="og:url"
content="http://demos.creative-tim.com/light-bootstrap-
dashboard-pro/examples/dashboard.html">
<meta property="og:image"
content="http://s3.amazonaws.com/creativetim_bucket/p
roducts/34/original/opt_lbd_pro_thumbnail.jpg">
<meta property="og:description" content="Forget
about boring dashboards, get a bootstrap 4 admin
template designed to be simple and beautiful.">
<meta property="og:site_name" content="Creative
Tim">
<!-- Fonts and icons -->
<link href="login/css.css" rel="stylesheet">
<link rel="stylesheet" href="login/font-
awesome.css">
<!-- CSS Files -->
<link href="login/bootstrap.css" rel="stylesheet">
<link href="login/light-bootstrap-dashboard.css"
rel="stylesheet">
<!-- CSS Just for demo purpose, don't include it in
your project -->
<link href="login/demo.css" rel="stylesheet">
<script type="text/javascript" charset="UTF-8"
src="login/common.js"></script><script
type="text/javascript" charset="UTF-8"
src="login/util.js"></script><script
type="text/javascript" charset="UTF-8"
src="login/stats.js"></script></head>
<body>
<div class="wrapper wrapper-full-page">
<!-- Navbar -->
<nav class="navbar navbar-expand-lg navbar-
transparent navbar-absolute">
<div class="container">
<div class="navbar-wrapper">
<button class="navbar-toggler navbar-
toggler-right" type="button" data-toggle="collapse" aria-
controls="navigation-index" aria-expanded="false" aria-
label="Toggle navigation">
<span class="navbar-toggler-bar burger-
lines"></span>
```

```

        <span class="navbar-toggler-bar burger-
lines"></span>
        <span class="navbar-toggler-bar burger-
lines"></span>
        </button>
    </div>

</div>
</nav>
<!-- End Navbar -->

<div class="full-page section-image" data-
color="black" data-image="../../assets/img/full-screen-
image-2.jpg" ;="">

    <!-- you can change the color of the filter page
using: data-color="blue | purple | green | orange | red |
rose " -->

    <div class="content">
        <div class="container">
            <div class="col-md-6 col-sm-6 ml-auto mr-
auto">
                <form class="form" method="post"
action="">
                    <div class="card card-login">
                        <div class="card-header ">
                            <h3 class="header text-
center">Selamat Datang di Aplikasi Penjadwalan
Pengamanan Obyek Vital</h3>

                            <p align="center"></p>
                        </div>
                        <div class="card-body ">
                            <div class="card-body">
                                <div class="form-group">
                                    <label>Username</label>
                                    <input
placeholder="Username " name=Username
class="form-control" type="text">
                                </div>
                                <div class="form-group">
                                    <label>Password</label>
                                    <input
placeholder="Password" name=Password class="form-
control" type="password">
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

<div class="form-group">
    <div class="form-check">
        </div>
    </div>
</div>
</div>
<div class="card-footer ml-auto mr-
auto">
    <input type="submit" name=login
class="btn btn-warning btn-wd" value=Login >
</div>
</div>
</form>
<?php
if(isset($_POST[login])){
    $k=new database();

    $w=$k->cari("select * from user where
Username='$_POST[Username]' and
Password='$_POST[Password]'");

    if (empty($w)){

        echo "<Script>alert('Maaf login anda tidak
diterima');</script>";

    }

    else{

        $_SESSION[Level]=$w[Level];

        $_SESSION[Username]=$w[Username];

        $_SESSION>NamaLevel]=$w>NamaLevel];

        echo
"<script>location.href='adm/tes.php'</script>";

    }

}
?>

```

```

        </div>
    </div>
</div>
<div class="full-page-background"
style="background-image: url(../../assets/img/sidebar-
5.jpg) "></div></div>
<footer class="footer">
    <div class="container">

</div>
</footer>
</div>

<script src="login/jquery_002.js"
type="text/javascript"></script>

<script src="login/popper.js"
type="text/javascript"></script>

<script src="login/bootstrap.js"
type="text/javascript"></script>

<!-- Plugin for Switches, full documentation here:
http://www.jque.re/plugins/version3/bootstrap.switch/ --
>
<script src="login/bootstrap-switch.js"></script>

<!-- Google Maps Plugin -->
<script type="text/javascript" src="login/js"></script>

<!-- Chartist Plugin -->
<script src="login/chartist.js"></script>

<!-- Notifications Plugin -->
<script src="login/bootstrap-notify.js"></script>

<!-- Share Plugin -->
<script src="login/jquery_003.js"></script>

<!-- jVector Map -->
<script src="login/jquery-jvectormap.js"
type="text/javascript"></script>

<!-- Plugin for Date Time Picker and Full Calendar
Plugin-->
<script src="login/moment.js"></script>

<!-- DatetimePicker -->
<script src="login/bootstrap-
datetimepicker.js"></script>

<!-- Sweet Alert -->
<script src="login/sweetalert2.js"
type="text/javascript"></script>

```

```

<!-- Tags Input -->
<script src="login/bootstrap-tagsinput.js"
type="text/javascript"></script>

<!-- Sliders -->
<script src="login/nouislider.js"
type="text/javascript"></script>

<!-- Bootstrap Select -->
<script src="login/bootstrap-selectpicker.js"
type="text/javascript"></script>

<!-- jQueryValidate -->
<script src="login/jquery.js"
type="text/javascript"></script>

<!-- Plugin for the Wizard, full documentation here:
https://github.com/VinceG/twitter-bootstrap-wizard -->
<script src="login/jquery_004.js"></script>

<!-- Bootstrap Table Plugin -->
<script src="login/bootstrap-table.js"></script>

<!-- DataTable Plugin -->
<script src="login/jquery_005.js"></script>

<!-- Full Calendar -->
<script src="login/fullcalendar.js"></script>

<!-- Control Center for Now Ui Dashboard: parallax
effects, scripts for the example pages etc -->
<script src="login/light-bootstrap-dashboard.js"
type="text/javascript"></script>

<!-- Light Dashboard DEMO methods, don't include it in
your project! -->
<script src="login/demo.js"></script>

<noscript>
    
</noscript>

<!-- End Facebook Pixel Code -->

<div class="sweet-container"><div class="sweet-
overlay" tabindex="-1"></div><div class="sweet-alert"
style="display: none" tabindex="-1"><div class="icon
error"><span class="x-mark"><span class="line
left"></span><span class="line
right"></span></span></div><div class="icon
warning"> <span class="body"></span> <span
class="dot"></span> </div> <div class="icon
info"></div> <div class="icon success"> <span
class="line tip"></span> <span class="line

```

```

long"></span> <div class="placeholder"></div> <div
class="fix"></div> </div> <img class="sweet-image">
<h2>Title</h2><div class="sweet-
content">Text</div><hr class="sweet-spacer"><button
class="sweet-confirm">OK</button><button
class="sweet-
cancel">Cancel</button></div></div></body><!--
Core JS Files --></html>

```

Class.php

```

<?php
class database
{
    var $koneksi ;
    var $selectDb;
    var $query ;
    var $result ;
    var $row;
    var $jumlah ;

    function database()
    {
        $nameSer = "localhost";
        $username ="root";
        $pass = "";
        $dbname = "juni_jadwal_polisi";
        $koneksi =
mysql_connect($names,$username,$pass)or
die('error'.mysql_errno());

        $this->selectDb =
mysql_select_db($dbname,$koneksi);
        if ( !$this->selectDb )
        {
            echo "gagal";
        }
    }

    function query($query)
    {
        $this->result = mysql_query($query);
    }
}

```

```

public function cari($sql){
    $this->result=mysql_query($sql);
    $this->row = mysql_fetch_array($this-
>result);
    return $this->row;
}

function tampilkan()
{
    $this->row = mysql_fetch_array($this->result);

    return $this->row;
}

function tampil_data($sql){
    $r = mysql_query($sql);
    while($d = mysql_fetch_array($r )){
        $hasil[] = $d;
    }
    return $hasil;
}

function view()
{
    $this->row = mysql_fetch_object($this->result);
    return $this->row;
}

function getJumlah()
{
    $this->jumlah = mysql_num_rows($this->result);
    return $this->jumlah;
}

function get($table)
{
    $this->result = mysql_query("SELECT * FROM
".$table);
}

function getJumlahFromTable($table)
{
}

```

```

$this->get($table);
return $this->getJumlah();
}
function insert( $database , $data)
{
    $row = array();
    $nilai = array();
    foreach ( $data as $kolom =>$value )
    {
        $row[] = $kolom;
        $nilai[] = "".$value."" ;
    }

    $this->result = $this->query("INSERT INTO ".
    $database ."(" . implode(',',$row) .")
        VALUES (" . implode(',',$nilai) .")");
}

function update($table , $data , $where)
{
    foreach ( $data as $kolom => $row )
    {
        $set[] = $kolom ."=" . $row ."" ;
    }
    $set = implode(',',$set);
    $query = "UPDATE ".$table." SET ".$set."
    WHERE ".$where ;
    $this->query($query);
}

function delete($table , $where)
{
    $this->query("DELETE FROM ".$table." WHERE
    ".$where);
}

public function combo($sql,$cari){
    $r=mysql_query($sql);
    while($w=mysql_fetch_array($r)){
        if ($cari==$w[kd]){
            $sel="selected";
        }else{
            $sel="";
        }
        $x="$x <option value=$w[kd]> $w[f]
        </option>";
    }
    return $x;
}

function PesanMasuk($url,$n){
    echo "
    <script>
        alert(' $n ');
        setTimeout(function(){location.href='$url',
        5000} );
    </script>
    ";
}

function masukGambar($nama){
    $fileName =
    $_FILES[$nama]['name'];
    $fileSize =
    $_FILES[$nama]['size'];
    $fileError =
    $_FILES[$nama]['error'];
    if($fileSize > 0 ||
    $fileError == 0){
        $move =
        move_uploaded_file($_FILES[$nama]['tmp_name'],
        '../berkas/'.$fileName);
    }
    $hasil="berkas/$fileName" ;
}

```

```

        return $hasil;
    }
}
koneksi.php
<?php
$mysql_user="root";
$mysql_password="";
$mysql_database="juni_jadwal_polisi";
$mysql_host="localhost";
$koneksi_db = mysql_connect($mysql_host,
$mysql_user, $mysql_password);
mysql_select_db($mysql_database, $koneksi_db);
error_reporting(E_STRICT | ~E_NOTICE);

date_default_timezone_set('Asia/Jakarta');
$tanggal= mktime(date("m"),date("d"),date("Y"));
$tglsekarang = date("Y-m-d", $tanggal);
?>
login.php
<?php
error_reporting(0);
session_start();
include "class.php";

?>
<!DOCTYPE html>
<html lang="en"><head>
<meta http-equiv="content-type" content="text/html;
charset=UTF-8">
    <meta charset="utf-8">
    <link rel="apple-touch-icon" sizes="76x76"
href="http://demos.creative-tim.com/light-bootstrap-
dashboard-pro/assets/img/apple-icon.png">
    <link rel="icon" type="image/png"
href="http://demos.creative-tim.com/light-bootstrap-
dashboard-pro/assets/img/favicon.png">
    <meta http-equiv="X-UA-Compatible"
content="IE=edge,chrome=1">
    <title>Halaman Login Administrator</title>

```

```

    <meta content="width=device-width, initial-
scale=1.0, maximum-scale=1.0, user-scalable=0, shrink-
to-fit=no" name="viewport">
    <!-- Canonical SEO -->
    <link rel="canonical" href="https://www.creative-
tim.com/product/light-bootstrap-dashboard-pro">
    <!-- Social tags -->
    <meta name="keywords" content="creative tim, html
dashboard, html css dashboard, web dashboard,
bootstrap 4 dashboard, bootstrap 4, css3 dashboard,
bootstrap 4 admin, light bootstrap 4 dashboard, frontend,
responsive bootstrap dashboard">
    <meta name="description" content="Forget about
boring dashboards, get a bootstrap 4 admin template
designed to be simple and beautiful.">
    <!-- Schema.org markup for Google+ -->
    <meta itemprop="name" content="Light Bootstrap
Dashboard PRO by Creative Tim">
    <meta itemprop="description" content="Forget about
boring dashboards, get a bootstrap 4 admin template
designed to be simple and beautiful.">
    <meta itemprop="image"
content="http://s3.amazonaws.com/creativetim_bucket/p
roducts/34/original/opt_lbd_pro_thumbnail.jpg">
    <!-- Twitter Card data -->
    <meta name="twitter:card" content="product">
    <meta name="twitter:site" content="@creativetim">
    <meta name="twitter:title" content="Light Bootstrap
Dashboard PRO by Creative Tim">
    <meta name="twitter:description" content="Forget
about boring dashboards, get a bootstrap 4 admin
template designed to be simple and beautiful.">
    <meta name="twitter:creator"
content="@creativetim">
    <meta name="twitter:image"
content="http://s3.amazonaws.com/creativetim_bucket/p
roducts/34/original/opt_lbd_pro_thumbnail.jpg">
    <meta name="twitter:data1" content="Light Bootstrap
Dashboard PRO by Creative Tim">
    <meta name="twitter:label1" content="Product
Type">
    <meta name="twitter:data2" content="$39">
    <meta name="twitter:label2" content="Price">
    <!-- Open Graph data -->
    <meta property="og:title" content="Light Bootstrap
Dashboard PRO by Creative Tim">
    <meta property="og:type" content="article">

```

```

<meta property="og:url"
content="http://demos.creative-tim.com/light-bootstrap-
dashboard-pro/examples/dashboard.html">

<meta property="og:image"
content="http://s3.amazonaws.com/creativetim_bucket/p
roducts/34/original/opt_lbd_pro_thumbnail.jpg">

<meta property="og:description" content="Forget
about boring dashboards, get a bootstrap 4 admin
template designed to be simple and beautiful.">

<meta property="og:site_name" content="Creative
Tim">

<!-- Fonts and icons -->

<link href="login/css.css" rel="stylesheet">

<link rel="stylesheet" href="login/font-
awesome.css">

<!-- CSS Files -->

<link href="login/bootstrap.css" rel="stylesheet">

<link href="login/light-bootstrap-dashboard.css"
rel="stylesheet">

<!-- CSS Just for demo purpose, don't include it in
your project -->

<link href="login/demo.css" rel="stylesheet">

<script type="text/javascript" charset="UTF-8"
src="login/common.js"></script><script
type="text/javascript" charset="UTF-8"
src="login/util.js"></script><script
type="text/javascript" charset="UTF-8"
src="login/stats.js"></script></head>

<body>

<div class="wrapper wrapper-full-page">

<!-- Navbar -->

<nav class="navbar navbar-expand-lg navbar-
transparent navbar-absolute">

<div class="container">

<div class="navbar-wrapper">

<a class="navbar-brand"
href="#pablo">Login Administrator </a>

<button class="navbar-toggler navbar-
toggler-right" type="button" data-toggle="collapse" aria-
controls="navigation-index" aria-expanded="false" aria-
label="Toggle navigation">

<span class="navbar-toggler-bar burger-
lines"></span>

<span class="navbar-toggler-bar burger-
lines"></span>

```

```

<span class="navbar-toggler-bar burger-
lines"></span>

</button>

</div>

</div>

</nav>

<!-- End Navbar -->

<div class="full-page section-image" data-
color="black" data-image="../../assets/img/full-screen-
image-2.jpg" ;="">

<!-- you can change the color of the filter page
using: data-color="blue | purple | green | orange | red |
rose " -->

<div class="content">

<div class="container">

<div class="col-md-4 col-sm-6 ml-auto mr-
auto">

<form class="form" method="post"
action="">

<div class="card card-login">

<div class="card-header ">

<h3 class="header text-
center">Login</h3>

</div>

<div class="card-body ">

<div class="card-body">

<div class="form-group">

<label>Username</label>

<input
placeholder="Username " name=Username
class="form-control" type="text">

</div>

<div class="form-group">

<label>Password</label>

<input
placeholder="Password" name=Password class="form-
control" type="password">

</div>

<div class="form-group">

<div class="form-check">

<label class="form-check-
label">

```

```

        <input class="form-
check-input" value="" checked="checked"
type="checkbox">
        <span class="form-
check-sign"></span>
        Ingat password
        </label>
    </div>
</div>
</div>
</div>
</div>
<div class="full-page-background"
style="background-image: url(../assets/img/full-
screen-image-2.jpg) "></div></div>
<div class="card-footer ml-auto mr-
auto">
    <input type="submit" name=login
class="btn btn-warning btn-wd" value=Login >
    </div>
</div>
</form>
<?php

if(isset($_POST[login])){

    $k=new database();

    $w=$k->cari("select * from user where
Username='$_POST[Password]' and
Username='$_POST[Username]'");

    if (empty($w)){

        echo "<Script>alert('Maaf login anda tidak
diterima');</script>";

    }

    else{

        $_SESSION[Level]=$w[Level];

        $_SESSION[Username]=$w[Username];

        $_SESSION>NamaLevel]=$w>NamaLevel];

        echo
"<script>location.href='adm/tes.php'</script>";
    }

    <script src="login/jquery_002.js"
type="text/javascript"></script>

    <script src="login/popper.js"
type="text/javascript"></script>

    <script src="login/bootstrap.js"
type="text/javascript"></script>

    <!-- Plugin for Switches, full documentation here:
http://www.jque.re/plugins/version3/bootstrap.switch/ -->

    <script src="login/bootstrap-switch.js"></script>

    <!-- Google Maps Plugin -->

    <script type="text/javascript" src="login/js"></script>

    <!-- Chartist Plugin -->

    <script src="login/chartist.js"></script>

    <!-- Notifications Plugin -->

    <script src="login/bootstrap-notify.js"></script>

    <!-- Share Plugin -->

    <script src="login/jquery_003.js"></script>

    <!-- jVector Map -->

    <script src="login/jquery-jvectormap.js"
type="text/javascript"></script>

    <!-- Plugin for Date Time Picker and Full Calendar
Plugin-->

    <script src="login/moment.js"></script>
}
?>

```



```

<!-- DatePicker -->
<script src="login/bootstrap-
datetimepicker.js"></script>
<!-- Sweet Alert -->
<script src="login/sweetalert2.js"
type="text/javascript"></script>
<!-- Tags Input -->
<script src="login/bootstrap-tagsinput.js"
type="text/javascript"></script>
<!-- Sliders -->
<script src="login/nouislider.js"
type="text/javascript"></script>
<!-- Bootstrap Select -->
<script src="login/bootstrap-selectpicker.js"
type="text/javascript"></script>
<!-- jQueryValidate -->
<script src="login/jquery.js"
type="text/javascript"></script>
<!-- Plugin for the Wizard, full documentation here:
https://github.com/VinceG/twitter-bootstrap-wizard -->
<script src="login/jquery_004.js"></script>
<!-- Bootstrap Table Plugin -->
<script src="login/bootstrap-table.js"></script>
<!-- DataTable Plugin -->
<script src="login/jquery_005.js"></script>
<!-- Full Calendar -->
<script src="login/fullcalendar.js"></script>
<!-- Control Center for Now Ui Dashboard: parallax
effects, scripts for the example pages etc -->
<script src="login/light-bootstrap-dashboard.js"
type="text/javascript"></script>
<!-- Light Dashboard DEMO methods, don't include it in
your project! -->
<script src="login/demo.js"></script>
<!-- Facebook Pixel Code Don't Delete -->
<script>
</script>
</script>
<noscript>


```

```

</noscript>
<!-- End Facebook Pixel Code -->
<div class="sweet-container"><div class="sweet-
overlay" tabindex="-1"></div><div class="sweet-alert"
style="display: none" tabindex="-1"><div class="icon
error"><span class="x-mark"><span class="line
left"></span><span class="line
right"></span></span></div><div class="icon
warning"> <span class="body"></span> <span
class="dot"></span> </div> <div class="icon
info"></div> <div class="icon success"> <span
class="line tip"></span> <span class="line
long"></span> <div class="placeholder"></div> <div
class="fix"></div> </div> <img class="sweet-image">
<h2>Title</h2><div class="sweet-
content">Text</div><hr class="sweet-spacer"><button
class="sweet-confirm">OK</button><button
class="sweet-
cancel">Cancel</button></div></div></body><!--
Core JS Files --></html>
login1.php
<?php
error_reporting(0);
session_start();
include "class.php";

?>
<!DOCTYPE html>
<html lang="en"><head>
<meta http-equiv="content-type" content="text/html;
charset=UTF-8">
<meta charset="utf-8">
<link rel="apple-touch-icon" sizes="76x76"
href="http://demos.creative-tim.com/light-bootstrap-
dashboard-pro/assets/img/apple-icon.png">
<link rel="icon" type="image/png"
href="http://demos.creative-tim.com/light-bootstrap-
dashboard-pro/assets/img/favicon.png">
<meta http-equiv="X-UA-Compatible"
content="IE=edge,chrome=1">
<title>Halaman Login Administrator</title>
<meta content="width=device-width, initial-
scale=1.0, maximum-scale=1.0, user-scalable=0, shrink-
to-fit=no" name="viewport">
<!-- Canonical SEO -->
<link rel="canonical" href="https://www.creative-
tim.com/product/light-bootstrap-dashboard-pro">
<!-- Social tags -->

```

```
<meta name="keywords" content="creative tim, html
dashboard, html css dashboard, web dashboard,
bootstrap 4 dashboard, bootstrap 4, css3 dashboard,
bootstrap 4 admin, light bootstrap 4 dashboard, frontend,
responsive bootstrap dashboard">
```

```
<meta name="description" content="Forget about
boring dashboards, get a bootstrap 4 admin template
designed to be simple and beautiful.">
```

```
<!-- Schema.org markup for Google+ -->
```

```
<meta itemprop="name" content="Light Bootstrap
Dashboard PRO by Creative Tim">
```

```
<meta itemprop="description" content="Forget about
boring dashboards, get a bootstrap 4 admin template
designed to be simple and beautiful.">
```

```
<meta itemprop="image"
content="http://s3.amazonaws.com/creativetim_bucket/p
roducts/34/original/opt_lbd_pro_thumbnail.jpg">
```

```
<!-- Twitter Card data -->
```

```
<meta name="twitter:card" content="product">
```

```
<meta name="twitter:site" content="@creativetim">
```

```
<meta name="twitter:title" content="Light Bootstrap
Dashboard PRO by Creative Tim">
```

```
<meta name="twitter:description" content="Forget
about boring dashboards, get a bootstrap 4 admin
template designed to be simple and beautiful.">
```

```
<meta name="twitter:creator"
content="@creativetim">
```

```
<meta name="twitter:image"
content="http://s3.amazonaws.com/creativetim_bucket/p
roducts/34/original/opt_lbd_pro_thumbnail.jpg">
```

```
<meta name="twitter:data1" content="Light Bootstrap
Dashboard PRO by Creative Tim">
```

```
<meta name="twitter:label1" content="Product
Type">
```

```
<meta name="twitter:data2" content="$39">
```

```
<meta name="twitter:label2" content="Price">
```

```
<!-- Open Graph data -->
```

```
<meta property="og:title" content="Light Bootstrap
Dashboard PRO by Creative Tim">
```

```
<meta property="og:type" content="article">
```

```
<meta property="og:url"
content="http://demos.creative-tim.com/light-bootstrap-
dashboard-pro/examples/dashboard.html">
```

```
<meta property="og:image"
content="http://s3.amazonaws.com/creativetim_bucket/p
roducts/34/original/opt_lbd_pro_thumbnail.jpg">
```

```
<meta property="og:description" content="Forget
about boring dashboards, get a bootstrap 4 admin
template designed to be simple and beautiful.">
```

```
<meta property="og:site_name" content="Creative
Tim">
```

```
<!-- Fonts and icons -->
```

```
<link href="login/css.css" rel="stylesheet">
```

```
<link rel="stylesheet" href="login/font-
awesome.css">
```

```
<!-- CSS Files -->
```

```
<link href="login/bootstrap.css" rel="stylesheet">
```

```
<link href="login/light-bootstrap-dashboard.css"
rel="stylesheet">
```

```
<!-- CSS Just for demo purpose, don't include it in
your project -->
```

```
<link href="login/demo.css" rel="stylesheet">
```

```
<script type="text/javascript" charset="UTF-8"
src="login/common.js"></script><script
type="text/javascript" charset="UTF-8"
src="login/util.js"></script><script
type="text/javascript" charset="UTF-8"
src="login/stats.js"></script></head>
```

```
<body>
```

```
<div class="wrapper wrapper-full-page">
```

```
<!-- Navbar -->
```

```
<nav class="navbar navbar-expand-lg navbar-
transparent navbar-absolute">
```

```
<div class="container">
```

```
<div class="navbar-wrapper">
```

```
<a class="navbar-brand"
href="#pablo">Login Administrator </a>
```

```
<button class="navbar-toggler navbar-
toggler-right" type="button" data-toggle="collapse" aria-
controls="navigation-index" aria-expanded="false" aria-
label="Toggle navigation">
```

```
<span class="navbar-toggler-bar burger-
lines"></span>
```

```
<span class="navbar-toggler-bar burger-
lines"></span>
```

```
<span class="navbar-toggler-bar burger-
lines"></span>
```

```
</button>
```

```
</div>
```

```
</div>
```

```
</nav>
```

```
<!-- End Navbar -->
```

```

<div class="full-page section-image" data-
color="black" data-image="../../assets/img/full-screen-
image-2.jpg" ;="">
    <!-- you can change the color of the filter page
using: data-color="blue | purple | green | orange | red |
rose " -->
    <div class="content">
        <div class="container">
            <div class="col-md-4 col-sm-6 ml-auto mr-
auto">
                <form class="form" method="post"
action="">
                    <div class="card card-login">
                        <div class="card-header ">
                            <h3 class="header text-
center">Login</h3>
                        </div>
                        <div class="card-body ">
                            <div class="card-body">
                                <div class="form-group">
                                    <label>Username</label>
                                    <input
placeholder="Username " name=Username
class="form-control" type="text">
                                </div>
                                <div class="form-group">
                                    <label>Password</label>
                                    <input
placeholder="Password" name=Password class="form-
control" type="password">
                                </div>
                                <div class="form-group">
                                    <div class="form-check">
                                        <label class="form-check-
label">
                                            <input class="form-
check-input" value="" checked="checked"
type="checkbox">
                                        <span class="form-
check-sign"></span>
                                            Ingat password
                                        </label>
                                    </div>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

</div>
</div>
<div class="card-footer ml-auto mr-
auto">
    <input type="submit" name=login
class="btn btn-warning btn-wd" value=Login >
</div>
</div>
</form>
<?php
if(isset($_POST[login])){
    $k=new database();

    $w=$k->cari("select * from user where
Username='$_POST[Password]' and
Username='$_POST[Username]'");

    if (empty($w)){

        echo "<Script>alert('Maaf login anda tidak
diterima');</script>";

    }

    else{

        $_SESSION[Level]=$w[Level];

        $_SESSION[Username]=$w[Username];

        $_SESSION>NamaLevel]=$w>NamaLevel];

        echo
"<script>location.href='adm/tes.php'</script>";

    }

}

?>
</div>

```

```

</div>
</div>
<div class="full-page-background"
style="background-image: url(../assets/img/full-
screen-image-2.jpg) "></div></div>
<footer class="footer">
<div class="container">
</div>
</footer>
</div>
<!--
-->
<script src="login/jquery_002.js"
type="text/javascript"></script>
<script src="login/popper.js"
type="text/javascript"></script>
<script src="login/bootstrap.js"
type="text/javascript"></script>
<!-- Plugin for Switches, full documentation here:
http://www.jque.re/plugins/version3/bootstrap.switch/ --
>
<script src="login/bootstrap-switch.js"></script>
<!-- Google Maps Plugin -->
<script type="text/javascript" src="login/js"></script>
<!-- Chartist Plugin -->
<script src="login/chartist.js"></script>
<!-- Notifications Plugin -->
<script src="login/bootstrap-notify.js"></script>
<!-- Share Plugin -->
<script src="login/jquery_003.js"></script>
<!-- jVector Map -->
<script src="login/jquery-jvectormap.js"
type="text/javascript"></script>
<!-- Plugin for Date Time Picker and Full Calendar
Plugin-->
<script src="login/moment.js"></script>
<!-- DatetimePicker -->
<script src="login/bootstrap-
datetimepicker.js"></script>

```

```

<!-- Sweet Alert -->
<script src="login/sweetalert2.js"
type="text/javascript"></script>
<!-- Tags Input -->
<script src="login/bootstrap-tagsinput.js"
type="text/javascript"></script>
<!-- Sliders -->
<script src="login/nouislider.js"
type="text/javascript"></script>
<!-- Bootstrap Select -->
<script src="login/bootstrap-selectpicker.js"
type="text/javascript"></script>
<!-- jQueryValidate -->
<script src="login/jquery.js"
type="text/javascript"></script>
<!-- Plugin for the Wizard, full documentation here:
https://github.com/VinceG/twitter-bootstrap-wizard -->
<script src="login/jquery_004.js"></script>
<!-- Bootstrap Table Plugin -->
<script src="login/bootstrap-table.js"></script>
<!-- DataTable Plugin -->
<script src="login/jquery_005.js"></script>
<!-- Full Calendar -->
<script src="login/fullcalendar.js"></script>
<!-- Control Center for Now Ui Dashboard: parallax
effects, scripts for the example pages etc -->
<script src="login/light-bootstrap-dashboard.js"
type="text/javascript"></script>
<!-- Light Dashboard DEMO methods, don't include it in
your project! -->
<script src="login/demo.js"></script>
<noscript>

</noscript>
<!-- End Facebook Pixel Code -->
<div class="sweet-container"><div class="sweet-
overlay" tabindex="-1"></div><div class="sweet-alert"
style="display: none" tabindex="-1"><div class="icon
error"><span class="x-mark"><span class="line
left"></span><span class="line
right"></span></span></div><div class="icon

```

```
warning"> <span class="body"></span> <span
class="dot"></span> </div> <div class="icon
info"></div> <div class="icon success"> <span
class="line tip"></span> <span class="line
long"></span> <div class="placeholder"></div> <div
class="fix"></div> </div> <img class="sweet-image">
<h2>Title</h2><div class="sweet-
content">Text</div><hr class="sweet-spacer"><button
class="sweet-confirm">OK</button><button
class="sweet-
cancel">Cancel</button></div></div></body><!--
Core JS Files --></html>
```

menu_admin.php

```
<li class=""><a href="tes.php"><i class="fa fa-
circle-o"></i> Home</a></li>

<li><a href="?menu=user"><i
class="fa fa-circle-o"></i> Data User Login </a></li>

<li><a href="?menu=polisi"><i class="fa fa-circle-
o"></i> Input Data Polisi </a></li>

<li><a href="?menu=kegiatan"><i
class="fa fa-date"></i>Input Kegiatan</a></li>

<li><a href="?menu=piket"><i
class="fa fa-circle-o"></i> Input Jadwal Pengamanan
</a></li>

<li><a href="?menu=absen"><i
class="fa fa-date"></i> Absensi Kegiatan </a></li>

<li><a href="?menu=jadwaltampil"><i
class="fa fa-date"></i> Laporan Jadwal </a></li>
```

menu_pimp.php

```
<li class=""><a href="tes.php"><i class="fa fa-
circle-o"></i> Home</a></li>

<li><a
href="?menu=jadwaltampilpimp"><i class="fa fa-
date"></i> Jadwal </a></li>
```

menu_user.php

```
<li class=""><a href="tes.php"><i class="fa fa-
circle-o"></i> Home</a></li>

<li><a
href="?menu=jadwaltampiluser"><i class="fa fa-
date"></i> Jadwal </a></li>
```

tengah.php

```
<div class="col-md-12">

<div class="card panel panel-body">

<div class="header">

<h4 class="title">
<b><u>Kepolisian Daerah Sumatera Selatan</b></u>
</h4>

<p class="category"> </p>
```

```
</div>
```

```
<div class='row'>
```

```
<div class='col-md-5'>
```

```

```

```
</div>
```

```
<div class='col-md-12'>
```

```
<p>
```

```
<p align="justify;">
```

Ditpamobvit merupakan unsur pelaksana tugas pokok yang berada di bawah Kapolda. Ditpamobvit bertugas menyelenggarakan kegiatan pengamanan

terhadap obyek khusus yang meliputi personel dan fasilitas, materiil logistik, kegiatan di dalam fasilitas lembaga negara, perwakilan negara

asing, lingkungan industri termasuk VIP dan obyek pariwisata yang memerlukan pengamanan khusus. Dalam melaksanakan tugasnya, Ditpamobvit menyelenggarakan fungsi:

pembinaan manajemen operasional dan pelatihan, penyelenggaraan anev serta pengumpulan dan pengolahan data, serta penyajian informasi dan dokumentasi program kegiatan Ditpamobvit;

pengamanan lingkungan industri dan kawasan tertentu yang memerlukan pengamanan khusus;

pengamanan obyek wisata termasuk mobilitas wisatawan yang memerlukan pengamanan khusus;

pengamanan kementerian dan lembaga negara termasuk VIP, yang memerlukan pengamanan khusus; dan

pengamanan perwakilan negara asing termasuk VIP, yang memerlukan pengamanan khusus.

Ditpamobvit
dipimpin oleh Dirpamobvit yang bertanggung jawab
kepada Kapolda, dan dalam pelaksanaan

tugas sehari-
hari di bawah kendali Wakapolda.

Dirpamobvit
dalam melaksanakan tugasnya dibantu oleh
Wadirpamobvit yang bertanggung jawab kepada
Dirpamobvit.

Ditpamobvit
terdiri dari:

- <p>1.Subbagian Perencanaan dan Administrasi
(Subbagrenmin);
- <p>2.Bagian Pembinaan Operasional (Bagbinopsnal);
- <p>3.Subdirektorat Kawasan Tertentu (Subditwaster);
- <p>4.Subdirektorat Pariwisata (Subditwisata);
- <p>5.Subdirektorat Lembaga Negara (Subditlemneg);
dan
- <p>6.Subdirektorat Perwakilan Asing (Subditkilas).

<p>Kontak :
(0711) 313769

<p>Alamat : Jl.
Jend Sudirman Km 4,5 Palembang

<p>Telepon :
0711-320550

</div>

</div>

</div>

</div>

tes.php

<?php

session_start();

error_reporting(0);

include "../class.php";

?>

<!DOCTYPE html>

<html>

<head>

<meta charset="utf-8">

<meta http-equiv="X-UA-Compatible"
content="IE=edge">

<title>Penjadwalan Polisi</title>

<meta content="width=device-width, initial-scale=1,
maximum-scale=1, user-scalable=no"
name="viewport">

<link href="rc/lte.css" rel="stylesheet" />

<link href="rc/bos.css" rel="stylesheet" />

<link href="rc/lte2.css" rel="stylesheet" />

<link href="rc/skin.css" rel="stylesheet" />

<link href="rc/skin2.css" rel="stylesheet" />

<link href="rc/tb.css" rel="stylesheet" />

<!-- Google Font -->

<link rel="stylesheet"

href="https://fonts.googleapis.com/css?family=Source+
Sans+Pro:300,400,600,700,300italic,400italic,600italic"
>

</head>

<!-- warna header-->

<body class="skin-yellow" data-spy="scroll" data-
target="Actionsrollspy">

<div class="wrapper">

<header class="main-header">

<!-- Logo -->


```

<!-- mini logo for sidebar mini 50x50 pixels -->
<span class="logo-mini">Aplikasi</span>
<!-- logo for regular state and mobile devices -->
<span class="logo-lg"><b>Sistem Penjadwalan
</b></span>
</a>
<!-- Header Navbar: style can be found in header.less
-->
<nav class="navbar navbar-static-top"
role="navigation">
  <!-- Sidebar toggle button-->
    
    <span class="logo-lg"><b>Kepolisian Daerah
Sumatera Selatan</b></span>
  </a>
  <!-- Navbar Right Menu -->
  <div class="navbar-custom-menu">
    <ul class="nav navbar-nav">
      <li><a User Login </a></li>
      <li><a href="#"><?php echo
$_SESSION[Username] ?></a></li>
    </ul>
  </div>
</nav>
</header>
<!-- Left side column. contains the logo and sidebar -->
<aside class="main-sidebar">
  <!-- sidebar: style can be found in sidebar.less -->
  <div class="sidebar" id="scrollspy" style="height:
auto;">
    <!-- sidebar menu: : style can be found in
sidebar.less -->
    <ul class=" nav sidebar-menu">
      <li class="header">Dashboard Halaman </li>
      <?php
        if($_SESSION[Level]==1){
          include
"menu_admin.php";
        }elseif($_SESSION[Level]==2){

```

```

include "menu_user.php";
      }elseif($_SESSION[Level]==3){
        include "menu_pimp.php";
      }
    }else{
      include
"menu_user.php";
    }
  ?>
  <li><a href="../index.php">Logout </a></li></ul>
</div>
<!-- /.sidebar -->
</aside>
<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper" style="min-height:
833.15px;"><div style="padding: 20px 30px;
background: rgb(255,8, 8) none repeat scroll 0% 0%; z-
index: 999999; font-size: 16px; font-weight: 600;">
  <a class="pull-right" href="Action" data-
toggle="tooltip" data-placement="left" title="Never
show me this again!" style="color: rgb(255, 255, 255);
font-size: 20px;">x</a><a
href="https://themequarry.com" style="color: rgba(255,
255, 255, 0.9); display: inline-block; margin-right: 10px;
text-decoration: none;">
  Username <?=$_SESSION[Username]; ?>
  Tanggal Login :
  <?php
    date_default_timezone_set('Asia/Jakarta');
    $tanggal=
mktime(date("m"),date("d"),date("Y"));
    $tglsekarang = date("d-M-Y", $tanggal);
    $jamsekarang = date("H:i");
    echo "$tglsekarang , $jamsekarang";
  ?>
</a>
  <a class="btn btn-default btn-sm"
href="https://themequarry.com" style="margin-top: -
5px; border: 0px none; box-shadow: none; color:
rgb(255, 156, 18);

```

```
font-weight: 600; background: rgb(245, 241, 0) none
repeat scroll 0% 0%;">Level Login :
<?=$_SESSION[Level]?></a></div>
```

```
<!-- Content Header (Page header) -->
```

```
<!-- <div class="content-header">
```

```
<h1>
```

```
Halaman Administrator
```

```
<small>POLDA SUMSEL</small>
```

```
</h1>
```

```
<ol class="breadcrumb">
```

```
<li><a href="tes.php"><i class="fa fa-
dashboard"></i> Home</a></li>
```

```
<li class="active">Documentation</li>
```

```
</ol>
```

```
</div-->
```

```
<!-- Main content -->
```

```
<div class="content body">
```

```
<?php
```

```
if
```

```
(empty($_GET[menu])){
```

```
"tengah.php";
```

```
include
```

```
}else{
```

```
include
```

```
"../mod/$_GET[menu].php";
```

```
}
```

```
?>
```

```
<div><div class="row docs-premium-template">
```

```
</div>
```

```
</div></div><!-- /.content -->
```

```
</div><!-- /.content-wrapper -->
```

```
<footer class="main-footer">
```

```
<div class="pull-right hidden-xs">
```

```
<b>Politeknik Negeri Sriwijaya </b>
```

```
</div>
```

```
<strong>Copyright © 2018 <a href="#">Created by
Wira Assyawali</a>.</strong> All rights
```

```
reserved.
```

```
</footer>
```

```
<!-- Control Sidebar -->
```

```
<aside class="control-sidebar control-sidebar-dark">
```

```
<!-- Create the tabs -->
```

```
<div class="pad">
```

```
Halaman Sistem Penjadwalan Kepolisian
```

```
</div>
```

```
</aside><!-- /.control-sidebar -->
```

```
<!-- Add the sidebar's background. This div must be
placed
```

```
immediately after the control sidebar -->
```

```
<div class="control-sidebar-bg"></div>
```

```
<div style="position: fixed; bottom: 20px; right: 25px;
width: 40px; height: 40px; color: rgb(238, 238, 238);
line-height: 40px; text-align: center; background-color:
rgb(34, 45, 50); cursor: pointer; border-radius: 5px; z-
index: 99999; opacity: 0.7; display: none;"><i class="fa
fa-chevron-up"></i></div></div>
```

```
tes2.php
```

```
<?php
```

```
session_start();
```

```
error_reporting(0);
```

```
include "../class.php";
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta http-equiv="X-UA-Compatible"
content="IE=edge">
```

```
<title>Admin | Penjadwalan Polisi</title>
```

```
<meta content="width=device-width, initial-scale=1,
maximum-scale=1, user-scalable=no"
name="viewport">
```

```
<link href="rc/lte.css" rel="stylesheet" />
```



```

<link href="rc/bos.css" rel="stylesheet" />
<link href="rc/lte2.css" rel="stylesheet" />
<link href="rc/skin.css" rel="stylesheet" />
<link href="rc/skin2.css" rel="stylesheet" />
<link href="rc/tb.css" rel="stylesheet" />

<link rel="stylesheet"

href="https://fonts.googleapis.com/css?family=Source+
Sans+Pro:300,400,600,700,300italic,400italic,600italic"
>
</head>
<!-- warna header-->
<body class="skin-yellow" data-spy="scroll" data-
target="Actionscrollspy">
<div class="wrapper">

<header class="main-header">
<!-- Logo -->
<a href="tes.php" class="logo">
<!-- mini logo for sidebar mini 50x50 pixels -->
<span class="logo-mini"><b>A</b>DMIN</span>
<!-- logo for regular state and mobile devices -->
<span class="logo-
lg"><b>Admin</b>istrator</span>
</a>
<!-- Header Navbar: style can be found in header.less
-->
<nav class="navbar navbar-static-top"
role="navigation">
<!-- Sidebar toggle button-->
<a href="Action" class="sidebar-toggle" data-
toggle="push-menu" role="button">
<span class="logo-lg"><b>Kepolisian Daerah</b>
Sumatera Selatan</span>
</a>
<!-- Navbar Right Menu -->
<div class="navbar-custom-menu">
<ul class="nav navbar-nav">
<li><a href="?menu=test">User Login </a></li>

```

```

<li><a href="#"><?php echo
$_SESSION[Username] ?></a></li>
<li class="bg-yellow"><a
href="../index.php"><i class="fa fa-star-o" style="color:
rgb(202, 241, 2);"></i>
<span style="color: rgb(255, 255,
255);">Logout </span></a></li>
</ul>
</div>
</nav>
</header>
<!-- Left side column. contains the logo and sidebar -->
<aside class="main-sidebar">
<!-- sidebar: style can be found in sidebar.less -->
<div class="sidebar" id="scrollspy" style="height:
auto;">
</div>
<!-- /.sidebar -->
</aside>
<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper" style="min-height:
833.15px;"><div style="padding: 20px 30px;
background: rgb(255,8, 8) none repeat scroll 0% 0%; z-
index: 999999; font-size: 16px; font-weight: 600;"><a
class="pull-right" href="Action" data-toggle="tooltip"
data-placement="left" title="Never show me this again!"
style="color: rgb(255, 255, 255); font-size:
20px;">x</a><a href="https://themequarry.com"
style="color: rgba(255, 255, 255, 0.9); display: inline-
block; margin-right: 10px; text-decoration: none;">
Username <?=$_SESSION[Username]; ?> Tanggal
Login : <?php $dt=date("Y-M-d : H:s"); echo $dt ;
?></a>
<a class="btn btn-default btn-sm"
href="https://themequarry.com" style="margin-top: -
5px; border: 0px none; box-shadow: none; color:
rgb(255, 156, 18);
font-weight: 600; background: rgb(245, 241, 0) none
repeat scroll 0% 0%;">Level Login :
<?=$_SESSION[Level]?></a></div>
<!-- Content Header (Page header) -->
<div class="content-header">
<h1>
Halaman Administrator
<small>POLDA SUMSEL</small>
</h1>

```



```

<td height=78>&nbsp;  </td>
</tr>
<tr>
<td>&nbsp;  &nbsp; <u>Drs. BUDI
DERMAWAN</td>
</tr>
<tr>
<td>KOMBES POL / 63040968</td>
</tr>
</table>

```

```

";
$mpdf->WriteHTML($html);
$mpdf->Output('Data Jadwal','I');
exit;
function buka($wh){
$sql_tldata=("SELECT * from piket,polisi,kegiatan
where kegiatan.NoKegiatan=piket.NoKegiatan
and
polisi.NRP=piket.NRP and
polisi.NRP='$_GET[id]'");
$query = mysql_query($sql_tldata);
echo mysql_error();
$psn=mysql_query($sql_tldata) or die
(mysql_error());
$i=1;
while($data=mysql_fetch_object($psn)){
$x="$x <tr style=background-color:#fff;>
<td style='text-align:center; width:30px; font-
size:11px; color:black;'>$i</td>
<td style='text-align:center; width:40px; font-
size:11px; color:black;'>$data->NRP</td>
<td style='text-align:center; width:70px; font-
size:11px; color:black;'>$data->Nama</td>
<td style='text-align:center; width:70px; font-
size:11px; color:black;'>$data->Pangkat</td>

```

```

<td style='text-align:center; width:50px; font-
size:11px; color:black;'>$data->Judul</td>
<td style='text-align:center; width:50px; font-
size:11px; color:black;'>$data->Isi</td>
<td style='text-align:center; width:50px; font-
size:11px; color:black;'>$data->Tanggal</td>
<td style='text-align:center; width:50px; font-
size:11px; color:black;'>$data->Jam</td>
<td style='text-align:center; width:50px; font-
size:11px; color:black;'>$data->Absen</td>
<td style='text-align:center; width:50px; font-
size:11px; color:black;'>$data->Pengganti</td>
";
$i++;
}
return $x;
}
?>
jadwaltampil.php
<?php
echo "
<div class='col-md-12'>
<div class='card panel panel-body'>
<div class='header'>
<h4 class='title'><b><u>LAPORAN JADWAL
PENGAMANAN OBJEK VITAL KEPOLISIAN
DAERAH SUMATERA SELATAN </u></b></h4>
</div>
</div>
</div>";
echo "
<div class='col-md-12'>
<div class='card panel panel-body'>
<div class='header'>
<!-- <h4
class='title'><b><u>JADWAL PENGAMANAN
OBJEK VITAL KEPOLISIAN DAERAH SUMATERA
SELATAN </u></b></h4>
<p class='category'>Tabel jadwal
</p-->
<a href='../mod/jadwal-cetak.php'
target='_blank'>

```

```

        <button type =button class='btn btn-info'><i
class='fa fa-print'></i> cetak</button>

</a>

</div>

<div class='content table-responsive
table-full-width'>

<table class='table table-hover table-
striped'>

    <thead>

        <th>NRP</th>
        <th>Pangkat</th>
        <th>Judul Kegiatan</th>
        <th>Tanggal</th>
        <th>Shift</th>
        <th>Absensi</th>
        <th>Pengganti</th>
    </thead>
    <tbody>
        ";

        $resultx=new database();
        foreach($resultx->tampil_data("select *
from piket,polisi,kegiatan
kegiatan.NoKegiatan=piket.NoKegiatan and
polisi.NRP=piket.NRP") as $w){
            echo " <tr>

                <td>$w[NRP] / $w>Nama</td>

                <td>$w[Pangkat]</td>

                <td>$w[Judul]</td>

```

```

        <td>$w[Tanggal]</td>

        <td>$w[Jam]</td>

        <td>$w[Absen]</td>

        <td>$w[Pengganti]</td>
    </tr> ";
}
echo "
</tbody>
</table>

</div>
</div>
</div>
";
jadwaltampilpimp.php
<?php
echo "
<div class='col-md-12'>
    <div class='card panel panel-body'>
        <div class='header'>
            <h4 class='title'><b><u>JADWAL
PENGAMANAN OBJEK VITAL KEPOLISIAN
DAERAH SUMATERA SELATAN </u></b></h4>
        </div>
    </div>
</div>";
echo "
<div class='col-md-12'>
    <div class='card panel panel-body'>
        <div class='header'>
            <!-- <h4
class='title'><b><u>JADWAL PENGAMANAN
OBJEK VITAL KEPOLISIAN DAERAH SUMATERA
SELATAN </u></b></h4>

```

```

<p class='category'>Tabel jadwal
</p-->

<a href='../mod/jadwal-cetak.php'
target='_blank'><i class='fa fa-print'></i> cetak</a>

</div>

<div class='content table-responsive
table-full-width'>

<table class='table table-hover table-
striped'>

<thead>

<th>NRP</th>
<th>Pangkat</th>
<th>Judul Kegiatan</th>
<th>Tanggal</th>
<th>Shift</th>
<th>Absensi</th>
<th>Pengganti</th>
</thead>
<tbody>
";

$resultx=new database();
foreach($resultx->tampil_data("select *
from piket,polisi,kegiatan
kegiatan.NoKegiatan=piket.NoKegiatan and
polisi.NRP=piket.NRP") as $w){
echo " <tr>

<td>$w[NRP] / $w>Nama</td>

<td>$w[Pangkat]</td>

<td>$w[Judul]</td>

```

```

<td>$w[Tanggal]</td>

<td>$w[Jam]</td>

<td>$w[Absen]</td>

<td>$w[Pengganti]</td>

</tr> ";
}

echo "

</tbody>

</table>

</div>

</div>

</div>

";

jadwaltampiluser.php
<?php

echo "

<div class='col-md-12'>

<div class='card panel panel-body'>

<div class='header'>

<h4 class='title'><b><u>JADWAL
PENGAMANAN OBJEK VITAL KEPOLISIAN
DAERAH SUMATERA SELATAN </u></b></h4>

</div>

</div>

</div>";

echo "

<div class='col-md-12'>

<div class='card panel panel-body'>

<div class='header'>

<!-- <h4
class='title'><b><u>JADWAL PENGAMANAN
OBJEK VITAL KEPOLISIAN DAERAH SUMATERA
SELATAN </u></b></h4>

```

```

        <p class='category'>Tabel jadwal
    </p-->
        <td>$w[Judul]</td>

        <a href='../mod/jadwal-cetak-
user.php?id=$_SESSION[Username]' target='_blank'><i
class='fa fa-print'></i> cetak</a>
        <td>$w[Tanggal]</td>

    </div>
        <td>$w[Jam]</td>

    <div class='content table-responsive
table-full-width'>
        <td>$w[Absen]</td>

        <td>$w[Pengganti]</td>
    </tr> ";
    }

    echo "
</tbody>
</table>
</div>
</div>
</div>
";
kegiatan.php
<?php

$resultx=new database();
foreach($resultx->tampil_data("select *
from piket,polisi,kegiatan
where
kegiatan.NoKegiatan=piket.NoKegiatan and

polisi.NRP=piket.NRP and

polisi.NRP=$_SESSION[Username]'" as $w){
    echo " <tr>

        <td>$w[NRP] / $w>Nama]</td>

        <td>$w[Pangkat]</td>

```



```

<!-- form edit -->
class='control-group'>
class='control-label'>No. Kegiatan</label>
class='controls'>
    <input required id='NoKegiatan' class='form-
control' type='text' name='NoKegiatan'
value='$w[NoKegiatan]' />
</div>
</div>
class='control-group'>
class='control-label'>Judul</label>
class='controls'>
    <input id='Judul' class='form-control' type='text'
name='Judul' value='$w[Judul]' />
</div>
</div>
class='control-group'>
class='control-label'>Isi</label>
class='controls'>
    <textarea id='Isi' class='form-control' type='text'
name='Isi' value='$w[Isi]','$w[Isi]'></textarea>
</div>
</div>
<!--batas form edit -->
<input type='submit'
name='simpan' class='btn btn-info btn-fill pull-left'
value=simpan>
</div>
</div>";
//table
echo "
<div class='col-md-12'>
    <div class='card panel panel-body'>
        <div class='widget-box'>
            <div class='widget-title'> <span class='icon'> <i
class='icon-pencil'></i> </span>
            <h5>Tabel Kegiatan</h5>
            </div>
            <div class='content table-responsive
table-full-width'>
                <table class='table table-bordered
data-table'>
                    <thead>
                        <!-- th edit -->
                        <th>No. Kegiatan</th>
                        <th>Judul</th>
                        <th>Isi</th>
                        <!-- batas th edit -->
                        <th>Action</th>
                    </thead>
                    <tbody>
                        ";
$resultx=new database();

```

```
foreach($resultx->tampil_data("select *
from kegiatan") as $w){
```

```
echo " <tr>
```

```
<td>$w[NoKegiatan]</td>
```

```
<td>$w[Judul]</td>
```

```
<td>$w[Isi]</td>
```

```
<td>
```

```
<a
```

```
href='?menu=kegiatan_ubah&tombol_ubah=ubah&no_k
egiatan=$w[NoKegiatan]'> Ubah <!--<i class='fa fa-
edit'></i> --></a>
```

```
<a
```

```
href='?menu=kegiatan&tombol_hapus=hapus&no_kegia
tan=$w[NoKegiatan]'> Hapus <!--<i class='fa fa-
trash'></i> --></a>
```

```
</td>
```

```
</tr> ";
```

```
}
```

```
echo "
```

```
</tbody>
```

```
</table>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
";
```

```
if (isset($_POST[simpan])){
```

```
//simpan
```

```
$insert =new database();
```

```
$data['NoKegiatan']
="$_POST[NoKegiatan]";
```

```
$data['Judul']
="$_POST[Judul]";
```

```
$data['Isi'] ="$_POST[Isi]";
```

```
$insert ->insert("kegiatan",$data);
```

```
//ubah
```

```
$ubah = new database;
```

```
$Kode =NoKegiatan;
```

```
$data['NoKegiatan']
="$_POST[NoKegiatan]";
```

```
$data['Judul']
="$_POST[Judul]";
```

```
$data['Isi'] ="$_POST[Isi]";
```

```
$ubah-
>update("kegiatan",$data,"NoKegiatan = '$_POST
[NoKegiatan]'");
```

```
$ubah-
>pesanMasuk("?menu=kegiatan","Berhasil simpan
data");
```

```
}
```

```
if($_GET['tombol_hapus']=="hapus"){
```

```
$sql_hapus=mysql_query("delete from kegiatan
where NoKegiatan=$_GET[no_kegiatan]");
```

```
if($sql_hapus):
```

```
echo "<script>alert('Data Berhasil
Dihapus');location.href='?menu=kegiatan';</script>";
```

```
else:
```

```
echo "<script>alert('Data Gagal
Dihapus');location.href='?menu=kegiatan';</script>";
```

```
endif;
```

```
}
```

```
kegiatan_ubah.php
```

```
<?php
```

```
$resultx = new database;
```

```
$w=$resultx->cari("select * from kegiatan where
NoKegiatan=$_GET[no_kegiatan]");
```



```

        </thead>
        <tbody>
            ";
            $resultx=new database();
            foreach($resultx->tampil_data("select *
            from kegiatan") as $w){
                echo " <tr>
                    <td>$w[NoKegiatan]</td>
                    <td>$w[Judul]</td>
                    <td>$w[Isi]</td>
                    <td>
                        <a
                        href='?menu=kegiatan_ubah&tombol_ubah=ubah&no_k
                        egiatan=$w[NoKegiatan]}'> Ubah <!--<i class='fa fa-
                        edit'></i> --></a>
                        <a
                        href='?menu=kegiatan&tombol_hapus=hapus&no_kegia
                        tan=$w[NoKegiatan]}'> Hapus <!--<i class='fa fa-
                        trash'></i> --></a>
                    </td>
                </tr> ";
            }
            echo "
        </tbody>
        </table>
        </div>
        </div>
        </div>
";
if (isset($_POST[simpan])){

```

```

        $no_kegiatan =
        "$_POST[NoKegiatan]";
        $judul = "$_POST[Judul]";
        $isi = "$_POST[Isi]";
        $sql_ubah=mysql_query("UPDATE kegiatan set
        NoKegiatan='$no_kegiatan',
        Judul = '$judul',
        Isi = '$isi'
        where NoKegiatan='$no_kegiatan'");
        if($sql_ubah):
            echo "<script>alert('Data Berhasil
            Perbarui');location.href='?menu=kegiatan';</script>";
        else:
            echo "<script>alert('Data Gagal
            Perbarui');location.href='?menu=kegiatan';</script>";
        endif;
    }
    if($_GET[tombol_hapus]=="hapus"){
        $sql_hapus=mysql_query("delete from kegiatan
        where NoKegiatan=$_GET[no_kegiatan]");
        if($sql_hapus):
            echo "<script>alert('Data Berhasil
            Dihapus');location.href='?menu=kegiatan';</script>";
        else:
            echo "<script>alert('Data Gagal
            Dihapus');location.href='?menu=kegiatan';</script>";
        endif;
    }
}
Piket.php
<?php
if ($_GET[gos]=='tambah'){
//include "../class.php";
$r = new database;
$w=$r->cari("select * from Piket where
IDPiket=$_GET[kd]");

```

```

$kegiatan=$r->combo("select NoKegiatan as nk,
concat(NoKegiatan,'-',Judul) as f from kegiatan
",$w[NoKegiatan]);
$nrp=$r->combo("select NRP as po, concat(NRP,'-
',Nama) as f from polisi ",$w[NRP]);

echo "

<div class='container-fluid'><hr>
<div class='row-fluid'>
<div class='span6'>
<div class='widget-box'>
<div class='widget-title'> <span class='icon'> <i
class='icon-pencil'></i> </span>
<h5>Form user</h5>
</div>
<div class='widget-content nopadding'>
<form id='form-wizard' class='form-horizontal'
method='post'>
<div id='form-wizard-1' class='step'>
<input id='IDPiket' type='hidden'
name='IDPiket' value='$w[IDPiket]' />

<div
class='col-md-8'>
<label
class='control-label'>Pilih Kegiatan</label>
<div
class='controls'>
<select
name='NoKegiatan' class='form-control' >
<option
value=''>Pilih</option>;

$sel_kegiatan="select * from kegiatan";
$sel_polisi="select * from polisi";
$sel_kegiatan=mysql_query($sel_kegiatan);
$sel_polisi=mysql_query($sel_polisi);

while($data_kegiatan=mysql_fetch_array($q_ke
giatan)){
echo "

value=$data_kegiatan[NoKegiatan]>$data_kegiatan[No
Kegiatan] - $data_kegiatan[Judul]</option>

";

}

echo"

</select>

</div>
</div>

echo "

```

```

class='col-md-8'>
class='control-label'>Tanggal</label>
class='controls'>
    <input required id='Tanggal' class='form-
control' type='date' name='Tanggal' value='$w[Tanggal]'
/>
</div>
</div>
</div>
class='col-md-8'>
class='control-label'>Jam</label>
class='controls'>
    <select required='required' class='form-control'
id='Jam' name=Jam>
        <option value='Jam' selected
disabled>Waktu</option>
        <option value='00.00 - 06:00'
name=Pangkat >00.00 - 06:00</option>
        <option value='06.00 - 12:00'
name=Pangkat >06.00 - 12:00</option>
        <option value='12.00 - 18:00'
name=Pangkat >12.00 - 18:00</option>
        <option value='18.00 - 00:00'
name=Pangkat >18.00 - 00:00</option>
    value='$w[Jam]' </select>
</div>
</div>
<!--batas form edit -->
</div>
</div>
class='col-md-6'>
class='control-label'></label>
class='controls'>
    <input type='submit' name=simpan class='btn
btn-info btn-fill pull-right' value=simpan >
</div>
</div>
</div>
<div id='status'></div>
</div>
<div id='submitted'></div>
</form>
</div>
</div>
</div>
";
}
elseif(empty($_GET[gos])){
//table
echo "
<div class='container-fluid'>
<div class='row-fluid'>
<div class='span12'>
<div class='pull-right'>
<a class='btn btn-
success' href='?menu=piket&gos=tambah'><i
class='icon icon-plus'>Tambah</i></a>
</div>
<div class='widget-box'>
<div class='widget-title'> <span class='icon'> <i
class='icon-pencil'></i> </span>

```

```

<h5>Tabel Piket</h5>
</div>
<div class='content table-responsive
table-full-width'>
  <table class='table table-bordered
data-table'>
    <thead>
      <!-- th edit -->
      <th>Nama</th>
      <th>Kegiatan Penjadwalan</th>
      <th>Tanggal</th>
      <th>Jam</th>
      <!-- batas th edit -->
      <th>#</th>
    </thead>
    <tbody>
      ";
      $resultx=new database();
      foreach($resultx->tampil_data("select *
from piket,polisi,kegiatan
kegiatan.NoKegiatan=piket.NoKegiatan and
polisi.NRP=piket.NRP") as $w){
        echo " <tr>
          <!-- td edit -->
          <td>$w[Nama]</td>
          <td>$w[Judul]</td>
          <td>$w[Tanggal]</td>
          <td>$w[Jam]</td>
          <!-- batas td edit -->
          <td>
            <a
href='?menu=Piket&tombol_hapus=hapus&IDPiket=$w
[IDPiket]'> <i class='icon icon-trash'></i> hapus</a>
          </td>
        </tr> ";
      }

```

```

echo "
</tbody>
</table>
</div>
</div>
</div>
";
}
if (isset($_POST[simpan])){
  //simpan
  $insert =new database();
  // tambah dNRPni
  $data['IDPiket'] ="";
  $data['NoKegiatan']
=$_POST[NoKegiatan]";
  $data['NRP'] =$_POST[NRP]";
  $data['Tanggal'] =$_POST[Tanggal]";
  $data['Jam'] =$_POST[Jam]";
  $data['Absen'] ="";
  $data['Penganti'] ="";
  // batas tambah
  $insert ->insert("Piket",$data);
  //ubah
  $ubah = new database;
  // tambah dNRPni
  $data['IDPiket'] ="";
  $data['NoKegiatan']
=$_POST[NoKegiatan]";
  $data['NRP'] =$_POST[NRP]";
  $data['Tanggal'] =$_POST[Tanggal]";
  $data['Jam'] =$_POST[Jam]";

```

```
// batas tambah

$Subah->update("Piket",$data,"IDPiket =
'$_POST[IDPiket]'");

$Subah->update("Piket",$data,"IDPiket =
'$_POST[IDPiket]'");

$Subah-
>pesanMasuk("?menu=Piket","Berhasil simpan data");

}

if($_GET['tombol_hapus']=="hapus"){

    $sql_hapus=mysql_query("delete from piket
where IDPiket=$_GET[IDPiket]");

    if($sql_hapus):

        echo "<script>alert('Data Berhasil
Dihapus');location.href='?menu=piket';</script>";

    else:

        echo "<script>alert('Data Gagal
Dihapus');location.href='?menu=piket';</script>";

    endif;

}

```

Polisi.php

```
<?php

$resultx = new database;

$w=$resultx->cari("select * from polisi where
NRP=$_GET[kd]");

echo "

<div class='col-md-12'>

    <div class='card panel panel-body'>

        <div class='header'>

            <h4 class='title'>Biodata Polisi

</h4>

        </div>

        <div class='content'>

            <form method=post action=">

```

```
<div class='row'>

    <div class='col-md-7'>

        <div class='form-group'>

            <label>NRP </label>

            <input required type='text'
class='form-control' name=NRP placeholder='Nomor
Registrasi Pusat' value='$w[NRP]'>

        </div>

    </div>

    <div class='col-md-7'>

        <div class='form-group'>

            <label>Nama </label>

            <input type='text'
class='form-control' name=Nama placeholder='Nama'
value='$w[Nama]'>

        </div>

    </div>

    <div class='col-md-7'>

        <div class='form-group'>

            <label>Pangkat</label>

            <select required='required'
class='form-control' id='Pangkat' name=Pangkat>

                <option value="" selected
disabled>--Bintara--</option>

                <option value='BRIPDA'
name=Pangkat >BRIPDA</option>

                <option value='BRIPTU'
name=Pangkat >BRIPTU</option>

                <option value='BRIGADIR'
name=Pangkat >BRIGADIR</option>

                <option value='BRIPKA'
name=Pangkat >BRIPKA</option>

```



```
<option value=" selected
disabled>--Bintara Tinggi--</option>
```

```
<option value='AIPDA'
name=Pangkat >AIPDA</option>
```

```
<option value='AIPTU'
name=Pangkat >AIPTU</option>
```

```
<option value=" selected
disabled>--Perwira Pertama--</option>
```

```
<option value='IPDA'
name=Pangkat >IPDA</option>
```

```
<option value='IPTU'
name=Pangkat >IPTU</option>
```

```
<option value='AKP'
name=Pangkat >AKP</option>
```

```
<option value=" selected
disabled>--Perwira Menengah--</option>
```

```
<option value='KOMPOL'
name=Pangkat >KOMPOL</option>
```

```
<option value='AKBP'
name=Pangkat >AKBP</option>
```

```
<option value='KOMBES'
name=Pangkat >KOMBES</option>
```

```
<option value=" selected
disabled>--Perwira Tinggi--</option>
```

```
<option value='BRIGJEN POL'
name=Pangkat >BRIGJEN POL</option>
```

```
<option value='IRJEN POL'
name=Pangkat >IRJEN POL</option>
```

```
<option value='KOMJEN POL'
name=Pangkat >KOMJEN POL</option>
```

```
<option value='JENDERAL
POLISI' name=Pangkat >JENDERAL
POLISI</option>
```

```
</select>
```

```
</div>
```

```
</div>
```

```
<div class='col-md-7'>
```

```
<div class='form-group'>
```

```
<label>Jenis Kelamin
```

```
</label> <br>
```

```
<input type='radio'
value='Laki-Laki' name='JK'>Laki-Laki<br>
```

```
<input type='radio'
value='Perempuan' name='JK'>Perempuan
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<input type='submit'
name=simpan class='btn btn-info btn-fill pull-right'
value=simpan>
```

```
<div class='clearfix'></div>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>;
```

```
//table
```

```
echo "
```

```
<div class='col-md-12'>
```

```

<div class='card panel panel-body'>
  <div class='header'>
    <h4 class='title'>Data Tabel </h4>
    <p class='category'>Tabel Polisi
  </div>
  <div class='content table-responsive
table-full-width'>
    <table class='table table-hover table-
striped'>
      <thead>
        <th>NRP</th>
        <th>Nama</th>
        <th>Pangkat</th>
        <th>JK</th>
        <th>Action</th>
      </thead>
      <tbody>
        ";
        $resultx=new database();
        foreach($resultx->tampil_data("select *
from polisi") as $w){
          $resultx->query("insert user set
          Username='$w[NRP]',
          Password='$w[NRP]',
          Kode='$w[NRP]',
          Level='2'");
          echo " <tr>
            <td>$w[NRP]</td>
            <td>$w[Nama]</td>
            <td>$w[Pangkat]</td>
            <td>$w[JK]</td>

```

```

          <td>
            <a
href='?menu=polisi_ubah&gos=ubah&kd=$w[NRP]'>
Ubah <!--<i class='fa fa-edit'></i> --></a>
            <a
href='?menu=polisi&gos=hapus&kd=$w[NRP]'> Hapus
<!--<i class='fa fa-trash'></i> --></a>
          </td>
        </tr> ";
      }
    </tbody>
  </table>
  </div>
</div>
";
if (isset($_POST[simpan])){
  //simpan
  $insert =new database();
  $data['NRP']
="$_POST[NRP]";
  $data['Nama']
="$_POST[Nama]";
  $data['Pangkat']
="$_POST[Pangkat]";
  $data['JK'] ="$_POST[JK]";
  $insert ->insert("Polisi",$data);
  $insert =new database();
  $data['Kode']
="$_POST[Kode]";
  $data['Username']
="$_POST[NRP]";
  $data['Password']
="$_POST[NRP]";

```

```

        $data['Level'] = "2";
    $insert ->insert("user",$data);

    //ubah
    $ubah = new database;
    $Kode =NRP;

    $data['NRP']
    ="$_POST[NRP]";
    $data['Nama']
    ="$_POST[Nama]";
    $data['Pangkat']
    ="$_POST[Pangkat]";
    $data['JK'] ="$_POST[JK]";

    $ubah->update("polisi",$data,"NRP =
    '$_POST[NRP]'");

    $ubah-
    >pesanMasuk("?menu=polisi","Berhasil simpan data");

}
if($_GET[gos]=="hapus"){
    $hapus = new database;
    $kode =1;
    $hapus ->delete("polisi","NRP = '$_GET[kd]'");
    $hapus->pesanMasuk("?menu=polisi","Berhasil
    menghapus data");
}

```

Polisi_ubah.php

```
<?php
```

```

$resultx = new database;
$w=$resultx->cari("select * from polisi where
NRP='$_GET[kd]'");

```

```
echo "
```

```
<div class='col-md-12'>
```

```
<div class='card panel panel-body'>
```

```
<div class='header'>
```

```

<h4 class='title'>Biodata Polisi
</h4>

</div>

<div class='content'>
<form method=post action="">

<div class='row'>

<div class='col-md-7'>

<div class='form-group'>

<label>NRP </label>

<input required type='text'
class='form-control' name='NRP' placeholder='Nomor
Registrasi Pusat' value='$w[NRP]' Readonly='yes'>

</div>

</div>

<div class='col-md-7'>

<div class='form-group'>

<label>Nama </label>

<input type='text'
class='form-control' name='Nama' placeholder='Nama'
value='$w[Nama]'>

</div>

</div>

<div class='col-md-7'>

<div class='form-group'>

<label>Pangkat</label>

<select required='required'
class='form-control' id='Pangkat' name='Pangkat'>

<option value="" selected
disabled>--Bintara--</option>

<option value='BRIPDA'
name=Pangkat >BRIPDA</option>

<option value='BRIPTU'
name=Pangkat >BRIPTU</option>

<option value='BRIGADIR'
name=Pangkat >BRIGADIR</option>

```

```

<option value='BRIPKA'
name=Pangkat >BRIPKA</option>

<option value='BRIPKA'
name=Pangkat >BRIPKA</option>

<option value=" selected
disabled>--Bintara Tinggi--</option>

<option value='AIPDA'
name=Pangkat >AIPDA</option>

<option value='AIPTU'
name=Pangkat >AIPTU</option>

<option value=" selected
disabled>--Perwira Pertama--</option>

<option value='IPDA'
name=Pangkat >IPDA</option>

<option value='IPTU'
name=Pangkat >IPTU</option>

<option value='AKP'
name=Pangkat >AKP</option>

<option value=" selected
disabled>--Perwira Menengah--</option>

<option value='KOMPOL'
name=Pangkat >KOMPOL</option>

<option value='AKBP'
name=Pangkat >AKBP</option>

<option value='KOMBES'
name=Pangkat >KOMBES</option>

<option value=" selected
disabled>--Perwira Tinggi--</option>

```

```

<option value='BRIGJEN POL'
name=Pangkat >BRIGJEN POL</option>

<option value='IRJEN POL'
name=Pangkat >IRJEN POL</option>

<option value='KOMJEN POL'
name=Pangkat >KOMJEN POL</option>

<option value='JENDERAL
POLISI' name=Pangkat >JENDERAL
POLISI</option>

</select>
</div>
</div>

<div class='col-md-7'>
<div class='form-group'>
<label>Jenis Kelamin
</label> <br>
<input type='radio'
value='Laki-Laki' name='JK'>Laki-Laki<br>
<input type='radio'
value='Perempuan' name='JK'>Perempuan
</div>
</div>

</div>

<input type='submit'
name=simpan class='btn btn-info btn-fill pull-right'
value=simpan>

<div class='clearfix'></div>

</form>

</div>
</div>";

```

```

//table
echo "
    <div class='col-md-12'>
        <div class='card panel panel-body'>
            <div class='header'>
                <h4 class='title'>Data Tabel </h4>
                <p class='category'>Tabel Polisi
            </div>
            <div class='content table-responsive
table-full-width'>
                <table class='table table-hover table-
striped'>
                    <thead>
                        <th>NRP</th>
                        <th>Nama</th>
                        <th>Pangkat</th>
                        <th>JK</th>
                        <th>Action</th>
                    </thead>
                    <tbody>
                        ";
                    $resultx=new database();
                    foreach($resultx->tampil_data("select *
from polisi") as $w){
                        $resultx->query("insert user set
Username='$w[NRP]',
Password='$w[NRP]',
Kode='$w[NRP]',
Level='2'");
                        echo " <tr>
                            <td>$w[NRP]</td>
                            <td>$w[Nama]</td>
                            <td>$w[Pangkat]</td>
                            <td>$w[JK]</td>
                            <td>
                                <a
href='?menu=polisi_ubah&gos=ubah&kd=$w[NRP]'>
                                Ubah <!--<i class='fa fa-edit'></i --></a>
                                <a
href='?menu=polisi_ubah&gos=hapus&kd=$w[NRP]'>
                                Hapus <!--<i class='fa fa-trash'></i --></a>
                            </td>
                        </tr> ";
                    }
                </tbody>
            </table>
        </div>
    </div>
";
if (isset($_POST[simpan])){
    $NRP = "$_POST[NRP]";
    $Nama = "$_POST[Nama]";
    $Pangkat =
    "$_POST[Pangkat]";
    $JK = "$_POST[JK]";
    $sql_ubah=mysql_query("UPDATE polisi set
    Nama = '$Nama',
    Pangkat = '$Pangkat',
    JK = '$JK'
    where NRP='$NRP'");
    if($sql_ubah):

```

```

    echo "<script>alert('Data Berhasil
Perbarui');location.href='?menu=polisi';</script>";
    else:
    echo "<script>alert('Data Gagal
Perbarui');location.href='?menu=polisi';</script>";
    endif;
}

```

```

if($_GET[gos]=="hapus"){
    $hapus = new database;
    $kode = 1;
    $hapus ->delete("polisi","NRP = $_GET[kd]");
    $hapus->pesanMasuk("?menu=polisi","Berhasil
menghapus data");
}

```

Tambahuser.php

```
<?php
```

```

$resultx = new database;
$w=$resultx->cari("select * from user where
Kode='$_GET[kd]'");

```

```
echo "
```

```

<div class='col-md-12'>
    <div class='card panel panel-body'>
        <div class='header'>
            <h4 class='title'>form user
        </h4>
        </div>
        <div class='content'>
            <form method=post action="">
                <div class='row'>
                    <div class='col-md-5'>
                        <div class='form-group'>
                            <label>Kode</label>

```

```

                            <input type='text'
class='form-control' name=Kode placeholder='Kode
user' value='$w[Kode]'>
                        </div>
                    </div>

```

```

                <div class='col-md-5'>
                    <div class='form-group'>
                        <label>Username
                    </label>

```

```

                        <input type='text'
class='form-control' name=Username
placeholder='Username' value='$w[Username]'>
                    </div>
                </div>

```

```

                <div class='col-md-5'>
                    <div class='form-group'>
                        <label>Password</label>
                        <input type='text'
class='form-control' name=Password
placeholder='Password' value='$w[Password]'>
                    </div>
                </div>

```

```

                <div class='col-md-5'>
                    <label
for='exampleInputEmail1'>Level </label>
                    <select required='required'
class='form-control' id='Level' name=Level>
                        <option value="" selected
disabled>Pilih Level</option>
                        <option value='1' name=Level
>Admin</option>

```

```

<th>Kode</th>
<th>Username</th>
<th>Password</th>
<th>Level</th>
</thead>
<tbody>
";
$resultx=new database();
foreach($resultx->tampil_data("select *
from user") as $w){
echo " <tr>
<td>$w[Kode]</td>
<td>$w[Username]</td>
<td>$w[Password]</td>
<td>$w[Level]</td>
<td>
<a
href='?menu=polisi&gos=ubah&kd=$w[NRP]'"> Ubah
<!--<i class='fa fa-edit'></i> --></a>
<a
href='?menu=polisi&gos=hapus&kd=$w[NRP]'"> Hapus
<!--<i class='fa fa-trash'></i> --></a>
</td>
</tr> ";
}
echo "
</tbody>
</table>
</div>
</div>
";

```

```

if (isset($_POST[simpan])){
    //simpan
        $insert =new database();
            $data['Kode']
="$_POST[Kode]";
            $data['Username']
="$_POST[Username]";
            $data['Password']
="$_POST[Password]";
            $data['Level']
="$_POST[Level]";

        $insert ->insert("User",$data);

    //ubah
        $ubah = new database;
        $Kode =NRP;
        $data['Kode'] ="$_POST[Kode]";
        $data['Username']
="$_POST[Username]";
        $data['Password']
="$_POST[Password]";
        $data['Level'] ="$_POST[Level]";
        $ubah-
>pesanMasuk(")?menu=User","Berhasil simpan data");
}
if($_GET[gos]=="hapus"){
    $hapus = new database;
    $kode =1;
    $hapus ->delete("User","Kode = $_GET[kd]");
    $hapus->pesanMasuk(")?menu=User","Berhasil
simpan data");
}

```

User.php

```

<?php
if ($_GET[gos]=='tambah'){
//include "../class.php";
$resultx = new database;
$w=$resultx->cari("select * from user where
Kode='$_GET[kd]'");

```

```

echo "
<div class='col-md-6'>
    <!-- general form elements -->
    <div class='box box-primary'>
        <div class='box-header with-border'>
            <h3 class='box-title'>user </h3>
        </div>
        <!-- /.box-header -->
        <!-- form start -->
        <form id='form-wizard' class='form-horizontal'
method='post'>
            <div class='box-body'>
                <input type='hidden' name=Kode
value='$w[Kode]' class='form-control' id='Kode'
placeholder='Kode'>
            </div>
        </div>
    </div>
    <div class='col-md-
12'>
        <label for='exampleInputEmail1'>Username
</label>
        <input type='text' name=Username
value='$w[Username]' class='form-control'
id='Username' placeholder='Username'>
    </div>
    <div class='col-md-
12'>
        <label for='exampleInputEmail1'>Password
</label>
        <input type='password' name=Password
value='$w[Password]' class='form-control' id='Password'
placeholder='Password'>
    </div>
    <div class='col-md-
12'>
        <label for='exampleInputEmail1'>Level
</label>
        <select required='required' class='form-
control' id='Level' name=Level>
            <option value="" selected
disabled>Pilih Level</option>

```



```

<option value='1' name=Level
>Admin</option>
<option value='2' name=Level
>Anggota</option>
<option value='3' name=Level
>Pimpinan</option>
</select>
</div>
</div>
<!-- /.box-body -->
<div class='box-footer'>
<input type='submit' name=simpan class='btn
btn-primary' value=Submit>
</div>
</form>
</div>
</div>
";
}
elseif(empty($_GET[gos])){
//table
echo "
<div class='container-fluid'><hr>
<div class='row-fluid'>
<div class='span12'>
<div class='widget-box'>
<div class='pull-right'>
<a class='btn btn-
success'
href='?menu=TambahUser&gos=TambahUser'><i
class='icon icon-plus'>Tambah</i></a>
</div>

```

```

<div class='widget-title'> <span class='icon'> <i
class='icon-pencil'></i> </span>
<h5>Tabel user </h5>
</div>
<div class='content table-responsive
table-full-width'>
<table class='table table-bordered
data-table'>
<thead>
<th>Kode</th>
<th>Username</th>
<th>Password</th>
<th>Level</th>
<th>#</th>
</thead>
<tbody>
";
$resultx=new database();
foreach($resultx->tampil_data("select *
from user") as $w){
echo " <tr>
<td>$w[Kode]</td>
<td>$w[Username]</td>
<td>$w[Password]</td>
<td>$w[Level]</td>
<td>
<a
href='?menu=user&gos=tambah&kd=$w[Kode]'>
EDIT</a>$nbsp|$nbsp
<a
href='?menu=user&gos=hapus&kd=$w[Kode]'>HAPUS
</a>
</td>
</tr> ";
}

```

```

        echo "
</tbody>
        </table>
    </div>
</div>
</div>
</div>
</div>
";
}

if (isset($_POST[simpan])){
    //simpan
        $insert =new database();
            $data['Kode']
        ="$_POST[Kode]";
            $data['Username']
        ="$_POST[Username]";
            $data['Password']
        ="$_POST[Password]";
            $data['Level']
        ="$_POST[Level]";
        $insert ->insert("user",$data);

        //ubah
        $ubah = new database;
        $Kode =Kode;
        $data['Kode'] ="$_POST[Kode]";
        $data['Username']
        ="$_POST[Username]";
        $data['Password']
        ="$_POST[Password]";
        $data['Level'] ="$_POST[Level]";
        $ubah->update("user",$data,"Kode =
        '$_POST[Kode]'");
        $ubah-
        >pesanMasuk("?menu=user","Berhasil simpan data");
    }

    if($_GET[gos]=="hapus"){

```

```

        $hapus = new database;
        $kode =1;
        $hapus ->delete("user","Kode = '$_GET[kd]'");
        $hapus->pesanMasuk("?menu=user","Berhasil
        hapus data");
    }

```