

LISTING

```
<?php
session_start();
error_reporting(0);
require_once"lib.session.php";
include_once"dwo.lib.php";
include_once"db.mysql.php";
include_once"connectdb.php";
include_once"ClassRC.php";

if(isset($_GET[keluar])){
    session_destroy();
    echo"<script>window.location='index.php'</script>";
}

if(isset($_POST[masuk])){
    $Username=$_POST[Username];
    $Password=$_POST[Password];
    mysql_query("insertintopasiensetNama='$_POST[Nama]',
    Alamat='$_POST[Alamat]',Telpon='$_POST[Telpon]'");
    mysql_query("insertintouserasetUsername='$_POST[Username]',
    Password='$_POST[Password]',Level=2");

    echo"<script>location.href='index.php'</script>";
}

if(!login_check()){

    if($_GET[r]=="3r0rr"){
    ?>

<!DOCTYPEhtml>
<html>
<head>
    <metahttp-equiv="Content-Type"content="text/html;charset=UTF-8">
    <!--Meta,title,CSS,favicons,etc.-->
    <metacharset="utf-8">
    <metahttp-equiv="X-UA-Compatible"content="IE=edge">
    <metaname="viewport"content="width=device-width,initial-scale=1">

    <title>SistemInformasi|PoliteknikNegeriSriwijaya</title>

    <!--Bootstrap-->
    <linkhref="css/bootstrap.min.css"rel="stylesheet">
    <!--FontAwesome-->
    <linkhref="css/font-awesome.min.css"rel="stylesheet">
    <!--Animate.css-->
    <linkhref="https://colorlib.com/polygon/gentelella/css/animate.min.css"
rel="stylesheet">
    <!--CustomThemeStyle-->
    <linkhref="css/custom.min.css"rel="stylesheet">
</head>
```

```

<bodyclass="login">
  <div>
    <aclass="hiddenanchor" id="signup"></a>
    <aclass="hiddenanchor" id="signin"></a>

    <divclass="login_wrapper">
      <divclass="animateformlogin_form">
        <sectionclass="login_content">
          <formaction="" method="post">
            <h1>Login</h1>
            <divclass="alertalert-error">
              <center>Dataloginandasalah
            </div>

            <div>
              <inputtype="text" class="form-control" name=Username
placeholder="Username" value='<?php echo $nm; ?>' required>
            </div>
            <div>
              <inputtype="password" class="form-control" name=Password
placeholder="Password" value='<?php echo $ps; ?>' required>
            </div>
            <div>
              <?php if ($v=="1") { ?><inputtype="checkbox" class=""
name="ingat" value="1" checked>Ingatsayadikomputerini! <?php } else {
?><inputtype="checkbox" class="" name="ingat" value="1">Ingatsayadi
komputerini! <?php } ?>
              <inputtype=hidden name=masuk value=masuk>
              <buttontype="submit" class="btn btn-default
submit">Login</a>
              <a href="daftar.php" class="btn btn-default submit">
Daftar Baru</a>
            </div>

            <divclass="separator">

          </div>
        </form>
      </section>
    </div>
  </div>
</body>
</html>

<?php
}
else{
?>

<!DOCTYPE html>
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <!--Meta, title, CSS, favicons, etc.-->
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">

```

```

<title>SistemInformasi|PoliteknikNegeriSriwijaya</title>

<!--Bootstrap-->
<linkhref="css/bootstrap.min.css"rel="stylesheet">
<!--FontAwesome-->
<linkhref="css/font-awesome.min.css"rel="stylesheet">
<!--Animate.css-->
<linkhref="https://colorlib.com/polygon/gentelella/css/animate.min.css"
rel="stylesheet">
<!--CustomThemeStyle-->
<linkhref="css/custom.min.css"rel="stylesheet">
</head>

<bodyclass="login">
<div>
  <aclass="hiddenanchor"id="signup"></a>
  <aclass="hiddenanchor"id="signin"></a>

  <divclass="login_wrapper">
    <divclass="animateformlogin_form">
      <sectionclass="login_content">
        <formaction=""method="post">
          <h1>DaftarBaru</h1>
          <div>
            <inputtype="text"class="form-control"name=Nama
placeholder="Nama"value='<?phpecho$nm;?>'required>
          </div>
          <div>
            <inputtype="text"class="form-control"name=Alamat
placeholder="Alamat"value='<?phpecho$nm;?>'required>
          </div>
          <div>
            <inputtype="text"class="form-control"name=Telpon
placeholder="Telpon"value='<?phpecho$nm;?>'required>
          </div>

          <div>
            <inputtype="text"class="form-control"name=Username
placeholder="Username"value='<?phpecho$nm;?>'required>
          </div>
          <div>
            <inputtype="password"class="form-control"name=Password
placeholder="Password"value='<?phpecho$ps;?>'required>
          </div>
          <div>
            <?phpif($v=="1"){?><inputtype="checkbox"class=""
name="ingat"value="1"checked>Ingatsayadikomputerini!<?php}else{
?><inputtype="checkbox"class=""name="ingat"value="1">Ingatsayadi
komputerini!<?php}?>
            <inputtype=hiddenname=masukvalue=masuk>
            <buttontype="submit"class="btnbtn-default
submit">Login</a>
          </div>

          <divclass="separator">

```

```
        </div>
    </form>
</section>
</div>
</div>
</div>
</div>
</body>
</html>
```

```
<?php
}
```

```
}
```

```
else{
```

```
    if($_SESSION[ID_AKSES]=='1'){
```

```
        echo"<script>location.href='satu.php'</script>";
```

```
    }elseif($_SESSION[ID_AKSES]=='2'){
```

```
        echo"<script>location.href='penguji.php'</script>";
```

```
    }
```

```
}
```

```
?>
```

ListingDataGejala

```
<?php
$gos=(empty($_REQUEST['gos']))?'tabel':$_REQUEST['gos'];
$gos();
function tambah(){
//<inputtype=filename=Foto>
//$KodeGudang=GetOption2('gejala',"concat(KodeGejala,'-',KodeGejala
),'KodeGejala',$w['KodeGejala'],'','KodeGejala');
//$NamaGudang=GetOption2('gejala',"concat(KodeGudang,'-',
>NamaGudang),'NamaGudang',$w['NamaGudang'],'','NamaGudang');
//$m0=_selek("select*fromgejalawhereKodeGejala='$_POST[KodeGejala
]')";
//$m1=_selek("select*fromgejalawhereKodeGejala='$_POST[KodeGejala
]')";

$r=mysql_query("select*fromgejalawhereKodeGejala='$_GET[kd]');
$w=mysql_fetch_array($r);
echo"
<sectionclass='cardpanelpanel-defaultcol-md-5'>
  <headerclass='panel-headingfont-bold'>Datagejala</header>
  <divclass='panel-body'>
    <formmethod=postaction=''class='panelpanel-box'
enctype='multipart/form-data'id=fom3>

    <divclass='form-group'>
      <label>KodeGejala:</label>
      <inputclass='form-control'
placeholder='KodeGejala'name=KodeGejalavalue='$w[KodeGejala]'
id=KodeGejalatype='text'></div>
    <divclass='form-group'>
      <label>NamaGejala:</label>
      <inputclass='form-control'
placeholder='NamaGejala'name=NamaGejalavalue='$w[NamaGejala]'
id=NamaGejalatype='text'></div>
    <divclass='form-group'>
      <label>A:</label>
      <inputclass='form-control'
placeholder='A'name=Avalue='$w[A]'id=Atype='text'></div>
    <divclass='form-group'>
      <label>F:</label>
      <inputclass='form-control'
placeholder='F'name=Fvalue='$w[F]'id=Ftype='text'></div>
    <divclass='form-group'>
      <label>D:</label>
      <inputclass='form-control'
placeholder='D'name=Dvalue='$w[D]'id=Dtype='text'></div>
    <divclass='form-group'>
      <label>B:</label>
      <inputclass='form-control'
placeholder='B'name=Bvalue='$w[B]'id=Btype='text'></div>
    <divclass='form-group'>
      <label>Bobot:</label>
      <inputclass='form-control'
```

```
placeholder='Bobot' name=Bobot value=' $w[Bobot] ' id=Bobot
type='text'></div>
```

```
<input type=submit class='btn btn-sm btn-default' name=simpan
value='Simpan'>
</form>
</div>
</section>
```

```
";
}
```

```
function tabel () {
```

```
//<iclass='fafa-plus'>
echo"
<section style='color:black;' class='card panel panel-default'>
  <header class='panel-heading'>
    <a class='btn btn-success' href='?menu=gejala&gos=tambah'><iclass='fafa-
plus'></i>Tambah</a>
    <a class='btn btn-warning' href='laporan/gejala.php'><iclass='fafa-
print'></i>Cetak</a>
```

```
</header>
```

```
<div class='table-responsive'
id='growthrate'>
  <div id='example_wrapper' class='dataTables_wrapper no-footer'>
    <table class='table' id='datatable'
role='grid' aria-describedby='example_info' style='width:896px;'
cellspacing='0'
cellpadding='0' border='0'>
  <thead>
    <tr role='row'>
      <th>No</th>

      <th>KodeGejala</th>
      <th>NamaGejala</th>
      <th>A</th>
      <th>F</th>
      <th>D</th>
      <th>B</th>
      <th>Bobot</th>

      <th>Action</th>
    </tr>
  </thead>
  <tbody>
```

```
";
```

```
if($_SESSION[Level]==3){
  // $sql="select * from gejala where KodeGudang='$_SESSION[Username]' ";
}else{
```

```

        $sql="select*fromgejala ";
    }

    $r=mysql_query($sql);while($w=mysql_fetch_array($r)){
        $n++;

        if($n%2==0)$warna='#f0f5f5';
        else$warna='#ffffff';

echo"
<trbgcolor=$warna>
<tdalign=center>$n</td>

        <td>$w[KodeGejala]</td>
        <td>$w>NamaGejala</td>
        <td>$w[A]</td>
        <td>$w[F]</td>
        <td>$w[D]</td>
        <td>$w[B]</td>
        <td>$w[Bobot]</td>

<tdwidth=60align=center><a
href='?menu=gejala&gos=tambah&kd=$w[KodeGejala] '><iclass='fafa-
edit'></i></a>
<a href='?menu=gejala&gos=hapus&kd=$w[KodeGejala] 'onclick=\"return
confirm('Apakahandayakinakanmenghapusdataini?') \"><iclass='fafa-
minus'></i></a>
</td>
</tr>
";
}
echo"
        </tbody>
        </table>

        </div>
        </div>
</section>
";
}

functionhapus(){
mysql_query("deletefromgejalawhereKodeGejala='$_GET[kd] '");
BerhasilHapus("?menu=gejala&gos=tabel",500);
}

if(isset($_POST['simpan'])){
$w=GetFields('gejala','KodeGejala',$_POST['KodeGejala'],'*');

if(empty($w))
{

```

```
mysql_query("insertintogejalaset
    KodeGejala='$_POST[KodeGejala]',NamaGejala='$_POST[NamaGejala]',
A='$_POST[A]',F='$_POST[F]',D='$_POST[D]',B='$_POST[B]',
Bobot='$_POST[Bobot]'");
```

```
}
else
{
mysql_query(" update  gejalaaset
    KodeGejala='$_POST[KodeGejala]',NamaGejala='$_POST[NamaGejala]',
A='$_POST[A]',F='$_POST[F]',D='$_POST[D]',B='$_POST[B]',
Bobot='$_POST[Bobot]'      whereKodeGejala='$_POST[KodeGejala]' ");

}
echo"<script>alert('Databerhasildisimpan');</script>";
}
```

?>

ListingDataPenyakit

```
<?php
$gos=(empty($_REQUEST['gos']))?'tabel':$_REQUEST['gos'];
$gos();
function tambah(){
//<inputtype=filename=Foto>
//$KodeGudang=GetOption2('penyakit',"concat(KodePenyakit,'-',
KodePenyakit)","KodePenyakit',$w['KodePenyakit'],'','KodePenyakit');
//$NamaGudang=GetOption2('penyakit',"concat(KodeGudang,'-',
NamaGudang)","NamaGudang',$w['NamaGudang'],'','NamaGudang');
//$m0=_selek("select*frompenyakitwhereKodePenyakit
='$_POST[KodePenyakit]'");
//$m1=_selek("select*frompenyakitwhereKodePenyakit
='$_POST[KodePenyakit]'");

$r=mysql_query("select*frompenyakitwhereKodePenyakit='$_GET[kd]'");
$w=mysql_fetch_array($r);
echo"
<sectionclass='panelpanel-defaultcol-md-5'>
  <headerclass='panel-headingfont-bold'>Datapenyakit</header>
  <divclass='panel-body'>
    <formmethod=postaction=''class='panelpanel-box'
enctype='multipart/form-data'id=fom3>

      <divclass='form-group'>
        <label>KodePenyakit:</label>
        <inputclass='form-control'
placeholder='KodePenyakit'name=KodePenyakit
value='$w[KodePenyakit]'id=KodePenyakittype='text'></div>
      <divclass='form-group'>
        <label>Penyakit:</label>
        <inputclass='form-control'
placeholder='Penyakit'name=Penyakitvalue='$w[Penyakit]'
id=Penyakittype='text'></div>

      <inputtype=submitclass='btnbtn-smbtn-default'name=simpan
value='Simpan'>
    </form>
  </div>
</section>

";
}

function tabel(){
//<iclass='fafa-plus'>
echo"
<sectionstyle='color:black;'class='panelpanel-default'>
  <headerclass='panel-heading'>Datapenyakit</header>
  <aclass='btnbtn-success'href='?menu=penyakit&gos=tambah'><iclass='fa
fa-plus'></i>Tambah</a>

```

```

<divclass='table-responsive'
id='growthrate'>
  <divid='example_wrapper'class='dataTables_wrapperno-footer'>
    <tableclass='tabletable-stripedm-b-nonedataTableno-footer'
id='datatable'
role='grid'aria-describedby='example_info'style='width:896px;'
cellspacing='0'
cellpadding='0'border='0'>
      <thead>
        <trrole='row'>
          <th>No</th>

          <th>KodePenyakit</th>
          <th>Penyakit</th>

          <th>Action</th>
        </tr>
      </thead>
      <tbody>
";

  if($_SESSION[Level]==3){
    // $sql="select*frompenyakitwhere
KodeGudang='$_SESSION[Username]' ";
  }else{
    $sql="select*frompenyakit ";
  }

  $r=mysql_query($sql);while($w=mysql_fetch_array($r)){
    $n++;

    if($n%2==0)$warna='#f0f5f5';
    else$warna='#ffffff';

echo"
<trbgcolor=$warna>
<tdalign=center>$n</td>

    <td>$w[KodePenyakit]</td>
    <td>$w[Penyakit]</td>

    <tdwidth=60align=center><a
href='?menu=penyakit&gos=tambah&kd=$w[KodePenyakit] '><i>fafa-
plus'></i></a>
<a href='?menu=penyakit&gos=hapus&kd=$w[KodePenyakit]' onclick=\"return
confirm('Apakahandayakinakanmenghapusdataini?')\"><i>fafa-
minus'></i></a>
</td>
</tr>
";
}
echo"
  </tbody>

```

```

</table>

</div>
</div>
</section>
";
}

functionhapus() {
mysql_query("deletefrompenyakitwhereKodePenyakit='$_GET[kd]'");
BerhasilHapus("?menu=penyakit&gos=tabel",500);
}

if(isset($_POST['simpan'])) {
$w=GetFields('penyakit','KodePenyakit',$_POST['KodePenyakit'],'*');

if(empty($w))
{
mysql_query("insertintopenyakitset
        KodePenyakit='$_POST[KodePenyakit]', Penyakit='$_POST[Penyakit]'
");
}
else
{
mysql_query(" update  penyakitset
        KodePenyakit='$_POST[KodePenyakit]',Penyakit='$_POST[Penyakit]'
whereKodePenyakit='$_POST[KodePenyakit]'
");
}
echo"<!--<script>alert('Databerhasildisimpan');</script>-->";
}

?>

```

ListingKodeDaftar

```
<?php
session_start();
error_reporting(0);
require_once"lib.session.php";
include_once"dwo.lib.php";
include_once"db.mysql.php";
include_once"connectdb.php";
include_once"ClassRC.php";

if(isset($_GET[keluar])){
    session_destroy();
    echo"<script>>window.location='index.php'</script>";
}

if(isset($_POST[masuk])){
    $Username=$_POST[Username];
    $Password=$_POST[Password];
    mysql_query("insertintopasiensetNama='$_POST[Nama]',
    Alamat='$_POST[Alamat]',Telpon='$_POST[Telpon]'");
    mysql_query("insertintouser.setUsername='$_POST[Username]',
    Password='$_POST[Password]',Level=2");

    echo"<script>location.href='index.php'</script>";
}

if(!login_check()){
    if($_GET[r]=="3r0rr"){
        ?>
    <!DOCTYPEhtml>
    <html>
    <head>
    <metahttp-equiv="Content-Type"content="text/html;charset=UTF-8">
    <!--Meta,title,CSS,favicons,etc.-->
    <metacharset="utf-8">
    <metahttp-equiv="X-UA-Compatible"content="IE=edge">
    <metaname="viewport"content="width=device-width,initial-scale=1">

    <title>SistemInformasi|PoliteknikNegeriSriwijaya</title>

    <!--Bootstrap-->
    <linkhref="css/bootstrap.min.css"rel="stylesheet">
    <!--FontAwesome-->
    <linkhref="css/font-awesome.min.css"rel="stylesheet">
    <!--Animate.css-->
    <linkhref="https://colorlib.com/polygon/gentelella/css/animate.min.css"
    rel="stylesheet">
    <!--CustomThemeStyle-->
    <linkhref="css/custom.min.css"rel="stylesheet">
    </head>
```

```

<bodyclass="login">
  <div>
    <aclass="hiddenanchor" id="signup"></a>
    <aclass="hiddenanchor" id="signin"></a>

    <divclass="login_wrapper">
      <divclass="animateformlogin_form">
        <sectionclass="login_content">
          <formaction="" method="post">
            <h1>Login</h1>
            <divclass="alertalert-error">
              <center>Data login anda salah
            </div>
            <div>
              <inputtype="text" class="form-control" name="Username"
placeholder="Username" value='<?php echo $nm; ?>' required>
            </div>
            <div>
              <inputtype="password" class="form-control" name="Password"
placeholder="Password" value='<?php echo $ps; ?>' required>
            </div>
            <div>
              <?php if ($v=="1") { ?><inputtype="checkbox" class=""
name="ingat" value="1" checked>Ingatsayadi komputer ini! <?php } else {
?><inputtype="checkbox" class="" name="ingat" value="1">Ingatsayadi
komputer ini! <?php } ?>
              <inputtype="hidden" name="masuk" value="masuk">
              <buttontype="submit" class="btn btn-default
submit">Login</a>
              <a href="daftar.php" class="btn btn-default submit">
Daftar Baru</a>
            </div>

            <divclass="separator">

          </div>
        </form>
      </section>
    </div>
  </div>
</body>
</html>

<?php
}
else{
?>

<!DOCTYPE html>
<html>
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
  <!-- Meta, title, CSS, favicons, etc. -->
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">

```

```

<metaname="viewport"content="width=device-width,initial-scale=1">

<title>SistemInformasi|PoliteknikNegeriSriwijaya</title>

<!--Bootstrap-->
<linkhref="css/bootstrap.min.css"rel="stylesheet">
<!--FontAwesome-->
<linkhref="css/font-awesome.min.css"rel="stylesheet">
<!--Animate.css-->
<linkhref="https://colorlib.com/polygon/gentelella/css/animate.min.css"
rel="stylesheet">
<!--CustomThemeStyle-->
<linkhref="css/custom.min.css"rel="stylesheet">
</head>

<bodyclass="login">
<div>
  <aclass="hiddenanchor"id="signup"></a>
  <aclass="hiddenanchor"id="signin"></a>

  <divclass="login_wrapper">
    <divclass="animateformlogin_form">
      <sectionclass="login_content">
        <formaction=""method="post">
          <h1>DaftarBaru</h1>
          <div>
            <inputtype="text"class="form-control"name=Nama
placeholder="Nama"value='<?phpecho$nm;?>'required>
          </div>
          <div>
            <inputtype="text"class="form-control"name=Alamat
placeholder="Alamat"value='<?phpecho$nm;?>'required>
          </div>
          <div>
            <inputtype="text"class="form-control"name=Telpon
placeholder="Telpon"value='<?phpecho$nm;?>'required>
          </div>

          <div>
            <inputtype="text"class="form-control"name=Username
placeholder="Username"value='<?phpecho$nm;?>'required>
          </div>
          <div>
            <inputtype="password"class="form-control"name=Password
placeholder="Password"value='<?phpecho$ps;?>'required>
          </div>
          <div>
            <a href='index.php'>klikdisiniuntukkehalamanlogin</a>
            <inputtype=hiddenname=masukvalue=masuk>
            <buttontype="submit"class="btnbtn-default
submit">Simpan</a>
          </div>

          <divclass="separator">

        </div>
      </section>
    </div>
  </div>
</body>

```

```
        </form>
    </section>
</div>
</div>
</div>
</body>
</html>
```

```
<?php
}
```

```
}
```

```
else{
```

```
    if($_SESSION[ID_AKSES]=='1'){
```

```
        echo"<script>location.href='satu.php'</script>";
```

```
    }elseif($_SESSION[ID_AKSES]=='2'){
```

```
        echo"<script>location.href='penguji.php'</script>";
```

```
    }
```

```
}
```

```
?>
```

ListingKodeHalamanAwalLogin

```
<?php
session_start();
error_reporting(0);
require_once"lib.session.php";
include_once"dwo.lib.php";
include_once"db.mysql.php";
include_once"connectdb.php";
include_once"ClassRC.php";

if(isset($_GET[keluar])){
    session_destroy();
    echo"<script>>window.location='index.php'</script>";
}

if(isset($_POST[masuk])){
    $Username=$_POST[Username];
    $Password=$_POST[Password];

    $pss=mysql_query("select*fromuserwhereUsername='$Username'and
Password='$Password'");
    $w=mysql_fetch_array($pss);
    if(empty($w)){
        echo"<script>location.href='?r=3r0rr'</script>";
    }
    else{
        session_start();
        $_SESSION[Username]=$w[Username];
        $_SESSION[ID_AKSES]=$w[Level];

        login_validate();

        if($w[Level]=='1'){
            echo"<script>location.href='satu.php'</script>";
        }elseif($w[Level]=='2'){
            echo"<script>location.href='penguji.php'</script>";
        }
    }
}

if(!login_check()){
    if($_GET[r]=="3r0rr"){
        ?>
    }
}

<!DOCTYPEhtml>
<html>
<head>
<metahttp-equiv="Content-Type"content="text/html; charset=UTF-8">
<!--Meta,title,CSS,favicons,etc.-->
<metacharset="utf-8">
```



```

<metahttp-equiv="X-UA-Compatible"content="IE=edge">
<metaname="viewport"content="width=device-width,initial-scale=1">

<title>SistemInformasi|PoliteknikNegeriSriwijaya</title>

<!--Bootstrap-->
<linkhref="css/bootstrap.min.css"rel="stylesheet">
<!--FontAwesome-->
<linkhref="css/font-awesome.min.css"rel="stylesheet">
<!--Animate.css-->
<linkhref="https://colorlib.com/polygon/gentelella/css/animate.min.css"
rel="stylesheet">
<!--CustomThemeStyle-->
<linkhref="css/custom.min.css"rel="stylesheet">
</head>

<bodyclass="login">
<div>
<aclass="hiddenanchor"id="signup"></a>
<aclass="hiddenanchor"id="signin"></a>

<divclass="login_wrapper">
<divclass="animateformlogin_form">
<sectionclass="login_content">
<formaction=""method="post">
<h1>Login</h1>
<divclass="alertalert-error">
<center>Dataloginandasalah
</div>
<div>
<inputtype="text"class="form-control"name=Username
placeholder="Username"value='<?phpecho$nm;?>'required>
</div>
<div>
<inputtype="password"class="form-control"name=Password
placeholder="Password"value='<?phpecho$ps;?>'required>
</div>
<div>
<?phpif($v=="1"){?><inputtype="checkbox"class=""
name="ingat"value="1"checked>Ingatsayadikomputerini!<?php}else{
?><inputtype="checkbox"class=""name="ingat"value="1">Ingatsayadi
komputerini!<?php}?>
<inputtype=hiddenname=masukvalue=masuk>
<buttontype="submit"class="btnbtn-default
submit">Login</a>

</div>

<divclass="separator">

</div>
</form>
</section>
</div>
</div>
</div>
</body>

```

```

</html>

<?php
}
else{
?>

<!DOCTYPEhtml>
<html>
<head>
<metahttp-equiv="Content-Type"content="text/html; charset=UTF-8">
<!--Meta,title,CSS,favicons,etc.-->
<metacharset="utf-8">
<metahttp-equiv="X-UA-Compatible"content="IE=edge">
<metaname="viewport"content="width=device-width,initial-scale=1">

<title>SistemInformasi|PoliteknikNegeriSriwijaya</title>

<!--Bootstrap-->
<linkhref="css/bootstrap.min.css"rel="stylesheet">
<!--FontAwesome-->
<linkhref="css/font-awesome.min.css"rel="stylesheet">
<!--Animate.css-->
<linkhref="https://colorlib.com/polygon/gentelella/css/animate.min.css"
rel="stylesheet">
<!--CustomThemeStyle-->
<linkhref="css/custom.min.css"rel="stylesheet">
</head>

<bodyclass="login">
<div>
<aclass="hiddenanchor" id="signup"></a>
<aclass="hiddenanchor" id="signin"></a>

<divclass="login_wrapper">
<divclass="animateformlogin_form">
<sectionclass="login_content">
<formaction=""method="post">
<h1>Login</h1>
<div>
<inputtype="text"class="form-control"name=Username
placeholder="Username"value='<?phpecho$nm;?>'required>
</div>
<div>
<inputtype="password"class="form-control"name=Password
placeholder="Password"value='<?phpecho$ps;?>'required>
</div>
<div>
<?phpif($v=="1"){?><inputtype="checkbox"class=""
name="ingat"value="1"checked>Ingatsayadikomputerini!<?php}else{
?><inputtype="checkbox"class=""name="ingat"value="1">Ingatsayadi
komputerini!<?php}?>
<inputtype=hiddenname=masukvalue=masuk>
<buttontype="submit"class="btnbtn-default
submit">Login</a>

</div>

```

```
                <divclass="separator">
                    <a href="daftar.php"class="btnbtn-defaultsubmit">Daftar
Baru</a>
                </div>
            </form>
        </section>
    </div>
</div>
</body>
</html>

<?php
}
}
else{
    if($_SESSION[ID_AKSES]=='1'){
        echo"<script>location.href='satu.php'</script>";
    }elseif($_SESSION[ID_AKSES]=='2'){
        echo"<script>location.href='penguji.php'</script>";
    }
}
?>
```

ListingKodeHalamanTabelTest

```
<?php
$gos=(empty($_REQUEST['gos']))?'tabel':$_REQUEST['gos'];
$gos();
function tambah(){
//<inputtype=filename=Foto>
//$KodeGudang=GetOption2('test',"concat(KodeTest,'-',KodeTest)",
'KodeTest',$w['KodeTest'],'','KodeTest');
//$NamaGudang=GetOption2('test',"concat(KodeGudang,'-',NamaGudang)",
'NamaGudang',$w['NamaGudang'],'','NamaGudang');
//$m0=_selek("select*fromtestwhereKodeTest='".$_POST[KodeTest]'");
//$m1=_selek("select*fromtestwhereKodeTest='".$_POST[KodeTest]'");

$r=mysql_query("select*fromtestwhereKodeTest='".$_GET[kd]'");
$w=mysql_fetch_array($r);
echo"
<sectionclass='cardpanelpanel-defaultcol-md-5'>
  <headerclass='panel-headingfont-bold'>Datatest</header>
  <divclass='panel-body'>
    <formmethod=postaction=''class='panelpanel-box'
enctype='multipart/form-data'id=fom3>

      <divclass='form-group'>
        <label>KodeTest:</label>
        <inputclass='form-control'
placeholder='KodeTest'name=KodeTestvalue='$w[KodeTest]'
id=KodeTesttype='text'></div>
        <divclass='form-group'>
        <label>KodePasien:</label>
        <inputclass='form-control'
placeholder='KodePasien'name=KodePasienvalue='$w[KodePasien]'
id=KodePasientype='text'></div>
        <divclass='form-group'>
        <label>KodeGejala:</label>
        <inputclass='form-control'
placeholder='KodeGejala'name=KodeGejalavalue='$w[KodeGejala]'
id=KodeGejalatype='text'></div>

        <inputtype=submitclass='btnbtn-smbtn-default'name=simpan
value='Simpan'>
      </form>
    </div>
  </section>

";
}

function tabel(){
```

```

//<iclass='fafa-plus'>
echo"

<sectionstyle='color:black;'class='cardpanelpanel-default'>
  <headerclass='panel-heading'>
    <aclass='btnbtn-warning'href='laporan/test.php'><iclass='fafa-
print'></i>Cetak</a>

  </header>

  <divclass='table-responsive'
id='growthrate'>
    <divid='example_wrapper'class='dataTables_wrapperno-footer'>
      <tableclass='table'id='datatable'
        role='grid'aria-describedby='example_info'style='width:896px;'
cellspacing='0'
        cellpadding='0'border='0'>
        <thead>
          <trrole='row'>
            <th>No</th>

            <th>Pasien</th>
            <th>KodePasien</th>
            <th>Penyakit</th>
            <th>Bobot</th>
            <th>Isi</th>

          </tr>
        </thead>
        <tbody>
";

    if($_SESSION[Level]==3){
      // $sql="select*fromtestwhereKodeGudang='$_SESSION[Username]' ";
    }else{
      $sql="selecta.*,c.Nama,b.Penyakit,d.Isifromhasilaleftouter
joinpenyakitbonb.KodePenyakit=a.Keterangan
leftouterjoinpasienconc.KodePasien=a.KodePasien
leftouterjoinsolusidond.KodePenyakit=a.Keterangan
";
    }
    $sol=cari("select*fromsolusiwhere
KodePenyakit='$w[KodePenyakit]");

    $r=mysql_query($sql);while($w=mysql_fetch_array($r)){
      $n++;

      if($n%2==0)$warna='#f0f5f5';
      else$warna='#ffffff';

      if(!empty($w[Nama])){
echo"
<trbgcolor=$warna>

```

```

<td align=center>$n</td>
    <td>$w[KodePasien]</td>
    <td>$w>Nama</td>
    <td>{$w[KodePenyakit]} $w>Penyakit</td>
    <td>$w>Bobot</td>
    <td>$w>Isi</td>
</tr>
";}
}
echo"
    </tbody>
</table>

</div>
</div>
</section>
";
}

functionhapus() {
mysql_query("deletefromtestwhereKodeTest='$_GET[kd]'");
BerhasilHapus("?menu=test&gos=tabel",500);
}

if(isset($_POST['simpan'])) {
$w=GetFields('test','KodeTest',$_POST['KodeTest'],'*');

if(empty($w))
{

mysql_query("insertintotestset
    KodeTest='$_POST[KodeTest]',KodePasien='$_POST[KodePasien]',
KodeGejala='$_POST[KodeGejala]'");

}
else
{
mysql_query(" update testset
    KodeTest='$_POST[KodeTest]',KodePasien='$_POST[KodePasien]',
KodeGejala='$_POST[KodeGejala]' whereKodeTest='$_POST[KodeTest]' ");
}
echo"<script>alert('Databerhasildisimpan');</script>";
}

?>

```

ListingKodeMasukHalamanHome

```
<?phpsession_start();
error_reporting(0);
include_once"dwo.lib.php";
include_once"db.mysql.php";
include_once"connectdb.php";
include_once"ClassRC.php";
require_once"lib.session.php";

if(!login_check()or($_SESSION[ID_AKSES]=='2')){
    echo"<script>location.href='index.php'</script>";
}
?>

<!DOCTYPEhtml>
<htmllang="en"><head>
<metahttp-equiv="content-type"content="text/html; charset=UTF-8">
    <metacharset="utf-8">
    <metahttp-equiv="X-UA-Compatible"content="IE=edge">
    <!--Tellthebrowsertoberesponsivetoscreenwidth -->
    <metaname="viewport"content="width=device-width, initial-scale=1">
    <metaname="description"content="">
    <metaname="author"content="">
    <!--Faviconicon-->
    <linkrel="icon"type="image/png"sizes="16x16"
href="https://wrappixel.com/demos/free-admin-templates/monster-admin-
lite/assets/images/favicon.png">
    <title>SistemPakar</title>
    <!--BootstrapCoreCSS-->
    <linkhref="monster_files/bootstrap.css"rel="stylesheet">
    <!--CustomCSS-->
    <linkhref="monster_files/style.css"rel="stylesheet">
    <!--Youcanchangethethemecolorsfromhere -->
    <linkhref="monster_files/blue.css"id="theme"rel="stylesheet">
    <linkhref="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.css"id="theme"rel="stylesheet">
    <!--HTML5ShimandRespond.jsIE8supportofHTML5elementsandmedia queries--
>
    <!--WARNING:Respond.jsdoesn'tworkifyouviewthepageviafile://--
>
    <!--[ifltIE9]>
    <script
src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
    <script
src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>
<![endif]-->
</head>

<bodyclass="fix-headercard-no-border">
    <!--=====
    <!--Preloader-styleyoucanfindinspinners.css-->
```

```

<!--=====-->
<divclass="preloader"style="display:none;">
  <svgclass="circular"viewBox="25255050">
    <circleclass="path"cx="50"cy="50"r="20"fill="none"stroke-
width="2"stroke-miterlimit="10"></circle></svg>
  </div>
<!--=====-->
<!--Mainwrapper-styleyoucanfindinpages.scss-->
<!--=====-->
<divid="main-wrapper">
  <!--=====-->
->
  <!--Topbarheader-styleyoucanfindinpages.scss-->
  <!--=====-->
->
  <headerclass="topbaris_stuck"style="position:fixed;top:0px;
width:1349px;">
    <navclass="navbartop-navbarnavbar-toggleable-smnavbar-light">
      <!--
=====-->
      <!--Logo-->
      <!--
=====-->
      <divclass="navbar-header">
        <aclass="navbar-brand"href="index.html">
          <!--Logoicon-->
          <b>
            <!--Youcanputhereiconaswell//<iclass="wi
wi-sunset"></i>//-->
            <!--DarkLogoicon-->
            <imgsrc="monster_files/logo-icon.png"
alt="homepage"class="dark-logo">
          </b>
          <!--EndLogoicon-->
          <!--Logotext-->
          <span>
            <!--darkLogotext-->
            <imgsrc="monster_files/logo-text.png"
alt="homepage"class="dark-logo">
          </span>
        </a>
      </div>
      <!--
=====-->
      <!--EndLogo-->
      <!--
=====-->
      <divclass="navbar-collapse">
        <!--
=====-->
        <!--toggleandnavitems-->
        <!--
=====-->
        <ulclass="navbar-navmr-automt-md-0">
          <!--Thisis-->

```



```

                <liclass="nav-item"><aclass="nav-linknav-toggler
hidden-md-uptext-mutedwaves-effectwaves-dark"href="javascript:void(0)"><i
class="ti-menu"></i></a></li>
                <liclass="nav-itemhidden-sm-down">
                    <formclass="app-searchp-1-20">
                        <inputclass="form-control"
placeholder="Searchfor..."type="text"><aclass="srh-btn"><iclass="ti-
search"></i></a>
                    </form>
                </li>
            </ul>
            <!--
=====-->
            <!--Userprofileandsearch-->
            <!--
=====-->

        </div>
    </nav>
</header><divstyle="position:relative;width:1349px;height:70px;
display:block;vertical-align:baseline;float:none;"></div>
<!--=====-->
->
<!--EndTopbarheader-->
<!--=====-->
->
<!--=====-->
->
<!--LeftSidebar-styleyoucanfindinsidebar.scss-->
<!--=====-->
->
<asideclass="left-sidebar">
    <!--Sidebarscroll-->
    <divclass="slimScrollDiv"style="position:relative;overflow:
hidden;width:auto;height:100%;"><divclass="scroll-sidebar"
style="overflow:hidden;width:auto;height:100%;">
        <!--Sidebarnavigation-->
        <navclass="sidebar-navactive">
            <ulid="sidebarnav"class="in">
                <li>
                    <a href="?menu" class="waves-effect"><iclass="fa
fa-homem-r-10" aria-hidden="true"></i>Home</a>
                </li>
                <li>
                    <a href="?menu=penyakit" class="waves-effect"><i
class="fafa-userm-r-10" aria-hidden="true"></i>Penyakit</a>
                </li>
                <li>
                    <a href="?menu=gejala" class="waves-effect"><i
class="fafa-userm-r-10" aria-hidden="true"></i>Gejala</a>
                </li>
                <liclass="active">
                    <a href="?menu=pasien" class="waves-effect
active"><iclass="fafa-tablem-r-10" aria-hidden="true"></i>Pasien</a>
                </li>
                <li>

```

```

                <ahref="?menu=solusi"class="waves-effect"><i
class="fafa-folder-openm-r-10"aria-hidden="true"></i>Solusi</a>
                </li>
                <li>
                <ahref="?menu=test"class="waves-effect"><i
class="fafa-folder-om-r-10"aria-hidden="true"></i>TableTest</a>
                </li>
                <li>
                <ahref="?menu=uji"class="waves-effect"><i
class="fafa-file-om-r-10"aria-hidden="true"></i>Uji</a>
                </li>
                <li>
                <ahref="?menu=user"class="waves-effect"><i
class="fafa-file-om-r-10"aria-hidden="true"></i>User</a>
                </li>
                <li>
                <ahref="index.php?keluar"class="waves-
effect"><i<class="fafa-lockm-r-10"aria-hidden="true"></i>Logout</a>
                </li>
        </ul>

        </nav>
        <!--EndSidebarnavigation-->
        </div><divclass="slimScrollBar"style="background:rgb(220,220,
220)nonerepeatscroll10%0%;width:5px;position:absolute;top:0px;
opacity:0.4;display:none;border-radius:7px;z-index:99;left:1px;
height:681px;"></div><divclass="slimScrollRail"style="width:5px;height:
100%;position:absolute;top:0px;display:none;border-radius:7px;
background:rgb(51,51,51)nonerepeatscroll10%0%;opacity:0.2;z-index:
90;left:1px;"></div></div>
        <!--EndSidebarscroll-->
    </aside>
->
    <!--EndLeftSidebar-styleyoucanfindinsidebar.scss-->
->
    <!--EndSidebarscroll-->
->
    <!--Pagewrapper-->
->
    <divclass="page-wrapper"style="min-height:540px;">
        <!--
        <!--Containerfluid-->
        <!--
        <divclass="container-fluid">
            <!--
            <!--Breadcrumbandrightsidebartoggle-->
            <!--
            <divclass="rowpage-titles">
                <divclass="col-md-6col-8align-self-center">
                    <h3class="text-themecolorm-b-0m-t-0">Table</h3>

```

```

        <olclass="breadcrumb">
            <liclass="breadcrumb-item"><a
href="javascript:void(0)">Home</a></li>
            <liclass="breadcrumb-itemactive">
                <?php
                    $k=strtoupper($_GET[menu]);
                    echo$k;
                ?>
            </li>
        </ol>
    </div>

</div>
<!--
=====-->
<!--EndBreadcrumbandrightsidebartoggle-->
<!--
=====-->
<!--
=====-->
<!--StartPageContent-->
<!--
=====-->
<divclass="row">
    <!--column-->
    <divclass="col-sm-12">
        <?php
            if(empty($_GET[menu])){
                include"tengah.php";
            }else{
                include"modul/$_GET[menu].php";
            }
        ?>
    </div>
<!--
=====-->
<!--EndPageContent-->
<!--
=====-->
</div>
<!--
=====-->
<!--EndContainerfluid-->
<!--
=====-->
<!--
=====-->
<!--footer-->
<!--
=====-->
<footerclass="footertext-center">
    ©2017CreatedByIbnuManajemenInformatika
</footer>

```

```

                <!--
=====-->
                <!--Endfooter-->
                <!--
=====-->
            </div>
            <!--=====-->
->
            <!--EndPagewrapper-->
            <!--=====-->
->
        </div>
        <!--=====-->
        <!--EndWrapper-->
        <!--=====-->
        <!--=====-->
        <!--AlljQuery-->
        <!--=====-->
        <scriptsrc="monster_files/jquery_002.js"></script>
        <!--BootstraptetherCoreJavaScript-->
        <scriptsrc="monster_files/tether.js"></script>
        <scriptsrc="monster_files/bootstrap.js"></script>
        <!--slimscrollbarscrollbarJavaScript-->
        <scriptsrc="monster_files/jquery.js"></script>
        <!--WaveEffects-->
        <scriptsrc="monster_files/waves.js"></script>
        <!--Menusidebar-->
        <scriptsrc="monster_files/sidebarmenu.js"></script>
        <!--stickeykit-->
        <scriptsrc="monster_files/sticky-kit.js"></script>
        <!--CustomJavaScript-->
        <scriptsrc="monster_files/custom.js"></script>
        <!--=====-->
        <!--Styleswitcher-->
        <!--=====-->
        <scriptsrc="monster_files/jQuery.js"></script>

</body></html>

```

ListingMenuPasien

```
<?php
$gos=(empty($_REQUEST['gos']))?'tabel':$_REQUEST['gos'];
$gos();
function tambah(){
//<inputtype=filename=Foto>
//$KodeGudang=GetOption2('pasien',"concat(KodePasien,'-',KodePasien
),'KodePasien',$w['KodePasien'],'','KodePasien');
//$NamaGudang=GetOption2('pasien',"concat(KodeGudang,'-',
>NamaGudang'),'NamaGudang',$w['NamaGudang'],'','NamaGudang');
//$m0=_selek("select*frompasienwhereKodePasien='".$_POST[KodePasien
]'"");
//$m1=_selek("select*frompasienwhereKodePasien='".$_POST[KodePasien
]'"");

$r=mysql_query("select*frompasienwhereKodePasien='".$_GET[kd]'"");
$w=mysql_fetch_array($r);
echo"
<sectionclass='cardpanelpanel-defaultcol-md-5'>
  <headerclass='panel-headingfont-bold'>Datapasien</header>
  <divclass='panel-body'>
    <formmethod=postaction=''class='panelpanel-box'
enctype='multipart/form-data'id=fom3>

      <divclass='form-group'>
        <label>KodePasien:</label>
        <inputclass='form-control'
placeholder='KodePasien'name=KodePasienvalue='$w[KodePasien]'
id=KodePasientype='text'></div>
        <divclass='form-group'>
          <label>Nama:</label>
          <inputclass='form-control'
placeholder='Nama'name=Namevalue='$w[Nama]'id=Nameatype='text'>
</div>
        <divclass='form-group'>
          <label>Alamat:</label>
          <inputclass='form-control'
placeholder='Alamat'name=Alamatvalue='$w[Alamat]'id=Alamat
type='text'></div>
        <divclass='form-group'>
          <label>Telpon:</label>
          <inputclass='form-control'
placeholder='Telpon'name=Telponvalue='$w[Telpon]'id=Telpon
type='text'></div>

        <inputtype=submitclass='btnbtn-smbtn-default'name=simpan
value='Simpan'>
      </form>
    </div>
  </section>

";
```

```

}

function tabel () {

//<iclass='fafa-plus'>
    echo"
<sectionstyle='color:black;' class='cardpanelpanel-default'>
    <headerclass='panel-heading'>
    <aclass='btnbtn-success'href='?menu=pasien&gos=tambah'><iclass='fafa-
plus'></i>Tambah</a>
    <aclass='btnbtn-warning'href='laporan/pasien.php'><iclass='fafa-
print'></i>Cetak</a>
    </header>

    <divclass='table-responsive'
    id='growthrate'>
        <divid='example_wrapper'class='dataTables_wrapperno-footer'>
            <tableclass='table'id='datatable'
            role='grid'aria-describedby='example_info'style='width:896px;'
cellspacing='0'
            cellpadding='0'border='0'>
                <thead>
                    <trrole='row'>
                        <th>No</th>

                        <th>KodePasien</th>
                        <th>Nama</th>
                        <th>Alamat</th>
                        <th>Telpon</th>

                        <th>Action</th>
                    </tr>
                </thead>
                <tbody>
";

    if($_SESSION[Level]==3){
        // $sql="select*frompasienwhereKodeGudang=$_SESSION[Username]"
    }else{
        $sql="select*frompasien ";
    }

    $r=mysql_query($sql);while($w=mysql_fetch_array($r)){
        $n++;

        if($n%2==0)$warna='#f0f5f5';
        else$warna='#ffffff';

    echo"
<trbgcolor=$warna>
<tdalign=center>$n</td>

        <td>$w[KodePasien]</td>

```

```

        <td>${w[Nama]}</td>
        <td>${w[Alamat]}</td>
        <td>${w[Telpon]}</td>

<tdwidth=60align=center><a
href='?menu=pasien&gos=tambah&kd=${w[KodePasien]}'><i>fafa-
edit</i></a>
<a href='?menu=pasien&gos=hapus&kd=${w[KodePasien]}' onclick=\"return
confirm('Apakahandayakinakanmenghapusdataini?')\"><i>fafa-
minus</i></a>
</td>
</tr>
";
}
echo"
        </tbody>
        </table>

</div>
</div>
</section>
";
}

functionhapus() {
mysql_query("deletefrompasienwhereKodePasien='${_GET[kd]}'");
BerhasilHapus ("?menu=pasien&gos=tabel",500);
}

if(isset($_POST['simpan'])) {
$w=GetFields('pasien','KodePasien',$_POST['KodePasien'],'*');

if(empty($w))
{
mysql_query("insertintopasienset
        KodePasien='${_POST[KodePasien]}',Nama='${_POST[Nama]}',
Alamat='${_POST[Alamat]}',Telpon='${_POST[Telpon]}'");
}
else
{
mysql_query(" update pasienset
        KodePasien='${_POST[KodePasien]}',Nama='${_POST[Nama]}',
Alamat='${_POST[Alamat]}',Telpon='${_POST[Telpon]}' whereKodePasien=
        '${_POST[KodePasien]}'
");
}
echo"<script>alert('Databerhasildisimpan');</script>";
}

```

?>

ListingMenuSolusi

```
<?php
$gos=(empty($_REQUEST['gos']))?'tabel':$_REQUEST['gos'];
$gos();
function tambah(){
//<inputtype=filename=Foto>
    $KodePenyakit=GetOption2('penyakit',"concat(KodePenyakit,'-',
Penyakit)","KodePenyakit",$w['KodePenyakit'],'','KodePenyakit');
//$NamaGudang=GetOption2('solusi',"concat(KodeGudang,'-',
NamaGudang)","NamaGudang",$w['NamaGudang'],'','NamaGudang');
//$m0=_selek("select*fromsolusiwhereKodeSolusi='".$_POST[KodeSolusi
]'"");
//$m1=_selek("select*fromsolusiwhereKodeSolusi='".$_POST[KodeSolusi
]'"");

$r=mysql_query("select*fromsolusiwhereKodeSolusi='".$_GET[kd]'"");
$w=mysql_fetch_array($r);
echo"
<sectionclass='cardpanelpanel-defaultcol-md-5'>
    <headerclass='panel-headingfont-bold'>Datasolusi</header>
    <divclass='panel-body'>
        <formmethod=postaction=''class='panelpanel-box'
enctype='multipart/form-data'id=fom3>

            <divclass='form-group'>
                <label>KodeSolusi:</label>
                <inputclass='form-control'
placeholder='KodeSolusi'name=KodeSolusivalue='$w[KodeSolusi]'
id=KodeSolusitype='text'></div>
                <divclass='form-group'>
                    <label>KodePenyakit:</label>
                    <selectclass='form-control'name=KodePenyakit
value='$w[KodePenyakit]'id=KodePenyakit>$KodePenyakit</select></div>
                <divclass='form-group'>
                    <label>Isi:</label>
                    <inputclass='form-control'
placeholder='Isi'name=Isivalue='$w[Isi]'id=Isitype='text'>
                </div>

                <inputtype=submitclass='btnbtn-smbtn-default'name=simpan
value='Simpan'>
            </form>
        </div>
    </section>

";
}

function tabel(){
//<iclass='fafa-plus'>
    echo"
```

```

<sectionstyle='color:black;' class='cardpanelpanel-default'>
  <headerclass='panel-heading'>
    <aclass='btnbtn-warning'href='?menu=solusi&gos=tambah'><iclass='fafa-
plus'></i>Tambah</a>
    <aclass='btnbtn-warning'href='laporan/solusi.php'><iclass='fafa-
plus'></i>Cetak</a>
  </header>

  <divclass='table-responsive'
id='growthrate'>
  <divid='example_wrapper'class='dataTables_wrapperno-footer'>
    <tableclass='table'id='datatable'
role='grid'aria-describedby='example_info'style='width:896px;'
cellspacing='0'
cellpadding='0'border='0'>
      <thead>
        <trrole='row'>
          <th>No</th>

          <th>KodeSolusi</th>
          <th>KodePenyakit</th>
          <th>Isi</th>

          <th>Action</th>
        </tr>
      </thead>
      <tbody>
";

  if($_SESSION[Level]==3){
    // $sql="select*fromsolusiwhereKodeGudang='$_SESSION[Username]' ";
  }else{
    $sql="select*fromsolusi ";
  }

  $r=mysql_query($sql);while($w=mysql_fetch_array($r)){
    $n++;

    if($n%2==0)$warna='#f0f5f5';
    else$warna='#ffffff';

  echo"
<trbgcolor=$warna>
<tdalign=center>$n</td>

  <td>$w[KodeSolusi]</td>
  <td>$w[KodePenyakit]</td>
  <td>$w[Isi]</td>

  <tdwidth=60align=center><a
href='?menu=solusi&gos=tambah&kd=$w[KodeSolusi]'><iclass='fafa-
edit'></i></a>

```

```

<a href='?menu=solusi&gos=hapus&kd=$w[KodeSolusi]' onclick=\"return
confirm('Apakahandayakinakanmenghapusdataini?')\"><i class='fafa-
minus'></i></a>
</td>
</tr>
";
}
echo"
        </tbody>
    </table>

</div>
</div>
</section>
";
}

functionhapus() {
mysql_query("deletefromsolusiwhereKodeSolusi='$_GET[kd]'");
BerhasilHapus("?menu=solusi&gos=tabel",500);
}

if(isset($_POST['simpan'])) {
$w=GetFields('solusi','KodeSolusi',$_POST['KodeSolusi'],'*');

if(empty($w))
{
mysql_query("insertintosolusiset
        KodeSolusi='$_POST[KodeSolusi]',KodePenyakit='$_POST[KodePenyakit]'
,Isi='$_POST[Isi]'");
}
else
{
mysql_query(" update solusiset
        KodeSolusi='$_POST[KodeSolusi]',KodePenyakit='$_POST[KodePenyakit]'
,Isi='$_POST[Isi]' whereKodeSolusi='$_POST[KodeSolusi]'
");
}
echo"<script>alert('Databerhasildisimpan');</script>";
}

?>

```

ListingMenuTabelUser

```
<?php
$gos=(empty($_REQUEST['gos']))?'tabel':$_REQUEST['gos'];
$gos();
function tambah(){

    $r=mysql_query("select*fromuserwhereKode='".$_GET[kd]'");
    $w=mysql_fetch_array($r);
    echo"
<sectionclass='cardpanelpanel-defaultcol-md-5'>
    <headerclass='panel-headingfont-bold'>Datapasien</header>
    <divclass='panel-body'>
        <formmethod=postaction=''class='panelpanel-box'
enctype='multipart/form-data'id=fom3>

            <divclass='form-group'>
                <label>KodeUser:</label>
                <inputclass='form-control'
                    placeholder='KodeUser'name=Kodevalue='$_w[Kode]'id=Kode
type='text'></div>
                <divclass='form-group'>
                    <label>Username:</label>
                    <inputclass='form-control'
                        placeholder='Username'name=Usernamevalue='$_w[Username]'
id=Usernamevalue='$_w[Username]'type='text'></div>
                    <divclass='form-group'>
                        <label>Password:</label>
                        <inputclass='form-control'
                            placeholder='Password'name=Passwordvalue='$_w[Password]'
id=Passwordvalue='$_w[Password]'type='text'></div>
                        <divclass='form-group'>
                            <label>Level:</label>
                            <selectrequired='required'class='form-control'id='Level'
name=Level>
                                <optionselecteddisabled>PilihLevel</option>
                                <optionvalue=2>User</option>
                                <optionvalue=1>Admin</option>
                            </select>

                        <inputtype=submitclass='btnbtn-smbtn-default'name=simpan
value='Simpan'>
                    </form>
                </div>
            </section>

";
}

function tabel(){
//<iclass='fafa-plus'>
    echo"
```

```

<sectionstyle='color:black;' class='cardpanelpanel-default'>
  <headerclass='panel-heading'>
    <a class='btn btn-success' href='?menu=user&gos=tambah'><i class='fafa-plus'></i>Tambah</a>
    <a class='btn btn-warning' href='laporan/pasien.php'><i class='fafa-print'></i>Cetak</a>
  </header>

  <div class='table-responsive'
  id='growthrate'>
    <div id='example_wrapper' class='dataTable_wrapper'>
      <table class='table' id='datatable'
      role='grid' aria-describedby='example_info' style='width:896px;'
      cellspacing='0'
      cellpadding='0' border='0'>
        <thead>
          <tr role='row'>
            <th>No</th>

            <th>KodeUser</th>
            <th>Username</th>
            <th>Password</th>
            <th>Level</th>

            <th>Action</th>
          </tr>
        </thead>
        <tbody>
";

  if($_SESSION[Level]==3) {
    // $sql="select*frompasienwhereKodeGudang=$_SESSION[Username] ";
  } else {
    $sql="select*fromuser ";
  }

  $r=mysql_query($sql); while($w=mysql_fetch_array($r)) {
    $n++;

    if($n%2==0) $warna='#f0f5f5';
    else $warna='#ffffff';

  echo"
<tr bgcolor=$warna>
<td align=center>$n</td>

  <td>$w[Kode]</td>
  <td>$w[Username]</td>
  <td>$w[Password]</td>
  <td>$w[Level]</td>

```

```

<tdwidth=60align=center><a href='?menu=user&gos=tambah&kd=$w[Kode] '><i
class='fafa-edit'></i></a>
<a href='?menu=user&gos=hapus&kd=$w[Kode] ' onclick=\"returnconfirm('Apakah
andayakinakanmenghapusdataini?')\"><i class='fafa-minus'></i></a>
</td>
</tr>
";
}
echo"
    </tbody>
</table>

</div>
</div>
</section>
";
}

```

```

functionhapus() {
mysql_query("deletefromuserwhereKode='$_GET[kd] '");
BerhasilHapus ("?menu=user&gos=tabel",500);
}

```

```

if(isset($_POST['simpan'])) {
$w=GetFields('user','Kode',$_POST['Kode'],'*');

```

```

if(empty($w))
{

```

```

mysql_query("insertintouser set
    Kode='$_POST[Kode]',Username='$_POST[Username]',
    Password='$_POST[Password]',Level='$_POST[Level] '");

```

```

}
else
{
mysql_query(" update user set
    Kode='$_POST[Kode]',Username='$_POST[Username]',
    Password='$_POST[Password]',Level='$_POST[Level] ' where
    Kode='$_POST[Kode] '
");

```

```

}
echo"<script>alert('Databerhasildisimpan');</script>";
}

```

```

?>

```

Listing Menu Uji

```
<?php
$KodePasien=GetOption2('pasien',"concat(KodePasien,'-',Nama)",
'KodePasien',$w['KodePasien'],'','KodePasien');
//<iclass='fafa-plus'>
    echo"<formmethod=postaction=''>
        <divclass='form-grouppcol-md-6'>
            <label>KodePasien:</label>
            <selectclass='form-control'name=KodePasienid=KodePasien>
$KodePasien</select></div>

<sectionstyle='color:black;'class='cardpanelpanel-default'>
    <headerclass='panel-heading'>

</header>

<divclass='table-responsive'
id='growthrate'>
    <divid='example_wrapper'class='dataTables_wrapperno-footer'>
        <tableclass='table'id='datatable'
            role='grid'aria-describedby='example_info'style='width:896px;'
cellspacing='0'
            cellpadding='0'border='0'>
            <thead>
                <trrole='row'>
                    <th>No</th>

                    <th>KodeGejala</th>
                    <th>NamaGejala</th>
                    <th>A</th>
                    <th>F</th>
                    <th>D</th>
                    <th>B</th>
                    <th>Bobot</th>
                </tr>
            </thead>
            <tbody>

";

    if($_SESSION[Level]==3){
        //$sql="select*fromtestwhereKodeGudang='$_SESSION[Username]' ";
    }else{
        $sql="select*fromgejala";
    }

    $r=mysql_query($sql);while($w=mysql_fetch_array($r)){
        $n++;

echo"
<trbgcolor=$warna>
```

```
<td align=center><input type=checkbox name=KodeGejala $n  
value=$w[KodeGejala]></td>  
    <td>$w[KodeGejala]</td>  
    <td>$w>NamaGejala</td>  
    <td>$w>A</td>  
    <td>$w>F</td>  
    <td>$w>D</td>  
    <td>$w>B</td>  
</tr>  
";  
}  
echo"  
    </tbody>  
</table>  
    <input type=submit class='btn' name=simpan value=Simpan>  
    <input type=hidden name=nomor value=$n>
```



```
        </div>
    </div>
</section>
</form>
";

if(isset($_POST[simpan])){
    mysql_query("deletefromtest");

    for($i=1;$i<=$_POST[nomor];$i++){
        $kd=$_POST["KodeGejala".$i];if
        (!empty($kd)){
            mysql_query("insertintotestset
                KodeGejala='$kd',
                KodePasien='".$_POST[KodePasien]'

                ");

        }
    }

    echo"<script>location.href='?menu=demster&kd=".$_POST[KodePasien]'
</script>";

}

?>
```