

index.php	<style>
<?php	#content-area {
require_once("config/site.php");	margin-
	top: 0;
session_start();	margin-
	bottom: 0;
if(}
empty(\$_SESSION['sesi_stieaprin_	</style>
id_user']) or	</head>
empty(\$_SESSION['sesi_stieaprin_	<body>
username']) or	<?php
empty(\$_SESSION['sesi_stieaprin_	require_once("template/navbar.php"); ?>
level']) or	<?php
empty(\$_SESSION['sesi_stieaprin_	require_once("template/slide.php"); ?>
nama']) or	
empty(\$_SESSION['sesi_stieaprin_	<div class="container"
login'])	id="content-area">
);	<main
?>	role="main">
<script>>window.location.replace('<?=BASE	
_SITE?>/login.php');</script>	<div
<?php	id="selamat-datang">
exit;	<div class="jumbotron jumbotron-
endif;	fluid">
?>	<h1>Selamat Datang di</h1>
<?php require_once("template/meta.php");	<p
?>	class="lead"><?=JUDUL_WEB?></p>
<?php	
require_once("template/header.php"); ?>	
<link rel="stylesheet"	
href="css/style.css">	

```

        </div>
                                </div>
                                </main>
        </div>
                                <?php
require_once("template/footer.php"); ?>
        </body>
</html>
user.php
<?php
require_once("config/site.php");

require_once("config/secure.php");

/*-----
-----*/

$url = "user";

/*-----
-----*/

require_once("controllers/$url/config.php");

require_once("controllers/$url/config-
list.php");

?>

<?php require_once("template/meta.php");
?>

                                <?php
require_once("template/header.php"); ?>

                                <link rel="stylesheet"
href="plugins/DataTables/DataTables-
1.10.16/css/dataTables.bootstrap4.min.css">

                                <link rel="stylesheet"
href="plugins/DataTables/Buttons-
1.5.1/css/buttons.bootstrap4.min.css">

                                <link rel="stylesheet"
href="css/style.css">

                                <style>

                                        .table #tools,

                                        .table .tools {

                                                width:

                                                48px;

                                        }

                                </style>

                                </head>

                                <body>

                                        <?php
require_once("template/navbar.php"); ?>

                                        <div id="content-area"
class="container">

                                                <!-- Main
Content -->

                                        <main

                                                role="main">

                                <?php

```

```

require_once("config/connection.php");

// query
tampil data

$query =
"SELECT * FROM $tabel ORDER BY id
DESC";

// hasil
query

$result =
mysqli_query($koneksi, $query) or
die(mysqli_error($koneksi));

?>

<h1
align="center"
id="judul"><?=$judul?></h1>

<?php

if( !empty($_GET['status']) and
$_GET['status'] == "success" and
PEMBERITAHUAN == "Iya" ):

    if( session_status() ==
PHP_SESSION_NONE ) {

        session_start();

    }

    if( !empty($_SESSION['status'])
and ( $_SESSION['status'] == "add_success"
or $_SESSION['status'] == "edit_success" or
$_SESSION['status'] == "delete_success" ) )
{
?>

<p>

        <div class="alert alert-success
alert-dismissible fade show" role="alert">

            <?php

                if( $_SESSION['status']
== "add_success" ) {

                    echo
                    ADD_BERHASIL;

                }

                elseif(
                $_SESSION['status'] == "edit_success" ) {

                    echo
                    EDIT_BERHASIL;

                }

                elseif(
                $_SESSION['status'] == "delete_success" ) {

                    echo
                    DELETE_BERHASIL;

                }

            }

            unset($_SESSION['status']);

        }

        ?>

        <button type="button"
class="close" data-dismiss="alert" aria-
label="Close">

            <span aria-
hidden="true">&times;</span>

        </button>

    </div>

</p>

<?php

```



```

        unset($_SESSION['status']);

        unset($_SESSION['status_id']);
    }
endif;
?>

        <tr<?=$data_baru?>>

                <td id="no"
class="text-right"><?=$no?></td>

        <?php foreach($kolom_tabel_db as $ktdb):
?>

                <td>

        <?php if( in_array($ktdb,
$tipe_file) ): ?>

                <a
href="files/<?=$data[$ktdb]?>"
target="_blank"><?=$data[$ktdb]?></a>

        <?php elseif($ktdb == "level"): ?>

                <?=$ucwords($data[$ktdb])?>

        <?php else: ?>

                <?=$data[$ktdb]?>

        <?php endif; ?>

                </td>

        <?php endforeach; ?>

```

```

        <td id="tools"
class="text-center">

                <a
href="<?=$url?>-
form.php?url=<?=$url?>&id=<?=$data["id"
]?>"

class="btn <?=$EDIT_STYLE_TOMBOL?>
btn-sm"

data-toggle="tooltip"

data-placement="top"

title="<?=$EDIT?>">

        <i class="far fa-edit fa-xs"></i>

        </a>

                <a
href="controllers/delete.php?id=<?=$data["i
d"]?>&table=<?=$tabel?>&url=<?=$url?>"

class="btn
<?=$DELETE_STYLE_TOMBOL?> btn-
sm"

data-toggle="tooltip"

```

```
data-placement="top"

title("<?=DELETE?>")

onClick="javascript: return
confirm('<?=DELETE_CONFIRM?>');">

<i class="fas fa-trash-alt fa-
xs"></i>

</a>

</td>

</tr>

<?php

$no++;

endwhile;

?>

</tbody>

</table>

</div>

</main>

<!-- AKHIR

Main Content -->
```

```
</div>

<!-- AKHIR

Content/Primary Area -->

<!-- Panggil Bagian

Footer/Tag Footer Web (Copyright, dll.) -->

<?php
require_once("template/footer.php"); ?>

<?php
require_once("template/data-tables-
config.php"); ?>

</body>

</html>

User-form.php

<?php
require_once("template/meta.php");

require_once("config/secure.php");

$url = $_GET["url"];

require_once("controllers/$url/config.php");

require_once("config/connection.php");

$judul_utama = $judul;

if(isset($_GET["id"])):

$judul = EDIT." ".$judul;
```

```

$available = TRUE;

$id = $_GET['id'];

$query = "SELECT * FROM $tabel
WHERE id=$id ORDER BY id DESC";

$result = mysqli_query($koneksi,
$query) or die(mysqli_error($koneksi));

if( mysqli_num_rows($result) >= 1
) {
    $judul_h1 = $judul;

    $process = "edit";

    $available = TRUE;

}

else {

    $judul_h1 =
DATA_TIDAK_DITEMUKAN;

    $available = FALSE;

}

else:

$judul = ADD." ".$judul;

$judul_h1 = $judul;

$process = "add";

$id = 0;

$query = "SELECT * FROM $tabel
WHERE id=$id ORDER BY id DESC";

$result = mysqli_query($koneksi,
$query) or die(mysqli_error($koneksi));

$available = TRUE;

endif;

$data = mysqli_fetch_array($result);

?>

<!-- Panggil Tag Link
Bernilai Tetap -->

<?php
require_once("template/header.php"); ?>

<!-- CSS kita sendiri -->

<link rel="stylesheet"
href="css/style.css">

<link rel="stylesheet"
href="plugins/bootstrap-
datepicker/css/bootstrap-
datepicker3.min.css">

</head>

<body>

<!-- Panggil Bagian
Header/Tag Header Web (Navbar, dll.) -->

<?php
require_once("template/navbar.php"); ?>

<!-- Content/Primary Area
-->

<div class="container"
id="content-area">

```

```

Content -->
<!-- Main
<main
role="main">
    <h1><?=$judul_h1?></h1>
    <br>
    <p>
    <strong>
        <span class="text-
danger">*</span>
<em><?=FORM_REQUIRED?></em>
    </strong>
    </p>
<?php
if($available == TRUE):
    require_once("controllers/$url/confi
g-form.php");
?>
    <form
action="controllers/process.php"
method="post"><?php if( $file_input == "iya"
) { ?> enctype="multipart/form-data"<?php
} ?>>
        <input type="hidden"
name="process" value="<?=$process?>">
    <input type="hidden" name="tabel"
value="<?=$tabel?>">
    <input type="hidden" name="url"
value="<?=$url?>">
    <?php if( $process == "edit" ): ?>
        <input type="hidden" name="id"
value="<?=$data["id"]?>">
    <?php endif; ?>
    <?php
foreach($field as $f):
        $name = $f["name"];
        if( $f["type"] != "hidden"
):
            ?>
            <div class="form-row">
                <?php
                    if(
isset($f["panjang_field"]) and
$f["panjang_field"] == "panjang" ):
                        $col= "col-sm-12
col-md-12 col-lg-9 col-xl-8";
                    elseif(
isset($f["panjang_field"]) and
$f["panjang_field"] == "pendek" ):
                        $col = "col-sm-7
col-md-5 col-lg-4 col-xl-3";
                    else:
                        $col = "col";

```



```

elseif( $f["type"] ==
"textarea" ):

        $byk_baris = 3;

        if(
isset($f["banyak_baris"]) and
!empty($f["banyak_baris"]) )

                $byk_baris = $f["banyak_baris"];

        ?>

        <textarea
name="<?=$name?>" id="<?=$name?>"
class="form-control"
rows="<?=$byk_baris?>"

                <?php if(
!empty($f["keterangan"]) ) { ?>aria-
describedby="<?=$name?>Help" <?php } ?>

                <?php if(
!empty($f["placeholder"]) ) {
?>placeholder="<?=$f["placeholder"]?>"<?
php } ?>

                <?php
if($f["wajib_diisi"] == "iya") echo
"required";
?><?=$data[$name]?></textarea>

                <?php if(
!empty($f["keterangan"]) ) { ?>

                        <small
id="<?=$name?>Help" class="form-text
text-
muted"><?=$f["keterangan"]?></small>

                <?php } ?>

```

```

<?php elseif($f["type"] ==
"select"): ?>

                <select
name="<?=$name?>"
class="<?=SELECT_CLASS?>"
id="<?=$name?>"

                <?php
if(!empty($f["keterangan"])) { ?> aria-
describedby="<?=$name?>Help" <?php } ?>

                <?php if($f["wajib_diisi"]
== "iya") echo "required"; ?>>

                        <option value=""
<?php if($f["wajib_diisi"] == "iya") echo
"disabled"; ?> selected>&ndash;</option>

                <?php
if($f["value_query"] == "iya"): ?>

                        <?php
if($f["kolom_kirim"] ==
$f["kolom_tampil"]):

                                $kolom_select =
$f["kolom_kirim"];

                                else:

                                        $kolom_select =
$f["kolom_kirim"].", ".$f["kolom_tampil"];

                                endif;

                $query_select = "SELECT

```

```

$kolom_select FROM $f[tabel] ORDER BY                                <?php
id DESC";

                                                                    endforeach;

    $result_select =                                                 endif;
mysql_query($koneksi, $query_select) or
die(mysql_error($koneksi));                                         ?>

    while($data_select =                                           </select>
mysql_fetch_array($result_select)):

                                                                    <?php
                                                                    if(!empty($f["keterangan"])): ?>

                                                                    <small
                                                                    id="<?=$name?>Help" class="form-text
                                                                    text-
                                                                    muted"><?=$f["keterangan"]?></small>

                                                                    <?php endif; ?>

                                                                    <option
                                                                    value="<?=$data_select[$f["kolom_kirim"]]
                                                                    ?>" <?php if(
                                                                    $data_select[$f["kolom_tampil"]] ==
                                                                    $data[$name] ) echo "selected"; ?>>

                                                                    <small
                                                                    id="<?=$name?>Help" class="form-text
                                                                    text-
                                                                    muted"><?=$f["keterangan"]?></small>

                                                                    <?php endif; ?>

                                                                    <?=$data_select[$f["kolom_tampil"]
                                                                    ]]?>

                                                                    <?php elseif($f["type"] ==
                                                                    "radio"): ?>

                                                                    </option>

                                                                    <?php
                                                                    <br>
                                                                    <?php
                                                                    $inline = "";
                                                                    if( $f["inline"] ==
                                                                    "iya" ) {

                                                                    if(
                                                                    RADIO_STYLE_CUSTOM == "iya" ) {

                                                                    $inline = " custom-control-inline";

                                                                    }

                                                                    else {

                                                                    $inline = " form-check-inline";

                                                                    }

                                                                    <?php
                                                                    <option
                                                                    value="<?=$v?>" <?php if( $v ==
                                                                    $data[$name] ) echo "selected";
                                                                    ?>><?=$f["value_tampil"][$n]?></option>

```

```

    }

    if($f["value_query"] == "iya"):

        if($f["kolom_kirim"] ==
        $f["kolom_tampil"]):

            $kolom_select =
            $f["kolom_kirim"];

            else:

                $kolom_select =
                $f["kolom_kirim"].", ".$f["kolom_tampil"];

            endif;

            $query_select = "SELECT
            $kolom_select FROM $f[tabel] GROUP BY
            $f[kolom_tampil] ORDER BY
            $f[kolom_tampil] ASC";

            $result_select =
            mysqli_query($koneksi, $query_select) or
            die(mysqli_error($koneksi));

            $i=1;

            while($data_select =
            mysqli_fetch_array($result_select)):

                <div
                class="<?=RADIO_DIV_CLASS.$inline?>"
                >

                    <input
                    class="<?=RADIO_INPUT_CLASS?>"
                    type="radio" name="<?=$name?>"
                    id="<?=$name.$i?>"
                    value="<?=$data_select[$f["kolom_kirim"]]
                    ?>"

                    <?php
                    if($f["wajib_diisi"] == "iya") echo
                    "required"; ?> <?php if( $f["kolom_tampil"]
                    == $data[$name] ) echo "checked"; ?>>

                    <label
                    class="<?=RADIO_LABEL_CLASS?>"
                    for="<?=$name.$i++;?>"><?=$data_select[
                    $f["kolom_tampil"]]?></label>

                </div>

                <?php
                elseif($f["value_query"] ==
                "tidak"):

                    $i=1;

                    foreach($f["value"] as $n => $v):

                        <div
                        class="<?=RADIO_DIV_CLASS.$inline?>"
                        >

                            <input
                            class="<?=RADIO_INPUT_CLASS?>"
                            type="radio" name="<?=$name?>"
                            id="<?=$name.$i?>" value="<?=$v?>"

```

```

                                if(
CHECKBOX_STYLE_CUSTOM == "iya" )
{
                                $inline = " custom-control-inline";
                                }
                                else {
                                $inline = " form-check-inline";
                                }
                                }
                                }

                                if($f["value_query"] == "iya"):

                                if($f["kolom_kirim"] ==
$f["kolom_tampil"]):

                                $kolom_select =
$f["kolom_kirim"];

                                else:

                                $kolom_select =
$f["kolom_kirim"].", ".$f["kolom_tampil"];

                                endif;

                                $query_select = "SELECT
$kolom_select FROM $f[tabel] GROUP BY
$f[kolom_tampil] ORDER BY
$f[kolom_tampil] ASC";

                                $result_select =

                                <?php
if($f["wajib_diisi"] == "iya") echo
"required"; ?> <?php if( $v == $data[$name]
) echo "checked"; ?>>

                                <label
                                }
                                class="<?=RADIO_LABEL_CLASS?>"
                                else {
                                for="<?=$name.$i++;?>"<?=$f["value_ta
                                $inline = " form-check-inline";
                                mpil"][$n]?></label>
                                }
                                </div>
                                }
                                <?php
                                }

                                endforeach;

                                endif;

                                if($f["value_query"] == "iya"):

                                if($f["kolom_kirim"] ==
                                $f["kolom_tampil"]):

                                $kolom_select =
                                $f["kolom_kirim"];

                                else:

                                $kolom_select =
                                $f["kolom_kirim"].", ".$f["kolom_tampil"];

                                endif;

                                <?php if(
                                $query_select = "SELECT
                                $kolom_select FROM $f[tabel] GROUP BY
                                $f[kolom_tampil] ORDER BY
                                $f[kolom_tampil] ASC";

                                !empty($f["keterangan"] ) ): ?>

                                $result_select =

                                <small
                                $kolom_select =
                                $f["kolom_kirim"];

                                else:

                                $kolom_select =
                                $f["kolom_kirim"].", ".$f["kolom_tampil"];

                                <small
                                id="<?=$name?>Help" class="form-text
                                text-
                                muted"><?=$f["keterangan"]?></small>

                                endif;

                                <?php endif; ?>

                                <?php elseif($f["type"] ==
                                "checkbox"): ?>

                                <br>

                                $query_select = "SELECT
                                $kolom_select FROM $f[tabel] GROUP BY
                                $f[kolom_tampil] ORDER BY
                                $f[kolom_tampil] ASC";

                                <?php
                                $result_select =

                                $inline = "";

                                if( $f["inline"] ==
                                "iya" ) {

```

```

mysqli_query($koneksi, $query_select) or die(mysqli_error($koneksi));
$si=1;
while($data_select = mysqli_fetch_array($result_select)):
    $si=1;
    foreach($f["value"] as $n => $v):
        ?>
        <div
        class="<?=CHECKBOX_DIV_CLASS.$inline?>">
            <input
            class="<?=CHECKBOX_INPUT_CLASS?>"
            type="checkbox" name="<?=$name?>"
            id="<?=$name.$i?>" value="<?=$v?>"
            <?php
            if($f["wajib_diisi"] == "iya") echo
            "required"; ?> <?php if( $v == $data[$name]
            ) echo "checked"; ?>>
            <label
            class="<?=CHECKBOX_LABEL_CLASS?>"
            >
            for="<?=$name.$i++;?>"><?=$data_select[
            $f["kolom_tampil"]]?></label>
            </div>
        endforeach;
    endwhile; ?>
    <?php
    <?php if(
    !empty($f["keterangan"])) { ?>
        <small
        id="<?=$name?>Help" class="form-text

```

```
text-
muted"><?=$f["keterangan"]?></small>
```

```
<?php } ?>
```

```
<?php elseif( $f["type"]
== "file" ): ?>
```

```
<?php if($process
== "edit") { ?>
```

```
<input type="hidden"
name="<?=$name?>_old"
value="<?=$data[$name]?>">
```

```
<p><?=$f["label"]?>
Sebelumnya: <a
href="files/<?=$data[$name]?>"
target="_blank"><?=$data[$name]?></a></
p>
```

```
<?php
}
```

```
foreach($f["accept"] as $accept):

$file_extensions[] = ".$accept;

endforeach;

$file_accept =
implode(", ", $file_extensions);
```

```
unset($file_extensions);
```

```
$file_input_class
= FILE_STYLE_CUSTOM == "iya" ?
"custom-file-input" : "form-control-file";
```

```
if(
FILE_STYLE_CUSTOM == "iya" ) {

?>
```

```
<div class="custom-file">
```

```
<?php } ?>
```

```
<input
type="file" name="<?=$name?>"
id="<?=$name?>"
class="<?=$file_input_class?>"
accept="<?=$file_accept?>"
```

```
<?php
if( !empty($f["keterangan"]) ) { ?>aria-
describedby="<?=$name?>Help"<?php } ?>
```

```
<?php
if( $f["wajib_diisi"] == "iya" and $process
== "add" ) echo "required"; ?>>
```

```
<?php if(
FILE_STYLE_CUSTOM == "iya" ) { ?>
```

```
<label
class="custom-file-label"
for="<?=$name?>"><?php if(
!empty($f["placeholder"]) ) echo
$f["placeholder"]; ?></label>
```

```
</div>
```

```
<?php } ?>
```

```
<?php if(
!empty($f["keterangan"]) ) { ?>
```

```
<small
id="<?=$name?>Help" class="form-text
```

```

text-
muted"><?=$f["keterangan"]?></small>
                                <?php } ?>
                                <input type="hidden"
                                name="<?=$name?>"
                                value="<?=$value?>"
                                <?php endif; ?>
                                <?php endforeach; ?>
                                <?php if( $f["type"] !=
                                "hidden" ): ?>
                                <br>
                                </div>
                                <p>
                                <button type="submit" id="save"
                                class="<?=UKURAN_TOMBOL_SIMPAN
                                ?>"
                                <?=SIMPAN_STYLE_TOMBOL?>"><?=S
                                IMPAN?></button>
                                <a href="<?=$url?>.php"
                                class="<?=UKURAN_TOMBOL_BATAL?
                                >"
                                <?=BATAL_STYLE_TOMBOL?>"><?=B
                                ATAL?></a>
                                </p>
                                <?php endif; ?>
                                </form>
                                </main>
                                <!-- AKHIR
                                Main Content -->
                                </div>

```



```

        editor.save();

    });

    },

    plugins:

[

    'advlist autolink lists link image
    charmap print preview hr pagebreak',

    'searchreplace wordcount
    visualblocks visualchars code fullscreen',

    'insertdatetime media nonbreaking
    save table contextmenu directionality',

    'template paste textcolor
    colorpicker textpattern imagetools toc help
    responsivefilemanager'

    ],

    toolbar1:

'undo redo pastetext | styleselect
removeformat | bold italic underline |
alignleft aligncenter alignright alignjustify
alignnone | outdent indent bullist numlist |
fullscreen',

    toolbar2:

'insert | image media link | table charmap
blockquote hr | forecolor backcolor | code
print preview help',

    plugin_preview_width: 1024,

    image_advtab: true,

    external_filemanager_path:"plugins
/filemanager/",

    filemanager_title:"File Manager" ,

    external_plugins: { "filemanager" :
    "../filemanager/plugin.min.js" }

    });

</script>

<?php elseif( $f["type"] == "date"
): ?>

<script>

$(#<?=$f["name"]?>).datepicker({

    <?php
    if( !empty($f["format"]) ) { ?>format:
    '<?=$f["format"]?>', <?php } ?>

    <?php
    if( !empty($f["start_view"]) ) { ?>startView:
    '<?=$f["start_view"]?>', <?php } ?>

    <?php
    if( !empty($f["start_date"]) ) { ?>startDate:
    '<?=$f["start_date"]?>', <?php } ?>

    <?php
    if( !empty($f["end_date"]) ) { ?>endDate:
    '<?=$f["end_date"]?>', <?php } ?>

    todayBtn: 'linked'

    });

</script>

```

```

<?php
    endif;

endforeach;

?>

</body>

</html>

```

Login.php

```

<?php require_once("template/meta.php");
?>

```

```

<?php
require_once("template/header.php"); ?>

```

```

<!-- Custom styles for this template -->

```

```

<link rel="stylesheet"
href="css/signin.css">

```

```

<style>

    body {

        background:
url("images/login.jpg")
<?=UTAMA_WARNA?> no-repeat center
fixed;

        background-size: cover;

    }

    .form-signin {

        border:
2px solid <?=KEDUA_WARNA?>;

    }

```

```

</style>

```

```

</head>

```

```

<body class="text-center"
style="background-color:
<?=UTAMA_WARNA?>;">

```

```

<form action="log/login.php"
method="post" class="form-signin">

```

```



```

```

<h1 class="h4 mb-3 font-weight-
normal"><?=JUDUL_WEB?></h1>

```

```

<?php

```

```

if( !empty($_GET['status']) and
$_GET['status'] == "login" and
PEMBERITAHUAN == "Iya" ):

```

```

    if( session_status() ==
PHP_SESSION_NONE ) {

```

```

        session_start();

```

```

    }

```

```

    if( !empty($_SESSION['status'])
and ( $_SESSION['status'] ==
"username_salah" or $_SESSION['status']
== "password_salah" ) ) {

```

```

?>

```

```

<p>

```

```

<div
class="alert alert-danger" role="alert">

```

```

<?php

```

```

    if( $_SESSION['status']
== "username_salah" ) {

```

```

        echo

```

```

        USERNAME_SALAH;

```

```

    }
    elseif(
$_SESSION['status'] == "password_salah" )
{
    echo
PASSWORD_SALAH;
}
?>
</div>
</p>
<?php
unset($_SESSION['status']);
}
endif;
?>

```

```

<label for="username" class="sr-
only"><?=USERNAME?></label>
<input type="text" name="username"
id="username"
placeholder="<?=USERNAME?>"
class="form-control" required>
<label for="password" class="sr-
only"><?=PASSWORD?></label>
<input type="password"
name="password" id="password"
placeholder="<?=PASSWORD?>"
class="form-control" required>
<!-- div class="checkbox mb-3">
<label>

```

```

<input type="checkbox"
value="remember-me"> Remember me
</label>
</div -->
<button class="btn btn-lg btn-primary
btn-block"
type="submit"><?=LOGIN?></button>
<?php /*
<a href="<?=BASE_SITE?>" class="btn
btn-lg btn-secondary btn-
block"><?=KEMBALI_KE_AWAL?></a>
*/ ?>
<p class="mt-5 mb-3 text-
muted">Copyright &copy;
<?=$tahun_web?></p>
</form>
</body>
</html>

```

mahasiswa-form.php

```

<?php
require_once("template/meta.php");
require_once("config/secure.php");
$url = $_GET["url"];
require_once("controllers/$url/config.php");
require_once("controllers/$url/config-
form.php");
require_once("config/connection.php");

```

```

$judul_utama = $judul;

if(isset($_GET["id"])):
    $judul = EDIT." ".$judul;

    $id = $_GET['id'];

    $query = "SELECT * FROM $tabel
WHERE id=$id ORDER BY id DESC";

    $result = mysqli_query($koneksi,
$query) or die(mysqli_error($koneksi));

    if( mysqli_num_rows($result) >= 1
) {
        $judul_h1 = $judul;

        $process = "edit";

        $available = TRUE;
    }

    else {
        $judul_h1 =
DATA_TIDAK_DITEMUKAN;

        $available = FALSE;
    }

else:
    $judul = ADD." ".$judul;

    $judul_h1 = $judul;

    $process = "add";

    $id = 0;

    $query = "SELECT * FROM $tabel
WHERE id=$id ORDER BY id DESC";

    $result = mysqli_query($koneksi,
$query) or die(mysqli_error($koneksi));

    $available = TRUE;

endif;

$data = mysqli_fetch_array($result);

?>

<?php
require_once("template/header.php"); ?>

<?php if( array_search( "date",
array_column($field, "type") ) !== FALSE ):
?>

<link rel="stylesheet"
href="plugins/bootstrap-
datepicker/css/bootstrap-
datepicker3.min.css">

<?php endif; ?>

<link rel="stylesheet"
href="css/style.css">

</head>

<body>

<?php
require_once("template/navbar.php"); ?>

```

```

-->
        <!-- Content/Primary Area
-->
        <div class="container"
id="content-area">
                <!-- Main
Content -->
                <main
role="main">
                        <input type="hidden" name="tabel"
value="<?=$tabel?>">
                        <input type="hidden" name="url"
value="<?=$url?>">
                        <?php if( $process == "edit" ): ?>
                                <input type="hidden" name="id"
value="<?=$data["id"]?>">
                                <?php endif; ?>
                                <h1><?=$judul_h1?></h1>
                                <br>
                                <p>
                                        <strong>
                                                <span class="text-
danger">*</span>
                                                <em><?=$FORM_REQUIRED?></em>
                                        </strong>
                                </p>
                                <?php
                                foreach($field as $f):
                                        if( !empty($f["name"]) ):
                                                $name =
                                                $f["name"];
                                                endif;
                                                if( $f["type"] != "hidden"
and $f["type"] != "judul" and $f["type"] !=
"tulisan" ):
                                                        ?>
<?php if($available == TRUE): ?>
                                <div class="form-row">
                                        <?php
                                                if(
issset($f["panjang_field"]) and
$f["panjang_field"] == "panjang" ):
                                                        $col= "col-sm-12
col-md-12 col-lg-9 col-xl-8";
                                                elseif(
issset($f["panjang_field"]) and
$f["panjang_field"] == "pendek" ):

```

```

                $col = "col-sm-7
col-md-5 col-lg-4 col-xl-3";

                else:

                $col = "col";

                endif;

                ?>

                <div class="form-group
<?=$col?>">

                <label
for="<?=$name?>">

                <?php if( $f["wajib_diisi"]
== "iya" and ( $process == "add" or (
$process == "edit" and $f["type"] !=
"password" ) ) ): ?>

                <span
class="text-danger">*</span>

                <?php endif; echo
$f["label"]; ?>

                </label>

                <?php endif; ?>

                <?php

                if( $f["type"] == "text" or
$f["type"] == "email" or $f["type"] ==
"number" or $f["type"] == "tel" or $f["type"]
== "password" or $f["type"] == "date" ):

                $stipe = (
$f["type"] == "date" ) ? "text" : $f["type"];

                ?>

```

```

                <input type="<?=$stipe?>"
name="<?=$name?>" id="<?=$name?>"
class="form-control"

                value="<?php if(
!empty($f["value"]) and $process == "add" )
{ echo $f["value"]; } elseif( $f["type"] !=
"password" ) { echo $data[$name]; } ?>"

                <?php if(
!empty($f["min"]) and $f["type"] ==
"number" ) {
?>min="<?=$f["min"]?>"<?php } ?>

                <?php if(
!empty($f["max"]) and $f["type"] ==
"number" ) {
?>max="<?=$f["max"]?>"<?php } ?>

                <?php if(
!empty($f["maks_panjang_karakter"]) ) {
?>maxlength="<?=$f["maks_panjang_karak
ter"]?>"<?php } ?>

                <?php if(
!empty($f["keterangan"]) ) { ?>aria-
describedby="<?=$name?>Help"<?php } ?>

                <?php if(
!empty($f["placeholder"]) ) {
?>placeholder="<?=$f["placeholder"]?>"<?
php } ?>

                <?php if(
!empty($f["wajib_diisi"]) and
$f["wajib_diisi"] == "iya" and ( $process ==
"add" or ( $process == "edit" and $f["type"]
!= "password" ) ) ) echo "required"; ?>

                <?php if(

```

```
!empty($f["readonly"]) and $f["readonly"]
== "iya" ) echo "readonly"; ?>>
```

```
<?php if(
!empty($f["keterangan"]) ) { ?>
```

```
<small
id="<?=$name?>Help" class="form-text
text-
muted"><?=$f["keterangan"]?></small>
```

```
<?php } ?>
```

```
<?php
elseif( $f["type"] ==
"textarea" ):
```

```
$byk_baris = 3;
if(
isset($f["banyak_baris"]) and
!empty($f["banyak_baris"]) )
```

```
$byk_baris = $f["banyak_baris"];
?>
```

```
<textarea
name="<?=$name?>" id="<?=$name?>"
class="form-control"
rows="<?=$byk_baris?>"
```

```
<?php if(
!empty($f["keterangan"]) ) { ?>aria-
describedby="<?=$name?>Help"<?php } ?>
```

```
<?php if(
!empty($f["placeholder"]) ) {
?>placeholder="<?=$f["placeholder"]?>"<?
php } ?>
```

```
<?php
if($f["wajib_diisi"] == "iya") echo
"required";
?>><?=$data[$name]?></textarea>
```

```
<?php if(
!empty($f["keterangan"]) ) { ?>
```

```
<small
id="<?=$name?>Help" class="form-text
text-
muted"><?=$f["keterangan"]?></small>
```

```
<?php } ?>
```

```
<?php elseif($f["type"] ==
"select"): ?>
```

```
<select
name="<?=$name?>"
class="<?=$SELECT_CLASS?>"
id="<?=$name?>"
```

```
<?php
if(!empty($f["keterangan"])) { ?> aria-
describedby="<?=$name?>Help"<?php } ?>
```

```
<?php if($f["wajib_diisi"]
== "iya") echo "required"; ?>>
```

```
<option value=""
<?php if($f["wajib_diisi"] == "iya") echo
"disabled"; ?> selected>&ndash;</option>
```

```
<?php
if($f["value_query"] == "iya"): ?>
```

```
<?php
```



```

        <br>
        <?php
        $inline = "";
        if( $f["inline"] ==
"iya" ) {
                if(
RADIO_STYLE_CUSTOM == "iya" ) {
                        $inline = " custom-control-inline";
                }
                else {
                        $inline = " form-check-inline";
                }
        }

        if($f["value_query"] == "iya"):

                if($f["kolom_kirim"] ==
$f["kolom_tampil"]):

                        $kolom_select =
$f["kolom_kirim"];

                else:

                        $kolom_select =
$f["kolom_kirim"].".".$f["kolom_tampil"];

                endif;

        $query_select = "SELECT
        $kolom_select FROM $f[tabel] GROUP BY
        $f[kolom_tampil] ORDER BY
        $f[kolom_tampil] ASC";

        $result_select =
        mysqli_query($koneksi, $query_select) or
        die(mysqli_error($koneksi));

        $i=1;

        while($data_select =
        mysqli_fetch_array($result_select)):

                ?>

                <div
        class="<?=RADIO_DIV_CLASS.$inline?>"
        >

                        <input
        class="<?=RADIO_INPUT_CLASS?>"
        type="radio" name="<?=$name?>"
        id="<?=$name.$i?>"
        value="<?=$data_select[$f["kolom_kirim"]]
        ?>"

                <?php
        if($f["wajib_diisi"] == "iya") echo
        "required"; ?> <?php if( $f["kolom_tampil"]
        == $data[$name] ) echo "checked"; ?>>

                <label
        class="<?=RADIO_LABEL_CLASS?>"
        for="<?=$name.$i++?>"><?=$data_select[
        $f["kolom_tampil"]]?></label>

                </div>

        <?php
        endwhile; ?>

```

```

        <?php
            elseif($f["value_query"] ==
"tidak"):
                $i=1;

                foreach($f["value"] as $n => $v):
                    ?>

                        <div
class="<?=RADIO_DIV_CLASS.$inline?>"
>

                            <input
class="<?=RADIO_INPUT_CLASS?>"
type="radio" name="<?=$name?>"
id="<?=$name.$i?>" value="<?=$v?>"

                                <?php
if($f["wajib_diisi"] == "iya") echo
"required"; ?> <?php if( $v == $data[$name]
) echo "checked"; ?>>

                                    <label
class="<?=RADIO_LABEL_CLASS?>"
for="<?=$name.$i++?>"><?=$f["value_tam
pil"][$n]?></label>

                                        </div>

                                            <?php

                                                endforeach;

                                                    endif;

                                                        ?>

                                                            <?php if(
!empty($f["keterangan"])) : ?>

```

```

        <small
id="<?=$name?>Help" class="form-text
text-
muted"><?=$f["keterangan"]?></small>

        <?php endif; ?>

        <?php elseif($f["type"] ==
"checkbox"): ?>

            <br>

            <?php
                $inline = "";

                if( $f["inline"] ==
"iya" ) {

                    if(
CHECKBOX_STYLE_CUSTOM == "iya" )
                    {

                        $inline = " custom-control-inline";

                    }

                    else {

                        $inline = " form-check-inline";

                    }

                }

            }

            if($f["value_query"] == "iya"):

                if($f["kolom_kirim"] ==
$f["kolom_tampil"]):

```

```

        $kolom_select =
        $f["kolom_kirim"];

        else:

        $kolom_select =
        $f["kolom_kirim"].", ".$f["kolom_tampil"];

        endif;

        $query_select = "SELECT
        $kolom_select FROM $f[tabel] GROUP BY
        $f[kolom_tampil] ORDER BY
        $f[kolom_tampil] ASC";

        $result_select =
        mysqli_query($koneksi, $query_select) or
        die(mysqli_error($koneksi));

        $i=1;

        while($data_select =
        mysqli_fetch_array($result_select)):

        ?>

        <div
        class="<?=CHECKBOX_DIV_CLASS.$inli
        ne?>">

        <input
        class="<?=CHECKBOX_INPUT_CLASS?>
        " type="checkbox" name="<?=$name?>"
        id="<?=$name.$i?>" value="<?=$v?>"

        <?php
        if($f["wajib_diisi"] == "iya") echo
        "required"; ?> <?php if( $v == $data[$name]
        ) echo "checked"; ?>>

        <?php
        if($f["wajib_diisi"] == "iya") echo

        <label
        class="<?=CHECKBOX_LABEL_CLASS?

```

```

"required"; ?> <?php if( $f["kolom_tampil"]
== $data[$name] ) echo "checked"; ?>>

```

```

        <label
        class="<?=CHECKBOX_LABEL_CLASS?
        >"
        for="<?=$name.$i++;?>"><?=$data_select[
        $f["kolom_tampil"]]?></label>

```

```

</div>

```

```

<?php

```

```

endwhile; ?>

```

```

<?php

```

```

        elseif($f["value_query"] ==
        "tidak"):

```

```

        $i=1;

```

```

        foreach($f["value"] as $n => $v):

```

```

        ?>

```

```

        <div
        class="<?=CHECKBOX_DIV_CLASS.$inli
        ne?>">

```

```

        <input
        class="<?=CHECKBOX_INPUT_CLASS?>
        " type="checkbox" name="<?=$name?>"
        id="<?=$name.$i?>" value="<?=$v?>"

```

```

        <?php

```

```

        if($f["wajib_diisi"] == "iya") echo
        "required"; ?> <?php if( $v == $data[$name]
        ) echo "checked"; ?>>

```

```

        <label

```

```

        class="<?=CHECKBOX_LABEL_CLASS?

```

```

>"
for="<?=$name.$i++;?>"><?=$f["value_ta
mpil"][$n]?></label>

</div>

<?php

endforeach;

endif;

?>

<?php if(
!empty($f["keterangan"]) ) { ?>

<small
id="<?=$name?>Help" class="form-text
text-
muted"><?=$f["keterangan"?></small>

<?php } ?>

<?php elseif( $f["type"]
== "file" ): ?>

<?php if($process
== "edit") { ?>

<input type="hidden"
name="<?=$name?>_old"
value="<?=$data[$name]?>">

<p><?=$f["label"?>
Sebelumnya: <a
href="files/<?=$data[$name]?>"
target="_blank"><?=$data[$name]?></a></
p>

<?php

}

```

```

foreach($f["accept"] as $accept):

$file_extensions[] = ".$accept;

endforeach;

$file_accept =
implode(" ", $file_extensions);

unset($file_extensions);

$file_input_class
= FILE_STYLE_CUSTOM == "iya" ?
"custom-file-input" : "form-control-file";

if(
FILE_STYLE_CUSTOM == "iya" ) {

?>

<div class="custom-file">

<?php } ?>

<input
type="file" name="<?=$name?>"
id="<?=$name?>"
class="<?=$file_input_class?>"
accept="<?=$file_accept?>"

<?php
if( !empty($f["keterangan"]) ) { ?>aria-
describedby="<?=$name?>Help"<?php } ?>

<?php
if( $f["wajib_diisi"] == "iya" and $process
== "add" ) echo "required"; ?>>

```

```
<?php if(
FILE_STYLE_CUSTOM == "iya" ) { ?>
```

```
<label
class="custom-file-label"
for="<?=$name?>"><?php if(
!empty($f["placeholder"]) ) echo
$f["placeholder"]; ?></label>
```

```
</div>
```

```
<?php } ?>
```

```
<?php if(
!empty($f["keterangan"]) ) { ?>
```

```
<small
id="<?=$name?>Help" class="form-text
text-
muted"><?=$f["keterangan"]?></small>
```

```
<?php } ?>
```

```
<?php endif; ?>
```

```
<?php if( $f["type"] !=
"hidden" and $f["type"] != "judul" and
$f["type"] != "tulisan" ): ?>
```

```
</div>
```

```
</div>
```

```
<?php
```

```
elseif( $f["type"] ==
"hidden" ):
```

```
if( $f["value"] ==
"waktu_sekarang" and $process == "add" ) {
```

```
$value =
```

```
"NOW()";
```

```
}
```

```
elseif( $f["value"]
== "waktu_sekarang" and $process ==
"edit" ) {
```

```
$value =
```

```
"";
```

```
}
```

```
elseif(
!empty($f["value"]) and $process == "add" )
{
```

```
$value =
```

```
$f["value"];
```

```
}
```

```
else {
```

```
$value =
```

```
$data[$name];
```

```
}
```

```
?>
```

```
<input type="hidden"
name="<?=$name?>"
value="<?=$value?>">
```

```
<?php elseif( $f["type"]
== "judul" ): ?>
```

```
<br>
```

```
<h5><?=$f["value"]?></h5>
```

```

                <?php elseif( $f["type"]
== "tulisan" ): ?>

                <p><?=$f["value"]?></p>

                <?php endif; ?>

        <?php endforeach; ?>

        <br>

        <p>

                <button type="submit" id="save"
class="<?=UKURAN_TOMBOL_SIMPAN
?>
<?=SIMPAN_STYLE_TOMBOL?>"><?=S
IMPAN?></button>

                <a href="<?=$url?>.php"
class="<?=UKURAN_TOMBOL_BATAL?
>
<?=BATAL_STYLE_TOMBOL?>"><?=B
ATAL?></a>

        </p>

        </form>

```

```

<?php endif; ?>

```

```

</main>

```

```

<!-- AKHIR

```

```

Main Content -->

```

```

</div>

```

```

<!-- AKHIR

```

```

Content/Primary Area -->

```

```

<!-- Panggil Bagian

```

```

Footer/Tag Footer Web (Copyright, dll.) -->

```

```

<?php

```

```

require_once("template/footer.php"); ?>

```

```

<?php

```

```

if( array_search( "date",
array_column($field, "type") ) !== FALSE ):

```

```

?>

```

```

<script

```

```

src="plugins/bootstrap-
datepicker/js/bootstrap-
datepicker.min.js"></script>

```

```

<?php

```

```

if( BAHASA_WEB == "id" ) {

```

```

?>

```

```

<script

```

```

src="plugins/bootstrap-
datepicker/locales/bootstrap-
datepicker.id.min.js"></script>

```

```

<?php

```

```

}

```

```

endif;

```

```

foreach($field as $f):

```

```

        if( $f["type"] == "file" and
FILE_STYLE_CUSTOM == "iya" ):

```

```

?>
        <script>
            $( 'input[type="file"]#<?=$f["name"]?>' ).change(function(e){
                var _size
                = this.files[0].size;
                var
                fSExt = new Array('Bytes', 'KB', 'MB', 'GB'),
                i=0;while(_size>900){_size/=1024;
                i++;}
                var
                exactSize = (Math.round(_size*100)/100)+'
                '+fSExt[i];
                var
                fileName = e.target.files[0].name + ' | ' +
                exactSize;
                $('label[for="<?=$f["name"]?>"].cu
                stom-file-label').text(fileName);
            });
        </script>
        <?php elseif( $f["type"] ==
        "textarea" and $f["editor"] == "iya" ): ?>
            <script
            src="plugins/tinymce/tinymce.min.js"></scri
            pt>
            <script>
                tinymce.init({
                    selector:
                    'textarea',
                    menubar: false,
                    relative_urls: false,
                    remove_script_host : false,
                    setup:
                    function (editor) {
                        editor.on('change', function (e) {
                            editor.save();
                        });
                    },
                    plugins:
                    [
                        'advlist autolink lists link image
                        charmap print preview hr pagebreak',
                        'searchreplace wordcount
                        visualblocks visualchars code fullscreen',
                        'insertdatetime media nonbreaking
                        save table contextmenu directionality',
                        'template paste textcolor
                        colorpicker textpattern imagetools toc help
                        responsivefilemanager'
                    ],
                    toolbar1:
                    'undo redo pastetext | styleselect
                    removeformat | bold italic underline |
                    alignleft aligncenter alignright alignjustify
                    alignnone | outdent indent bullist numlist |
                    fullscreen',

```



```
toolbar2:
'insert | image media link | table charmap
blockquote hr | forecolor bgcolor | code
print preview help',
```

```
plugin_preview_width: 1024,
```

```
image_advtab: true,
```

```
external_filemanager_path:"plugins
/filemanager/",
```

```
filemanager_title:"File Manager" ,
```

```
external_plugins: { "filemanager" :
"../filemanager/plugin.min.js" }
```

```
});
```

```
</script>
```

```
<?php elseif( $f["type"] == "date"
): ?>
```

```
<script>
```

```
$(#<?=$f["name"]?>).datepicker({
```

```
<?php
```

```
if( BAHASA_WEB == "id" ) { ?>language:
'id', weekStart: 1,<?php } ?>
```

```
<?php
```

```
if( !empty($f["format"]) ) { ?>format:
'<?=$f["format"]?>', <?php } ?>
```

```
<?php
if( !empty($f["start_view"]) ) { ?>startView:
'<?=$f["start_view"]?>', <?php } ?>
```

```
<?php
if( !empty($f["start_date"]) ) { ?>startDate:
'<?=$f["start_date"]?>', <?php } ?>
```

```
<?php
if( !empty($f["end_date"]) ) { ?>endDate:
'<?=$f["end_date"]?>', <?php } ?>
```

```
todayBtn: 'linked'
```

```
});
```

```
</script>
```

```
<?php
```

```
endif;
```

```
endforeach;
```

```
?>
```

```
</body>
```

```
</html>
```

```
mahasiswa.php
```

```
<?php
```

```
require_once("config/site.php");
```

```
require_once("config/secure.php");
```

```
/*-----*/
-----*/
```

```
$url = "mahasiswa";
```

```
/*-----*/
-----*/
```

```

require_once("controllers/$url/config.php");
require_once("controllers/$url/config-
list.php");
?>
<?php require_once("template/meta.php");
?>

<?php
require_once("template/header.php"); ?>

<link rel="stylesheet"
href="plugins/DataTables/DataTables-
1.10.16/css/dataTables.bootstrap4.min.css">
<link rel="stylesheet"
href="plugins/DataTables/Buttons-
1.5.1/css/buttons.bootstrap4.min.css">

<!-- CSS kita sendiri -->
<link rel="stylesheet"
href="css/style.css">
<style>
        .table {
                width:
auto;
                margin:
0 auto;
        }
        .table #tools,
        .table .tools {
                width:
96px;
        }
        #nama {
width:
50%;
}
}
</style>
</head>

<body>

        <?php
require_once("template/navbar.php"); ?>

        <div id="content-area"
class="container">

                <!-- Main
Content -->

                <main
role="main">

                        <?php
require_once("config/connection.php");

                        $result = mysqli_query($koneksi, $query) or
die(mysqli_error($koneksi));

                        ?>

                                <h1
align="center"
id="judul"><?=$judul?></h1>

                        <?php
if( !empty($_GET['status']) and
$_GET['status'] == "success" and
PEMBERITAHUAN == "Iya" ):

```

```

        if( session_status() ==
PHP_SESSION_NONE ) {

            session_start();

        }

        if( !empty($_SESSION['status'])
and ( $_SESSION['status'] == "add_success"
or $_SESSION['status'] == "edit_success" or
$_SESSION['status'] == "delete_success" ) )
        {

            if( $_SESSION['status']
== "add_success" ) {

                $alert =
ADD_BERHASIL;

            }

            elseif(
$_SESSION['status'] == "edit_success" ) {

                $alert =
EDIT_BERHASIL;

            }

            elseif(
$_SESSION['status'] == "delete_success" ) {

                $alert =
DELETE_BERHASIL;

            }

            unset($_SESSION['status']);

        }

    ?>

```

```

        <div
class="alert alert-success alert-dismissible
fade show" role="alert">

```

```

        <?=$alert?>

```

```

        <button type="button"

```

```

class="close" data-dismiss="alert" aria-
label="Close">

```

```

        <span aria-
hidden="true">&times;</span>

```

```

    </button>

```

```

</div>

```

```

<?php

```

```

    }

```

```

endif;

```

```

?>

```

```

<p>

```

```

        <a href="<?=$url?>-
form.php?url=<?=$url?>" id="add-btn"
class="btn
<?=ADD_STYLE_TOMBOL?>"><?=ADD
?></a>

```

```

</p>

```

```

        <div
class="table-responsive">

```

```

        <table id="tabel" class="table
table-bordered table-hover table-sm">

```

```

        <thead>

```

```

        <tr>

```

```

            <th data-
orderable="false" class="no">No.</th>

```

```

        <?php foreach($kolom_tabel as $kt): ?>

```

```

                (
                $_SESSION['status'] == "edit_success" and
                $data["id"] == $_SESSION['status_id'] )
            )
        ) {
            $data_baru = '
            class="data-baru";

            unset($_SESSION['status']);

            unset($_SESSION['status_id']);
        }
        endif;
    ?>

    <tr<?=$data_baru?>>
        <td id="no"
        class="text-right"><?=$no?></td>
    <?php foreach($kolom_tabel_db as $ktddb):
    ?>
        <td
        id="<?=$ktddb?>">
            <?php if( in_array($ktddb,
            $tipe_file) ): ?>
                <a
                href="files/<?=$data[$ktddb]?>"
                target="_blank"><?=$data[$ktddb]?></a>
            <?php elseif( in_array($ktddb,
            $tipe_link) ): ?>
                <a
                href="<?=$data[$ktddb]?>"
                target="_blank"><?=$data[$ktddb]?></a>
            </td>
    </tr>
</thead>
<tbody>
<?php
$no = 1;
while($data = mysqli_fetch_assoc($result)):
    $data_baru="";
    if( !empty($_GET['status']) and
    $_GET['status'] == "success" and
    PEMBERITAHUAN == "Iya" ):
        if( session_status() ==
        PHP_SESSION_NONE ) {
            session_start();
        }
        if(
        !empty($_SESSION['status']) and
        (
            (
            $_SESSION['status'] == "add_success" and
            $no == 1 ) or

```

```

                <?php else: ?>
                    form.php?url=<?=$url?>&id=<?=$data["id"]?>"
                <?=$data[$ktodb]?>
                <?php endif; ?>
            </td>
        <?php endforeach; ?>
        <td id="tools"
        class="text-center">
            <a
            href="pembayaran.php?url=<?=$url?>&id-
            mahasiswa=<?=$data["id"]?>"
            class="btn <?=VIEW_STYLE_TOMBOL?>
            btn-sm"
            data-toggle="tooltip"
            data-placement="top"
            title="Pembayaran">
                <i class="fas fa-money-bill fa-xs"></i>
            </a>
            |
            <a
            href="<?=$url?>-
            form.php?url=<?=$url?>&id=<?=$data["id"]?>"
            class="btn <?=EDIT_STYLE_TOMBOL?>
            btn-sm"
            data-toggle="tooltip"
            data-placement="top"
            title="<?=EDIT?>">
                <i class="far fa-edit fa-xs"></i>
            </a>
            <a
            href="controllers/delete-
            mahasiswa.php?id=<?=$data["id"]?>&table
            =<?=$tabel?>&url=<?=$url?>"
            class="btn
            <?=DELETE_STYLE_TOMBOL?> btn-
            sm"
            data-toggle="tooltip"
            data-placement="top"
            title="<?=DELETE?>">

```

```

onClick="javascript: return
confirm('<?=DELETED_CONFIRM?&gt;');"&gt;

        &lt;i class="fas fa-trash-alt fa-
xs"&gt;&lt;/i&gt;

                                &lt;/a&gt;

                                &lt;/td&gt;

                                &lt;/tr&gt;
&lt;?php
        $no++;
    endwhile;
?&gt;

    &lt;/tbody&gt;

    &lt;/table&gt;

                                &lt;/div&gt;

                                &lt;/main&gt;

                                &lt;!-- AKHIR
Main Content --&gt;

                                &lt;/div&gt;

                                &lt;!-- AKHIR
Content/Primary Area --&gt;

                                &lt;?php
require_once("template/footer.php"); ?&gt;

                                &lt;?php
require_once("template/data-tables-
config.php"); ?&gt;

                                &lt;/body&gt;

&lt;/html&gt;

<bpembayaran-form.php

<?php
// <!-- Panggil Tag Pembuka HTML dan Tag
Meta Bernilai Tetap -->
require_once("template/meta.php");

// cek apakah sudah login
require_once("config/secure.php");

// panggil koneksi
require_once("config/connection.php");

$url = $_GET["url"];
$id_mahasiswa = $_GET["id-mahasiswa"];
require_once("controllers/$url/config.php");
require_once("controllers/$url/config-
form.php");

require_once("config/biaya-
pembayaran.php");

$judul_utama = $judul;

if(isset($_GET["id"])):
    $judul = EDIT." ".$judul;

```

```

        $sid = $_GET['id'];

        $query = "SELECT * FROM $tabel
WHERE id=$sid ORDER BY id DESC";

        $result = mysqli_query($koneksi,
$query) or die(mysqli_error($koneksi));

        if( mysqli_num_rows($result) >= 1
) {
            $judul_h1 = $judul;

            $process = "edit";

            $available = TRUE;

        }
        else {

            $judul_h1 =
DATA_TIDAK_DITEMUKAN;

            $available = FALSE;

        }

else:

        $judul = ADD." ".$judul;

        $judul_h1 = $judul;

        $process = "add";

        $sid = 0;

        $query = "SELECT * FROM $tabel
WHERE id=$sid ORDER BY id DESC";

        $result = mysqli_query($koneksi,
$query) or die(mysqli_error($koneksi));

        $available = TRUE;

endif;

$data = mysqli_fetch_array($result);

?>

        <!-- Panggil Tag Link
Bernilai Tetap -->

        <?php
require_once("template/header.php"); ?>

<?php if( array_search( "date",
array_column($field, "type") ) !== FALSE ):
?>

        <link rel="stylesheet"
href="plugins/bootstrap-
datepicker/css/bootstrap-
datepicker3.min.css">

<?php endif; ?>

        <!-- CSS kita sendiri -->

        <link rel="stylesheet"
href="css/style.css">

        <style>

                #keterangan-
form, #pendaftaran-form, #registrasi-masuk-
form, #pembangunan-form, #semester-form
{

                                display:
none;

                }

        </style>

</head>

```

```

<body>
    <!-- Panggil Bagian
Header/Tag Header Web (Navbar, dll.) -->

    <?php
require_once("template/navbar.php"); ?>

    <!-- Content/Primary Area
-->

    <div class="container"
id="content-area">

        <!-- Main
Content -->

        <main
role="main">

            <h1><?=$judul_h1?></h1>

                <br>

                <p>

                    <strong>

                        <span class="text-
danger">*</span>
<em><?=FORM_REQUIRED?></em>

                    </strong>

                </p>

            <?php if($available == TRUE): ?>

                <form
action="controllers/process-
pembayaran.php" method="post"<?php if(
$file_input == "iya" ) { ?>
enctype="multipart/form-data"<?php } ?>>

                    <input type="hidden"
name="process" value="<?=$process?>">

                    <input type="hidden" name="tabel"
value="<?=$tabel?>">

                    <input type="hidden" name="url"
value="<?=$url?>">

                    <?php if( $process == "edit" ): ?>

                        <input type="hidden" name="id"
value="<?=$data["id"]?>">

                        <?php endif; ?>

                    <?php

                    foreach($field as $f):

                        if( !empty($f["name"]) ):

                            $name =
$f["name"];

                            endif;

                            if( $f["type"] != "hidden"
and $f["type"] != "judul" and $f["type"] !=
"tulisan" ):

                                ?>

                                <div class="form-row">

                                    <?php

```



```

        if(
isset($f["panjang_field"]) and
$f["panjang_field"] == "panjang" ):

            $col= "col-sm-12
col-md-12 col-lg-9 col-xl-8";

            elseif(
isset($f["panjang_field"]) and
$f["panjang_field"] == "pendek" ):

                $col = "col-sm-7
col-md-5 col-lg-4 col-xl-3";

            else:

                $col = "col";

            endif;

        ?>

        <div class="form-group
<?=$col?>">

            <label
for="<?=$name?>">

                <?php if( $f["wajib_diisi"]
== "iya" and ( $process == "add" or (
$process == "edit" and $f["type"] !=
"password" ) ) ): ?>

                    <span
class="text-danger">*</span>

                        <?php endif; echo
$f["label"]; ?>

                    </label>

                <?php endif; ?>

            <?php

```

```

        if( $f["type"] == "text" or
$f["type"] == "email" or $f["type"] ==
"number" or $f["type"] == "tel" or $f["type"]
== "password" or $f["type"] == "date" ):

            $stipe = (
$f["type"] == "date" ) ? "text" : $f["type"];

        ?>

        <input type="<?=$stipe?>"
name="<?=$name?>" id="<?=$name?>"
class="form-control"

            value="<?php if(
$f["type"] == "number" and
!empty($f["value"]) and $process == "add" )
{ echo $f["value"]; } elseif(
!empty($f["value"]) ) { echo $f["value"]; }
elseif( $f["type"] != "password" ) { echo
$data[$name]; } ?>"

            <?php if(
!empty($f["min"]) and $f["type"] ==
"number" ) {
?>min="<?=$f["min"]?>"<?php } ?>

            <?php if(
!empty($f["max"]) and $f["type"] ==
"number" ) {
?>max="<?=$f["max"]?>"<?php } ?>

            <?php if(
!empty($f["maks_panjang_karakter"]) ) {
?>maxlength="<?=$f["maks_panjang_karak
ter"]?>"<?php } ?>

            <?php if(
!empty($f["keterangan"]) ) { ?>aria-
describedby="<?=$name?>Help"<?php } ?>

            <?php if(
!empty($f["placeholder"]) ) {

```

```
?>placeholder="<?=$f["placeholder"]?>"<?php } ?>
```

```
<?php if(
!empty($f["wajib_diisi"]) and
$f["wajib_diisi"] == "iya" and ( $process ==
"add" or ( $process == "edit" and $f["type"]
!= "password" ) ) ) echo "required"; ?>
```

```
<?php if(
!empty($f["readonly"]) and $f["readonly"]
== "iya" ) echo "readonly"; ?>>
```

```
<?php if(
!empty($f["keterangan"]) ) { ?>
```

```
<small
id="<?=$name?>Help" class="form-text
text-
muted"><?=$f["keterangan"]?></small>
```

```
<?php } ?>
```

```
<?php
```

```
elseif( $f["type"] ==
"textarea" ):
```

```
$byk_baris = 3;
```

```
if(
isset($f["banyak_baris"]) and
!empty($f["banyak_baris"]) )
```

```
$byk_baris = $f["banyak_baris"];
```

```
?>
```

```
<textarea
name="<?=$name?>" id="<?=$name?>"
class="form-control"
rows="<?=$byk_baris?>"
```

```
<?php if(
!empty($f["keterangan"]) ) { ?>aria-
describedby="<?=$name?>Help"<?php } ?>
```

```
<?php if(
!empty($f["placeholder"]) ) {
?>placeholder="<?=$f["placeholder"]?>"<?php } ?>
```

```
<?php
if($f["wajib_diisi"] == "iya") echo
"required";
?>><?=$data[$name]?></textarea>
```

```
<?php if(
!empty($f["keterangan"]) ) { ?>
```

```
<small
id="<?=$name?>Help" class="form-text
text-
muted"><?=$f["keterangan"]?></small>
```

```
<?php } ?>
```

```
<?php elseif($f["type"] ==
"select"): ?>
```

```
<select
name="<?=$name?>"
class="<?=$SELECT_CLASS?>"
id="<?=$name?>"
```

```
<?php
if(!empty($f["keterangan"])) { ?> aria-
describedby="<?=$name?>Help"<?php } ?>
```

```
<?php if($f["wajib_diisi"]
== "iya") echo "required"; ?>>
```

```
<option value=""
```

```
<?php if($f["wajib_diisi"] == "iya") echo  
"disabled"; ?> selected&ndash;</option>
```

```
<?php  
if($f["value_query"] == "iya"): ?>
```

```
<?php
```

```
if($f["kolom_kirim"] ==  
$f["kolom_tampil"]):
```

```
$kolom_select =  
$f["kolom_kirim"];
```

```
else:
```

```
$kolom_select =  
$f["kolom_kirim"].".".$f["kolom_tampil"];
```

```
endif;
```

```
$query_select = "SELECT  
$kolom_select FROM $f[tabel] ORDER BY  
$f[kolom_tampil] ASC";
```

```
$result_select =  
mysqli_query($koneksi, $query_select) or  
die(mysqli_error($koneksi));
```

```
while($data_select =  
mysqli_fetch_array($result_select)):
```

```
?>
```

```
<option  
value="<?=$data_select[$f["kolom_kirim"]]  
?>" <?php if(  
$data_select[$f["kolom_tampil"]] ==  
$data[$name] ) echo "selected"; ?>>
```

```
<?=$data_select[$f["kolom_tampil"  
]]?>
```

```
</option>
```

```
<?php  
endwhile; ?>
```

```
<?php
```

```
elseif($f["value_query"] ==  
"tidak"):
```

```
foreach($f["value"] as $n => $v):
```

```
?>
```

```
<option  
value="<?=$v?>" <?php if( $v ==  
$data[$name] ) echo "selected";  
?>><?=$f["value_tampil"][$n]?></option>
```

```
<?php
```

```
endforeach;
```

```
endif;
```

```
?>
```

```
</select>
```

```
<?php  
if(!empty($f["keterangan"])): ?>
```

```
<small  
id="<?=$name?>Help" class="form-text  
text-  
muted"><?=$f["keterangan"]?></small>
```



```

for="<?=$name.$i++;?>"><?=$data_select[
$f["kolom_tampil"]]?></label>
endforeach;

endif;

</div>
?>

<?php
endwhile; ?>

<?php if(
!empty($f["keterangan"]) ): ?>

<?php if(
<small
id="<?=$name?>Help" class="form-text
text-
muted"><?=$f["keterangan"]?></small>

<?php endif; ?>

elseif($f["value_query"] ==
"tidak"):
$i=1;

foreach($f["value"] as $n => $v):
?>

<?php elseif($f["type"] ==
"checkbox"): ?>

<div
class="<?=$RADIO_DIV_CLASS.$inline?>"
>

<br>

<?php
$inline = "";
if( $f["inline"] ==
"iya" ) {

if(
CHECKBOX_STYLE_CUSTOM == "iya" )
{

$inline = " custom-control-inline";
}

else {

$inline = " form-check-inline";
}

}

}

</div>

<?php

```

```

        if($f["value_query"] == "iya"):

            if($f["kolom_kirim"] ==
            $f["kolom_tampil"]):

                $kolom_select =
                $f["kolom_kirim"];

                else:

                    $kolom_select =
                    $f["kolom_kirim"].", ".$f["kolom_tampil"];

                endif;

            $query_select = "SELECT
            $kolom_select FROM $f[tabel] GROUP BY
            $f[kolom_tampil] ORDER BY
            $f[kolom_tampil] ASC";

            $result_select =
            mysqli_query($koneksi, $query_select) or
            die(mysqli_error($koneksi));

            $i=1;

            while($data_select =
            mysqli_fetch_array($result_select)):

                <div

                class="<?=CHECKBOX_DIV_CLASS.$inli
                ne?>">

                    <input

                    class="<?=CHECKBOX_INPUT_CLASS?>
                    " type="checkbox" name="<?=$name?>"
                    id="<?=$name.$i?>" value="<?=$v?>"

                    class="<?=CHECKBOX_INPUT_CLASS?>
                    " type="checkbox" name="<?=$name?>"
                    id="<?=$name.$i?>"
                    value="<?=$data_select[$f["kolom_kirim"]]
                    ?>"

                    <?php

                    if($f["wajib_diisi"] == "iya") echo
                    "required"; ?> <?php if( $f["kolom_tampil"]
                    == $data[$name] ) echo "checked"; ?>>

                    <label

                    class="<?=CHECKBOX_LABEL_CLASS?
                    >"
                    for="<?=$name.$i++;?>"><?=$data_select[
                    $f["kolom_tampil"]]?></label>

                    </div>

                    <?php

                    endwhile; ?>

            $i=1;

            elseif($f["value_query"] ==
            "tidak"):

                $i=1;

                foreach($f["value"] as $n => $v):

                    ?>

                    <div

                    class="<?=CHECKBOX_DIV_CLASS.$inli
                    ne?>">

                        <input

                        class="<?=CHECKBOX_INPUT_CLASS?>
                        " type="checkbox" name="<?=$name?>"
                        id="<?=$name.$i?>" value="<?=$v?>"

```

```

        <?php
if($f["wajib_diisi"] == "iya") echo
"required"; ?> <?php if( $v == $data[$name]
) echo "checked"; ?>>

```

```

        <label
class="<?==CHECKBOX_LABEL_CLASS?
>"
for="<?=$name.$i++;?>"><?=$f["value_ta
mpil"][$n]?></label>

```

```

</div>

```

```

        <?php
endforeach;
endif;
?>

```

```

        <?php if(
!empty($f["keterangan"]) ) { ?>
        <small
id="<?=$name?>Help" class="form-text
text-
muted"><?=$f["keterangan"]?></small>

```

```

        <?php } ?>

```

```

        <?php elseif( $f["type"]
== "file" ): ?>

```

```

        <?php if($process
== "edit") { ?>

```

```

        <input type="hidden"
name="<?=$name?>_old"
value="<?=$data[$name]?>">

```

```

        <p><?=$f["label"]?>
Sebelumnya: <a
href="files/<?=$data[$name]?>"
target="_blank"><?=$data[$name]?></a></
p>

```

```

        <?php
}

```

```

foreach($f["accept"] as $accept):

```

```

$file_extensions[] = ".$accept;
endforeach;

```

```

$file_accept =
implode(", ", $file_extensions);

```

```

unset($file_extensions);

```

```

$file_input_class
= FILE_STYLE_CUSTOM == "iya" ?
"custom-file-input" : "form-control-file";

```

```

if(
FILE_STYLE_CUSTOM == "iya" ) {
?>

```

```

<div class="custom-file">

```

```

<?php } ?>

```

```

<input
type="file" name="<?=$name?>"
id="<?=$name?>"
class="<?=$file_input_class?>"
accept="<?=$file_accept?>"

```

```

        <?php
if( !empty($f["keterangan"]) ) { ?>aria-
describedby="<?=$name?>Help"<?php } ?>

```

```

        <?php
if( $f["wajib_diisi"] == "iya" and $process
== "add" ) echo "required"; ?>>

```

```

        <?php if(
FILE_STYLE_CUSTOM == "iya" ) { ?>

```

```

        <label
class="custom-file-label"
for="<?=$name?>"><?php if(
!empty($f["placeholder"]) ) echo
$f["placeholder"]; ?></label>

```

```

</div>

```

```

<?php } ?>

```

```

        <?php if(
!empty($f["keterangan"]) ) { ?>

```

```

        <small
id="<?=$name?>Help" class="form-text
text-
muted"><?=$f["keterangan"]?></small>

```

```

<?php } ?>

```

```

<?php endif; ?>

```

```

        <?php if( $f["type"] !=
"hidden" and $f["type"] != "judul" and
$f["type"] != "tulisan" ): ?>

```

```

</div>

```

```

</div>

```

```

<?php

```

```

elseif( $f["type"] ==
"hidden" ):

```

```

        if( $f["value"] ==
"waktu_sekarang" and $process == "add" ) {

```

```

                $value =
"NOW()";

```

```

        }

```

```

        elseif( $f["value"]
== "waktu_sekarang" and $process ==
"edit" ) {

```

```

                $value =
"";

```

```

        }

```

```

        elseif(
!empty($f["value"]) and $process == "add" )
{

```

```

                $value =
$f["value"];

```

```

        }

```

```

        else {

```

```

                $value =
$data[$name];

```

```

        }

```

```

?>

```

```

        <input type="hidden"
name="<?=$name?>"
value="<?=$value?>">

```



```
== "judul" ): ?> <?php elseif( $f["type"]
```

```
<br>
```

```
<h5><?=$f["value"]?></h5>
```

```
== "tulisan" ): ?> <?php elseif( $f["type"]
```

```
<p><?=$f["value"]?></p>
```

```
<?php endif; ?>
```

```
<?php endforeach; ?>
```

```
<p><em>Harga dalam  
Rupiah</em></p>
```

```
<?php $name = "semester" ?>
```

```
<div id="<?=$name?>-form"  
class="form-row">
```

```
<div class="form-group col-sm-7  
col-md-5 col-lg-4 col-xl-3">
```

```
<label  
for="<?=$name?>"><span class="text-  
danger">*</span> Semester</label>
```

```
<input type="number"  
name="<?=$name?>" id="<?=$name?>"
```

```
min="1" max="8" value="1" class="form-  
control">
```

```
</div>
```

```
</div>
```

```
<?php $name = "pendaftaran" ?>
```

```
<div id="<?=$name?>-form"  
class="form-row">
```

```
<div class="form-group col-sm-7  
col-md-5 col-lg-4 col-xl-3">
```

```
<label  
for="<?=$name?>"><span class="text-  
danger">*</span> Biaya  
Pendaftaran</label>
```

```
<input type="number"  
name="<?=$name?>" id="<?=$name?>"  
min="1" max="9999999999" class="form-  
control">
```

```
</div>
```

```
</div>
```

```
<?php $name = "registrasi-masuk" ?>
```

```
<div id="<?=$name?>-form"  
class="form-row">
```

```
<div class="form-group col-sm-7  
col-md-5 col-lg-4 col-xl-3">
```

```
        <label
for="<?=$name?>"><span class="text-
danger">*</span> Biaya Registrasi
Masuk</label>
```

```
        <input type="number"
name="<?=$name?>" id="<?=$name?>"
min="1" max="9999999999" class="form-
control">
```

```
</div>
```

```
</div>
```

```
<?php $name = "pembangunan" ?>
```

```
        <div id="<?=$name?>-form"
class="form-row">
```

```
        <div class="form-group col-sm-7
col-md-5 col-lg-4 col-xl-3">
```

```
        <label
for="<?=$name?>"><span class="text-
danger">*</span> Biaya
Pembangunan</label>
```

```
        <input type="number"
name="<?=$name?>" id="<?=$name?>"
min="1" max="9999999999" class="form-
control">
```

```
</div>
```

```
</div>
```

```
<div class="form-row">
```

```
        <div class="form-group col-sm-7
col-md-5 col-lg-4 col-xl-3">
```

```
<?php $name = "jumlah" ?>
```

```
        <label
for="<?=$name?>"><span class="text-
danger">*</span> Jumlah</label>
```

```
        <input type="number"
name="<?=$name?>" id="<?=$name?>"
min="1" max="9999999999" class="form-
control" required>
```

```
</div>
```

```
</div>
```

```
        <div id="keterangan-form"
class="form-row">
```

```
        <div class="form-group col">
```

```
<?php $name = "keterangan"; $i = 1; ?>
```

```
        <label><span class="text-
danger">*</span> Pembayaran
Dicicil</label>
```

```
<br>
```

```
        <div
class="<?=RADIO_DIV_CLASS?> custom-
control-inline">
```

```
<input
class="<?=RADIO_INPUT_CLASS?>"
type="radio" name="<?=$name?>"
id="<?=$name.$i?>" value="Tidak"
checked>
```

```
<label
class="<?=RADIO_LABEL_CLASS?>"
for="<?=$name.$i++;?>">Tidak</label>
```

```
</div>
```

```
<div
class="<?=RADIO_DIV_CLASS?> custom-
control-inline">
```

```
<input
class="<?=RADIO_INPUT_CLASS?>"
type="radio" name="<?=$name?>"
id="<?=$name.$i?>" value="Iya">
```

```
<label
class="<?=RADIO_LABEL_CLASS?>"
for="<?=$name.$i++;?>">Iya</label>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<br>
```

```
<p>
```

```
<button type="submit" id="save"
class="<?=UKURAN_TOMBOL_SIMPAN
?>"
<?=SIMPAN_STYLE_TOMBOL?>"><?=S
IMPAN?></button>
```

```
<a
href="<?=$url?>.php?url=mahasiswa&id-
mahasiswa=<?=$id_mahasiswa?>"
class="<?=UKURAN_TOMBOL_BATAL?
>"
<?=BATAL_STYLE_TOMBOL?>"><?=B
ATAL?></a>
```

```
</p>
```

```
</form>
```

```
<?php endif; ?>
```

```
</main>
```

```
<!-- AKHIR
```

```
Main Content -->
```

```
</div>
```

```
<!-- AKHIR
```

```
Content/Primary Area -->
```

```
<!-- Panggil Bagian
Footer/Tag Footer Web (Copyright, dll.) -->
```

```
<?php
require_once("template/footer.php"); ?>
```

```
<?php
```

```

if( array_search( "date",
array_column($field, "type") ) !== FALSE ):
?>

```

```

<script
src="plugins/bootstrap-
datepicker/js/bootstrap-
datepicker.min.js"></script>

```

```

<?php
if( BAHASA_WEB == "id" ) {
?>

```

```

<script
src="plugins/bootstrap-
datepicker/locales/bootstrap-
datepicker.id.min.js"></script>

```

```

<?php
}

```

```

endif;

```

```

foreach($field as $f):

```

```

if( $f["type"] == "file" and
FILE_STYLE_CUSTOM == "iya" ):

```

```

?>

```

```

<script>

```

```

$('input[type="file"]#<?=$f["name"
]?>').change(function(e){

```

```

var _size
= this.files[0].size;

```

```

var
fSExt = new Array('Bytes', 'KB', 'MB', 'GB'),

```

```

i=0;while(_size>900){_size/=1024;
i++;}

```

```

var
exactSize = (Math.round(_size*100)/100)+'
'+fSExt[i];

```

```

var
fileName = e.target.files[0].name + ' | ' +
exactSize;

```

```

$('label[for="<?=$f["name"]?>"].cu
stom-file-label').text(fileName);

```

```

});

```

```

</script>

```

```

<?php elseif( $f["type"] ==
"textarea" and $f["editor"] == "iya" ): ?>

```

```

<script
src="plugins/tinymce/tinymce.min.js"></scri
pt>

```

```

<script>

```

```

tinymce.init({
selector:
'textarea',

```

```

menubar: false,

```

```

relative_urls: false,

```

```

remove_script_host : false,

```

```

setup:
function (editor) {

```

```

editor.on('change', function (e) {

```

```

editor.save();

```

```

    });
    },
    plugins:
[
    'advlist autolink lists link image
    charmap print preview hr pagebreak',
    'searchreplace wordcount
    visualblocks visualchars code fullscreen',
    'insertdatetime media nonbreaking
    save table contextmenu directionality',
    'template paste textcolor
    colorpicker textpattern imagetools toc help
    responsivefilemanager'
    ],
    toolbar1:
'undo redo pastetext | styleselect
removeformat | bold italic underline |
alignleft aligncenter alignright alignjustify
alignnone | outdent indent bullist numlist |
fullscreen',
    toolbar2:
'insert | image media link | table charmap
blockquote hr | forecolor backcolor | code
print preview help',
    plugin_preview_width: 1024,
    image_advtab: true,
    filemanager_title:"File Manager" ,
    external_plugins: { "filemanager" :
    "../filemanager/plugin.min.js" }
});
</script>
<?php elseif( $f["type"] == "date"
): ?>
<script>
$(#<?=$f["name"]?>).datepicker({
    <?php
    if( BAHASA_WEB == "id" ) { ?>language:
'id', weekStart: 1,<?php } ?>
    <?php
    if( !empty($f["format"]) ) { ?>format:
'<?=$f["format"]?>', <?php } ?>
    <?php
    if( !empty($f["start_view"]) ) { ?>startView:
'<?=$f["start_view"]?>', <?php } ?>
    <?php
    if( !empty($f["start_date"]) ) { ?>startDate:
'<?=$f["start_date"]?>', <?php } ?>
    <?php
    if( !empty($f["end_date"]) ) { ?>endDate:
'<?=$f["end_date"]?>', <?php } ?>
    todayBtn: 'linked'
});
</script>
    external_filemanager_path:"plugins
/filemanager/",

```

```

<?php
    endif;

endforeach;

$query_kelas = "SELECT kelas FROM
mahasiswa WHERE id=$id_mahasiswa";

$result_kelas = mysqli_query($koneksi,
$query_kelas) or
die(mysqli_error($koneksi));

list($kelas) =
mysqli_fetch_row($result_kelas);

if( $kelas == "Pagi" ):

    $registrasi_masuk =
    $registrasi_masuk_pagi;

    $biaya_pendaftaran = $pendaftaran
+ $registrasi_masuk + $pembangunan;

    $spp = $spp_pagi;

    $ujian_akhir = $ujian_akhir_pagi;

elseif( $kelas == "Sore" ):

    $registrasi_masuk =
    $registrasi_masuk_sore;

    $biaya_pendaftaran = $pendaftaran
+ $registrasi_masuk + $pembangunan;

    $spp = $spp_sore;

    $ujian_akhir = $ujian_akhir_sore;

elseif( $kelas == "Sabtu" ):

    $registrasi_masuk =
    $registrasi_masuk_sabtu;

    $biaya_pendaftaran = $pendaftaran
+ $registrasi_masuk + $pembangunan;

    $spp = $spp_sabtu;

    $ujian_akhir = $ujian_akhir_sabtu;

endif;

$effect_speed = "fast";
?>

<script>

    $("#guna_pembayaran").change(function() {

        var
        gunaPembayaran = $(this).val();

        if(
        gunaPembayaran == 'Pendaftaran' ) {

            $("#pendaftaran-
form").fadeIn(<?=$effect_speed?>);

            $("#pendaftaran").val(<?=$pendaft
aran?>);

            $("#registrasi-masuk-
form").fadeIn(<?=$effect_speed?>);

            $("#registrasi-
masuk").val(<?=$registrasi_masuk?>);

            $("#pembangunan-
form").fadeIn(<?=$effect_speed?>);

            $("#pembangunan").val(<?=$pemb
angunan?>);

```

```

        }
        $("#jumlah").val('<?=$biaya_penda
ftaran?>');
        else {
            $("#pendaftaran-
form").fadeOut(<?=$effect_speed?>);
            $("#registrasi-masuk-
form").fadeOut(<?=$effect_speed?>);
            $("#pembangunan-
form").fadeOut(<?=$effect_speed?>);
        }
        if(
gunaPembayaran == 'Registrasi Masuk' ) {
            $("#jumlah").val('<?=$registrasi_m
asuk?>');
        }
        if(
gunaPembayaran == 'Konversi' ) {
            $("#jumlah").val('<?=$konversi?>')
;
        }
        if(
gunaPembayaran == 'Her Registrasi' ) {
            $("#jumlah").val('<?=$her_registra
si?>');
            $("#semester-
form").fadeIn(<?=$effect_speed?>);
            var total = pendaftaran +
registrasiMasuk + pembangunan;
            $("#jumlah").val( total );
        }
    });

```

```

$("#semester").attr("min", "2");

$("#semester").val(2);
}

if(
gunaPembayaran == 'SPP' ) {

$("#jumlah").val('<?=$spp?>');

$("#keterangan-
form").fadeIn(<?=$effect_speed?>);

$("#semester-
form").fadeIn(<?=$effect_speed?>);

$("#semester").attr("min", "1");

$("#semester").val(1);
}

if(
gunaPembayaran == 'Ujian' ) {

$("#jumlah").val('<?=$ujian_semes
ter?>');

$("#semester-
form").fadeIn(<?=$effect_speed?>);

$("#semester").attr("min", "1");

$("#semester").val(1);
}

if(
gunaPembayaran != 'Her Registrasi' &&
gunaPembayaran != 'SPP' &&
gunaPembayaran != 'Ujian' ) {

$("#semester-
form").fadeOut(<?=$effect_speed?>);
}

if(
gunaPembayaran != 'SPP' ) {

$("#keterangan-
form").fadeOut(<?=$effect_speed?>);
}

if(
gunaPembayaran == 'Bimbingan' ) {

$("#jumlah").val('<?=$bimbingan?
>');
}

if(
gunaPembayaran == 'Ujian Akhir' ) {

$("#jumlah").val('<?=$ujian_akhir?
>');
}

if(
gunaPembayaran == 'Wisuda' ) {

$("#jumlah").val('<?=$wisuda?>');
}

```


<pre> } }); </script> </body> </html> pembayaran-view.php <?php require_once("config/site.php"); require_once("config/secure.php"); \$url = \$_GET["url"]; \$id = \$_GET["id"]; require_once("controllers/\$url/config.php"); require_once("controllers/\$url/config- form.php"); ?> <?php require_once("template/meta.php"); ?> <?php require_once("template/header.php"); ?> <!-- CSS kita sendiri --> <link rel="stylesheet" href="css/style.css"/> </head> </pre>	<pre> <body> <!-- Panggil Bagian Header/Tag Header Web (Navbar, dll.) --> <?php require_once("template/navbar.php"); ?> <!-- Content/Primary Area --> <div id="content-area" class="container"> <!-- Main Content --> <main role="main"> <h1 align="center" id="judul"><?=VIEW." ".\$judul?></h1> <?php require_once("config/connection.php"); \$result = mysqli_query(\$koneksi, \$query) or die(mysqli_error(\$koneksi)); \$data = mysqli_fetch_array(\$result); foreach(\$field as \$f): if(\$f["type"] == "judul"): ?>
 </pre>
--	--

```

?>
    <h4><?=$f["value"]?></h4>
<?php
    elseif( $f["type"] == "tulisan" ):
?>
    <p><?=$f["value"]?></p>
<?php
    elseif( $f["type"] != "hidden" ):
        $name = $f["name"];
?>
    <h5><?=$f["label"]?></h5>
    <p>
    <?php if( !empty($data[$name]) ):
?>
    <?php if( $f["type"] ==
"file" ) { ?>
        <a href="files/<?=$data[$name]?>"
target="_blank">
            <?php
                $file_pathinfo =
pathinfo($data[$name]);
                $file_type =
$file_pathinfo['extension'];
                if( $file_type ==
"jpg" or $file_type == "jpeg" or $file_type
== "png" or $file_type == "gif" ) {
                    
                    <?php } else { ?>
                    <?=$data[$name]?>
                    <?php } ?>
                    </a>
                    <?php } else { ?>
                    <?=$data[$name]?>
                    <?php } ?>
                    <h5><?=$f["label"]?></h5>
                    <p>
                    <?php if( !empty($data[$name]) ):
                    <?php endif; ?>
                    </p>
                    <?php if( $f["type"] ==
                    "file" ) { ?>
                    <?php
                        endif;
                    endforeach;
                    ?>
                    <br>
                    <p><a
                    href="<?=$url?>.php"
                    class="<?=UKURAN_TOMBOL_KEMBA
                    LI?>
                    <?=KEMBALI_STYLE_TOMBOL?>"><?=
                    KEMBALI?></a></p>

```

```

        </main>
        <!-- AKHIR
Main Content -->
    </div>
    <!-- AKHIR
Content/Primary Area -->

    <!-- Panggil Bagian
Footer/Tag Footer Web (Copyright, dll.) -->
    <?php
require_once("template/footer.php"); ?>
    </body>
</html>

```

pembayaran.php

```

<?php
require_once("config/site.php");
require_once("config/secure.php");

/*-----*/
/*-----*/

$url = "pembayaran";

/*-----*/
/*-----*/

require_once("controllers/$url/config.php");
require_once("controllers/$url/config-
list.php");
require_once("function/angka.php");
?>

<!-- Panggil Tag Pembuka HTML dan Tag
Meta Bernilai Tetap -->

```

```

<?php require_once("template/meta.php");
?>

    <!-- Panggil Tag Link
Bernilai Tetap -->
    <?php
require_once("template/header.php"); ?>

    <link rel="stylesheet"
href="plugins/DataTables/DataTables-
1.10.16/css/dataTables.bootstrap4.min.css">

    <link rel="stylesheet"
href="plugins/DataTables/Buttons-
1.5.1/css/buttons.bootstrap4.min.css">

    <link rel="stylesheet"
href="css/style.css">

    <style>
        .table #tools,
        .table .tools {
            width:
            48px;
        }
        #jumlah {
            text-
            align: right;
        }
    </style>
</head>

<body>

```

```

        <?php
require_once("template/navbar.php"); ?>

        <div id="content-area"
class="container">

                <main
role="main">

<?php
require_once("config/connection.php");

$result = mysqli_query($koneksi, $query) or
die(mysqli_error($koneksi));

?>

                <h1
align="center"
id="judul"><?=$judul?></h1>

<?php
if( !empty($_GET['status']) and
$_GET['status'] == "success" and
PEMBERITAHDUAN == "Iya" ):

        if( session_status() ==
PHP_SESSION_NONE ) {

                session_start();

        }

        if( !empty($_SESSION['status'])
and ( $_SESSION['status'] == "add_success"
or $_SESSION['status'] == "edit_success" or
$_SESSION['status'] == "delete_success" ) )
{

                if( $_SESSION['status']
== "add_success" ) {

```

```

                $alert =
ADD_BERHASIL;

                }

                elseif(
$_SESSION['status'] == "edit_success" ) {

                $alert =
EDIT_BERHASIL;

                }

                elseif(
$_SESSION['status'] == "delete_success" ) {

                $alert =
DELETE_BERHASIL;

                unset($_SESSION['status']);

                }

?>

                <div
class="alert alert-success alert-dismissible
fade show" role="alert">

                <?=$alert?>

                <button type="button"
class="close" data-dismiss="alert" aria-
label="Close">

                <span aria-
hidden="true">&times;</span>

                </button>

                </div>

<?php
        }

endif;

```

```

?>
<tbody>
</tbody>
<p>
<a href="<?=$url?>-
form.php?url=<?=$url?>&id-
mahasiswa=<?=$id_mahasiswa?>" id="add-
btn" class="btn
<?=ADD_STYLE_TOMBOL?>"><?=ADD
?></a>
</p>
<div
class="table-responsive">
<table id="tabel" class="table
table-bordered table-hover table-sm">
<thead>
<tr>
<th data-
orderable="false" class="no">No.</th>
<?php foreach($kolom_tabel as $kt): ?>
<th><?=$kt?></th>
<?php endforeach; ?>
<th data-
orderable="false" class="tools">Tools</th>
</tr>
</thead>

```

```

<tbody>
<?php
$no = 1;
// tampilkan data dari hasil query
while($data = mysqli_fetch_assoc($result)):
    $data_baru="";
    if( !empty($_GET['status']) and
$_GET['status'] == "success" and
PEMBERITAHUAN == "Iya" ):
        if( session_status() ==
PHP_SESSION_NONE ) {
            session_start();
        }
        if(
!empty($_SESSION['status']) and
(
(
$_SESSION['status'] == "add_success" and
$no == 1 ) or
(
$_SESSION['status'] == "edit_success" and
$data["id"] == $_SESSION['status_id'] )
)
) {
            $data_baru = '
class="data-baru";
unset($_SESSION['status']);
unset($_SESSION['status_id']);

```

```

    }
endif;
?>
        <tr<?=$data_baru?>>
            <td id="no"
class="text-right"><?=$no?></td>
<?php foreach($kolom_tabel_db as $ktdb):
?>
            <td
id="<?=$ktdb?>">
                <?php if( in_array($ktdb,
$tipe_file) ): ?>
                    <a
href="files/<?=$data[$ktdb]?>"
target="_blank"><?=$data[$ktdb]?></a>
                <?php elseif( in_array($ktdb,
$tipe_link) ): ?>
                    <a
href="<?=$data[$ktdb]?>"
target="_blank"><?=$data[$ktdb]?></a>
                <?php elseif( $ktdb == "jumlah" ):
?>
                    <?=$angka($data[$ktdb])?>
                <?php
elseif( $ktdb == "keterangan" ):
                    if( $data["keterangan"] !=
"Tidak" ) {
                        echo "Cicilan ke
".$data["keterangan"]." dari 3";
                    }
                }
            }
        }
    }
endif;
?>
        <?php
($data["keterangan"] == "3") ? " (Lunas)." :
".";
?>
        <?php
} else {
?>
        Lunas
        <?php
}
?>
        <?php else: ?>
        <?=$data[$ktdb]?>
        <?php endif; ?>
        </td>
        <?php endforeach; ?>
        <td id="tools"
class="text-center">
            <a
href="kuitansi.php?url=<?=$url?>&id=<?=$
data["id"]?>" target="_blank"
class="btn <?=VIEW_STYLE_TOMBOL?>
btn-sm"

```

```
data-toggle="tooltip"                                <i class="fas fa-trash-alt fa-
                                                       xs"></i>

data-placement="top"                                </a>

                                                       </td>

title="Kuitansi">

                                                       </tr>

<i class="fas fa-file-invoice-dollar fa-           <?php
xs"></i>                                           $no++;

                                                       endwhile;

                                                       ?>

                                                       </tbody>

                                                       </table>

                                                       </div>

class="btn                                          </main>
<?=DELETE_STYLE_TOMBOL?> btn-
sm"

data-toggle="tooltip"                                </div>

data-placement="top"                                <?php
require_once("template/footer.php"); ?>

title="<?=DELETE?>"                                <?php
require_once("template/data-tables-config-
with-buttons.php"); ?>

onClick="javascript: return                          </body>
confirm('<?=DELETE_CONFIRM?>');">                  </html>
```

kuitansi.php

```
<?php
$url = $_GET["url"];

require_once("controllers/$url/config.php");

require_once("function/rupee.php");
require_once("config/connection.php");

require_once("config/biaya-
pembayaran.php");

require_once
'plugins/dompdf/autoload.inc.php';

use Dompdf\Dompdf;

ob_start();
?>

<!-- Panggil Tag Pembuka HTML dan Tag
Meta Bernilai Tetap -->

<?php require_once("template/meta.php");
?>

<!-- Tag Meta Bernilai
Variabel (Dapat Diubah/Berubah) -->

<title><?php if(
isset($judul) ) echo $judul."
".SEPARATOR." "; echo JUDUL_WEB;
?></title>
```

```
<!-- Tag Link Bernilai
Tetap -->

<link rel="icon"
href="images/logo.jpg">

<link rel="apple-touch-
icon" href="images/logo.jpg">

<link rel="stylesheet"
href="css/bootstrap.min.css">

<link rel="stylesheet"
href="css/style-pdf.css">

<style>

p, table tr th,
table tr td {

font-
size: 14px;

color:
#212529;

}

table.full {

width:
100%;

}

table.full tr td {

width:
33%;

}

</style>

</head>
<body>

<main role="main">
```



```

</td>
<?php
$Id = $_GET["id"];
// query tampil data
$query = "SELECT a.*, b.*
FROM $tabel a, mahasiswa b
WHERE a.id_mahasiswa=b.id
AND a.id=$Id
ORDER BY a.id DESC";
// hasil query
$result = mysqli_query($koneksi, $query) or
die(mysqli_error($koneksi));
$data = mysqli_fetch_assoc($result);
?>
<table
class="full">
<tr>
<td>

</td>
<td class="text-center">
<h1 class="h2">Slip
Pembayaran</h1>

```

```

</td>
<td class="text-right">
Tanggal <?=$data["tanggal"]?>
</td>
</tr>
</table>
<table
class="list">
<tr>
<td>No. Pokok</td>
<td>:</td>
<td><?=$data["id"]?></td>
</tr>
<tr>
<td>Sudah Diterima dari</td>
<td>:</td>
<td><?=$data["nama"]?></td>
</tr>
<tr
valign="top">
<td>Uang Sebanyak</td>

```

	<tr>
<td>:</td>	
	<td>Guna Pembayaran</td>
<td>	
<?php	<td>:</td>
if(\$data["guna_pembayaran"] == "Pendaftaran"):	<td>
if(\$data["kelas"] == "Pagi"):	<?php if(\$data["guna_pembayaran"] == "Pendaftaran"): ?>
\$registrasi_masuk = \$registrasi_masuk_pagi;	Pendaftaran + Registrasi Masuk + Pembangunan
elseif(\$data["kelas"] == "Sore"):	<?php else: ?>
\$registrasi_masuk = \$registrasi_masuk_sore;	<?=\$data["guna_pembayaran"]?>
elseif(\$data["kelas"] == "Sabtu"):	<?php endif;?>
\$registrasi_masuk = \$registrasi_masuk_sabtu;	</td>
endif;	
?>	</tr>
<?=rupiah(\$pendaftaran)." + ".rupiah(\$registrasi_masuk)." + ".rupiah(\$pembangunan)?> =	<?php if(\$data["keterangan"] == "1" or \$data["keterangan"] == "2" or \$data["keterangan"] == "3"): ?>
	<tr>
<?=rupiah(\$data["jumlah"])?>	<td>Cicilan</td>
<?php else: ?>	<td>:</td>
<?=rupiah(\$data["jumlah"])?>	<td>Cicilan ke <?=\$data["keterangan"]?> dari 3</td>
<?php endif;?>	</tr>
	<?php endif; ?>
</td>	<tr>
</tr>	

```

        <td>Kelas</td>

        <td>:</td>

        <td><?=$data["kelas"]?></td>
    </tr>
    <tr>
        <td>Angkatan</td>

        <td>:</td>

        <td><?=$data["angkatan"]?></td>
    </tr>
</table>

    <p class="float-right font-weight-bold" style="border-top:
solid 1px #212529; margin-top: 100px;">
        Tanda
Tangan Petugas & Cap
    </p>

</main>
</body>
</html>

<?php
$html = ob_get_clean();

$dompdf = new Dompdf();

        // enable the built-in HTML5 parser at
        runtime
    $dompdf-
    >set_option('isHtml5ParserEnabled', true);

    // load html for pdf content
    $dompdf->loadHtml($html);

    // (Optional) Setup the paper size and
    orientation
    $dompdf->setPaper('A5', 'landscape');

    // Render the HTML as PDF
    $dompdf->render();

    // Output the generated PDF (1 = download
    and 0 = preview)
    $dompdf->stream("Slip
    Pembayaran",array("Attachment"=>0));

    exit;
?>

biaya-form.php
<?php
// <!-- Panggil Tag Pembuka HTML dan Tag
Meta Bernilai Tetap -->
require_once("template/meta.php");

// cek apakah sudah login

```

```

require_once("config/secure.php");
}

$url = $_GET["url"];

require_once("controllers/$url/config.php");
require_once("controllers/$url/config-
form.php");

// panggil koneksi
require_once("config/connection.php");

$judul_utama = $judul;

if(isset($_GET["id"])):
    $judul = EDIT." ".$judul;

    $sid = $_GET['id'];

    $query = "SELECT * FROM $tabel
WHERE id=$sid ORDER BY id DESC";

    $result = mysqli_query($koneksi,
$query) or die(mysqli_error($koneksi));

    if( mysqli_num_rows($result) >= 1
) {
        $judul_h1 = $judul;

        $process = "edit";

        $available = TRUE;

    }
    else {

        $judul_h1 =
DATA_TIDAK_DITEMUKAN;

        $available = FALSE;
    }
}

else:
    $judul = ADD." ".$judul;
    $judul_h1 = $judul;
    $process = "add";

    $sid = 0;

    $query = "SELECT * FROM $tabel
WHERE id=$sid ORDER BY id DESC";

    $result = mysqli_query($koneksi,
$query) or die(mysqli_error($koneksi));

    $available = TRUE;

endif;

$data = mysqli_fetch_array($result);
?>

<!-- Panggil Tag Link
Bernilai Tetap -->

<?php
require_once("template/header.php"); ?>

<?php if( array_search( "date",
array_column($field, "type") ) !== FALSE ):
?>

<link rel="stylesheet"
href="plugins/bootstrap-

```

```
datepicker/css/bootstrap-
datepicker3.min.css">
```

```
<?php endif; ?>
```

```
<!-- CSS kita sendiri -->
```

```
<link rel="stylesheet"
href="css/style.css">
```

```
</head>
```

```
<body>
```

```
<!-- Panggil Bagian
Header/Tag Header Web (Navbar, dll.) -->
```

```
<?php
require_once("template/navbar.php"); ?>
```

```
<!-- Content/Primary Area
-->
```

```
<div class="container"
id="content-area">
```

```
<!-- Main
Content -->
```

```
<main
role="main">
```

```
<h1><?=$judul_h1?></h1>
```

```
<br>
```

```
<p>
```

```
<strong>
```

```
<span class="text-
```

```
danger">*</span>
```

```
<em><?=$FORM_REQUIRED?></em>
```

```
</strong>
```

```
</p>
```

```
<?php if($available == TRUE): ?>
```

```
<form
```

```
action="controllers/process.php"
method="post"<?php if( $file_input == "iya"
) { ?> enctype="multipart/form-data"<?php
} ?>>
```

```
<input type="hidden"
name="process" value="<?=$process?>">
```

```
<input type="hidden" name="tabel"
value="<?=$tabel?>">
```

```
<input type="hidden" name="url"
value="<?=$url?>">
```

```
<?php if( $process == "edit" ): ?>
```

```
<input type="hidden" name="id"
value="<?=$data["id"]?>">
```

```
<?php endif; ?>
```

```
<?php
```

```
foreach($field as $f):
```

```
if( !empty($f["name"]) ):
```

```
$name =
```

```
$f["name"];
```

```
endif;
```

```

        if( $f["type"] != "hidden"
and $f["type"] != "judul" and $f["type"] !=
"tulisan" ):
        ?>

        <div class="form-row">

                <?php

                        if(
isset($f["panjang_field"]) and
$f["panjang_field"] == "panjang" ):

                                $col= "col-sm-12
col-md-12 col-lg-9 col-xl-8";

                                        elseif(
isset($f["panjang_field"]) and
$f["panjang_field"] == "pendek" ):

                                                $col = "col-sm-7
col-md-5 col-lg-4 col-xl-3";

                                                        else:

                                                                $col = "col";

                                                                        endif;

                                                                                ?>

                        <div class="form-group
<?=$col?">

                                <label
for="<?=$name?">

                                        <?php if( $f["wajib_diisi"]
== "iya" and ( $process == "add" or (
$process == "edit" and $f["type"] !=
"password" ) ) ): ?>

                                                <span
class="text-danger">*</span>

                <?php endif; echo
$f["label"]; ?>

        </label>

        <?php endif; ?>

                <?php

                        if( $f["type"] == "text" or
$f["type"] == "email" or $f["type"] ==
"number" or $f["type"] == "tel" or $f["type"]
== "password" or $f["type"] == "date" ):

                                $stipe = (
$f["type"] == "date" ) ? "text" : $f["type"];

                                        ?>

                                <input type="<?=$stipe?"
name="<?=$name?" id="<?=$name?"
class="form-control"

                                                value="<?php if(
$f["type"] == "number" and
!empty($f["value"]) and $process == "add" )
{ echo $f["value"]; } elseif(
!empty($f["value"]) ) { echo $f["value"]; }
elseif( $f["type"] != "password" ) { echo
$data[$name]; } ?>"

                                <?php if(
!empty($f["min"]) and $f["type"] ==
"number" ) {
?>min="<?=$f["min"]?"><?php } ?>

                                        <?php if(
!empty($f["max"]) and $f["type"] ==
"number" ) {
?>max="<?=$f["max"]?"><?php } ?>

```



```
class="<?=SELECT_CLASS?>"
id="<?=$name?>"
```

```
<?php
if(!empty($f["keterangan"])) { ?> aria-
describedby="<?=$name?>Help"<?php } ?>
```

```
<?php if($f["wajib_diisi"]
== "iya") echo "required"; ?>>
```

```
<option value=""
<?php if($f["wajib_diisi"] == "iya") echo
"disabled"; ?> selected&ndash;</option>
```

```
<?php
if($f["value_query"] == "iya"): ?>
```

```
<?php
```

```
if($f["kolom_kirim"] ==
$f["kolom_tampil"]):
```

```
$kolom_select =
$f["kolom_kirim"];
```

```
else:
```

```
$kolom_select =
$f["kolom_kirim"].", ".$f["kolom_tampil"];
```

```
endif;
```

```
$query_select = "SELECT
$kolom_select FROM $f[tabel] ORDER BY
$f[kolom_tampil] ASC";
```

```
$result_select =
```

```
mysqli_query($koneksi, $query_select) or
die(mysqli_error($koneksi));
```

```
while($data_select =
mysqli_fetch_array($result_select):
?>
```

```
<option
value="<?=$data_select[$f["kolom_kirim"]]
?>" <?php if(
$data_select[$f["kolom_tampil"]] ==
$data[$name] ) echo "selected"; ?>>
```

```
<?=$data_select[$f["kolom_tampil"
]]?>
```

```
</option>
```

```
<?php
endwhile; ?>
```

```
<?php
```

```
elseif($f["value_query"] ==
"tidak");
```

```
foreach($f["value"] as $n => $v):
```

```
?>
```

```
<option
value="<?=$v?>" <?php if( $v ==
$data[$name] ) echo "selected";
?>><?=$f["value_tampil"][$n]?></option>
```

```
<?php
```

```
endforeach;
```



```

endif;
?>

</select>

<?php
if(!empty($f["keterangan"])): ?>

    <small
id="<?=$name?>Help" class="form-text
text-
muted"><?=$f["keterangan"]?></small>

    <?php endif; ?>

<?php elseif($f["type"] ==
"radio"): ?>

    <br>

    <?php
    $inline = "";

    if( $f["inline"] ==
"iya" ) {

        if(
RADIO_STYLE_CUSTOM == "iya" ) {

            $inline = " custom-control-inline";
        }

        else {

            $inline = " form-check-inline";
        }
    }

}

endif;

if($f["value_query"] == "iya"):

    if($f["kolom_kirim"] ==
$f["kolom_tampil"]):

        $kolom_select =
        $f["kolom_kirim"];

        else:

            $kolom_select =
            $f["kolom_kirim"].", ".$f["kolom_tampil"];

        endif;

        $query_select = "SELECT
        $kolom_select FROM $f[tabel] GROUP BY
        $f[kolom_tampil] ORDER BY
        $f[kolom_tampil] ASC";

        $result_select =
        mysqli_query($koneksi, $query_select) or
        die(mysqli_error($koneksi));

        $i=1;

        while($data_select =
        mysqli_fetch_array($result_select)):

    <div
class="<?=RADIO_DIV_CLASS.$inline?>"
>

        <input
class="<?=RADIO_INPUT_CLASS?>"
type="radio" name="<?=$name?>"

```

```

id="<?=$name.$i?>"
value="<?=$data_select[$f["kolom_kirim"]]
?>"

```

```

<?php
if($f["wajib_diisi"] == "iya") echo
"required"; ?> <?php if( $f["kolom_tampil"]
== $data[$name] ) echo "checked"; ?>>

```

```

<label
class="<?=RADIO_LABEL_CLASS?>"
for="<?=$name.$i++;?>"><?=$data_select[
$f["kolom_tampil"]]?></label>

```

```

</div>

```

```

<?php
endwhile; ?>

```

```

<?php
elseif($f["value_query"] ==
"tidak"):
    $i=1;
    foreach($f["value"] as $n => $v):
        ?>

```

```

<div
class="<?=RADIO_DIV_CLASS.$inline?>"
>

```

```

<input
class="<?=RADIO_INPUT_CLASS?>"
type="radio" name="<?=$name?>"
id="<?=$name.$i?>" value="<?=$v?>"

```

```

<?php
if($f["wajib_diisi"] == "iya") echo

```

```

"required"; ?> <?php if( $v == $data[$name]
) echo "checked"; ?>>

```

```

<label
class="<?=RADIO_LABEL_CLASS?>"
for="<?=$name.$i++;?>"><?=$f["value_ta
mpil"][$n]?></label>

```

```

</div>

```

```

<?php
endforeach;

```

```

endif;

```

```

?>

```

```

<?php if(
!empty($f["keterangan"]) ): ?>

```

```

<small
id="<?=$name?>Help" class="form-text
text-
muted"><?=$f["keterangan"]?></small>

```

```

<?php endif; ?>

```

```

<?php elseif($f["type"] ==
"checkbox"): ?>

```

```

<br>

```

```

<?php
$inline = "";
if( $f["inline"] ==
"iya" ) {

```

```

    if(
CHECKBOX_STYLE_CUSTOM == "iya" )
{

```

```

        $inline = " custom-control-inline";
    }
    else {

        $inline = " form-check-inline";
    }
}

if($f["value_query"] == "iya"):

    if($f["kolom_kirim"] ==
    $f["kolom_tampil"]):

        $kolom_select =
        $f["kolom_kirim"];
    else:

        $kolom_select =
        $f["kolom_kirim"].", ".$f["kolom_tampil"];
    endif;

    $query_select = "SELECT
    $kolom_select FROM $f[tabel] GROUP BY
    $f[kolom_tampil] ORDER BY
    $f[kolom_tampil] ASC";

    $result_select =
    mysqli_query($koneksi, $query_select) or
    die(mysqli_error($koneksi));

    $i=1;

    while($data_select =
    mysqli_fetch_array($result_select)):

        <?php

        <div
        class="<?=CHECKBOX_DIV_CLASS.$inli
        ne?>">

            <input
            class="<?=CHECKBOX_INPUT_CLASS?>
            " type="checkbox" name="<?=$name?>"
            id="<?=$name.$i?>"
            value="<?=$data_select[$f["kolom_kirim"]
            ?>"

                <?php
                if($f["wajib_diisi"] == "iya") echo
                "required"; ?> <?php if( $f["kolom_tampil"]
                == $data[$name] ) echo "checked"; ?>>

            <label
            class="<?=CHECKBOX_LABEL_CLASS?
            >"
            for="<?=$name.$i++;?>"><?=$data_select[
            $f["kolom_tampil"]]?></label>

            </div>

        <?php

    endwhile; ?>

    <?php

    elseif($f["value_query"] ==
    "tidak"):

        $i=1;

        foreach($f["value"] as $n => $v):

```

```

?>
class="<?=CHECKBOX_DIV_CLASS.$inline?>">
    <input
class="<?=CHECKBOX_INPUT_CLASS?>"
type="checkbox" name="<?=$name?>"
id="<?=$name.$i?>" value="<?=$v?>"

    <?php
if($f["wajib_diisi"] == "iya") echo
"required"; ?> <?php if( $v == $data[$name]
) echo "checked"; ?>>

    <label
class="<?=CHECKBOX_LABEL_CLASS?>"
for="<?=$name.$i++;?>"><?=$f["value_tampil"][$n]?></label>

    </div>

    <?php
endforeach;

endif;

?>

    <?php if(
!empty($f["keterangan"])) { ?>

        <small
id="<?=$name?>Help" class="form-text
text-
muted"><?=$f["keterangan"]?></small>

        <?php } ?>

    <?php elseif( $f["type"]
== "file" ): ?>

    <?php if($process
== "edit") { ?>

        <input type="hidden"
name="<?=$name?>_old"
value="<?=$data[$name]?>"

        <p><?=$f["label"]?>
Sebelumnya: <a
href="files/<?=$data[$name]?>"
target="_blank"><?=$data[$name]?></a></
p>

        <?php
    }

    foreach($f["accept"] as $accept):

        $file_extensions[] = ".$accept;

    endforeach;

    $file_accept =
implode(" ", $file_extensions);

    unset($file_extensions);

    $file_input_class
= FILE_STYLE_CUSTOM == "iya" ?
"custom-file-input" : "form-control-file";

    if(
FILE_STYLE_CUSTOM == "iya" ) {

        ?>

```

```

        <div class="custom-file">
            <?php } ?>
            <input
                type="file" name="<?=$name?>"
                id="<?=$name?>"
                class="<?=$file_input_class?>"
                accept="<?=$file_accept?>"
            </div>
            <?php
                if( !empty($f["keterangan"]) ) { ?>aria-
                    describedby="<?=$name?>Help" <?php } ?>
            <?php
                if( $f["wajib_diisi"] == "iya" and $process
                    == "add" ) echo "required"; ?>>
            <?php if(
                FILE_STYLE_CUSTOM == "iya" ) { ?>
                <label
                    class="custom-file-label"
                    for="<?=$name?>"><?php if(
                        !empty($f["placeholder"]) ) echo
                        $f["placeholder"]; ?></label>
                </div>
                <?php } ?>
                <?php if(
                    !empty($f["keterangan"]) ) { ?>
                    <small
                        id="<?=$name?>Help" class="form-text
                            text-
                            muted"><?=$f["keterangan"]?></small>
                    <?php } ?>
        </div>
        <?php endif; ?>
        <?php if( $f["type"] !=
            "hidden" and $f["type"] != "judul" and
            $f["type"] != "tulisan" ): ?>
        </div>
        </div>
        <?php
            elseif( $f["type"] ==
                "hidden" ):
                if( $f["value"] ==
                    "waktu_sekarang" and $process == "add" ) {
                    $value =
                        "NOW()";
                }
                elseif( $f["value"]
                    == "waktu_sekarang" and $process ==
                    "edit" ) {
                    $value =
                        "";
                }
                elseif(
                    !empty($f["value"]) and $process == "add" )
                {
                    $value =
                        $f["value"];
                }
                else {
                    $value =
                        $data[$name];
                }
            }
        }
    }
}

```

```

    }
    ?>

    <input type="hidden"
name="<?=$name?>"
value="<?=$value?>"

    </p>

    </form>

    <?php elseif( $f["type"]
== "judul" ): ?>

    <br>

    <h5><?=$f["value"]?></h5>

    <?php elseif( $f["type"]
== "tulisan" ): ?>

    <p><?=$f["value"]?></p>

    <?php endif; ?>

    <?php endforeach; ?>

    <br>

    <p>

    <button type="submit" id="save"
class="<?=$UKURAN_TOMBOL_SIMPAN
?>
<?=$SIMPAN_STYLE_TOMBOL?>"><?=$S
IMPAN?></button>

    <a href="<?=$url?>.php"

class="<?=$UKURAN_TOMBOL_BATAL?
>
<?=$BATAL_STYLE_TOMBOL?>"><?=$B
ATAL?></a>

    </p>

    </form>

    <?php endif; ?>

    </main>

    <!-- AKHIR
Main Content -->

    </div>

    <!-- AKHIR
Content/Primary Area -->

    <!-- Panggil Bagian
Footer/Tag Footer Web (Copyright, dll.) -->

    <?php
require_once("template/footer.php"); ?>

    <?php

if( array_search( "date",
array_column($field, "type") ) !== FALSE ):

?>

    <script
src="plugins/bootstrap-
datepicker/js/bootstrap-
datepicker.min.js"></script>

    <?php

if( BAHASA_WEB == "id" ) {

```

```

?>
                                </script>

                                <script
src="plugins/bootstrap-
datepicker/locales/bootstrap-
datepicker.id.min.js"></script>

                                <?php elseif( $f["type"] ==
"textarea" and $f["editor"] == "iya" ): ?>

                                <script
src="plugins/tinymce/tinymce.min.js"></scri
pt>

                                <script>

                                tinymce.init({

                                selector:

                                'textarea',

                                menubar: false,

                                relative_urls: true,

                                remove_script_host : false,

                                setup:

                                function (editor) {

                                editor.on('change', function (e) {

                                editor.save();

                                });

                                },

                                plugins:

                                [

                                'advlist autolink lists link image
charmap print preview hr pagebreak',

                                });

```

```

        </script>

        'searchreplace wordcount
visualblocks visualchars code fullscreen',

        'insertdatetime media nonbreaking
save table contextmenu directionality',

        'template paste textcolor
colorpicker textpattern imagetools toc help
responsivefilemanager'

    ],
    toolbar1:
'undo redo pastetext | styleselect
removeformat | bold italic underline |
alignleft aligncenter alignright alignjustify
alignnone | outdent indent bullist numlist |
fullscreen',
    toolbar2:
'insert | image media link | table charmap
blockquote hr | forecolor backcolor | code
print preview help',

    plugin_preview_width: 1024,

    image_advtab: true,

    external_filemanager_path:"plugins
/filemanager/",

    filemanager_title:"File Manager" ,

    external_plugins: { "filemanager" :
"./filemanager/plugin.min.js" }

    });

        <?php elseif( $f["type"] == "date"
): ?>

        <script>

        $(#<?=$f["name"]?>).datepicker({

                <?php
if( BAHASA_WEB == "id" ) { ?>language:
'id', weekStart: 1,<?php } ?>

                <?php
if( !empty($f["format"]) ) { ?>format:
'<?=$f["format"]?>', <?php } ?>

                <?php
if( !empty($f["start_view"]) ) { ?>startView:
'<?=$f["start_view"]?>', <?php } ?>

                <?php
if( !empty($f["start_date"]) ) { ?>startDate:
'<?=$f["start_date"]?>', <?php } ?>

                <?php
if( !empty($f["end_date"]) ) { ?>endDate:
'<?=$f["end_date"]?>', <?php } ?>

                todayBtn: 'linked'

                });

        </script>

        <?php
        endif;
    endforeach;
?>

</body>

```



```

</html>
biaya.php
<?php
// panggil konfigurasi/config website
require_once("config/site.php");

// cek apakah sudah login
require_once("config/secure.php");

/*-----*/
$url = "biaya";

/*-----*/

require_once("controllers/$url/config.php");

require_once("controllers/$url/config-
list.php");

require_once("function/angka.php");
?>

<!-- Panggil Tag Pembuka HTML dan Tag
Meta Bernilai Tetap -->

<?php require_once("template/meta.php");
?>

<!-- Panggil Tag Link
Bernilai Tetap -->

<?php
require_once("template/header.php"); ?>

<link rel="stylesheet"
href="plugins/DataTables/DataTables-
1.10.16/css/dataTables.bootstrap4.min.css">

<link rel="stylesheet"
href="plugins/DataTables/Buttons-
1.5.1/css/buttons.bootstrap4.min.css">

<!-- CSS kita sendiri -->

<link rel="stylesheet"
href="css/style.css">

<style>

        .table #tools,

        .table .tools {

                width:

        48px;

        }

        #biaya {

                text-

        align: right;

        }

</style>

</head>

<body>

        <!-- Panggil Bagian
Header/Tag Header Web (Navbar, dll.) -->

        <?php
require_once("template/navbar.php"); ?>

        <!-- Content/Primary Area
-->

        <div id="content-area"
class="container">

```

```

Content -->
role="main">
<?php
// panggil koneksi
require_once("config/connection.php");
// hasil query
$result = mysqli_query($koneksi, $query) or
die(mysqli_error($koneksi));
?>
align="center"
id="judul"><?=$judul?></h1>
<?php
if( !empty($_GET['status']) and
$_GET['status'] == "success" and
PEMBERITAHUAN == "Iya" ):
    if( session_status() ==
PHP_SESSION_NONE ) {
        session_start();
    }
    if( !empty($_SESSION['status'])
and ( $_SESSION['status'] == "add_success"
or $_SESSION['status'] == "edit_success" or
$_SESSION['status'] == "delete_success" ) )
{
        if( $_SESSION['status']
== "add_success" ) {
            $alert =
ADD_BERHASIL;
        }
        elseif(
$_SESSION['status'] == "edit_success" ) {
            $alert =
EDIT_BERHASIL;
        }
        elseif(
$_SESSION['status'] == "delete_success" ) {
            $alert =
DELETE_BERHASIL;
            unset($_SESSION['status']);
        }
    }
?>
<div
class="alert alert-success alert-dismissible
fade show" role="alert">
    <?=$alert?>
    <button type="button"
class="close" data-dismiss="alert" aria-
label="Close">
        <span aria-
hidden="true">&times;</span>
    </button>
</div>
<?php
}
endif;
?>

```

```

<!--p>
    <a href="<?=$url?>-
form.php?url=<?=$url?>" id="add-btn"
class="btn
<?=ADD_STYLE_TOMBOL?>"><?=ADD.
" ".$judul?></a>
</p-->
<div
id="add-btn"></div>
<div
class="table-responsive">
    <table id="tabel" class="table
table-bordered table-hover table-sm">
    <thead>
        <tr>
            <th data-
orderable="false" class="no">No.</th>
            <th data-
orderable="false" class="tools">Tools</th>
        </tr>
    </thead>
    <tbody>
        <tr>
            <td>
                <?php foreach($kolom_tabel as $kt): ?>
                    <th><?=$kt?></th>
                <?php endforeach; ?>
            </td>
            <td>
                <?php
                $no = 1;
                // tampilkan data dari hasil query
                while($data = mysqli_fetch_assoc($result)):
                    $data_baru="";
                    if( !empty($_GET['status']) and
$_GET['status'] == "success" and
PEMBERITAHUAN == "Iya" ):
                        if( session_status() ==
PHP_SESSION_NONE ) {
                            session_start();
                        }
                    if(
!empty($_SESSION['status']) and
(
(
$_SESSION['status'] == "add_success" and
$no == 1 ) or
(
$_SESSION['status'] == "edit_success" and
$data["id"] == $_SESSION['status_id'] )
)
) {
                        $data_baru = '
class="data-baru";
                    unset($_SESSION['status']);
                    unset($_SESSION['status_id']);
                }
            </td>
        </tr>
    </tbody>
    </table>
</div>
</div>

```

```

        }
endif;
?>

<tr<?=$data_baru?>>

        <td id="no"
class="text-right"><?=$no?></td>

<?php foreach($kolom_tabel_db as $ktdb):
?>

        <td
id="<?=$ktdb?>">

        <?php if( in_array($ktdb,
$tipe_file) ): ?>

                <a
href="files/<?=$data[$ktdb]?>"
target="_blank"><?=$data[$ktdb]?></a>

                <?php elseif( in_array($ktdb,
$tipe_link) ): ?>

                        <a
href="<?=$data[$ktdb]?>"
target="_blank"><?=$data[$ktdb]?></a>

                <?php elseif( $ktdb == "biaya" ):
echo angka($data[$ktdb]); ?>

                <?php else: ?>

                        <?=$data[$ktdb]?>

                <?php endif; ?>

        </td>

<?php endforeach; ?>
}
endif;
?>

        <td id="tools"
class="text-center">

                <a
href="<?=$url?>-
form.php?url=<?=$url?>&id=<?=$data["id"
]?>"

                class="btn <?=EDIT_STYLE_TOMBOL?>
btn-sm"

                data-toggle="tooltip"

                data-placement="top"

                title="<?=EDIT?>">

                <i class="far fa-edit fa-xs"></i>

        </a>

        <!--a
href="<?=$url?>-
view.php?url=<?=$url?>&id=<?=$data["id"
]?>"

        class="btn <?=VIEW_STYLE_TOMBOL?>
btn-sm"

        data-toggle="tooltip"

```

```
data-placement="top"
title="<?=VIEW?>"
<i class="fas fa-eye fa-xs"></i>
</a>
<a href="controllers/delete.php?id=<?=$data["id"]?>&table=<?=$tabel?>&url=<?=$url?>"
class="btn
<?=DELETE_STYLE_TOMBOL?> btn-sm"
data-toggle="tooltip"
data-placement="top"
title="<?=DELETE?>"
onClick="javascript: return
confirm('<?=DELETE_CONFIRM?>');"
<i class="fas fa-trash-alt fa-
xs"></i>
</a-->
</td>
</tr>
<?php
    $no++;
endwhile;
?>
</tbody>
</table>
</div>
</main>
<!-- AKHIR
Main Content -->
</div>
<!-- AKHIR
Content/Primary Area -->
<!-- Panggil Bagian
Footer/Tag Footer Web (Copyright, dll.) -->
<?php
require_once("template/footer.php"); ?>
<?php
require_once("template/data-tables-
config.php"); ?>
</body>
</html>
password-process.php
```

```

<?php
/*
Untuk info fungsi tag dan script web, baca:
INFO Fungsi yang Ada di Web Ini.txt
yang ada di dalam folder ini.
*/

require_once("config/site.php");
require_once("config/secure.php");

// panggil koneksi
require_once("config/connection.php");

// terima data "id" dan "password lama /
yang sedang digunakan"

$id = mysqli_real_escape_string($koneksi,
$_POST['id']);

$password =
mysqli_real_escape_string($koneksi,
md5($_POST['password']));

// menjalankan query cek password lama

$cek_password = mysqli_query($koneksi,
"SELECT password FROM user WHERE
password='$password' and id=$id")

        or die(mysqli_error($koneksi));

// jika password lama BENAR

if( mysqli_num_rows($cek_password) >= 1
):

        // terima data password baru

        $password_baru =
        $_POST['password_baru'];

        // terima data konfirmasi password
        baru

        $password_konfirm =
        $_POST['password_konfirm'];

        // jika "password baru" dan
        "konfirmasi password baru" SAMA

        if( $password_baru ===
        $password_konfirm ):

                mysqli_query($koneksi,
                "UPDATE user SET
                password='".md5($password_baru)."'
                WHERE id=$id")

                or
                die(mysqli_error($koneksi));

                if( PEMBERITAHUAN
                == "Iya" ) {

                        $_SESSION['status'] = "success";

                }

                echo
                "<script>location.href='password.php?status
                =success';</script>";

                exit;

        // jika "password baru" dan
        "konfirmasi password baru" SALAH

        else:

```

```

        echo
"<script>alert('".KONFIRM_PASSWORD_
BARU_SALAH."');
window.history.back();</script>";

        exit;

    endif;

// jika password lama SALAH
else:

    echo
"<script>alert('".PASSWORD_SALAH."');
window.history.back();</script>";

    exit;
endif;

password.php

<?php require_once("template/meta.php");
?>

    <?php
require_once("template/header.php"); ?>

        <link rel="stylesheet"
href="css/style.css">

    </head>

    <body>

        <!-- Panggil Bagian
Header/Tag Header Web (Navbar, dll.) -->

        <?php
require_once("template/navbar.php"); ?>

        <!-- Content/Primary Area
-->

```

```

        <div class="container"
id="content-area">

                <!-- Main
Content -->

                <main
role="main">

                    <h1><?=UBAH_PASSWORD?></
h1>

                    <br>

                    <?php

                    if( !empty($_GET['status']) and
$_GET['status'] == "success" and
PEMBERITAHUAN == "Iya" ):

                        if( session_status() ==
PHP_SESSION_NONE ) {

                            session_start();

                        }

                        if( !empty($_SESSION['status'])
and $_SESSION['status'] == "success" ) {

                    ?>

                    <p>

                        <div class="alert alert-success
alert-dismissible fade show" role="alert">

                            <?=UBAH_PASSWORD_BERHA
SIL?>

                            <button type="button"
class="close" data-dismiss="alert" aria-
label="Close">

```

```
<span aria-  
hidden="true">&times;</span>
```

```
</div>
```

```
</button>
```

```
<div class="form-row">
```

```
</div>
```

```
<div class="form-group col-sm-12  
col-md-12 col-lg-9 col-xl-8">
```

```
</p>
```

```
<?php
```

```
<label  
for="password_baru"><?=PASSWORD_B  
ARU?></label>
```

```
unset($_SESSION['status']);
```

```
}
```

```
<input type="password"  
name="password_baru" id="password_baru"  
class="form-control" required>
```

```
endif;
```

```
?>
```

```
</div>
```

```
<form
```

```
</div>
```

```
action="password-process.php"  
method="post">
```

```
<div class="form-row">
```

```
<input type="hidden" name="id"  
value="<?=$_SESSION['sesi_id_user']?>">
```

```
<div class="form-group col-sm-12  
col-md-12 col-lg-9 col-xl-8">
```

```
<div class="form-row">
```

```
<label  
for="password_konfirm"><?=KONFIRM_P  
ASSWORD_BARU?></label>
```

```
<div class="form-group col-sm-12  
col-md-12 col-lg-9 col-xl-8">
```

```
<label  
for="password"><?=PASSWORD_LAMA?  
></label>
```

```
<input type="password"  
name="password_konfirm"  
id="password_konfirm" class="form-  
control" required>
```

```
<input type="password"  
name="password" id="password"  
class="form-control" required>
```

```
</div>
```

```
</div>
```

```
</div>
```



```

        <p>

                <button type="submit" id="save"
class="<?=UKURAN_TOMBOL_SIMPAN
?>
<?=SIMPAN_STYLE_TOMBOL?>"><?=S
IMPAN?></button>

        </p>

                                </form>

                                </main>

                                </div>

                                <!-- AKHIR
Content/Primary Area -->

                                <!-- Panggil Bagian
Footer/Tag Footer Web (Copyright, dll.) -->

                                <?php
require_once("template/footer.php"); ?>

                                </body>

</html>

```

laporan-pembayaran.php

```

<?php
require_once("config/site.php");
require_once("config/secure.php");

/*-----
-----*/

$url = "laporan-pembayaran";

/*-----
-----*/

```

```

require_once("controllers/$url/config.php");

require_once("controllers/$url/config-
list.php");

require_once("function/angka.php");

?>

<?php require_once("template/meta.php");
?>

```

```

<?php
require_once("template/header.php"); ?>

```

```

<link rel="stylesheet"
href="plugins/DataTables/DataTables-
1.10.16/css/dataTables.bootstrap4.min.css">

```

```

<link rel="stylesheet"
href="plugins/DataTables/Buttons-
1.5.1/css/buttons.bootstrap4.min.css">

```

```

<link rel="stylesheet"
href="plugins/bootstrap-
datepicker/css/bootstrap-
datepicker3.min.css">

```

```

<link rel="stylesheet"
href="css/style.css">

```

```

<style>

                .table #tools,

.table .tools {

                                width:
48px;

                }

                #jumlah {

```

```

align: right;
    text-align: right;
}
</style>
</head>

<body>
    <!-- Panggil Bagian
Header/Tag Header Web (Navbar, dll.) -->
    <?php
require_once("template/navbar.php"); ?>

    <!-- Content/Primary Area
-->
    <div id="content-area"
class="container-fluid">
        <!-- Main
Content -->
        <main
role="main">
            <?php
// panggil koneksi
require_once("config/connection.php");

// hasil query
$result = mysqli_query($koneksi, $query) or
die(mysqli_error($koneksi));

?>
            <h1
align="center"
id="judul"><?=$judul?></h1>

            <div
class="alert alert-success alert-dismissible
fade show" role="alert">

```

```

<?php
if( !empty($_GET['status']) and
$_GET['status'] == "success" and
PEMBERITAHUAN == "Iya" ):

    if( session_status() ==
PHP_SESSION_NONE ) {

        session_start();

    }

    if( !empty($_SESSION['status'])
and ( $_SESSION['status'] == "add_success"
or $_SESSION['status'] == "edit_success" or
$_SESSION['status'] == "delete_success" ) )
{

        if( $_SESSION['status']
== "add_success" ) {

            $alert =
ADD_BERHASIL;

        }

        elseif(
$_SESSION['status'] == "edit_success" ) {

            $alert =
EDIT_BERHASIL;

        }

        elseif(
$_SESSION['status'] == "delete_success" ) {

            $alert =
DELETE_BERHASIL;

            unset($_SESSION['status']);

        }

    }

?>

```

```

<?=$alert?>

    <button type="button"
class="close" data-dismiss="alert" aria-
label="Close">

        <span aria-
hidden="true">&times;</span>

    </button>
</div>

<?php
    }
endif;
?>

    <form
action="" method="get">

        <div class="form-row">

            <div class="form-group col-sm-6
col-md-5 col-lg-4 col-xl-3">

                <label>Tanggal</label>

                <div class="input-group
input-daterange">

                    <input
type="text" class="input-sm form-control
form-control-sm"

value="<?=$dari_tanggal?" name="dari-
tanggal" id="dari-tanggal">

                    <span
class="input-group-addon">&nbsp; Sampai
&nbsp;</span>

                    <input
type="text" class="input-sm form-control
form-control-sm"
value="<?=$sampai_tanggal?"
name="sampai-tanggal" id="sampai-
tanggal">

                </div>

                </div>

            </div>

            <div class="form-group col-sm-6
col-md-5 col-lg-4 col-xl-3 mt-auto">

                <button type="submit"
class="btn btn-sm btn-primary">

                    <i class="fas fa-
filter"></i>

                </button>

            </div>

        </div>

    </form>

```

```

<br>
<em>Jumlah dalam Rupiah</em>
<div
id="add-btn"></div>
<div
class="table-responsive">
<table id="tabel" class="table
table-bordered table-hover table-sm">
<thead>
<tr>
<th data-
orderable="false" class="no">No.</th>
<?php foreach($kolom_tabel as $kt): ?>
<th><?=$kt?></th>
<?php endforeach; ?>
<th data-
orderable="false" class="tools">Tools</th>
</tr>
</thead>
<tbody>
<?php
$total = 0;

```

```

$no = 1;
// tampilkan data dari hasil query
while($data = mysqli_fetch_assoc($result)):
    $total += $data["jumlah"];

    $data_baru="";

    if( !empty($_GET['status']) and
$_GET['status'] == "success" and
PEMBERITAHUAN == "Iya" ):

        if( session_status() ==
PHP_SESSION_NONE ) {

            session_start();

        }

        if(
!empty($_SESSION['status']) and
(
(
$_SESSION['status'] == "add_success" and
$no == 1 ) or
(
$_SESSION['status'] == "edit_success" and
$data["id"] == $_SESSION['status_id'] )
)
) {

            $data_baru = '
class="data-baru";

            unset($_SESSION['status']);

            unset($_SESSION['status_id']);

        }

```

```

endif;
?>
        <tr<?=$data_baru?>>
            <td id="no"
class="text-right"><?=$no?></td>
<?php foreach($kolom_tabel_db as $ktdb):
?>
                <td
id="<?=$ktdb?>">
                    <?php if( in_array($ktdb,
$tipe_file) ): ?>
                        <a
href="files/<?=$data[$ktdb]?>"
target="_blank"><?=$data[$ktdb]?></a>
                            <?php elseif( in_array($ktdb,
$tipe_link) ): ?>
                                <a
href="<?=$data[$ktdb]?>"
target="_blank"><?=$data[$ktdb]?></a>
                                    <?php elseif( $ktdb == "jumlah" ):
?>
                                        <?php elseif( $ktdb == "keterangan" ):
                                            if( $data["keterangan"] !=
"Tidak" ) {
                                                echo "Cicilan ke
".$data["keterangan"]." dari 3";
                                                    endif;
                                                        echo
($data["keterangan"] == "3") ? " (Lunas)." :
".";
                                                            <?php
} else {
?>
                                                                Lunas
                                                                    <?php
}
?>
<?php else: ?>
<?=$data[$ktdb]?>
<?php endif; ?>
</td>
<?php endforeach; ?>
                <td id="tools"
class="text-center">
                    <a
href="kuitansi.php?url=<?=$url?>&id=<?=$
data["id"]?>" target="_blank"
class="btn <?=VIEW_STYLE_TOMBOL?>
btn-sm"

```

```

data-toggle="tooltip"
<th></th>
</tr>
data-placement="top"
</tfoot>
title="Kuitansi">
</table>
</div>
<i class="fas fa-file-invoice-dollar fa-
xs"></i>
</main>
</a>
Main Content -->
</div>
</td>
Content/Primary Area -->
</tr>
<?php
$no++;
endwhile;
?>
</tbody>
<tfoot>
<tr class="text-right">
<th>
colspan="7"></th>
<th>Total</th>
<th></th>
<script
src="plugins/bootstrap-
datepicker/js/bootstrap-
datepicker.min.js"></script>
<?php if( BAHASA_WEB == "id" ): ?>
<script
src="plugins/bootstrap-
datepicker/locales/bootstrap-
datepicker.id.min.js"></script>

```

```
<?php endif; ?>

        <script>

                $('#dari-tanggal,
#sampai-tanggal').datepicker({

                        <?php
if( BAHASA_WEB == "id" ) { ?>language:
'id', weekStart: 1,<?php } ?>

                                format:

'yyyy-mm-dd',

                                endDate:

'0d',

                                todayBtn: 'linked',

                                clearBtn:

true

                                });

        </script>

</body>

</html>
```