

## LISTING PROGRAM

### Login.php

```
<?php
$error="";
include "config/config.php";
if(isset($_POST['submit']))
{
    $id_karyawan = $_POST['id_karyawan'];
    $password = $_POST['password'];
    $level = $_POST['level'];
    $query = "SELECT * FROM tb_users WHERE
    id_karyawan=$id_karyawan' AND
    password=$password";
    $result =mysqli_query($conn, $query);
    if(mysqli_num_rows($result) == 0)
    {
        $error = '<div class="alert alert-
        danger">Username Or Password Invalid!</div>';
    } else {
        $row = mysqli_fetch_assoc($result);
        $_SESSION['username']=$row['nama'];
        $_SESSION['id_karyawan']=$row['id_karyawan'];
        ;
        if($row['level'] == "admin" && $level=="1")
        {
            $_SESSION['level'] = $row['level'];
            header("Location: apps/admin/index.php");
        }
        else if($row['level'] == "sales" && $level == "2")
        {
            $_SESSION['level'] = $row['level'];
            header("Location: apps/sales/index.php");
        }
        else if($row['level'] == "supervisor" && $level
        == "3")
        {
            $_SESSION['level'] = $row['level'];
            header("Location: apps/supervisor/index.php");
        }
        else if($row['level'] == "rs_manager" && $level
        == "4")
        {
            $_SESSION['level'] = $row['level'];
            header("Location: apps/rs-manager/index.php");
        }
        else
        {
            $error = '<div class="alert alert-
            danger">Upsss...!!! Login gagal.</div>';
        }
    }
}
?>
```

### Index.php

```
<?php
error_reporting(0);
session_start();
if($_SESSION){
    if($_SESSION['level']=="admin") {
        header('Location:apps/admin/index.php');
```

```

    }
    if($_SESSION['level']=="sales") {
        header("Location:apps/sales/index.php");
    }
    if($_SESSION['level']=="supervisor") {
        header("Location:apps/supervisor/index.php");
    }
    if($_SESSION['level']=="rs_manager") {
        header("Location:apps/rs-manager/index.php");
    }
}
include(login.php);
?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible"
content="IE=edge">
<!-- Tell the browser to be responsive to screen
width -->
<meta name="viewport" content="width=device-
width, initial-scale=1">
<meta name="description" content="">
<meta name="author" content="">
<!-- -->
<title>Kalbe Farma Tbk</title>
<!-- -->
<link rel="icon" type="images/png"
sizes="16x16" href="assets/img/logo.png">
<!-- Bootstrap -->
<link href="assets/css/bootstrap.min.css"
rel="stylesheet">
<link rel="stylesheet" type="text/css"
href="assets/css/index.css">
<!-- style pribade -->
<link rel="stylesheet" type="text/css"
href="assets/css/style.css">
<!-- fonts -->
<link
href="https://fonts.googleapis.com/css?family=A
BeeZee" rel="stylesheet">
</head>
<body>
<div class="main-wrapper">
<div class="main-header">
<h1 class="text-center">PT. Kalbe Farma Tbk.
Cabang Palembang
</h1>
</div>
<div class="unix-login">
<div class="container-fluid">
<div class="row justify-content-center">
<div class="col-lg-4">
<div class="login-content card">
<div class="login-form"><form action=""
method="POST">
<?php
echo $_SESSION['error'];
echo $error;
?>
<br>
```

```

div class="form-group">
<label>ID Karyawan</label>
<input type="text" class="form-control"
name="id_karyawan" placeholder="ID
Karyawan" required>
</div>
<div class="form-group">
<label>Password</label>
<input type="password" class="form-control"
name="password" placeholder="Password"
required>
</div>
<div class="form-group">
<label>Jabatan</label>
<select name="level" class="form-control">
<option value="">Pilih Jabatan</option>
<option value="1">Admin</option>
<option value="2">Sales</option>
<option value="3">Supervisor</option>
<option value="4">Regional Sales
Manager</option>
</select>
</div>
<button type="submit" class="btn btn-primary"
name="submit" style="width: 100%;"> Sign
in</button>
</form>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<script src="assets/js/jquery.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
</body>
</html>

```

### Folder sales

```

Cek-sales.php
<?php
error_reporting(0);
session_start();
date_default_timezone_set('Asia/Jakarta');
include '../config/config.php';
//cek apakah user sudah login
if(!isset($_SESSION['username'])){
$_SESSION['error'] = '<div class="alert alert-
danger">Anda Belum Login!</div>';
header('Location:../index.php');
}
//cek level user
if($_SESSION['level']!="sales"){
$_SESSION['error'] = '<div class="alert alert-
danger">Anda Bukan Sales!</div>';
header('Location:../index.php');
}
?>

```

### Index.php

```

<?php

```

```

include 'cek-sales.php';
?>
<html>
<head>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible"
content="IE=edge">
<!-- Tell the browser to be responsive to screen
width -->
<meta name="viewport" content="width=device-
width, initial-scale=1">
<meta name="description" content="">
<meta name="author" content="">
<!-- -->
<title>Kalbe Farma Tbk</title>
<!-- -->
<link rel="icon" type="images/png"
sizes="16x16" href=" ../assets/img/logo.png">
<!-- Bootstrap -->
<link href=" ../assets/css/bootstrap.min.css"
rel="stylesheet">
<link rel="stylesheet" type="text/css"
href=" ../assets/css/index.css">
<!-- style pribadi -->
<link rel="stylesheet" type="text/css"
href=" ../assets/css/admin-style.css">
<link rel="stylesheet" type="text/css"
href=" ../assets/css/animate.css">
<link rel="stylesheet" type="text/css"
href=" ../assets/css/font-
awesome/css/fontawesome-all.min.css">
<link rel="stylesheet" type="text/css"
href=" ../assets/css/simple-sidebar.css">
<link rel="stylesheet" type="text/css"
href=" ../assets/css/home.css">
<!-- fonts -->
<link
href="https://fonts.googleapis.com/css?family=A
BeeZee" rel="stylesheet">
<!-- Kalender -->
<link
href="https://cdn.jsdelivr.net/npm/gijgo@1.9.6/cs
s/gijgo.min.css" rel="stylesheet" type="text/css"
/>
</head>
<body>
<div class="main-wrapper" id="wrapper">
<!-- Sidebar -->
<div id="sidebar-wrapper">
<ul class="sidebar-nav">
<li class="sidebar-brand">
<a href="index.php?<?php echo
$_SESSION['level']?>=home">
Welcome <?php echo
$_SESSION['id_karyawan']; ?>
</a>
</li>
<hr>
<li>
<a href="index.php?<?php echo
$_SESSION['level']?>=inputOutlet&tgl_cek=<p

```

```

hp echo $tgl=date('Y-m-d');?><i class="fas fa-
archive"></i>Data Outlet</a>
</li>
<li>
<a href="index.php?<?php echo
$_SESSION['level']?>=input-laporan-
harian&tgl_cek=<?php echo $tgl = date('Y-m-
d');?>"><i class="fas fa-archive"></i>Input
Laporan Harian</a>
</li>
<li>
<a href="index.php?<?php echo
$_SESSION['level']?>=data-non-
validasi&tgl_cek=<?php echo $tgl = date('Y-m-
d');?>"><i class="fas fa-archive"></i>Data Non
Validasi</a>
</li>
</ul>
</div>
<!-- #sidebar-wrapper -->
<div id="page-content-wrapper">
<!-- header header
-->
<div class="admin-header">
<nav class="navbar top-navbar
navbar-expand-md bg-light">
<!-- Logo -->
<div class="navbar-header">
<a class="navbar-brand"
href="index.php">
<a href="#menu-
toggle" class="btn btn-primary" id="menu-
toggle" style="margin-right: 10px;"><i class="fas
fa-align-left" style="margin-right: 10px;"></i>
Menu</a>
<!-- Logo icon -->
<b></b>
<!--End Logo icon -->
<!-- Logo text -->
<span>PT. Kalbe Farma
Tbk. Cabang Palembang</span>
</a>
</div>
<!-- End Logo -->
<div class="navbar-collapse"
style="width: 100px; padding-left: 45%;">
<!-- User profile and
search -->
<ul class="navbar-nav"
style="padding-left: 70%;">
<!-- Profile -->
<li class="nav-item
dropdown" >
<a class="nav-link
dropdown-toggle" href="#" data-
toggle="dropdown">

</a>

```

```

<div
class="dropdown-menu dropdown-menu-right
animated zoomIn" style="border: 0 solid
#e7e7e7;">
<a
class="dropdown-item" href="index.php?<?php
echo $_SESSION['level']?>=profil"><i
class="fas fa-user"></i>Profile</a>
<a
class="dropdown-item" href="../../../logout.php"><i
class="fa fa-power-off"></i>Logout</a>
</div>
</li>
</ul>
</div>
</nav>
</div>
<!-- End header header -->
<!-- content -->
<div class="content"
style="padding: 30px;">
<?php
include
'./action/page.php';
echo "<br>";
echo $error;
?>
</div>
<!-- End Content -->
</div>
</div>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/
3.3.1/jquery.min.js"></script>
<script
src="https://cdnjs.cloudflare.com/ajax/libs/popper
.js/1.14.0/umd/popper.min.js"></script>
<script
src="../../../assets/js/bootstrap.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/gijgo@1.9.6/js/
gijgo.min.js" type="text/javascript"></script>
<script>
$(document).ready(function
() {
$("#menu-
toggle").click(function(e) {
e.preventDefault();
$("#wrapper").toggleClass("toggled");
});
$('[data-
toggle="tooltip"]').tooltip();
$('[data-
toggle="popover"]').popover();

```

```

$(#datepicker).datepicker({
    format: 'yyyy-mm-
dd',
    uiLibrary: 'bootstrap4'
});

function cek_database(){
    var id_outlet =
$("#id_outlet").val();
$.ajax({
    url: 'proses/ajax-cek.php',
    data: "id_outlet="+id_outlet ,
    }).done(function (data) {
    var json = data,
    obj = JSON.parse(json);

$("#alamat_outlet").val(obj.alamat_outlet);

$("#nama_outlet").val(obj.nama_outlet);
    })
}
</script>
</body>
</html>
Home.php

<div class="row">
<!-- column -->
<div class="col-md-12">
<div class="card">
<div class="card-body">
<h1 class="text-center"> Selamat
Datang <?php echo $_SESSION['username'] ?>
</h1>
</div>
</div>
<!-- column -->
</div>
<div class="row">
<div class="col-md-6">
<div class="card">
<i class="fas fa-archive"></i>
<div class="card-body">
<a href="index.php?<?php echo
$_SESSION['level']?>=input-laporan-
harian&tgl_cek=<?php echo $tgl=date('Y-m-
d');?>" class="btn btn-primary">Input Laporan
Harian</a>
</div>
</div>
</div>
<div class="col-md-6">
<div class="card">
<i class="fas fa-archive"></i>
<div class="card-body">
<a href="index.php?<?php echo
$_SESSION['level']?>=inputOutlet&tgl_cek=<?p

```

```

hp echo $tgl=date('Y-m-d');?>" class="btn btn-
primary">Data Outlet</a>
</div>
</div>
</div>

```

### Input-laporan-harian.php

```

<?php
date_default_timezone_set('Asia/Jakarta');
?>
<div class="row">
<div class="col-lg-12">
<div class="card">
<div class="card-header">
<h3 class="box-title">Input Laporan
Harian | <?php $tgl=date(1, d-m-Y'); echo
$zgl;?></h3>
</div>
<div class="card-body">
<div class="form-validation">
<?php
include 'proses/simpan-
laporan.php';
echo $hasil;

$scari_kd=mysqli_query($conn,"SELECT
max(kode_laporan)as kode FROM tb_laporan ");
//mencari kode yang paling besar atau kode yang
baru masuk

$stm_cari=mysqli_fetch_array($scari_kd);

$kode=substr($stm_cari['kode'],8,4);
$zgl=date('dmY');
$tambah=$kode+1;
if ($kode <= 99) {
$id_laporanbaru="LP-".$zgl."-
".$tambah;
} else {
$id_laporanbaru="LP-".$zgl."-
".$tambah;
}
?>
<form class="form-valide"
action="" method="post">
<div class="form-group row">
<label class="col-lg-2 col-
form-label" for="val-username">ID Outlet <span
class="text-danger">*</span></label>
<div class="col-lg-3">
<select name="id_outlet"
class="form-control" onchange="cek_database()"
id="id_outlet">
<option value="">Kode
Outlet</option>
<?php
$id_karyawan =
$_SESSION['id_karyawan'];
$sql = "SELECT *

```

```

FROM
tb_master_outlet
WHERE tgl =
CURDATE() AND
status = '0' AND
id_karyawan =
'id_karyawan'
";
$query =
mysqli_query($conn, $sql);
while($row =
mysqli_fetch_assoc($query)){
echo '<option
value='.$row['id_outlet'].'>'.
$row['id_outlet'].'</option>';
}
mysqli_free_result($query);
?>
</select>
<?php
echo mysqli_error($conn);
?>
</div>
<label class="col-lg-2 col-
form-label" for="val-nama">Nama Outlet <span
class="text-danger">*</span></label>
<div class="col-lg-4">
<input type="text"
class="form-control" name="nama_outlet"
id="nama_outlet" readonly>
<input type="text"
class="form-control" name="kode_laporan"
value="<?php echo $id_laporanbaru ?>" hidden>
</div>
</div>
<div class="form-group row">
<label class="col-lg-2 col-
form-label" for="val-karyawan">ID Karyawan
<span class="text-danger">*</span></label>
<div class="col-lg-3">
<input type="text"
class="form-control" name="id_karyawan"
id="id_karyawan" value="<?php echo
$_SESSION['id_karyawan'] ?>" readonly>
</div>
<label class="col-lg-2 col-
form-label" for="val-username">Alamat Outlet
<span class="text-danger">*</span></label>
<div class="col-lg-4">
<textarea
id="alamat_outlet" class="form-control"
readonly=""></textarea>
</div>
</div>
<hr>
<div class="form-group row">
<label class="col-lg-2 col-
form-label" for="val-email">Kode
Laporan</label>
<div class="col-lg-3">

```

```

<input type="text"
class="form-control" name="id_laporan"
id="id_laporan" value="<?php echo
$id_laporanbaru ?>" readonly>
</div>
</div>
<div class="form-group row">
<table class="table">
<thead align="center">
<tr>
<?php
$sql = "SELECT *
FROM tb_master_produk";
$query =
mysqli_query($conn, $sql);
while($report =
mysqli_fetch_array($query)){
echo "<td> <a href=#'
href=#' data-toggle='tooltip'
title='".$report['nama_produk']."'>".$report['id_pr
oduk']."'</a> </td>";
}
?>
</tr>
</thead>
<tbody align="center">
<tr>
<?php
$sql = "SELECT *
FROM tb_master_produk";
$query =
mysqli_query($conn, $sql);
while($report =
mysqli_fetch_array($query)){
echo "<input type='text'
class='form-control' name='id_produk[''
value='".$report['id_produk']."' hidden>";
}
?>
</tr>
<tr>
<?php
$sql = "SELECT *
FROM tb_master_produk";
$query =
mysqli_query($conn, $sql);
while($report =
mysqli_fetch_array($query)){
echo "<td> <input
type='text' class='form-control'
name='unit[''required> </td>";
}
?>
</tr>
</tbody>
</table>
</div>
<div class="form-group row">
<div class="col-lg-8">
<button type="submit"
class="btn btn-primary"
name="simpan">Simpan</button>

```

```

        </div>
    </div>
</form>
<hr>
<h4>Cek Laporan | <?php echo
$tgl = date('l, d-m-Y'); ?></h4>
<table class="table table-
bordered">
    <tbody align="center">
        <tr>
            <td>
                <table class="table table-
bordered" >
                    <thead>
                        <tr align="center" >
                            <td rowspan="2"
class="t-head">Kode Outlet</td>
                            <td rowspan="2"
class="t-head">Nama Outlet</td>
                            <td rowspan="2"
class="t-head">Cek Data Produk</td>
                            <td rowspan="2"
class="t-head">Jumlah Item</td>
                            <td rowspan="2"
class="t-head">% AV</td>
                            <td colspan="3"
>Jumlah</td>
                        </tr>
                        <tr>
                            <td>(0)</td>
                            <td>(X)</td>
                            <td>(K)</td>
                        </tr>
                    </thead>
                    <?php
                    $id_karyawan =
$_SESSION['id_karyawan'];
                    $sql = "SELECT *,
COUNT(unit) as total_item,
COUNT(IF(
(unit !=
'X') AND
(unit !=
'0') AND
(unit !=
'K'),unit, NULL)
) AS
jum_item,
COUNT(IF(unit = '0',unit, NULL)) as
jum_0_item,
count(IF(unit = 'X',unit, NULL)) AS jum_x_item,
count(if(unit
= 'K', unit, NULL)) AS jum_k_item
FROM
((tb_laporan
JOIN
tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)

```

```

JOIN
tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produ
uk)
WHERE
tb_laporan.tgl=CURDATE()
AND
tb_laporan.id_karyawan = '$id_karyawan'
AND
tb_laporan.status = '0'
GROUP
BY nama_outlet
ORDER
BY tb_laporan.id ASC";
$query =
mysqli_query($conn, $sql);
echo
mysqli_error($conn);
?>
<tbody id="accordion">
<?php
while($stampil =
mysqli_fetch_array($query)){
    $sav_item =
$stampil['jum_item']/$stampil['total_item'];
    ?>
    <tr>
        <td>
            <?php
            echo
$stampil['id_outlet'];
            ?>
        </td>
        <td>
            <?php
            echo
$stampil['nama_outlet'];
            ?>
        </td>
        <td>
            <?php
            echo $stampil['id_outlet'] ?>" class="btn btn-info"
            role="button" id='custId' data-
            toggle="collapse">Detail</a>
        </td>
        <td>
            <?php
            echo
$stampil['jum_item'];
            ?>
        </td>
        <td>
            <?php
            echo
            number_format($sav_item,4)*100 . '%';
            ?>
        </td>
        <td>
            <?php
            echo
$stampil['jum_0_item'];
            ?>

```

```

</td>
<td>
  <?php
    echo
$stampil['jum_x_item'];
  ?>
</td>
<td>
  <?php
    echo
$stampil['jum_k_item'];
  ?>
</td>
</tr>
<tr id="<?php echo
$stampil['id_outlet'] ?>" class="collapse" data-
parent="#accordion">
  <td colspan="8"
align="center">
    <table>
      <thead>
        <tr>
          <?php
            $sql10 =
"SELECT * FROM tb_master_produk";
            $query10 =
mysqli_query($conn, $sql10);
            while($report = mysqli_fetch_array($query10)){
              echo "<td>
<a href='#' data-toggle='popover' data-
trigger='hover' data-placement='top' title='Nama
Produk' data-
content='". $report['nama_produk']. ">". $report['id
_produk']. "</a> </td>";
            }
          ?>
        </tr>
      </thead>
      <tbody>
        <tr>
          <?php
            $kode =
$stampil['id_outlet'];
            $sql3 =
"SELECT *
FROM
((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE
tb_laporan.id_karyawan = '$id_karyawan'
AND tb_laporan.id_outlet = '$kode'

```

```

AND tb_laporan.status = '0'
GROUP BY tb_laporan.id_produk";
$query3
= mysqli_query($conn, $sql3);
while
($stampil3 = mysqli_fetch_array($query3)) {
  ?>
  <td>
    <?php
      echo($stampil3['unit']); ?>
  </td>
  <?php
    }
  ?>
</tr>
</tbody>
</table>
</td>
</tr>
<?php
  }
  ?>
</tbody>
</table>
</td>
</tr>
<tr>
  <td>
    <table class="table table-
bordered" >
      <thead>
        <tr>
          <td>Nama
Produk</td>
          <td>Jumlah
Item</td>
          <td>% AV</td>
          <td>Jumlah
(0)</td>
          <td>Jumlah
(X)</td>
          <td>Jumlah
(K)</td>
        </tr>
      </thead>
      <?php
        $sql = "SELECT *,
COUNT(unit) as total_item,
COUNT(IF(
(unit !=
'X') AND
(unit !=
'0') AND
(unit !=
'K'),unit, NULL)
) AS
jum_item,

```

```
COUNT(IF(unit = '0',unit, NULL)) AS
jum_0_item,

count(IF(unit = 'X',unit, NULL)) AS jum_x_item,
count(if(unit
= 'K', unit, NULL)) AS jum_k_item
FROM
((tb_laporan
JOIN
tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN
tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE
tb_laporan.tgl=CURDATE()
AND
tb_laporan.id_karyawan = 'Sid_karyawan'
AND
tb_laporan.status = '0'
GROUP
BY nama_produk
```

```
ORDER BY tb_laporan.id ASC";
$query =
```

```
mysqli_query($conn, $sql);
```

```
while($stampil =
mysqli_fetch_array($query)){
$av_item =
$stampil['jum_item']/$stampil['total_item'];
```

```
$stampil['nama_produk'];
```

```
$stampil['jum_item'];
```

```
number_format($av_item,4)*100 . '%';
```

```
$stampil['jum_0_item'];
```

```
?>
</td>
<td>
<?php
echo
$stampil['jum_x_item'];
?>
</td>
<td>
<?php
echo
$stampil['jum_k_item'];
?>
</td>
</tr>
<?php
}
?>
</tbody>
</table>
</td>
</tr>
</tbody>
</table>
</div>
```

```
</div>
</div>
</div>
</div>
```

```
<!-- The Modal -->
<div class="modal fade" id="myModal"
role="dialog">
<div class="modal-dialog"
role="document">
<div class="modal-content">
<div class="modal-header">
<button type="button" class="close"
data-dismiss="modal">&times;</button>
<h4 class="modal-title">Detail
Barang</h4>
</div>
<div class="modal-body">
<div class="fetched-data"></div>
</div>
<div class="modal-footer">
<button type="button" class="btn
btn-default" data-
dismiss="modal">Keluar</button>
</div>
</div>
</div>
</div>
```

```
Input-outlet.php
<div class="row">
<div class="col-lg-5">
<div class="card">
<div class="card-body">
<h3 class="box-title">Input
Outlet</h3>
```

```

        <hr>
        <div class="form-
validation">
            <?php
                include 'proses/tambah-
outlet.php';
                echo $hasil;

                $cari_kd=mysqli_query($conn,"SELECT
                id_outlet as kode FROM tb_master_outlet

                ORDER
                BY id DESC LIMIT 1"); //mencari kode yang
                paling besar atau kode yang baru masuk
                //set tanggal

                date_default_timezone_set('Asia/Jakarta');

                $tm_cari=mysqli_fetch_array($cari_kd);

                $kode=substr($tm_cari['kode'],8,4);
                $tgl=date('dm');
                $tambah=$kode+1;
                if ($kode <= 99 ) {
                    $id_outletbaru="TK-
                ".$tgl."-".$tambah;
                }

                else {
                    $id_outletbaru="TK-
                ".$tgl."-".$tambah;
                }
                ?>

                <form class="form-valide"
                action="" method="post">
                <div class="form-group
                row">
                    <label class="col-lg-4
                col-form-label" >ID Outlet <span class="text-
                danger">*</span></label>
                    <div class="col-lg-
                8">
                        <input type="text"
                class="form-control" name="id_outlet"
                value="<?php echo $id_outletbaru; ?>"
                readonly>
                    </div>
                </div>
                <div class="form-group
                row">
                    <label class="col-lg-4
                col-form-label" >Nama Outlet <span class="text-
                danger">*</span></label>
                    <div class="col-lg-
                8">

```

```

                        <input type="text"
                class="form-control" name="nama_outlet"
                placeholder="..." required>
                    </div>
                </div>
                <div class="form-group
                row">
                    <label class="col-lg-4
                col-form-label" >Alamat Outlet <span
                class="text-danger">*</span></label>
                    <div class="col-lg-
                8">
                        <textarea
                class="form-control" name="alamat_outlet"
                required></textarea>
                    </div>
                </div>
                <div class="form-group
                row">
                    <div class="col-lg-8
                ml-auto">
                        <button
                type="submit" class="btn btn-primary"
                name="simpan">Simpan</button>
                    </div>
                </div>
                </div>
                </div>
                <div class="col-lg-7">
                    <div class="card">
                        <div class="card-body">
                            <h3 class="box-title">Data
                Outlet <?php $tgl=date('l, d-m-Y'); echo
                $tgl;?></h3>
                            <form method="GET"
                action="">
                                <div class="row"
                style="margin-left: 5px;">
                                    <div class="col-xs-6">
                                        <input type="text"
                name="sales" value="inputOutlet" hidden>
                                        <input id="datepicker"
                width="276" name="tgl_cek" value="<?php echo
                $tgl = $_GET['tgl_cek'] ?>" />
                                    </div>
                                    <div class="col-xs-6"
                style="margin-left: 10px;">
                                        <button type="submit"
                class="btn btn-primary">Cek</button>
                                    </div>
                                </div>
                            </form>
                            <hr>
                            <di class="table-responsive">
                                <table class="table table-
                bordered">
                                    <thead align="center">
                                        <tr>

```

```

        <th width="20%">ID
Outlet</th>
        <th>Nama Outlet</th>
        <th>Alamat Outlet</th>
        <th>Aksi</th>
    </tr>
</thead>
<tbody>
    <?php
        include 'proses/hapus-
outlet.php';
        echo $hasil;
        $id_karyawan =
$_SESSION['id_karyawan'];
        $tgl =
$_GET['tgl_cek'];
        $sql = "SELECT *
FROM tb_master_outlet
        JOIN tb_users
        ON
tb_master_outlet.id_karyawan =
tb_users.id_karyawan
        WHERE
tb_master_outlet.id_karyawan = '$id_karyawan'
        AND
tb_master_outlet.tgl = '$tgl'
        ORDER BY
tb_master_outlet.id_outlet ASC";
        $query =
mysqli_query($conn, $sql);
        while($report =
mysqli_fetch_array($query)){
            echo "<tr>";
            echo
            "<td>". $report['id_outlet']. "</td>";
            echo
            "<td>". $report['nama_outlet']. "</td>";
            echo
            "<td>". $report['alamat_outlet']. "</td>";
            echo "<td>";
            ?>
            <form action=""
method="post">
                <input type="text"
name="id_outlet" value="<?php echo
$report['id_outlet'] ?>" hidden>
                <button
type="submit" class="btn btn-danger"
name="hapus-master">Hapus</button>
            </form>
            <?php
            echo "<td>";
            echo "</tr>";
            }
            ?>
        </tbody>
    </table>
</div>
</div>
</div>
</div>

```

```

    </div>
Profil.php
<div class="col-lg-12">
    <div class="card">
        <div class="card-header">
            <h3 class="box-title">Data
Karyawan</h3>
        </div>
        <?php
            $nama = $_SESSION['username'];
            $sql = "SELECT * FROM tb_users
WHERE nama = '$nama'";
            $query = mysqli_query($conn, $sql);
            $stampil = mysqli_fetch_array($query);

            include '../action/set-password.php';
            ?>
        <div class="card-body">
            <form class="form-valide row" action=""
method="post">
                <div class="col-lg-6">
                    <div class="form-group row">
                        <label class="col-lg-4 col-form-
label" >ID Karyawan <span class="text-
danger">*</span></label>
                        <div class="col-lg-8">
                            <input type="text" class="form-
control" name="id_karyawan" value="<?php
echo $stampil['id_karyawan']; ?>" readonly>
                        </div>
                    </div>
                    <div class="form-group row">
                        <label class="col-lg-4 col-form-
label" >Nama <span class="text-
danger">*</span></label>
                        <div class="col-lg-8">
                            <input type="text" class="form-
control" name="nama" value="<?php echo
$stampil['nama']; ?>" readonly>
                        </div>
                    </div>
                    <div class="form-group row">
                        <label class="col-lg-4 col-form-
label" >Keterangan <span class="text-
danger">*</span></label>
                        <div class="col-lg-8">
                            <textarea class="form-control"
name="alamat_outlet" readonly><?php echo
$stampil['ket'] ?></textarea>
                        </div>
                    </div>
                    <div class="col-lg-6">
                        <div class="form-group row">
                            <label class="col-lg-4 col-form-
label" >Jabatan <span class="text-
danger">*</span></label>
                            <div class="col-lg-8">
                                <input type="text" class="form-
control" name="jabatan" value="<?php echo
$stampil['jabatan']; ?>" readonly>
                            </div>
                        </div>
                    </div>
                </div>
            </form>
        </div>
    </div>

```

```

        </div>
        <div class="form-group row">
            <label class="col-lg-4 col-form-
label" >Email <span class="text-
danger">*</span></label>
            <div class="col-lg-8">
                <input type="email"
class="form-control" name="email"
value="<?php echo $stampil['email']; ?>"
readonly>
            </div>
        </div>
        <div class="form-group row">
            <label class="col-lg-4 col-form-
label" >Password <span class="text-
danger">*</span></label>
            <div class="col-lg-4">
                <input type="password"
class="form-control" name="password"
value="<?php echo $stampil['password']; ?>"
readonly>
            </div>
            <div class="col-lg-4">
                <input type="password"
class="form-control" name="password_lama"
placeholder="Password Lama" required>
            </div>
        </div>
        <div class="form-group row">
            <div class="col-lg-12">
                <input type="password"
class="form-control" name="password_baru"
placeholder="Password Baru" required>
            </div>
        </div>
        <?php
            echo($hasil);
        ?>
        <div class="form-group row">
            <div class="col-lg-8">
                <button type="submit"
class="btn btn-primary" name="update-
password">Ganti Password</button>
            </div>
        </div>
    </form>
</div>
</div>

```

#### hapus-outlet.php

```

<?php
if(isset($_POST['hapus-master'])){
    $id_outlet = $_POST['id_outlet'];
    $sql = "DELETE FROM tb_laporan
WHERE
id_outlet='".$_POST['id_outlet']."'";

    $query = mysqli_query($conn, $sql);

    if ($query) {
        //jika berhasil tampil ini

```

```

        $id_outlet = $_POST['id_outlet'];
        $sql = "DELETE FROM tb_master_outlet
WHERE
id_outlet='".$_POST['id_outlet']."'";

        $query = mysqli_query($conn, $sql);
        $hasil = '<div class="alert alert-
success">Berhasil dihapus!</div>';
    } else {
        // jika gagal tampil ini

        $hasil = '<div class="alert alert-
danger">Gagal dihapus!</div>';
        echo mysqli_error($conn);
    }
}

```

```

?>

```

#### Simpan-laporan.php

```

<?php
if(isset($_POST['simpan']) &&
($_POST['id_outlet'] != "")){

    $tgl = date('Y-m-d');
    $kode_laporan =
$_POST['kode_laporan'];
    $id_karyawan =
$_POST['id_karyawan'];
    $id_outlet = $_POST['id_outlet'];
    $id_produk = $_POST['id_produk'];
    $unit = $_POST['unit'];
    $status = '0';
    $jumlah = count($unit);

    for($x=0;$x<$jumlah;$x++){
        $sql = "INSERT INTO tb_laporan

(id,id_karyawan,kode_laporan,tgl,id_ou
tlet,id_produk,unit,status) values
(',$id_karyawan','$kode_laporan',
'$tgl',
'$id_outlet',
'$id_produk[$x]',
'$unit[$x]',
'$status')";

        $query = mysqli_query($conn, $sql);
        // apakah query simpan berhasil?
        if( $query ) {
            $id_outlet =
$_POST['id_outlet'];
            $sql = "
UPDATE tb_master_outlet
SET status = '1'
WHERE id_outlet = '$id_outlet'
";
            $query = mysqli_query($conn, $sql);
            if ($query) {
                $hasil = '<div class="alert alert-
success">Berhasil disimpan!</div>';
            } else {

```

```

        $hasil = '<div class="alert alert-
warning">Gagal disimpan!</div>';
    }
    } else {
        $hasil = '<div class="alert alert-
success">Gagal disimpan!</div>';
        echo mysqli_error($conn);
    }
} else {
    $hasil = '<div class="alert alert-
success">Pilih dahulu outlet !</div>';
}
?>

```

### Tambah-outlet.php

```

<?php
// cek apakah tombol daftar sudah diklik atau
blum?
if(isset($_POST['simpan'])){
    date_default_timezone_set('Asia/Jakarta');
    // ambil data dari formulir
    $id_karyawan = $_SESSION['id_karyawan'];
    $id_outlet = $_POST['id_outlet'];
    $nama_outlet = $_POST['nama_outlet'];
    $alamat_outlet = $_POST['alamat_outlet'];
    $tgl=date('Y-m-d');

    $sql = "INSERT INTO tb_master_outlet
(id_outlet,id_karyawan,tgl,
nama_outlet,alamat_outlet) VALUE (
    '$id_outlet',
    '$id_karyawan',
    '$tgl',
    '$nama_outlet',
    '$alamat_outlet')";

    $query = mysqli_query($conn, $sql);
    // apakah query simpan berhasil?
    if( $query ) {
        $hasil = '<div class="alert alert-
success">Berhasil disimpan!</div>';
    } else {
        $hasil = '<div class="alert alert-
success">Gagal disimpan!</div>';
        echo mysqli_error($conn);
    }
}
?>

```

### Input-master-produk.php

```

<div class="row">
    <div class="col-lg-6">
        <div class="card">
            <div class="card-body">
                <h3 class="box-title">Input
Master Produk</h3>
                <hr>
                <div class="form-
validation">
                    <?php
                        include 'proses/tambah-
produk.php';

```

```

                    echo $hasil;
                ?>
                <form class="form-valide"
action="" method="post">
                    <div class="form-group
row">
                        <label class="col-lg-4
col-form-label" for="val-username">ID Produk
<span class="text-danger">*</span></label>
                        <div class="col-lg-
6">
                            <input type="text"
class="form-control" name="id_produk"
placeholder="..." required>
                        </div>
                    </div>
                    <div class="form-group
row">
                        <label class="col-lg-4
col-form-label" for="val-email">Nama Produk
<span class="text-danger">*</span></label>
                        <div class="col-lg-
6">
                            <input type="text"
class="form-control" name="nama_produk"
placeholder="..." required>
                        </div>
                    </div>
                    <div class="form-group
row">
                        <div class="col-lg-8
ml-auto">
                            <button
type="submit" class="btn btn-primary"
name="simpan">Simpan</button>
                        </div>
                    </div>
                </form>
            </div>
        </div>
    </div>
    <div class="col-lg-6">
        <div class="card">
            <div class="card-body">
                <h3 class="box-title">Data
Produk</h3>
                <hr>
                <di class="table-responsive">
                    <table class="table table-
bordered">
                        <thead align="center">
                            <tr>
                                <th width="20%">ID
Produk</th>
                                <th>Nama Produk</th>
                                <th style="text-align:
center">Aksi</th>
                            </tr>
                        </thead>
                    </table>
                </div>
            </div>
        </div>
    </div>

```

```

<tr>
  <?php
    include 'proses/hapus-
    produk.php';
    echo $hasil;
    $sql = "SELECT *
    FROM tb_master_produk";
    $query =
    mysqli_query($conn, $sql);
    while($report =
    mysqli_fetch_array($query)){
      echo "<tr>";
      echo
      "<td>".$report['id_produk'].</td>";
      echo
      "<td>".$report['nama_produk'].</td>";
      echo "<td>";

      ?>
      <form action=""
      method="post">
        <input type="text"
        name="id_produk" value="<?php echo
        $report['id_produk'] ?>" hidden>
        <button
        type="submit" class="btn btn-danger"
        name="hapus-master">Hapus</button>
        </form>
        <?php
        echo "</td>";
        echo "</tr>";
      }
      ?>
    </tr>
  </tbody>
</table>
</div>
</div>
</div>
</div>

```

### Rekap-data.php

```

<div class="col-lg-12">
  <div class="card">
    <div class="card-header">
      <h3 class="box-title">Laporan Rekap
      Data</h3>
    </div>
    <div class="card-body row">
      <div class="col-lg-6">
        <form class="form-valide"
        action="proses/cek-data-non-validasi.php"
        method="post">
          <?php
            $id_karyawan =
            $_GET['id_karyawan'];
            $sql = "
            SELECT * FROM
            tb_users
            WHERE id_karyawan =
            'id_karyawan'
            ";

```

```

      $query =
      mysqli_query($conn, $sql);
      $stampil =
      mysqli_fetch_array($query);
      ?>
      <div class="form-group row">
        <label class="col-lg-4 col-
        form-label" >ID Karyawan <span class="text-
        danger">*</span></label>
        <div class="col-lg-8">
          <input type="text"
          class="form-control" name="id_karyawan"
          id="id_karyawan" value="<?php echo
          $stampil['id_karyawan']?>" readonly>
          </div>
        </div>
        <div class="form-group row">
          <label class="col-lg-4 col-
          form-label" >Nama <span class="text-
          danger">*</span></label>
          <div class="col-lg-8">
            <input type="text"
            class="form-control" name="nama_karyawan"
            id="nama_karyawan" value="<?php echo
            $stampil['nama']?>" readonly>
            </div>
          </div>
          <div class="col-lg-6">
            <div class="form-group row">
              <label class="col-lg-4 col-
              form-label" >Jabatan <span class="text-
              danger">*</span></label>
              <div class="col-lg-8">
                <input type="text"
                class="form-control" name="jabatan"
                id="jabatan" value="<?php echo
                $stampil['jabatan']?>" readonly>
                </div>
              </div>
            </div>
            <div class="form-group row">
              <label class="col-lg-4 col-
              form-label" >Keterangan <span class="text-
              danger">*</span></label>
              <div class="col-lg-8">
                <textarea class="form-
                control" name="keterangan" id="keterangan"
                readonly><?php echo $stampil['ket']?></textarea>
                </div>
              </div>
            </form>
          </div>
        </div>
      </div>
    </div>
    <hr>
    <div class="row" style="margin-left: 5px;">
      <form class="form-inline" style="margin-right:
      10px;">
        <input type="text" name="admin"
        value="rekap-data" hidden>

```



```

                $query = mysqli_query($conn,
$sql);
                while ($stampil =
mysqli_fetch_array($query)) {
                    ?>
                    <tr>
                    <td>
                    <?php echo($stampil['tgl']); ?>
                    </td>
                    <td>
                    <?php
                    $tgl = $stampil['tgl'];
                    $sql2 = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE
tb_master_outlet.id_karyawan = '$id_karyawan'
AND tb_master_outlet.tgl =
'$tgl'
AND tb_laporan.status =
'verify'
GROUP BY
tb_master_outlet.tgl";
                    $query2 = mysqli_query($conn,
$sql2);
                    $stampil2 =
mysqli_fetch_array($query2);
                    echo $jum_outlet =
$stampil2['jumlah'];
                    echo(mysqli_error($conn));
                    ?>
                    </td>
                    <?php
                    $sql3 = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,
SUM(IF(
(unit != 'X')
AND
(unit != '0')
AND
(unit != 'K'),unit,0)) AS
total_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
(((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)

```

```

                JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
                JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
                WHERE
                tb_laporan.id_karyawan =
'Sid_karyawan'
                AND tb_laporan.status =
'verify'
                AND tb_master_outlet.tgl
= '$tgl'
                GROUP BY nama_produk
                ORDER BY tb_laporan.id
ASC";
                $query3 = mysqli_query($conn,
$sql3);
                while ($stampil3 =
mysqli_fetch_array($query3)) {
                    ?>
                    <td>
                    <?php echo $item[] =
($stampil3['jum_item']); ?>
                    </td>
                    <?php
                    }
                    ?>
                    <td>
                    <?php
                    $sql_akhir = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,
SUM(IF(
(unit != 'X')
AND
(unit != '0')
AND
(unit != 'K'),unit,0)) AS
total_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
(((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
WHERE
tb_laporan.id_karyawan =
'Sid_karyawan'

```

```

                AND tb_laporan.status =
'verify'
                AND tb_master_outlet.tgl
= '$tgl'
                ORDER BY tb_laporan.id
ASC";
        $query_akhir =
mysqli_query($conn, $sql_akhir);
        while ($stampil_akhir =
mysqli_fetch_array($query_akhir)) {
            echo
number_format($item_akhir[] =
$stampil_akhir['jum_item']/$jum_outlet,2);
        }
        ?>
</td>
<?php
}
echo(mysqli_error($conn));
?>
</tr>
<tr>
<td colspan="18">

</td>
</tr>
</tbody>
</tfoot>
<tr class="table-primary" style="font-
weight: bold;">
<td>
        Jumlah
</td>
<td>
<?php
        $sql5 = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE
tb_master_outlet.id_karyawan = '$id_karyawan'
AND tb_laporan.status =
'verify'
                AND tb_laporan.tgl
                BETWEEN '$startDate'
AND '$endDate'
        GROUP BY
tb_master_outlet.tgl";
        $query5 = mysqli_query($conn,
$sql5);
        while($stampil5 =
mysqli_fetch_array($query5)){
            $jum_outlet5[] =
$stampil5['jumlah'];
        }
        echo $total_outlet =
array_sum($jum_outlet5);
        ?>
</td>

```

```

<?php
$sql6 = "SELECT *,
COUNT(IF(
        (unit != 'X') AND
        (unit != '0') AND
        (unit != 'K'),unit, NULL)
) AS jum_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE
tb_laporan.id_karyawan = '$id_karyawan'
AND tb_laporan.status =
'verify'
                AND tb_laporan.tgl
                BETWEEN '$startDate'
AND '$endDate'
        GROUP BY nama_produk
ORDER BY tb_laporan.id
ASC";
        $query6 = mysqli_query($conn,
$sql6);
        while ($stampil6 =
mysqli_fetch_array($query6)) {
            ?>
<td>
<?php
            echo $total_item[] =
$stampil6['jum_item'];
            ?>
</td>
<?php
        }
        ?>
<td>
<?php
            echo $hasil =
number_format(((array_sum($total_item))/$_total_
outlet),2);
            ?>
</td>
</tr>
<tr class="table-success" style="font-
style: italic; font-weight: bold; font-size: 13px;">
<td colspan="2" align="center">
        %AV/JUMLAH CALL
</td>
<?php
        $query7 = mysqli_query($conn,
$sql6);
        while ($stampil7 =
mysqli_fetch_array($query7)) {

```

```

?>
        <td>
            <?php
                $total_item =
Stampil7['jum_item'];
                $sav_total
=($total_item/$total_outlet)*100;
            echo(number_format($sav_total,2)."%");
            ?>
        </td>
    <?php
    }
    </tr>
</tfoot>
</table>
</div>

<div class="table-responsive">
    <table class="table table-bordered table-
striped" >
        <thead>
            <style type="text/css">
                .t-head {
                    vertical-align: middle !important;
                }
            </style>
            <tr align="center" >
                <td rowspan="2" class="t-
head">Tanggal</td>
                <td rowspan="2" class="t-
head">Call</td>
                <td colspan="16" class="t-
head">Survei AV Produk "0" (Jumlah
Produk)</td>
            <?php
                $sql = "SELECT * FROM
                ((tb_laporan
                    JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
                    JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
                WHERE
                tb_laporan.id_karyawan = 'Sid_karyawan'
                AND tb_laporan.status =
'verify'
                GROUP BY nama_produk
                ORDER BY tb_laporan.id
ASC";
                $query = mysqli_query($conn,
                $sql);
            ?>
        </tr>
        <tr>
            <?php
                while ($stampil =
mysqli_fetch_array($query)) {
            ?>
            <td>
                <?php

```

```

            echo " <a href="#" data-
toggle='tooltip'
            title='".Stampil['nama_produk']."'>".Stampil['id_p
roduk'].</a> ";
            ?>
        </td>
    <?php
    }
    ?>
    <td>AV/CALL</td>
</tr>
</thead>
<tbody>
<?php
    $id_karyawan =
$_GET['id_karyawan'];
    $startDate = $_GET['startDate'];
    $endDate = $_GET['endDate'];
    $sql = "SELECT *
        FROM ((tb_laporan
            JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
            JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
        WHERE
            tb_laporan.id_karyawan =
'Sid_karyawan'
            AND tb_laporan.status =
'verify'
            AND tb_laporan.tgl
            BETWEEN '$startDate'
            AND '$endDate'
            GROUP BY tb_laporan.tgl";
    $query = mysqli_query($conn,
    $sql);
    while ($stampil =
mysqli_fetch_array($query)) {
    ?>
    <tr>
        <td>
            <?php echo(Stampil['tgl']); ?>
        </td>
        <td>
            <?php
                $tgl = Stampil['tgl'];
                $sql2 = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
                FROM tb_master_outlet
                JOIN tb_laporan
                ON
                tb_master_outlet.id_outlet=tb_laporan.id_outlet
                WHERE
                tb_master_outlet.id_karyawan = 'Sid_karyawan'
                AND tb_master_outlet.tgl =
'$tgl'
                AND tb_laporan.status =
'verify'
                GROUP BY
                tb_master_outlet.tgl";

```

```

                $query2 = mysqli_query($conn,
$ssql2);
                $stampil2 =
mysqli_fetch_array($query2);
                echo $jum_outlet =
$stampil2['jumlah'];
                echo(mysqli_error($conn));
                ?>
</td>
<?php
$stgl_0 = $stampil['tgl'];
$ssql_0 = "SELECT
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item
FROM
(((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
WHERE
tb_laporan.id_karyawan =
'Sid_karyawan'
AND tb_laporan.status =
'verify'
AND tb_laporan.tgl =
'$stgl_0'
GROUP BY nama_produk
ORDER BY tb_laporan.tgl
ASC";
                $query_0 = mysqli_query($conn,
$ssql_0);
                while ($stampil_0 =
mysqli_fetch_array($query_0)) {
                ?>
<td>
<?php echo $item_0[] =
($stampil_0['jum_0_item']); ?>
</td>

<?php
}
?>
<td>
<?php
$ssql_akhir = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,
SUM(IF(
(unit != 'X')
AND
(unit != '0')
AND
(unit != 'K'),unit,0)) AS
total_item,

```

```

COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
(((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
WHERE
tb_laporan.id_karyawan =
'Sid_karyawan'
AND tb_laporan.status =
'verify'
AND tb_master_outlet.tgl
= '$stgl'
ORDER BY tb_laporan.id
ASC";
                $query_akhir =
mysqli_query($conn, $ssql_akhir);
                while ($stampil_akhir =
mysqli_fetch_array($query_akhir)) {
                echo
number_format($item_akhir[] =
$stampil_akhir['jum_0_item']/$jum_outlet,2);
                }
                ?>
</td>
<?php
}
echo(mysqli_error($conn));
                ?>
</tr>
<tr>
<td colspan="18">

</td>
</tr>
</tbody>
<tfoot>
<tr class="table-primary" style="font-
weight: bold;">
<td>
Jumlah
</td>
<td>
<?php
$ssql5_0 = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE
tb_master_outlet.id_karyawan = 'Sid_karyawan'

```

```

AND tb_laporan.status =
'verify'
AND tb_laporan.tgl
BETWEEN '$startDate'
AND '$endDate'
GROUP BY
tb_master_outlet.tgl";
$query5_0 = mysqli_query($conn,
$sql5_0);
while($stampil5_0 =
mysqli_fetch_array($query5_0)){
$jum_outlet5_0[] =
$stampil5_0['jumlah'];
}
echo $total_outlet_0 =
array_sum($jum_outlet5_0);
?>
</td>
<?php
$sql6_0 = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE
tb_laporan.id_karyawan = '$id_karyawan'
AND tb_laporan.status =
'verify'
AND tb_laporan.tgl
BETWEEN '$startDate'
AND '$endDate'
GROUP BY nama_produk
ORDER BY tb_laporan.id
ASC";
$query6_0 = mysqli_query($conn,
$sql6_0);
while ($stampil6_0 =
mysqli_fetch_array($query6_0)) {
?>
<td>
<?php
echo $total_item_0[] =
$stampil6_0['jum_0_item'];
?>
</td>
<?php
}
?>

```

```

<td>
<?php
echo
number_format(((array_sum($total_item_0))/$total_outlet_0),2);
?>
</td>
</tr>
<tr class="table-success" style="font-style: italic; font-weight: bold; font-size: 13px;">
<td colspan="2" align="center">
%AV/JUMLAH CALL
</td>
<?php
$query7_0 = mysqli_query($conn,
$sql6_0);
while ($stampil7_0 =
mysqli_fetch_array($query7_0)) {
?>
<td>
<?php
$total_item_0 =
$stampil7_0['jum_0_item'];
$sav_total_0
=($total_item_0/$total_outlet_0)*100;
echo
(number_format($sav_total_0,2)."%");
?>
</td>
<?php
}
?>
</tr>
</tfoot>
</table>
</div>
<div class="table-responsive">
<table class="table table-bordered table-striped" >
<thead>
<style type="text/css">
.t-head {
vertical-align: middle !important;
}
</style>
<tr align="center" >
<td rowspan="2" class="thead">Tanggal</td>
<td rowspan="2" class="thead">Call</td>
<td colspan="16" class="thead">Survei AV Produk "X" (Jumlah Produk)</td>
<?php
$sql = "SELECT * FROM
((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)

```

```

WHERE
tb_laporan.id_karyawan = '$id_karyawan'
AND tb_laporan.status =
'verify'

GROUP BY nama_produk
ORDER BY tb_laporan.id
ASC";
$query = mysqli_query($conn,
$sql);
?>
</tr>
<tr>
<?php
while ($stampil =
mysqli_fetch_array($query)) {
?>
<td>
<?php
echo " <a href=#' href=#' data-
toggle='tooltip' data-placement='top'
title='".$stampil['nama_produk']."'>".$stampil['id_p
roduk']."'</a> ";
?>
</td>
<?php
}
?>
<td>AV/CALL</td>
</tr>
</thead>
<tbody>
<?php
$id_karyawan =
$_GET['id_karyawan'];
$startDate = $_GET['startDate'];
$endDate = $_GET['endDate'];
$sql = "SELECT *
FROM ((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE
tb_laporan.id_karyawan =
'$id_karyawan'
AND tb_laporan.status =
'verify'
AND tb_laporan.tgl
BETWEEN '$startDate'
AND '$endDate'
GROUP BY tb_laporan.tgl";
$query = mysqli_query($conn,
$sql);
while ($stampil =
mysqli_fetch_array($query)) {
?>
<tr>
<td>
<?php echo($stampil['tgl']); ?>
</td>
<td>

```

```

<?php
$stgl = $stampil['tgl'];
$sql2 = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE
tb_master_outlet.id_karyawan = '$id_karyawan'
AND tb_master_outlet.tgl =
'$stgl'
AND tb_laporan.status =
'verify'
GROUP BY
tb_master_outlet.tgl";
$query2 = mysqli_query($conn,
$sql2);
$stampil2 =
mysqli_fetch_array($query2);
echo $jum_outlet =
$stampil2['jumlah'];
echo(mysqli_error($conn));
?>
</td>
<?php
$sql3 = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,
SUM(IF(
(unit != 'X')
AND
(unit != '0')
AND
(unit != 'K'),unit,0)) AS
total_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE
tb_laporan.id_karyawan = '$id_karyawan'
AND tb_laporan.status =
'verify'
AND tb_master_outlet.tgl =
'$stgl'
GROUP BY nama_produk
ORDER BY tb_laporan.id
ASC";

```

```

                $query3 = mysqli_query($conn,
$Sql3);
                while ($stampil3 =
mysqli_fetch_array($query3)) {
                    ?>
                    <td>
                    <?php echo $item_x[] =
($stampil3['jum_x_item']); ?>
                    </td>

                    <?php
                    }
                    ?>
                    <td>

                    <?php
                    $sql_akhir = "SELECT *,
COUNT(IF(
                    (unit != 'X') AND
                    (unit != '0') AND
                    (unit != 'K'),unit, NULL)
                    ) AS jum_item,
SUM(IF(
                    (unit != 'X')
                    AND
                    (unit != '0')
                    AND
                    (unit != 'K'),unit,0)) AS
total_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
(((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
WHERE
tb_laporan.id_karyawan =
'Sid_karyawan'
AND tb_laporan.status =
'verify'
AND tb_master_outlet.tgl
= '$tgl'
ORDER BY tb_laporan.id
ASC";
                    $query_akhir =
mysqli_query($conn, $sql_akhir);
                    while ($stampil_akhir =
mysqli_fetch_array($query_akhir)) {
                        echo
number_format($item_akhir[] =
$stampil_akhir['jum_x_item']/$jum_outlet,2);
                    }
                    ?>
                    </td>
                }
            }
            </tbody>
            <tfoot>
            <tr class="table-primary" style="font-
weight: bold;">
                <td>
                Jumlah
            </td>
            <td>
            <?php
            $sql5_x = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE
tb_master_outlet.id_karyawan = 'Sid_karyawan'
AND tb_laporan.status =
'verify'
AND tb_laporan.tgl
BETWEEN '$startDate'
AND '$endDate'
GROUP BY
tb_master_outlet.tgl";
            $query5_x = mysqli_query($conn,
$Sql5_x);
            while($stampil5_x =
mysqli_fetch_array($query5_x)){
                $jum_outlet5_x[] =
$stampil5_x['jumlah'];
            }
            echo $total_outlet_x =
array_sum($jum_outlet5_x);
            ?>
            </td>
            <?php
            $sql6_x = "SELECT *,
COUNT(IF(
                (unit != 'X') AND
                (unit != '0') AND
                (unit != 'K'),unit, NULL)
                ) AS jum_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
((tb_laporan

```

```

        JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
        WHERE
tb_laporan.id_karyawan = '$id_karyawan'
        AND tb_laporan.status =
'verify'
        AND tb_laporan.tgl
        BETWEEN '$startDate'
AND '$endDate'
        GROUP BY nama_produk
ORDER BY tb_laporan.id
ASC";
$query6_x = mysqli_query($conn,
$sql6_x);
while ($stampil6_x =
mysqli_fetch_array($query6_x)) {
    ?>
    <td>
    <?php
        echo $total_item_x[] =
$stampil6_x['jum_x_item'];
    ?>
    </td>
    <?php
    }
    ?>
    <td>
    <?php
        echo
number_format((array_sum($total_item_x))/total_outlet_x,2);
    ?>
    </td>
</tr>
<tr class="table-success" style="font-
style: italic; font-weight: bold; font-size: 13px;">
    <td colspan="2" align="center">
        % AV/JUMLAH CALL
    </td>
    <?php
        $query7_x = mysqli_query($conn,
$sql6_x);
while ($stampil7_x =
mysqli_fetch_array($query7_x)) {
    ?>
    <td>
    <?php
        $total_item_x =
$stampil7_x['jum_x_item'];
        $sav_total_x
        =( $total_item_x/$total_outlet_x)*100;
        echo
(number_format($sav_total_x,2)." % ");
    ?>
    </td>
    <?php
    }
    ?>
</tr>

```

```

</tfoot>
</table>
</div>
<div class="table-responsive">
    <table class="table table-bordered table-
striped" >
    <thead>
    <style type="text/css">
        .t-head {
            vertical-align: middle !important;
        }
    </style>
    <tr align="center" >
    <td rowspan="2" class="t-
head">Tanggal</td>
    <td rowspan="2" class="t-
head">Call</td>
    <td colspan="16" class="t-
head">Survei AV Produk "K" (Jumlah
Produk)</td>
    <?php
        $sql = "SELECT * FROM
        ((tb_laporan
        JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
        WHERE
tb_laporan.id_karyawan = '$id_karyawan'
        AND tb_laporan.status =
'verify'
        GROUP BY nama_produk
ORDER BY tb_laporan.id
ASC";
        $query = mysqli_query($conn,
$sql);
    ?>
    </tr>
    <tr>
    <?php
        while ($stampil =
mysqli_fetch_array($query)) {
    ?>
    <td>
    <?php
        echo " <a href=#' href=#' data-
toggle='tooltip' data-placement='top'
title='". $stampil['nama_produk']. "'>". $stampil['id_p
roduk']. "</a> ";
    ?>
    </td>
    <?php
    }
    ?>
    <td>AV/CALL</td>
    </tr>
</thead>
<tbody>
    <?php

```

```

        $sid_karyawan =
$_GET['id_karyawan'];
        $startDate = $_GET['startDate'];
        $endDate = $_GET['endDate'];
        $sql = "SELECT *
        FROM ((tb_laporan
        JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
        WHERE
        tb_laporan.id_karyawan =
'sid_karyawan'
        AND tb_laporan.status =
'verify'
        AND tb_laporan.tgl
        BETWEEN '$startDate'
AND '$endDate'
        GROUP BY tb_laporan.tgl";
        $query = mysqli_query($conn,
        $sql);
        while ($stampil =
mysqli_fetch_array($query)) {
            ?>
            <tr>
            <td>
            <?php echo($stampil['tgl']); ?>
            </td>
            <td>
            <?php
            $tgl = $stampil['tgl'];
            $sql2 = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
            FROM tb_master_outlet
            JOIN tb_laporan
            ON
            tb_master_outlet.id_outlet=tb_laporan.id_outlet
            WHERE
            tb_master_outlet.id_karyawan = 'sid_karyawan'
            AND tb_master_outlet.tgl =
            '$tgl'
            AND tb_laporan.status =
            'verify'
            GROUP BY
            tb_master_outlet.tgl";
            $query2 = mysqli_query($conn,
            $sql2);
            $stampil2 =
            mysqli_fetch_array($query2);
            echo $jum_outlet =
            $stampil2['jumlah'];
            echo(mysqli_error($conn));
            ?>
            </td>
            <?php
            $sql3 = "SELECT *,
            COUNT(IF(
            (unit != 'X') AND
            (unit != '0') AND
            (unit != 'K'),unit, NULL)

```

```

            ) AS jum_item,
            SUM(IF(
            (unit != 'X')
            AND
            (unit != '0')
            AND
            (unit != 'K'),unit,0)) AS
            total_item,
            COUNT(IF(unit = '0',unit,
            NULL)) as jum_0_item,
            count(IF(unit = 'X',unit,
            NULL)) AS jum_x_item,
            count(if(unit = 'K', unit,
            NULL)) AS jum_k_item
            FROM
            ((tb_laporan
            JOIN tb_master_outlet ON
            tb_laporan.id_outlet=tb_master_outlet.id_outlet)
            JOIN tb_master_produk ON
            tb_laporan.id_produk=tb_master_produk.id_produk)
            WHERE
            tb_laporan.id_karyawan = 'sid_karyawan'
            AND tb_laporan.status =
            'verify'
            AND tb_master_outlet.tgl =
            '$tgl'
            GROUP BY nama_produk
            ORDER BY tb_laporan.id
            ASC";
            $query3 = mysqli_query($conn,
            $sql3);
            while ($stampil3 =
            mysqli_fetch_array($query3)) {
                ?>
                <td>
                <?php echo $item_k[] =
                ($stampil3['jum_k_item']); ?>
                </td>
                <?php
                }
                ?>
                <td>
                <?php
                $sql_akhir = "SELECT *,
                COUNT(IF(
                (unit != 'X') AND
                (unit != '0') AND
                (unit != 'K'),unit, NULL)
                ) AS jum_item,
                SUM(IF(
                (unit != 'X')
                AND
                (unit != '0')
                AND
                (unit != 'K'),unit,0)) AS
                total_item,
                COUNT(IF(unit = '0',unit,
                NULL)) as jum_0_item,
                count(IF(unit = 'X',unit,
                NULL)) AS jum_x_item,

```

```

                count(if(unit = 'K', unit,
NULL)) AS jum_k_item
            FROM
                ((tb_laporan
                JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
                JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
                JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
            WHERE
                tb_laporan.id_karyawan =
'sid_karyawan'
                AND tb_laporan.status =
'verify'
                AND tb_master_outlet.tgl
= '$tgl'
            ORDER BY tb_laporan.id
ASC";
        $query_akhir =
mysqli_query($conn, $sql_akhir);
        while ($stampil_akhir =
mysqli_fetch_array($query_akhir)) {
            echo
number_format($item_akhir[] =
$stampil_akhir['jum_k_item']/$jum_outlet,2);
        }
    }
</td>
</tr>
<tr>
    <td colspan="18">
        </td>
    </tr>
</tbody>
</tfoot>
<tr class="table-primary" style="font-
weight: bold;">
    <td>
        Jumlah
    </td>
    <td>
        <?php
        $sql5_k = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE
tb_master_outlet.id_karyawan = 'sid_karyawan'
AND tb_laporan.status =
'verify'
                AND tb_laporan.tgl

```

```

                BETWEEN '$startDate'
AND '$endDate'
            GROUP BY
                tb_master_outlet.tgl";
        $query5_k = mysqli_query($conn,
$sql5_k);
        while($stampil5_k =
mysqli_fetch_array($query5_k)){
            $jum_outlet5_k[] =
$stampil5_k['jumlah'];
        }
        echo $total_outlet_k =
array_sum($jum_outlet5_k);
    }
</td>
</tr>
<tr>
    <td>
        <?php
        $sql6_k = "SELECT *,
COUNT(IF(
                (unit != 'X') AND
                (unit != '0') AND
                (unit != 'K'),unit, NULL)
) AS jum_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
COUNT(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
COUNT(IF(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
                ((tb_laporan
                JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
                JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
                WHERE
                tb_laporan.id_karyawan = 'sid_karyawan'
                AND tb_laporan.status =
'verify'
                AND tb_laporan.tgl
                BETWEEN '$startDate'
AND '$endDate'
            GROUP BY nama_produk
            ORDER BY tb_laporan.id
ASC";
        $query6_k = mysqli_query($conn,
$sql6_k);
        while ($stampil6_k =
mysqli_fetch_array($query6_k)) {
            <td>
                <?php
                echo $total_item_k[] =
$stampil6_k['jum_k_item'];
            }
        }
    </td>
</tr>
</tbody>
</tfoot>
<tr class="table-primary" style="font-
weight: bold;">
    <td>
        Jumlah
    </td>
    <td>
        <?php
        $sql5_k = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE
tb_master_outlet.id_karyawan = 'sid_karyawan'
AND tb_laporan.status =
'verify'
                AND tb_laporan.tgl

```



```

        <label class="col-lg-4 col-
form-label" for="val-username">ID Karyawan
<span class="text-danger">*</span>
</label>
        <div class="col-lg-4">
        <select
name="id_karyawan" class="form-control"
onchange="cek_database()" id="id_karyawan">
        <option value="">ID
Karyawan</option>
        <?php
        $sql = "SELECT * ,
COUNT(unit) as total_item,
COUNT(IF(
                                (unit
!= 'X') AND
                                (unit
!= '0') AND
                                (unit
!= 'K'),unit, NULL)
                                ) AS
jum_item,
COUNT(IF(unit = '0',unit, NULL)) as
jum_0_item,
count(IF(unit = 'X',unit, NULL)) AS jum_x_item,
count(if(unit = 'K', unit, NULL)) AS jum_k_item
FROM
(tb_laporan
                                JOIN
tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
WHERE
tb_laporan.status = '0'
GROUP BY tb_master_outlet.id_karyawan
ORDER BY tb_laporan.id ASC";
        $query =
mysqli_query($conn, $sql);
        while($row =
mysqli_fetch_assoc($query)){
                echo '<option
value='.$row['id_karyawan'].'>'.
$row['id_karyawan'].'</option>';
        }
        </select>
        </div>
        <div class="col-lg-4">
        <input
id="datepicker" name="tgl_cek" required />
        </div>
        <?php
        $id_karyawan =
$_GET['id_karyawan'];
        $sql = "

```

```

SELECT * FROM
tb_users
WHERE id_karyawan =
'$id_karyawan'
";
        $query =
mysqli_query($conn, $sql);
        $stampil =
mysqli_fetch_array($query);
        ?>
        <div class="form-group
row">
        <label class="col-lg-4 col-
form-label" >Nama <span class="text-
danger">*</span></label>
        <div class="col-lg-8">
        <input type="text"
class="form-control" name="nama_karyawan"
id="nama_karyawan" value="<?php echo
$stampil['nama']?">" readonly> <br>
        <button type="submit"
class="btn btn-primary">Cek Laporan</button>
        <input type="text"
name="supervisor" value="data-laporan" hidden>
        </div>
        </div>
        <div class="col-lg-6">
        <div class="form-group
row">
        <label class="col-lg-4 col-
form-label" >Jabatan <span class="text-
danger">*</span></label>
        <div class="col-lg-8">
        <input type="text"
class="form-control" name="jabatan"
id="jabatan" value="<?php echo
$stampil['jabatan']?">" readonly>
        </div>
        </div>
        <div class="form-group
row">
        <label class="col-lg-4 col-
form-label" >Keterangan <span class="text-
danger">*</span></label>
        <div class="col-lg-8">
        <textarea class="form-
control" name="keterangan" id="keterangan"
readonly><?php echo $stampil['ket']?></textarea>
        </div>
        </div>
        </form>
        </div>
        <hr>
        <table class="table table-
bordered">
        <thead align="center">
        </thead>
        <tbody align="center">
        <tr>
        <td>

```

```

<table class="table table-
bordered table-striped" >
  <thead>
    <style
type="text/css">
      .t-head {
        vertical-align:
middle !important;
      }
    </style>
    <tr align="center" >
      <td rowspan="2"
class="t-head">Kode Outlet</td>
      <td rowspan="2"
class="t-head">Nama Outlet</td>
      <td rowspan="2"
class="t-head">Cek Data Produk</td>
      <td rowspan="2"
class="t-head">Jumlah Item</td>
      <td rowspan="2"
class="t-head">% AV</td>
      <td colspan="3"
>Jumlah</td>
      <td colspan="2"
rowspan="2" class="t-head">Aksi</td>
    </tr>
    <tr>
      <td>(0)</td>
      <td>(X)</td>
      <td>(K)</td>
    </tr>
  </thead>
  <?php
  $id_karyawan =
$_GET['id_karyawan'];
  $tgl =
$_GET['tgl_cek'];
  $sql = "SELECT *,
COUNT(unit) as total_item,
COUNT(IF(
(unit !=
'X') AND
(unit !=
'0') AND
(unit !=
'K'),unit, NULL)
) AS
jum_item,
COUNT(IF(unit = '0',unit, NULL)) as
jum_0_item,
count(IF(unit = 'X',unit, NULL)) AS jum_x_item,
count(if(unit
= 'K', unit, NULL)) AS jum_k_item
FROM
((tb_laporan
JOIN
tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)

```

```

JOIN
tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE
tb_laporan.id_karyawan = '$id_karyawan'
AND
tb_laporan.status = '0'
AND
tb_laporan.tgl = '$tgl'
GROUP
ORDER
BY tb_laporan.id ASC";
$query =
mysqli_query($conn, $sql);
?>
<tbody>
<?php
while($stampil =
mysqli_fetch_array($query)){
  $sav_item =
$stampil['jum_item']/$stampil['total_item'];
?>
<tr>
<td>
<?php
echo
$stampil['id_outlet'];
?>
</td>
<td>
<?php
echo
$stampil['nama_outlet'];
?>
</td>
<td>
<?php
echo $stampil['id_outlet'] ?>" class="btn btn-info"
role="button" id='custId' data-
toggle="collapse">Detail</a>
</td>
<td>
<?php
echo
$stampil['jum_item'];
?>
</td>
<td>
<?php
echo
number_format($sav_item,4)*100 . '%';
?>
</td>
<td>
<?php
echo
$stampil['jum_0_item'];
?>
</td>

```

<pre> &lt;/td&gt; &lt;?php echo Stampil['jum_x_item']; ?&gt; &lt;/td&gt; &lt;?php echo Stampil['jum_k_item']; ?&gt; &lt;/td&gt; &lt;td width="10%" &gt; &lt;form action="proses/status.php" method="get" class="form-valide"&gt; &lt;input type="text" name="status" value="verify" hidden&gt; &lt;input type="text" name="tgl_cek" value="&lt;?php echo(\$tgl_cek = \$_GET['tgl_cek'])?&gt;" hidden&gt; &lt;input type="text" name="id_karyawan" value="&lt;?php echo \$id_karyawan ?&gt;" hidden&gt; &lt;input type="text" name="id_outlet" value="&lt;?php echo Stampil['id_outlet'] ?&gt;" hidden&gt; &lt;button type="submit" class="btn btn-primary" name="update"&gt;Validasi&lt;/button&gt; &lt;/form&gt; &lt;/td&gt; &lt;td width="10%" &gt; &lt;form action="proses/status.php" method="get" class="form-valide"&gt; &lt;input type="text" name="status" value="unverify" hidden&gt; &lt;input type="text" name="tgl_cek" value="&lt;?php echo(\$tgl_cek = \$_GET['tgl_cek'])?&gt;" hidden&gt; &lt;input type="text" name="id_karyawan" value="&lt;?php echo \$id_karyawan ?&gt;" hidden&gt; &lt;input type="text" name="id_outlet" value="&lt;?php echo Stampil['id_outlet'] ?&gt;" hidden&gt; &lt;button type="submit" class="btn btn-danger" name="update"&gt;Non Validasi&lt;/button&gt; &lt;/form&gt; &lt;/td&gt; &lt;/tr&gt; &lt;tr id="&lt;?php echo Stampil['id_outlet'] ?&gt;" class="collapse" data- parent="#accordion"&gt; &lt;td colspan="8" align="center"&gt; &lt;table&gt; &lt;thead&gt; </pre>	<pre> &lt;tr&gt; &lt;?php \$sql5 = "SELECT * FROM tb_master_produk"; \$query5 = mysqli_query(\$conn, \$sql5); while(\$report5 = mysqli_fetch_array(\$query5)){ echo "&lt;td&gt; &lt;a href="#" data-toggle='tooltip' data- placement='top' title=".\$report5['nama_produk']. "&gt;". \$report5['id _produk']."&lt;/a&gt; &lt;/td&gt;"; } ?&gt; &lt;/tr&gt; &lt;/thead&gt; &lt;tbody&gt; &lt;tr&gt; &lt;?php \$kode = Stampil['id_outlet']; \$sql3 = "SELECT * FROM ((tb_laporan JOIN tb_master_outlet ON tb_laporan.id_outlet=tb_master_outlet.id_outlet) JOIN tb_master_produk ON tb_laporan.id_produk=tb_master_produk.id_produk) WHERE tb_laporan.id_karyawan = '\$id_karyawan' AND tb_laporan.id_outlet = '\$kode' AND tb_laporan.status = '0' GROUP BY tb_laporan.id_produk"; \$query3 = mysqli_query(\$conn, \$sql3); while (\$stampil3 = mysqli_fetch_array(\$query3)) { ?&gt; &lt;td&gt; &lt;?php echo(\$stampil3['unit']); ?&gt; &lt;/td&gt; &lt;/tr&gt; &lt;?php } ?&gt; &lt;/tr&gt; &lt;/tbody&gt; &lt;/table&gt; &lt;/td&gt; &lt;/tr&gt; </pre>
---	---

```

        <?php
        }
        ?>
    </tbody>
</table>
</td>
</tr>
<tr>
<td>
        <table class="table table-
bordered table-striped" >
        <thead>
        <tr>
        <td>Nama
Produk</td>
        <td>Jumlah
Item</td>
        <td>% AV</td>
        <td>Jumlah
(0)</td>
        <td>Jumlah
(X)</td>
        <td>Jumlah
(K)</td>
        </tr>
        </thead>
        <?php
        $sql = "SELECT *,
COUNT(unit) as total_item,
COUNT(IF(
(unit !=
'X') AND
(unit !=
'0') AND
(unit !=
'K'),unit, NULL)
) AS
jum_item,
COUNT(IF(unit = '0',unit, NULL)) as
jum_0_item,
count(IF(unit = 'X',unit, NULL)) AS jum_x_item,
count(if(unit
= 'K', unit, NULL)) AS jum_k_item
FROM
((tb_laporan
JOIN
tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN
tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE
tb_laporan.id_karyawan = '$id_karyawan'
AND
tb_laporan.status = '0'
AND
tb_laporan.tgl = '$tgl'

```

```

GROUP
ORDER
BY tb_laporan.id ASC";
$query =
mysqli_query($conn, $sql);
?>
<tbody>
<?php
while($stampil =
mysqli_fetch_array($query)){
        $sav_item =
Stampil['jum_item']/Stampil['total_item'];
?>
<tr>
<td>
<?php
echo
Stampil['nama_produk'];
?>
</td>
<td>
<?php
echo
Stampil['jum_item'];
?>
</td>
<td>
<?php
echo
number_format($sav_item,4)*100 . '%';
?>
</td>
<td>
<?php
echo
Stampil['jum_0_item'];
?>
</td>
<td>
<?php
echo
Stampil['jum_x_item'];
?>
</td>
<td>
<?php
echo
Stampil['jum_k_item'];
?>
</td>
</tr>
<?php
}
?>
</tbody>
</table>
</td>
</tr>
</tbody>
</table>

```

```

    </div>
  </div>
</div>

```

### Data-non-validasi.php

```

<div class="col-lg-12">
  <div class="card">
    <div class="card-header">
      <h3 class="box-title">Data Non
Validasi | <?php echo($_GET['tgl_cek']);
?></h3>
    </div>
    <div class="card-body row">
      <div class="col-lg-12">
        <form class="form-valide row"
action="proses/cek-data-non-validasi.php"
method="post">
          <div class="col-lg-6">
            <div class="form-group
row">
              <label class="col-lg-4 col-
form-label" for="val-username">ID Karyawan
<span class="text-danger">*</span>
            </label>
            <div class="col-lg-4">
              <select
name="id_karyawan" class="form-control"
onchange="cek_database()" id="id_karyawan" >
                <option value="">ID
Karyawan</option>
              <?php
                $sql = "SELECT *,
COUNT(unit) as total_item,
COUNT(IF(
!= 'X') AND (unit
!= '0') AND (unit
!= 'K'),unit, NULL)
) AS
jum_item,
COUNT(IF(unit = '0',unit, NULL)) as
jum_0_item,
count(IF(unit = 'X',unit, NULL)) AS jum_x_item,
count(if(unit = 'K', unit, NULL)) AS jum_k_item
FROM
(tb_laporan
JOIN
tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
WHERE
tb_laporan.status = 'unverify'
GROUP BY tb_laporan.id_karyawan
ORDER BY tb_laporan.id ASC";

```

```

                $query =
mysqli_query($conn, $sql);
                while($row =
mysqli_fetch_assoc($query)){
                  echo '<option
value='.$row['id_karyawan'].>'.
$row['id_karyawan'].'</option>';
                }
              ?>
            </select>
          </div>
        </div>
        <?php
          $id_karyawan =
$_GET['id_karyawan'];
          $sql = "
SELECT * FROM
tb_users
WHERE id_karyawan =
'$id_karyawan'
";
          $query =
mysqli_query($conn, $sql);
          $stampil =
mysqli_fetch_array($query);
          ?>
        <div class="form-group
row">
          <label class="col-lg-4 col-
form-label" >Nama <span class="text-
danger">*</span></label>
          <div class="col-lg-8">
            <input type="text"
class="form-control" name="nama_karyawan"
id="nama_karyawan" value="<?php echo
$stampil['nama']?>" readonly> <br>
            <button type="submit"
class="btn btn-primary">Cek Laporan</button>
            <input type="text"
name="supervisor" value="validasi-data"
hidden>
          </div>
        </div>
        </div>
        <div class="col-lg-6">
          <div class="form-group
row">
            <label class="col-lg-4 col-
form-label" >Jabatan <span class="text-
danger">*</span></label>
            <div class="col-lg-8">
              <input type="text"
class="form-control" name="jabatan"
id="jabatan" value="<?php echo
$stampil['jabatan']?>" readonly>
            </div>
          </div>
        </div>
        <div class="form-group
row">
          <label class="col-lg-4 col-
form-label" >Keterangan <span class="text-
danger">*</span></label>

```

```

        <div class="col-lg-8">
            <textarea class="form-
control" name="keterangan" id="keterangan"
readonly><?php echo $stampil['ket']?></textarea>
            </div>
        </div>
    </form>
</div>
<hr>
<table class="table table-
bordered">
    <thead align="center">
    </thead>
    <tbody align="center">
    <tr>
    <td>
        <table class="table table-
bordered table-striped" >
            <thead>
            <style
type="text/css">
                .t-head {
                    vertical-align:
middle !important;
                }
            </style>
            <tr align="center" >
                <td rowspan="2"
class="t-head">Kode Outlet</td>
                <td rowspan="2"
class="t-head">Nama Outlet</td>
                <td rowspan="2"
class="t-head">Cek Data Produk</td>
                <td rowspan="2"
class="t-head">Jumlah Item</td>
                <td rowspan="2"
class="t-head">% AV</td>
                <td colspan="3"
>Jumlah</td>
                <td colspan="2"
rowspan="2" class="t-head">Aksi</td>
            </tr>
            <tr>
                <td>(0)</td>
                <td>(X)</td>
                <td>(K)</td>
            </tr>
        </thead>
        <?php
            $id_karyawan =
$_GET['id_karyawan'];
            $sql = "SELECT *,
COUNT(unit) as total_item,
COUNT(IF(
(unit !=
'X') AND
(unit !=
'0') AND
(unit !=
'K'),unit, NULL)

```

```

) AS
jum_item,
COUNT(IF(unit = '0',unit, NULL)) as
jum_0_item,
count(IF(unit = 'X',unit, NULL)) AS jum_x_item,
count(if(unit
= 'K', unit, NULL)) AS jum_k_item
FROM
((tb_laporan
JOIN
tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN
tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_pro
duk)
WHERE
tb_laporan.id_karyawan = '$id_karyawan'
AND
tb_laporan.status = 'unverify'
GROUP
BY nama_outlet
ORDER
BY tb_laporan.id ASC";
$query =
mysqli_query($conn, $sql);
?>
<tbody>
<?php
while($stampil =
mysqli_fetch_array($query)){
    $sav_item =
$stampil['jum_item']/$stampil['total_item'];
?>
<tr>
<td>
<?php
echo
$stampil['id_outlet'];
?>
</td>
<td>
<?php
echo
$stampil['nama_outlet'];
?>
</td>
<td>
<a href="#"<?php
echo $stampil['id_outlet'] ?>" class="btn btn-info"
role="button" id='custId' data-
toggle="collapse">Detail</a>
</td>
<td>
<?php
echo
$stampil['jum_item'];
?>
</td>
<td>

```

```

                <?php
                echo
                number_format($sav_item,4)*100 . '%';
                ?>
            </td>
        </td>
        <?php
        echo
        $stampil['jum_0_item'];
        ?>
    </td>
    <td>
        <?php
        echo
        $stampil['jum_x_item'];
        ?>
    </td>
    <td>
        <?php
        echo
        $stampil['jum_k_item'];
        ?>
    </td>
    <td width="10%" >
        <form
        action="proses/status.php" method="GET"
        class="form-valide">
            <input
            type="text" name="status" value="verify"
            hidden>
            <input
            type="text" name="id_karyawan" value="<?php
            echo $id_karyawan ?>" hidden>
            <input
            type="text" name="tgl_cek" value="<?php
            echo($tgl_cek = $_GET['tgl_cek'])?>" hidden>
            <input
            type="text" name="id_outlet" value="<?php echo
            $stampil['id_outlet'] ?>" hidden>
            <button
            type="submit" class="btn btn-danger"
            name="non-verify">Validasi</button>
        </form>
    </td>
</tr>
<tr id="<?php echo
$stampil['id_outlet'] ?>" class="collapse" data-
parent="#accordion">
    <td colspan="8"
    align="center">
        <table>
            <thead>
                <tr>
                    <?php
                    $sql5 =
                    "SELECT * FROM tb_master_produk";
                    $query5 =
                    mysqli_query($conn, $sql5);
                    while($report5 = mysqli_fetch_array($query5)){
                        echo "<td>
                        <a href="#" data-toggle="tooltip" data-

```

```

                placement='top'
                title="" . $report5['nama_produk'] . ">" . $report5['id
                _produk'] . "</a </td>";
                }
            ?>
        </tr>
    </thead>
    <tbody>
        <tr>
            <?php
            $kode =
            $stampil['id_outlet'];
            $sql3 =
            "SELECT *
            FROM
            ((tb_laporan
            JOIN tb_master_outlet ON
            tb_laporan.id_outlet=tb_master_outlet.id_outlet)
            JOIN tb_master_produk ON
            tb_laporan.id_produk=tb_master_produk.id_produk)
            WHERE
            tb_laporan.id_karyawan = '$id_karyawan'
            AND tb_laporan.id_outlet = '$kode'
            AND tb_laporan.status = 'unverify'
            GROUP BY tb_laporan.id_produk";
            $query3
            = mysqli_query($conn, $sql3);
            while
            ($stampil3 = mysqli_fetch_array($query3)) {
                ?>
                <td>
                    <?php
                    echo($stampil3['unit']); ?>
                </td>
            </tr>
        </tbody>
    </table>
</td>
<?php
}
?>
</tr>
</tbody>
</table>
</td>
</tr>
<?php
}
?>
</tbody>
</table>
</td>
</tr>
<tr>
    <td>
        <?php
        $kode =
        $stampil['id_outlet'];
        $sql3 =
        "SELECT *
        FROM
        ((tb_laporan
        JOIN tb_master_outlet ON
        tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
        tb_laporan.id_produk=tb_master_produk.id_produk)
        WHERE
        tb_laporan.id_karyawan = '$id_karyawan'
        AND tb_laporan.id_outlet = '$kode'
        AND tb_laporan.status = 'unverify'
        GROUP BY tb_laporan.id_produk";
        $query3
        = mysqli_query($conn, $sql3);
        while
        ($stampil3 = mysqli_fetch_array($query3)) {
            ?>
            <td>
                <?php
                echo($stampil3['unit']); ?>
            </td>
        </tr>
    </tbody>
</table>
</td>
</tr>
<tr>
    <td>
        <?php
        $kode =
        $stampil['id_outlet'];
        $sql3 =
        "SELECT *
        FROM
        ((tb_laporan
        JOIN tb_master_outlet ON
        tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
        tb_laporan.id_produk=tb_master_produk.id_produk)
        WHERE
        tb_laporan.id_karyawan = '$id_karyawan'
        AND tb_laporan.id_outlet = '$kode'
        AND tb_laporan.status = 'unverify'
        GROUP BY tb_laporan.id_produk";
        $query3
        = mysqli_query($conn, $sql3);
        while
        ($stampil3 = mysqli_fetch_array($query3)) {
            ?>
            <td>
                <?php
                echo($stampil3['unit']); ?>
            </td>
        </tr>
    </tbody>
</table>
</td>
</tr>
<tr>
    <td>
        <?php
        $kode =
        $stampil['id_outlet'];
        $sql3 =
        "SELECT *
        FROM
        ((tb_laporan
        JOIN tb_master_outlet ON
        tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
        tb_laporan.id_produk=tb_master_produk.id_produk)
        WHERE
        tb_laporan.id_karyawan = '$id_karyawan'
        AND tb_laporan.id_outlet = '$kode'
        AND tb_laporan.status = 'unverify'
        GROUP BY tb_laporan.id_produk";
        $query3
        = mysqli_query($conn, $sql3);
        while
        ($stampil3 = mysqli_fetch_array($query3)) {
            ?>
            <td>
                <?php
                echo($stampil3['unit']); ?>
            </td>
        </tr>
    </tbody>
</table>
</td>
</tr>

```

```

<table class="table table-
bordered table-striped" >
  <thead>
    <tr>
      <td>Nama
Produk</td>
      <td>Jumlah
Item</td>
      <td>% AV</td>
      <td>Jumlah
(0)</td>
      <td>Jumlah
(X)</td>
      <td>Jumlah
(K)</td>
    </tr>
  </thead>
  <?php
    $sql = "SELECT *,
COUNT(unit) as total_item,
COUNT(IF(
(unit !=
'X') AND
(unit !=
'0') AND
(unit !=
'K'),unit, NULL)
jum_item,
COUNT(IF(unit = '0',unit, NULL)) as
jum_0_item,
count(IF(unit = 'X',unit, NULL)) AS jum_x_item,
count(if(unit
= 'K', unit, NULL)) AS jum_k_item
FROM
((tb_laporan
JOIN
tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN
tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE
tb_laporan.id_karyawan = 'Sid_karyawan'
AND
tb_laporan.status = 'unverify'
AND
tb_laporan.tgl = '$tgl'
GROUP
BY nama_produk
ORDER
BY tb_laporan.id ASC";
    $query =
mysqli_query($conn, $sql);
  </tbody>
  <?php

```

```

while($stampil =
mysqli_fetch_array($query)){
    $sav_item =
    $stampil['jum_item']/$stampil['total_item'];
    ?>
    <tr>
      <td>
        <?php
        echo
        $stampil['nama_produk'];
        ?>
      </td>
      <td>
        <?php
        echo
        $stampil['jum_item'];
        ?>
      </td>
      <td>
        <?php
        echo
        number_format($sav_item,4)*100 . '%';
        ?>
      </td>
      <td>
        <?php
        echo
        $stampil['jum_0_item'];
        ?>
      </td>
      <td>
        <?php
        echo
        $stampil['jum_x_item'];
        ?>
      </td>
      <td>
        <?php
        echo
        $stampil['jum_k_item'];
        ?>
      </td>
    </tr>
  <?php
  }
}
</tbody>
</table>
</td>
</tr>
</tbody>
</table>
</div>
</div>
</div>
Validasi-data.php
<div class="col-lg-12">
  <div class="card">
    <div class="card-header">

```

```

        <h3 class="box-title">Data Ter
Validasi | <?php echo($_GET['tgl_cek']);
?></h3>
    </div>
    <div class="card-body row">
        <div class="col-lg-12">
            <form class="form-valide row"
action="proses/cek-data-validasi.php"
method="GET">
                <div class="col-lg-6">
                    <div class="form-group
row">
                        <label class="col-lg-4 col-
form-label" for="val-username">ID Karyawan
<span class="text-danger">*</span>
                        </label>
                        <div class="col-lg-4">
                            <select
name="id_karyawan" class="form-control"
onchange="cek_database()" id="id_karyawan"
required="">
                                <option value="">ID
Karyawan</option>
                                <?php
                                    $sql = "SELECT *,
COUNT(unit) as total_item,
COUNT(IF(
                                (unit
                                != 'X') AND
                                (unit
                                != '0') AND
                                (unit
                                != 'K'),unit, NULL)
                                ) AS
                                jum_item,
COUNT(IF(unit = '0',unit, NULL)) as
                                jum_0_item,
count(IF(unit = 'X',unit, NULL)) AS jum_x_item,
count(if(unit = 'K', unit, NULL)) AS jum_k_item
FROM
                                (tb_laporan
                                JOIN
                                tb_master_outlet ON
                                tb_laporan.id_outlet=tb_master_outlet.id_outlet)
                                WHERE
                                tb_laporan.status = 'verify'
                                GROUP BY tb_laporan.id_karyawan
                                ORDER BY tb_laporan.id ASC";
                                $query =
                                mysqli_query($conn, $sql);
                                while($row =
                                mysqli_fetch_assoc($query)){
                                    echo <option
                                value='.$row['id_karyawan'].>'.
                                $row['id_karyawan'].</option>';

```

```

        }
        ?>
    </select>
</div>
<div class="col-lg-4">
    <input
id="datepicker" name="tgl_cek" required />
</div>
<?php
    $id_karyawan =
$_GET['id_karyawan'];
    $sql = "
SELECT * FROM
tb_users
WHERE id_karyawan =
'$id_karyawan'
";
    $query =
mysqli_query($conn, $sql);
    $stampil =
mysqli_fetch_array($query);
    ?>
<div class="form-group
row">
    <label class="col-lg-4 col-
form-label" >Nama <span class="text-
danger">*</span></label>
    <div class="col-lg-8">
        <input type="text"
class="form-control" name="nama_karyawan"
id="nama_karyawan" value="<?php echo
$stampil['nama']?>" readonly> <br>
        <button type="submit"
class="btn btn-primary">Cek Laporan</button>
        <input type="text"
name="supervisor" value="validasi-data"
hidden>
    </div>
</div>
</div>
<div class="col-lg-6">
    <div class="form-group
row">
        <label class="col-lg-4 col-
form-label" >Jabatan <span class="text-
danger">*</span></label>
        <div class="col-lg-8">
            <input type="text"
class="form-control" name="jabatan"
id="jabatan" value="<?php echo
$stampil['jabatan']?>" readonly>
        </div>
    </div>
</div>
<div class="form-group
row">
    <label class="col-lg-4 col-
form-label" >Keterangan <span class="text-
danger">*</span></label>
    <div class="col-lg-8">

```

```

        <textarea class="form-
control" name="keterangan" id="keterangan"
readonly><?php echo $stampil['ket']?></textarea>
    </div>
</div>
</form>
</div>
<hr>
<table class="table table-
bordered">
    <thead align="center">
    </thead>
    <tbody align="center">
    <tr>
    <td>
        <table class="table table-
bordered table-striped" >
            <thead>
                <style
type="text/css">
                    .t-head {
                        vertical-align:
middle !important;
                    }
                </style>
                <tr align="center" >
                    <td rowspan="2"
class="t-head">Kode Outlet</td>
                    <td rowspan="2"
class="t-head">Nama Outlet</td>
                    <td rowspan="2"
class="t-head">Cek Data Produk</td>
                    <td rowspan="2"
class="t-head">Jumlah Item</td>
                    <td rowspan="2"
class="t-head">% AV</td>
                    <td colspan="3"
>Jumlah</td>
                    <td colspan="2"
rowspan="2" class="t-head">Aksi</td>
                </tr>
                <tr>
                    <td>(0)</td>
                    <td>(X)</td>
                    <td>(K)</td>
                </tr>
            </thead>
            <?php
                $sid_karyawan =
$_GET['id_karyawan'];
                $tgl =
$_GET['tgl_cek'];
                $sql = "SELECT *,
COUNT(unit) as total_item,
COUNT(IF(
(unit !=
'X') AND
(unit !=
'0') AND

```

```

        (unit !=
        'K'),unit, NULL)
        ) AS
        jum_item,
COUNT(IF(unit = '0',unit, NULL)) as
jum_0_item,
count(IF(unit = 'X',unit, NULL)) AS jum_x_item,
count(if(unit
= 'K', unit, NULL)) AS jum_k_item
FROM
((tb_laporan
JOIN
tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN
tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE
tb_laporan.id_karyawan = '$sid_karyawan'
AND
tb_laporan.status = 'verify'
AND
tb_laporan.tgl = '$tgl'
GROUP
BY nama_outlet
ORDER
BY tb_laporan.id ASC";
$query =
mysqli_query($conn, $sql);
<tbody>
<?php
while($stampil =
mysqli_fetch_array($query)){
    $sav_item =
$stampil['jum_item']/$stampil['total_item'];
    <tr>
    <td>
        <?php
        echo
$stampil['id_outlet'];
        <?php
        echo
$stampil['nama_outlet'];
        <?php
        </td>
    <td>
        <?php
        <a href="#"<?php
        echo $stampil['id_outlet'] ?>" class="btn btn-info"
        role="button" id='custId' data-
        toggle="collapse">Detail</a>
        </td>
    <td>
        <?php

```

```

                echo
Stampil['jum_item'];
                ?>
            </td>
        </td>
        <?php
            echo
            number_format($av_item,4)*100 . '%';
            ?>
        </td>
        </td>
        <?php
            echo
Stampil['jum_0_item'];
            ?>
        </td>
        </td>
        <?php
            echo
Stampil['jum_x_item'];
            ?>
        </td>
        </td>
        <?php
            echo
Stampil['jum_k_item'];
            ?>
        </td>
        <td width="10%" >
            <form
                action="proses/status.php" method="GET"
                class="form-valide">
                <input
                    type="text" name="status" value="unverify"
                    hidden>
                <input
                    type="text" name="tgl_cek" value="<?php
                    echo($tgl_cek = $_GET['tgl_cek'])?>" hidden>
                <input
                    type="text" name="id_karyawan" value="<?php
                    echo $id_karyawan ?>" hidden>
                <input
                    type="text" name="id_outlet" value="<?php echo
                    Stampil['id_outlet'] ?>" hidden>
                <button
                    type="submit" class="btn btn-danger"
                    name="verify">Non Validasi</button>
            </form>
        </td>
        </tr>
        <tr id="<?php echo
            Stampil['id_outlet'] ?>" class="collapse" data-
            parent="#accordion">
            <td colspan="8"
                align="center">
                <table>
                    <thead>
                        <tr>
                            <?php
                                $sql5 =
                                "SELECT * FROM tb_master_produk";
                                mysqli_query($conn, $sql5);
                                while($report5 = mysqli_fetch_array($query5)){
                                    echo "<td>
                                        <a href='#' data-toggle='tooltip' data-
                                        placement='top'
                                        title='". $report5['nama_produk']. ">". $report5['id
                                        _produk']. "</a> </td>";
                                    }
                                </tr>
                            </thead>
                            <tbody>
                                <tr>
                                    <?php
                                        $kode =
                                        Stampil['id_outlet'];
                                        $sql3 =
                                        "SELECT *
                                            FROM
                                                ((tb_laporan
                                                    JOIN tb_master_outlet ON
                                                    tb_laporan.id_outlet=tb_master_outlet.id_outlet)
                                                    JOIN tb_master_produk ON
                                                    tb_laporan.id_produk=tb_master_produk.id_produk)
                                                WHERE
                                                    tb_laporan.id_karyawan = '$id_karyawan'
                                                    AND tb_laporan.id_outlet = '$kode'
                                                    AND tb_laporan.status = 'verify'
                                                GROUP BY tb_laporan.id_produk";
                                        $query3
                                        = mysqli_query($conn, $sql3);
                                        while
                                        ($stampil3 = mysqli_fetch_array($query3)) {
                                            ?>
                                            <td>
                                                <?php
                                                    echo($stampil3['unit']); ?>
                                            </td>
                                        </tr>
                                    </tbody>
                                </table>
                            </td>
                        </tr>
                    </tbody>
                </table>
            </td>
            <?php
                ?>
            </tr>
        </tbody>
    </table>
    </td>
    <?php
        ?>
    </tbody>

```

```

        </table>
    </td>
</tr>
<tr>
    <td>
        <table class="table table-
bordered table-striped" >
            <thead>
                <tr>
                    <td>Nama
Produk</td>
                    <td>Jumlah
Item</td>
                    <td>% AV</td>
                    <td>Jumlah
(0)</td>
                    <td>Jumlah
(X)</td>
                    <td>Jumlah
(K)</td>
                </tr>
            </thead>
            <?php
                $sql = "SELECT *,
COUNT(unit) as total_item,
COUNT(IF(
(unit !=
'X') AND
(unit !=
'0') AND
(unit !=
'K'),unit, NULL)
) AS
jum_item,
COUNT(IF(unit = '0',unit, NULL)) as
jum_0_item,
count(IF(unit = 'X',unit, NULL)) AS jum_x_item,
count(if(unit
= 'K', unit, NULL)) AS jum_k_item
FROM
((tb_laporan
JOIN
tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN
tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE
tb_laporan.id_karyawan = '$id_karyawan'
AND
tb_laporan.status = 'verify'
AND
tb_laporan.tgl = '$tgl'
GROUP
BY nama_produk
ORDER
BY tb_laporan.id ASC";

```

```

$query =
mysqli_query($conn, $sql);
?>
<tbody>
<?php
while($stampil =
mysqli_fetch_array($query)){
    $sav_item =
    $stampil['jum_item']/$stampil['total_item'];
    ?>
    <tr>
        <td>
            <?php
            echo
            $stampil['nama_produk'];
            ?>
        </td>
        <td>
            <?php
            echo
            $stampil['jum_item'];
            ?>
        </td>
        <td>
            <?php
            echo
            number_format($sav_item,4)*100 . '%';
            ?>
        </td>
        <td>
            <?php
            echo
            $stampil['jum_0_item'];
            ?>
        </td>
        <td>
            <?php
            echo
            $stampil['jum_x_item'];
            ?>
        </td>
        <td>
            <?php
            echo
            $stampil['jum_k_item'];
            ?>
        </td>
    </tr>
}
?>
</tbody>
</table>
</td>
</tr>
<?php
}
?>
</tbody>
</table>
</td>
</tr>
</tbody>
</table>
</div>
</div>
</div>

```

### Cek-data-sales.php

```
<?php
    $servername = "localhost";
    $username = "kalbe";
    $password = "Melisa123456";
    $dbname = "kalbe_db";

    // membuat koneksi
    $conn = new mysqli($servername, $username,
$password, $dbname);
    date_default_timezone_set('Asia/Jakarta');

    // melakukan pengecekan koneksi
    if ($conn->connect_error) {
        die("Connection failed: " . $conn-
>connect_error);
    }

    $id_karyawan =
$_GET['id_karyawan'];
    $tgl_cek = $_GET['tgl_cek'];
    $sql = "
        SELECT * FROM
tb_users
        WHERE id_karyawan =
'Sid_karyawan'
    ";
    $query =
mysqli_query($conn, $sql);
    if ($query) {

        $hasil = '<div class="alert alert-success">Berhasil
disimpan!</div>';

        header('Location: ../index.php?supervisor=data-
laporan&id_karyawan='. $id_karyawan. '&tgl_cek
=.'. $tgl_cek. ');
    } else {

        $hasil = '<div class="alert alert-warning">Gagal
disimpan!</div>';

        $stampil =
mysqli_fetch_array($query);
    }
?>
```

### Status.php

```
<?php
    $servername = "localhost";
    $username = "kalbe";
    $password = "Melisa123456";
    $dbname = "kalbe_db";

    // membuat koneksi
    $conn = new mysqli($servername, $username,
$password, $dbname);

    // melakukan pengecekan koneksi
    if ($conn->connect_error) {
        die("Connection failed: " . $conn-
>connect_error);
    }
}
```

```
if(isset($_GET['update'])){
    $id_outlet = $_GET['id_outlet'];
    $id_karyawan = $_GET['id_karyawan'];
    $status = $_GET['status'];
    $tgl_cek = $_GET['tgl_cek'];
    $sql = "
        UPDATE tb_laporan
        SET status = '$status'
        WHERE id_outlet = '$id_outlet'
    ";
    $query = mysqli_query($conn, $sql);
    if ($query) {
        $hasil = '<div class="alert alert-
success">Berhasil disimpan!</div>';
        header('Location:
../index.php?supervisor=data-
laporan&id_karyawan='. $id_karyawan. '&tgl_cek
=.'. $tgl_cek);
    } else {
        $hasil = '<div class="alert alert-
warning">Gagal disimpan!</div>';
    }
}

if(isset($_GET['non-verify'])){
    $id_outlet = $_GET['id_outlet'];
    $id_karyawan = $_GET['id_karyawan'];
    $status = $_GET['status'];
    $tgl_cek = $_GET['tgl_cek'];
    $sql = "
        UPDATE tb_laporan
        SET status = '$status'
        WHERE id_outlet = '$id_outlet'
    ";
    $query = mysqli_query($conn, $sql);
    if ($query) {
        $hasil = '<div class="alert alert-
success">Berhasil disimpan!</div>';
        header('Location:
../index.php?supervisor=data-non-
validasi&id_karyawan='. $id_karyawan. '&tgl_cek
=.'. $tgl_cek);
    } else {
        $hasil = '<div class="alert alert-
warning">Gagal disimpan!</div>';
    }
}

if(isset($_GET['verify'])){
    $id_outlet = $_GET['id_outlet'];
    $id_karyawan = $_GET['id_karyawan'];
    $status = $_GET['status'];
    $tgl_cek = $_GET['tgl_cek'];
    $sql = "
        UPDATE tb_laporan
        SET status = '$status'
        WHERE id_outlet = '$id_outlet'
    ";
    $query = mysqli_query($conn, $sql);
    if ($query) {
        $hasil = '<div class="alert alert-
success">Berhasil disimpan!</div>';
        header('Location:
../index.php?supervisor=validasi-
```

```

data&id_karyawan='.$id_karyawan.'&tgl_cek='.$
tgl_cek);
    } else {
        $hasil = '<div class="alert alert-
warning">Gagal disimpan!</div>';
    }
}
?>

```

### Ajax-cek-karyawan.php

```

<?php
$db_host = "localhost";
$db_user = "kalbe";
$db_pass = "Melisa123456";
$db_name = "kalbe_db";

$conn = mysqli_connect($db_host, $db_user,
$db_pass, $db_name);

$karyawan =
mysqli_fetch_array(mysqli_query($conn,
"SELECT * FROM tb_users
WHERE
id_karyawan='$_GET[id_karyawan]'"));
$data_karyawan = array(

    'nama_karyawan' =>
    $karyawan['nama'],
    'jabatan' =>
    $karyawan['jabatan'],
    'keterangan' =>
    $karyawan['ket']
);
echo json_encode($data_karyawan);

```

### cek-data-non-validasi.php

```

<?php
$servername = "localhost";
$username = "kalbe";
$password = "Melisa123456";
$dbname = "kalbe_db";

// membuat koneksi
$conn = new mysqli($servername, $username,
$password, $dbname);
date_default_timezone_set('Asia/Jakarta');

// melakukan pengecekan koneksi
if ($conn->connect_error) {
    die("Connection failed: " . $conn-
>connect_error);
}

    $id_karyawan =
$_POST['id_karyawan'];
    $tgl_Cek =
$_POST['tgl_cek'];
    $sql = "
SELECT * FROM
tb_users
WHERE id_karyawan =
'id_karyawan'
";

```

```

$query =
mysqli_query($conn, $sql);
    if ($query) {

        $hasil = '<div class="alert alert-success">Berhasil
disimpan!</div>';

        header('Location: ../index.php?supervisor=data-
non-
validasi&id_karyawan='.$id_karyawan.'&tgl_cek
='.$tgl_Cek);
    } else {

        $hasil = '<div class="alert alert-warning">Gagal
disimpan!</div>';
    }

?>

```

### Cek-rs-manager.php

```

<?php
error_reporting(0);
session_start();
date_default_timezone_set('Asia/Jakarta');
include '../config/config.php';

//cek apakah user sudah login
if(!isset($_SESSION['username'])){
    $_SESSION['error'] = '<div class="alert alert-
danger">Anda Belum Login!</div>';
    header('Location:../index.php');
}

//cek level user
if($_SESSION['level']!="rs_manager"){
    $_SESSION['error'] = '<div class="alert alert-
danger">Anda Bukan Regional Sales
Manager!</div>';
    header('Location:../index.php');
}
?>

```

### Rekap-harian-cabang.php

```

<div class="col-lg-12">
    <div class="card">
        <div class="card-header">
            <h3 class="box-title">Rekapitulasi
Laporan Harian Cabang</h3>
        </div>
        <div class="card-body row">
            <?php
                $sql = "
                SELECT * FROM tb_users
                ";
                $query = mysqli_query($conn, $sql);
                $stampil = mysqli_fetch_array($query);
            ?>
            <div class="col-lg-6">
                <div class="form-group row">
                    <label class="col-lg-4 col-form-
label">Cabang <span class="text-
danger">*</span></label>
                    <div class="col-lg-8">

```



```

                JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
                WHERE tb_laporan.status =
'verify'
                AND tb_laporan.tgl
                BETWEEN '$startDate'
AND '$endDate'
                GROUP BY
tb_users.id_karyawan";
                $query = mysqli_query($conn,
                $sql);
                while ($stampil =
                mysqli_fetch_array($query)) {
                ?>
                <tr>
                <td>
                <?php
                echo $jabatan =
                ($stampil['jabatan']);
                $id_karyawan =
                ($stampil['id_karyawan']);
                ?>
                </td>
                <td>
                <?php
                $sql2 = "SELECT *,COUNT(
                DISTINCT tb_laporan.id_outlet as jumlah
                FROM (((tb_laporan
                JOIN tb_master_outlet ON
                tb_laporan.id_outlet=tb_master_outlet.id_outlet)
                JOIN tb_master_produk ON
                tb_laporan.id_produk=tb_master_produk.id_produk)
                JOIN tb_users ON
                tb_laporan.id_karyawan=tb_users.id_karyawan)
                WHERE tb_laporan.status =
                'verify'
                AND
                tb_users.id_karyawan = '$id_karyawan'
                AND tb_laporan.tgl
                BETWEEN '$startDate'
                AND '$endDate'
                GROUP BY
                tb_users.jabatan";
                $query2 = mysqli_query($conn,
                $sql2);
                $stampil2 =
                mysqli_fetch_array($query2);
                echo $jum_outlet =
                $stampil2['jumlah'];
                echo(mysqli_error($conn));
                ?>
                </td>
                <?php
                $sql3 = "SELECT *,
                COUNT(IF(
                (unit != 'X') AND
                (unit != '0') AND
                (unit != 'K'),unit, NULL)
                ) AS jum_item,
                SUM(IF(
                (unit != 'X')

```

```

                AND
                (unit != '0')
                AND
                (unit != 'K'),unit,0)) AS
                total_item,
                COUNT(IF(unit = '0',unit,
                NULL)) as jum_0_item,
                count(IF(unit = 'X',unit,
                NULL)) AS jum_x_item,
                count(if(unit = 'K', unit,
                NULL)) AS jum_k_item
                FROM
                (((tb_laporan
                JOIN tb_master_outlet ON
                tb_laporan.id_outlet=tb_master_outlet.id_outlet)
                JOIN tb_master_produk ON
                tb_laporan.id_produk=tb_master_produk.id_produk)
                JOIN tb_users ON
                tb_users.id_karyawan = tb_laporan.id_karyawan)
                WHERE
                tb_laporan.status =
                'verify'
                AND
                tb_users.id_karyawan = '$id_karyawan'
                AND tb_laporan.tgl
                BETWEEN '$startDate' AND
                '$endDate'
                GROUP BY nama_produk
                ORDER BY tb_laporan.id
                ASC";
                $query3 = mysqli_query($conn,
                $sql3);
                while ($stampil3 =
                mysqli_fetch_array($query3)) {
                ?>
                <td>
                <?php
                echo $item[] =
                ($stampil3['jum_item']);
                ?>
                </td>
                <?php
                }
                ?>
                <?php
                }
                echo(mysqli_error($conn));
                ?>
                </tr>
                <tr>
                <td colspan="17">
                </td>
                </tr>
                </tbody>
                </tfoot>
                <tr class="table-primary" style="font-
                weight: bold;">
                <td>
                Jumlah
                </td>

```

```

<td>
    <?php
        $sql5 = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE tb_laporan.status =
'verify'
AND tb_laporan.tgl
BETWEEN '$startDate'
AND '$endDate'";
$query5 = mysqli_query($conn,
$sql5);
while($stampil5 =
mysqli_fetch_array($query5)){
    echo $total_outlet =
$stampil5['jumlah'];
}
?>
</td>
<?php
    $sql6 = "SELECT *,
COUNT(IF(
    (unit != 'X') AND
    (unit != '0') AND
    (unit != 'K'),unit, NULL)
) AS jum_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE tb_laporan.status =
'verify'
AND tb_laporan.tgl
BETWEEN '$startDate'
AND '$endDate'
GROUP BY nama_produk
ORDER BY tb_laporan.id
ASC";
$query6 = mysqli_query($conn,
$sql6);
while ($stampil6 =
mysqli_fetch_array($query6)) {
?>
<td>
    <?php
        echo $total_item[] =
$stampil6['jum_item'];
?>
</td>

```

```

<?php
    }
?>
</tr>
<tr class="table-success" style="font-
style: italic; font-weight: bold; font-size: 13px;">
    <td colspan="2" align="center">
        %AV/JUMLAH CALL
    </td>
</tr>
<?php
    $query7 = mysqli_query($conn,
    $sql6);
    while ($stampil7 =
    mysqli_fetch_array($query7)) {
        ?>
        <td>
            <?php
                $total_item =
                $stampil7['jum_item'];
                $sav_total
                =($total_item/$total_outlet)*100;
                echo(number_format($sav_total,2)."%");
            ?>
        </td>
        <?php
            }
        ?>
    </tr>
</tfoot>
</table>
</div>
<div class="table-responsive">
    <table class="table table-bordered table-
    striped" >
        <thead>
            <style type="text/css">
                .t-head {
                    vertical-align: middle !important;
                }
            </style>
            <tr align="center" >
                <td rowspan="2" class="t-
                head">Rayon</td>
                <td rowspan="2" class="t-
                head">Call</td>
                <td colspan="16" class="t-
                head">Survei AV Produk "0" (Jumlah
                Produk)</td>
            </tr>
            <tr>
                <td colspan="16">
                    <?php
                        $sql = "SELECT * FROM
                        ((tb_laporan
                        JOIN tb_master_outlet ON
                        tb_laporan.id_outlet=tb_master_outlet.id_outlet)
                        JOIN tb_master_produk
                        ON
                        tb_laporan.id_produk=tb_master_produk.id_produk)
                        WHERE tb_laporan.status
                        = 'verify'
                        GROUP BY nama_produk

```

```

ORDER BY tb_laporan.id
ASC";
$query = mysqli_query($conn,
$sql);
?>
</tr>
<tr>
<?php
while ($stampil =
mysqli_fetch_array($query)) {
?>
<td>
<?php
echo " <a href=#' href=#' data-
toggle=tooltip' data-placement=top'
title= ".$stampil['nama_produk']. "> ".$stampil['id_p
roduk']. "</a> ";
?>
</td>
<?php
}
?>
</tr>
</thead>
<tbody>
<?php
$startDate = $_GET['startDate'];
$endDate = $_GET['endDate'];
$sql = "SELECT *
FROM (((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
WHERE tb_laporan.status =
'verify'
AND tb_laporan.tgl
BETWEEN '$startDate'
AND '$endDate'
GROUP BY
tb_users.id_karyawan";
$query = mysqli_query($conn,
$sql);
while ($stampil =
mysqli_fetch_array($query)) {
?>
<tr>
<td>
<?php
echo $jabatan =
($stampil['jabatan']);
$id_karyawan =
($stampil['id_karyawan']);
?>
</td>
<td>
<?php
$sql2 = "SELECT *,COUNT(
DISTINCT tb_laporan.id_outlet) as jumlah

```

```

FROM (((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
WHERE tb_laporan.status =
'verify'
AND
tb_users.id_karyawan = '$id_karyawan'
AND tb_laporan.tgl
BETWEEN '$startDate'
AND '$endDate'
GROUP BY
tb_users.jabatan";
$query2 = mysqli_query($conn,
$sql2);
$stampil2_0 =
mysqli_fetch_array($query2);
echo $jum_outlet_0 =
$stampil2_0['jumlah'];
echo(mysqli_error($conn));
?>
</td>
<?php
$sql3 = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,
SUM(IF(
(unit != 'X')
AND
(unit != '0')
AND
(unit != 'K'),unit,0)) AS
total_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
(((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_users.id_karyawan = tb_laporan.id_karyawan)
WHERE
tb_laporan.status =
'verify'
AND
tb_users.id_karyawan = '$id_karyawan'
AND tb_laporan.tgl

```

```

        BETWEEN '$startDate' AND
'SendDate'
        GROUP BY nama_produk
        ORDER BY tb_laporan.id
ASC";
$query3 = mysqli_query($conn,
mysqli_fetch_array($query3)) {
?>
<td>
<?php
echo $item[] =
($stampil3['jum_0_item']);
?>
</td>
<?php
}
?>
<?php
}
echo(mysqli_error($conn));
?>
</tr>
<tr>
<td colspan="17">
</td>
</tr>
</tbody>
</tfoot>
<tr class="table-primary" style="font-
weight: bold;">
<td>
Jumlah
</td>
<td>
<?php
$sql5 = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE tb_laporan.status =
'verify'
AND tb_laporan.tgl
BETWEEN '$startDate'
AND '$endDate'";
$query5 = mysqli_query($conn,
$sql5);
while($stampil5 =
mysqli_fetch_array($query5)){
echo $jum_outlet5 =
$stampil5['jumlah'];
}
?>
</td>
<?php
$sql6 = "SELECT *,
COUNT(IF(
(unit != 'X') AND

```

```

(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE tb_laporan.status =
'verify'
AND tb_laporan.tgl
BETWEEN '$startDate'
AND '$endDate'
GROUP BY nama_produk
ORDER BY tb_laporan.id
ASC";
$query6 = mysqli_query($conn,
$sql6);
while ($stampil6 =
mysqli_fetch_array($query6)) {
?>
<td>
<?php
echo $total_item_0[] =
$stampil6['jum_0_item'];
?>
</td>
<?php
}
?>
</tr>
<tr class="table-success" style="font-
style: italic; font-weight: bold; font-size: 13px;">
<td colspan="2" align="center">
%AV/JUMLAH CALL
</td>
<?php
$query7 = mysqli_query($conn,
$sql6);
while ($stampil7 =
mysqli_fetch_array($query7)) {
?>
<td>
<?php
$total_item =
$stampil7['jum_0_item'];
$sav_total
=(($total_item/$total_outlet)*100;
echo(number_format($sav_total,2)."%");
?>
</td>
<?php
}

```

```

        ?>
    </tr>
</tfoot>
</table>
</div>

<div class="table-responsive">
    <table class="table table-bordered table-
    striped" >
        <thead>
            <style type="text/css">
                .thead {
                    vertical-align: middle !important;
                }
            </style>
            <tr align="center" >
                <td rowspan="2" class="t-
                head">Rayon</td>
                <td rowspan="2" class="t-
                head">Call</td>
                <td colspan="16" class="t-
                head">Survei AV Produk "X" (Jumlah
                Produk)</td>
            <tr>
                <td colspan="16">
                    <?php
                        $sql = "SELECT * FROM
                        ((tb_laporan
                        JOIN tb_master_outlet ON
                        tb_laporan.id_outlet=tb_master_outlet.id_outlet)
                        ON
                        tb_laporan.id_produk=tb_master_produk.id_produk)
                        WHERE tb_laporan.status
                        = 'verify'
                        GROUP BY nama_produk
                        ORDER BY tb_laporan.id
                        ASC";
                        $query = mysqli_query($conn,
                        $sql);
                    <tr>
                        <td>
                            <?php
                                while ($stampil =
                                mysqli_fetch_array($query)) {
                                    <tr>
                                        <td>
                                            <?php
                                                echo " <a href=#' href=#' data-
                                                toggle='tooltip' data-placement='top'
                                                title='". $stampil['nama_produk']. "'>". $stampil['id_p
                                                roduk']. "</a> ";
                                            <tr>
                                                <td>
                                                    <?php
                                                        }
                                                    <tr>
                                                </thead>
                                                <tbody>
                                                    <tr>
                                                        <td>
                                                            <?php
                                                                $startDate = $_GET['startDate'];

```

```

        $endDate = $_GET['endDate'];
        $sql = "SELECT *
        FROM (((tb_laporan
        JOIN tb_master_outlet ON
        tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
        tb_laporan.id_produk=tb_master_produk.id_produk)
        JOIN tb_users ON
        tb_laporan.id_karyawan=tb_users.id_karyawan)
        WHERE tb_laporan.status =
        'verify'
        AND tb_laporan.tgl
        BETWEEN '$startDate'
        AND '$endDate'
        GROUP BY
        tb_users.id_karyawan";
        $query = mysqli_query($conn,
        $sql);
        while ($stampil =
        mysqli_fetch_array($query)) {
            <tr>
                <td>
                    <?php
                        echo $jabatan =
                        ($stampil['jabatan']);
                        $id_karyawan =
                        ($stampil['id_karyawan']);
                    <tr>
                        <td>
                            <?php
                                $sql2 = "SELECT *,COUNT(
                                DISTINCT tb_laporan.id_outlet) as jumlah
                                FROM (((tb_laporan
                                JOIN tb_master_outlet ON
                                tb_laporan.id_outlet=tb_master_outlet.id_outlet)
                                JOIN tb_master_produk ON
                                tb_laporan.id_produk=tb_master_produk.id_produk)
                                JOIN tb_users ON
                                tb_laporan.id_karyawan=tb_users.id_karyawan)
                                WHERE tb_laporan.status =
                                'verify'
                                AND
                                tb_users.id_karyawan = '$id_karyawan'
                                AND tb_laporan.tgl
                                BETWEEN '$startDate'
                                AND '$endDate'
                                GROUP BY
                                tb_users.jabatan";
                                $query2 = mysqli_query($conn,
                                $sql2);
                                $stampil2_x =
                                mysqli_fetch_array($query2);
                                echo $jum_outlet_x =
                                $stampil2_x['jumlah'];
                                echo(mysqli_error($conn));
                            <tr>
                                <td>
                                    <?php

```

```

        $sql3 = "SELECT *,
        COUNT(IF(
            (unit != 'X') AND
            (unit != '0') AND
            (unit != 'K'),unit, NULL)
        ) AS jum_item,
        SUM(IF(
            (unit != 'X')
            AND
            (unit != '0')
            AND
            (unit != 'K'),unit,0)) AS
total_item,
        COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
        count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
        count(if(unit = 'K', unit,
NULL)) AS jum_k_item
        FROM
        (((tb_laporan
        JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
        JOIN tb_users ON
tb_users.id_karyawan = tb_laporan.id_karyawan)
        WHERE
        tb_laporan.status =
'verify'
        AND
        tb_users.id_karyawan = 'id_karyawan'
        AND tb_laporan.tgl
        BETWEEN '$startDate' AND
'SendDate'
        GROUP BY nama_produk
        ORDER BY tb_laporan.id
ASC";
        $query3 = mysqli_query($conn,
$sql3);
        while ($stampil3 =
mysqli_fetch_array($query3)) {
            ?>
            <td>
            <?php
            echo $item[] =
($stampil3['jum_x_item']);
            ?>
            </td>
            <?php
            }
            ?>
            <?php
            }
            echo(mysqli_error($conn));
            ?>
        </tr>
        <tr>
            <td colspan="17">
            </td>

```

```

            </tr>
        </tbody>
    </tfoot>
    <tr class="table-primary" style="font-
weight: bold;">
        <td>
            Jumlah
        </td>
        <td>
            <?php
            $sql5 = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE tb_laporan.status =
'verify'
        AND tb_laporan.tgl
        BETWEEN '$startDate'
AND '$endDate'";
            $query5 = mysqli_query($conn,
$sql5);
            while($stampil5 =
mysqli_fetch_array($query5)){
                echo $jum_outlet5 =
$stampil5['jumlah'];
            }
            ?>
        </td>
        <?php
        $sql6 = "SELECT *,
        COUNT(IF(
            (unit != 'X') AND
            (unit != '0') AND
            (unit != 'K'),unit, NULL)
        ) AS jum_item,
        COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
        count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
        count(if(unit = 'K', unit,
NULL)) AS jum_k_item
        FROM
        ((tb_laporan
        JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
        WHERE tb_laporan.status =
'verify'
        AND tb_laporan.tgl
        BETWEEN '$startDate'
AND '$endDate'
        GROUP BY nama_produk
        ORDER BY tb_laporan.id
ASC";
        $query6 = mysqli_query($conn,
$sql6);
        while ($stampil6 =
mysqli_fetch_array($query6)) {

```

```

        ?>
        <td>
            <?php
                echo $total_item_x[] =
Stampil6['jum_x_item'];
            ?>
        </td>
        <?php
            }
        ?>
    </tr>
    <tr class="table-success" style="font-
style: italic; font-weight: bold; font-size: 13px;">
        <td colspan="2" align="center">
            %AV/JUMLAH CALL
        </td>
        <?php
            $query7 = mysqli_query($conn,
$Sql6);
            while ($stampil7 =
mysqli_fetch_array($query7)) {
                ?>
                <td>
                    <?php
                        $total_item =
Stampil7['jum_x_item'];
                        $sav_total
=($total_item/$total_outlet)*100;
                    echo(number_format($sav_total,2)."%");
                ?>
                </td>
            <?php
                }
            ?>
        </tr>
    </tfoot>
</table>
</div>

<div class="table-responsive">
    <table class="table table-bordered table-
striped" >
        <thead>
            <style type="text/css">
                .t-head {
                    vertical-align: middle !important;
                }
            </style>
            <tr align="center" >
                <td rowspan="2" class="t-
head">Rayon</td>
                <td rowspan="2" class="t-
head">Call</td>
                <td colspan="16" class="t-
head">Survei AV Produk "K" (Jumlah
Produk)</td>
                <?php
                    $sql = "SELECT * FROM
((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)

```

```

                JOIN tb_master_produk
ON
tb_laporan.id_produk=tb_master_produk.id_produ
k)
                WHERE tb_laporan.status
= 'verify'
                GROUP BY nama_produk
                ORDER BY tb_laporan.id
ASC";
                $query = mysqli_query($conn,
$Sql);
            ?>
        </tr>
    <tr>
        <?php
            while ($stampil =
mysqli_fetch_array($query)) {
                ?>
                <td>
                    <?php
                        echo " <a href=#' href=#' data-
toggle='tooltip' data-placement='top'
title='".Stampil['nama_produk']."'>".Stampil['id_p
roduk']."</a> ";
                    ?>
                </td>
            <?php
                }
            ?>
        </tr>
    </thead>
    <tbody>
        <?php
            $startDate = $_GET['startDate'];
            $endDate = $_GET['endDate'];
            $sql = "SELECT *
FROM (((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produ
k)
JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
WHERE tb_laporan.status =
'verify'
AND tb_laporan.tgl
BETWEEN '$startDate'
AND '$endDate'
GROUP BY
tb_users.id_karyawan";
            $query = mysqli_query($conn,
$Sql);
            while ($stampil =
mysqli_fetch_array($query)) {
                ?>
                <tr>
                    <td>
                        <?php
                            echo $jabatan =
($stampil['jabatan']);

```

```

                $id_karyawan =
($stampil['id_karyawan']);
                ?>
            </td>
        </td>
        <?php
            $sql2 = "SELECT *,COUNT(
DISTINCT tb_laporan.id_outlet) as jumlah
                FROM ((tb_laporan
                JOIN tb_master_outlet ON
                tb_laporan.id_outlet=tb_master_outlet.id_outlet)
                JOIN tb_master_produk ON
                tb_laporan.id_produk=tb_master_produk.id_produk)
                JOIN tb_users ON
                tb_laporan.id_karyawan=tb_users.id_karyawan)
                WHERE tb_laporan.status =
                'verify'
                AND
                tb_users.id_karyawan = '$id_karyawan'
                AND tb_laporan.tgl
                BETWEEN '$startDate'
                AND '$endDate'
                GROUP BY
                tb_users.jabatan";
            $query2 = mysqli_query($conn,
            $sql2);
            $stampil2_x =
            mysqli_fetch_array($query2);
            echo $jum_outlet_x =
            $stampil2_x['jumlah'];
            echo(mysqli_error($conn));
            ?>
        </td>
        <?php
            $sql3 = "SELECT *,
                COUNT(IF(
                (unit != 'X') AND
                (unit != '0') AND
                (unit != 'K'),unit, NULL)
                ) AS jum_item,
                SUM(IF(
                (unit != 'X')
                AND
                (unit != '0')
                AND
                (unit != 'K'),unit,0)) AS
                total_item,
                COUNT(IF(unit = '0',unit,
                NULL)) as jum_0_item,
                count(IF(unit = 'X',unit,
                NULL)) AS jum_x_item,
                count(if(unit = 'K', unit,
                NULL)) AS jum_k_item
                FROM
                ((tb_laporan
                JOIN tb_master_outlet ON
                tb_laporan.id_outlet=tb_master_outlet.id_outlet)
                JOIN tb_master_produk ON
                tb_laporan.id_produk=tb_master_produk.id_produk)

```

```

                JOIN tb_users ON
                tb_users.id_karyawan = tb_laporan.id_karyawan)
                WHERE
                tb_laporan.status =
                'verify'
                AND
                tb_users.id_karyawan = '$id_karyawan'
                AND tb_laporan.tgl
                BETWEEN '$startDate' AND
                '$endDate'
                GROUP BY nama_produk
                ORDER BY tb_laporan.id
                ASC";
            $query3 = mysqli_query($conn,
            $sql3);
            while ($stampil3 =
            mysqli_fetch_array($query3)) {
                ?>
            </td>
            <?php
                echo $item[] =
                ($stampil3['jum_k_item']);
                ?>
            </td>
            <?php
                }
            ?>
            <?php
                }
            echo(mysqli_error($conn));
            ?>
        </tr>
        <tr>
            <td colspan="17">
                </td>
            </tr>
        </tbody>
        <tfoot>
            <tr class="table-primary" style="font-
            weight: bold;">
                <td>
                    Jumlah
                </td>
                <td>
                    <?php
                    $sql5 = "SELECT count(
                    DISTINCT tb_laporan.id_outlet) as jumlah
                    FROM tb_master_outlet
                    JOIN tb_laporan
                    ON
                    tb_master_outlet.id_outlet=tb_laporan.id_outlet
                    WHERE tb_laporan.status =
                    'verify'
                    AND tb_laporan.tgl
                    BETWEEN '$startDate'
                    AND '$endDate'";
                    $query5 = mysqli_query($conn,
                    $sql5);
                    while($stampil5 =
                    mysqli_fetch_array($query5)){

```





```

        <?php
        }
        ?>
        <td>AV/CALL</td>
    </tr>
</thead>
<tbody>
<?php
    $sid_karyawan =
$_GET['id_karyawan'];
    $startDate = $_GET['startDate'];
    $endDate = $_GET['endDate'];
    $sql = "SELECT *
        FROM ((tb_laporan
            JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
            JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
        WHERE
            tb_laporan.id_karyawan =
'sid_karyawan'
            AND tb_laporan.status =
'verify'
            AND tb_laporan.tgl
                BETWEEN '$startDate'
                AND '$endDate'
            GROUP BY tb_laporan.tgl";
    $query = mysqli_query($conn,
    $sql);
    while ($stampil =
mysqli_fetch_array($query)) {
        ?>
        <tr>
        <td>
        <?php echo($stampil['tgl']); ?>
        </td>
        <td>
        <?php
            $tgl = $stampil['tgl'];
            $sql2 = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
            FROM tb_master_outlet
            JOIN tb_laporan
            ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
            WHERE
            tb_master_outlet.id_karyawan = 'sid_karyawan'
            AND tb_master_outlet.tgl =
'stgl'
            AND tb_laporan.status =
'verify'
            GROUP BY
            tb_master_outlet.tgl";
            $query2 = mysqli_query($conn,
            $sql2);
            $stampil2 =
mysqli_fetch_array($query2);
            echo $jum_outlet =
$stampil2['jumlah'];
            echo(mysqli_error($conn));

```

```

        ?>
    </td>
<?php
    $sql3 = "SELECT *,
        COUNT(IF(
            (unit != 'X') AND
            (unit != '0') AND
            (unit != 'K'),unit, NULL)
        ) AS jum_item,
        SUM(IF(
            (unit != 'X')
            AND
            (unit != '0')
            AND
            (unit != 'K'),unit,0)) AS
total_item,
        COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
        count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
        count(if(unit = 'K', unit,
NULL)) AS jum_k_item
        FROM
        (((tb_laporan
            JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
            JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
            JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
        WHERE
            tb_laporan.id_karyawan =
'sid_karyawan'
            AND tb_laporan.status =
'verify'
            AND tb_master_outlet.tgl
            = 'stgl'
            GROUP BY nama_produk
            ORDER BY tb_laporan.id
            ASC";
        $query3 = mysqli_query($conn,
        $sql3);
        while ($stampil3 =
mysqli_fetch_array($query3)) {
            ?>
            <td>
            <?php echo $item[] =
($stampil3['jum_item']); ?>
            </td>
            <?php
            }
            ?>
            <td>
            <?php
            $sql_akhir = "SELECT *,
                COUNT(IF(
                    (unit != 'X') AND
                    (unit != '0') AND
                    (unit != 'K'),unit, NULL)
                ) AS jum_item,

```

```

SUM(IF(
    (unit != 'X')
    AND
    (unit != '0')
    AND
    (unit != 'K'),unit,0)) AS
total_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
(((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
WHERE
tb_laporan.id_karyawan =
'sid_karyawan'
AND tb_laporan.status =
'verify'
AND tb_master_outlet.tgl
= '$tgl'
ORDER BY tb_laporan.id
ASC";
$query_akhir =
mysqli_query($conn, $sql_akhir);
while ($stampil_akhir =
mysqli_fetch_array($query_akhir)) {
echo
number_format($item_akhir[] =
$stampil_akhir['jum_item']/'$jum_outlet,2);
}
?>
</td>
<?php
}
echo(mysqli_error($conn));
?>
</tr>
<tr>
<td colspan="18">
</td>
</tr>
</tbody>
<tfoot>
<tr class="table-primary" style="font-
weight: bold;">
<td>
Jumlah
</td>
<td>
<?php
$sql5 = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah

```

```

FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE
tb_master_outlet.id_karyawan = 'sid_karyawan'
AND tb_laporan.status =
'verify'
AND tb_laporan.tgl
BETWEEN '$startDate'
AND '$endDate'
GROUP BY
tb_master_outlet.tgl";
$query5 = mysqli_query($conn,
$sql5);
while($stampil5 =
mysqli_fetch_array($query5)){
$jum_outlet5[] =
$stampil5['jumlah'];
}
echo $total_outlet =
array_sum($jum_outlet5);
?>
</td>
<?php
$sql6 = "SELECT *,
COUNT(IF(
    (unit != 'X') AND
    (unit != '0') AND
    (unit != 'K'),unit, NULL)
) AS jum_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE
tb_laporan.id_karyawan = 'sid_karyawan'
AND tb_laporan.status =
'verify'
AND tb_laporan.tgl
BETWEEN '$startDate'
AND '$endDate'
GROUP BY nama_produk
ORDER BY tb_laporan.id
ASC";
$query6 = mysqli_query($conn,
$sql6);
while ($stampil6 =
mysqli_fetch_array($query6)) {
?>
<td>
<?php

```

```

                echo $total_item[] =
Stampil6['jum_item'];
            ?>
        </td>
        <?php
            }
        ?>
    </td>
    <?php
        echo
number_format(((array_sum($total_item))/$total_
outlet),2);
    ?>
</td>
</tr>
<tr class="table-success" style="font-
style: italic; font-weight: bold; font-size: 13px;">
    <td colspan="2" align="center">
        %AV/JUMLAH CALL
    </td>
    <?php
        $query7 = mysqli_query($conn,
$Sql6);
        while ($stampil7 =
mysqli_fetch_array($query7)) {
            ?>
                <td>
                    <?php
                        $total_item =
Stampil7['jum_item'];
                        $sav_total
=($total_item/$total_outlet)*100;
echo(number_format($sav_total,2)."%");
                    ?>
                </td>
            <?php
            }
        ?>
    </tr>
</tfoot>
</table>
</div>

<div class="table-responsive">
    <table class="table table-bordered table-
striped" >
        <thead>
            <style type="text/css">
                .thead {
                    vertical-align: middle !important;
                }
            </style>
            <tr align="center" >
                <td rowspan="2" class="t-
head">Tanggal</td>
                <td rowspan="2" class="t-
head">Call</td>
                <td colspan="16" class="t-
head">Survei AV Produk "0" (Jumlah
Produk)</td>
            <?php

```

```

                $sql = "SELECT * FROM
                ((tb_laporan
                JOIN tb_master_outlet ON
                tb_laporan.id_outlet=tb_master_outlet.id_outlet)
                JOIN tb_master_produk ON
                tb_laporan.id_produk=tb_master_produk.id_produ
                k)
                WHERE
                tb_laporan.id_karyawan = '$id_karyawan'
                AND tb_laporan.status =
                'verify'
                GROUP BY nama_produk
                ORDER BY tb_laporan.id
                ASC";
                $query = mysqli_query($conn,
                $sql);
            ?>
        </tr>
        <tr>
            <?php
                while ($stampil =
mysqli_fetch_array($query)) {
                    ?>
            <td>
                <?php
                    echo " <a href=#' href=#' data-
toggle='tooltip' data-placement='top'
title='".Stampil['nama_produk']."'>".Stampil['id_p
roduk']."</a> ";
                ?>
            </td>
            <?php
            }
        ?>
        <td>AV/CALL</td>
    </tr>
</thead>
<tbody>
    <?php
        $id_karyawan =
$_GET['id_karyawan'];
        $startDate = $_GET['startDate'];
        $endDate = $_GET['endDate'];
        $sql = "SELECT *
                FROM ((tb_laporan
                JOIN tb_master_outlet ON
                tb_laporan.id_outlet=tb_master_outlet.id_outlet)
                JOIN tb_master_produk ON
                tb_laporan.id_produk=tb_master_produk.id_produ
                k)
                WHERE
                tb_laporan.id_karyawan =
                '$id_karyawan'
                AND tb_laporan.status =
                'verify'
                AND tb_laporan.tgl
                BETWEEN '$startDate'
                AND '$endDate'
                GROUP BY tb_laporan.tgl";
        $query = mysqli_query($conn,
                $sql);

```

```

        while ($stampil =
mysqli_fetch_array($query)) {
        ?>
        <tr>
        <td>
        <?php echo($stampil['tgl']); ?>
        </td>
        <td>
        <?php
        $tgl = $stampil['tgl'];
        $sql2 = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE

tb_master_outlet.id_karyawan = '$id_karyawan'
AND tb_master_outlet.tgl =
'$tgl'
AND tb_laporan.status =
'verify'
GROUP BY
tb_master_outlet.tgl";
$query2 = mysqli_query($conn,
$sql2);
        $stampil2 =
mysqli_fetch_array($query2);
        echo $jum_outlet =
$stampil2['jumlah'];
        echo(mysqli_error($conn));
        ?>
        </td>
        <?php
        $sql3 = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,
SUM(IF(
(unit != 'X')
AND
(unit != '0')
AND
(unit != 'K'),unit,0)) AS
total_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)

```

```

WHERE
tb_laporan.id_karyawan = '$id_karyawan'
AND tb_laporan.status =
'verify'
AND tb_master_outlet.tgl =
'$tgl'
GROUP BY nama_produk
ORDER BY tb_laporan.id
ASC";
        $query3 = mysqli_query($conn,
$sql3);
        while ($stampil3 =
mysqli_fetch_array($query3)) {
        ?>
        <td>
        <?php echo $item_0[] =
($stampil3['jum_0_item']); ?>
        </td>
        <?php
        }
        ?>
        <td>
        <?php
        $sql_akhir = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,
SUM(IF(
(unit != 'X')
AND
(unit != '0')
AND
(unit != 'K'),unit,0)) AS
total_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
(((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
WHERE
tb_laporan.id_karyawan =
'$id_karyawan'
AND tb_laporan.status =
'verify'
AND tb_master_outlet.tgl
= '$tgl'
ORDER BY tb_laporan.id
ASC";

```

```

                $query_akhir =
mysqli_query($conn, $sql_akhir);
                while ($stampil_akhir =
mysqli_fetch_array($query_akhir)) {
                    echo
number_format($item_akhir[] =
$stampil_akhir['jum_0_item']/$jum_outlet,2);
                }
            ?>
        </td>
        <?php
        }
        echo(mysqli_error($conn));
    ?>
</tr>
<tr>
    <td colspan="18">

        </td>
    </tr>
</tbody>
</tfoot>
<tr class="table-primary" style="font-
weight: bold;">
    <td>
        Jumlah
    </td>
    <td>
        <?php
        $sql5_0 = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE
tb_master_outlet.id_karyawan = 'sid_karyawan'
AND tb_laporan.status =
'verify'
AND tb_laporan.tgl
BETWEEN '$startDate'
AND '$endDate'
GROUP BY
tb_master_outlet.tgl";
        $query5_0 = mysqli_query($conn,
$sql5_0);
        while($stampil5_0 =
mysqli_fetch_array($query5_0)){
            $jum_outlet5_0[] =
$stampil5_0['jumlah'];
        }
        echo $total_outlet_0 =
array_sum($jum_outlet5_0);
    ?>
    </td>
    <?php
    $sql6_0 = "SELECT *,
COUNT(IF(
                (unit != 'X') AND
                (unit != '0') AND
                (unit != 'K'),unit, NULL)

```

```

                ) AS jum_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produ
k)
WHERE
tb_laporan.id_karyawan = 'sid_karyawan'
AND tb_laporan.status =
'verify'
AND tb_laporan.tgl
BETWEEN '$startDate'
AND '$endDate'
GROUP BY nama_produk
ORDER BY tb_laporan.id
ASC";
        $query6_0 = mysqli_query($conn,
$sql6_0);
        while ($stampil6_0 =
mysqli_fetch_array($query6_0)) {
            ?>
            <td>
                <?php
                echo $total_item_0[] =
$stampil6_0['jum_0_item'];
            ?>
            </td>
            <?php
            }
            ?>
            <td>
                <?php
                echo
number_format(((array_sum($total_item_0))/$total_outlet_0),2);
            ?>
            </td>
        </tr>
        <tr class="table-success" style="font-
style: italic; font-weight: bold; font-size: 13px;">
            <td colspan="2" align="center">
                %AV/JUMLAH CALL
            </td>
            <?php
            $query7_0 = mysqli_query($conn,
$sql6_0);
            while ($stampil7_0 =
mysqli_fetch_array($query7_0)) {
                ?>
                <td>
                    <?php
                    $total_item_0 =
$stampil7_0['jum_0_item'];

```

```

                $sav_total_0
            )=($total_item_0/$total_outlet_0)*100;
            echo
            (number_format($sav_total_0,2)."%");
        ?>
    </td>
</tr>
<?php
    }
?>
</tr>
</tfoot>
</table>
</div>

<div class="table-responsive">
    <table class="table table-bordered table-
    striped" >
        <thead>
            <style type="text/css">
                .thead {
                    vertical-align: middle !important;
                }
            </style>
            <tr align="center" >
                <td rowspan="2" class="thead">Tanggal</td>
                <td rowspan="2" class="thead">Call</td>
                <td colspan="16" class="thead">Survei AV Produk "X" (Jumlah
                Produk)</td>
            <?php
                $sql = "SELECT * FROM
                ((tb_laporan
                JOIN tb_master_outlet ON
                tb_laporan.id_outlet=tb_master_outlet.id_outlet)
                JOIN tb_master_produk ON
                tb_laporan.id_produk=tb_master_produk.id_produk)
                WHERE
                tb_laporan.id_karyawan = '$id_karyawan'
                AND tb_laporan.status =
                'verify'
                GROUP BY nama_produk
                ORDER BY tb_laporan.id
                ASC";
                $query = mysqli_query($conn,
                $sql);
            ?>
            </tr>
            <tr>
                <?php
                    while ($stampil =
                    mysqli_fetch_array($query)) {
            ?>
                <td>
                    <?php
                        echo " <a href='#' href='#' data-
                        toggle='tooltip' data-placement='top'
                        title='". $stampil['nama_produk']. ">". $stampil['id_p
                        roduk']. "</a> ";
                    ?>

```

```

        </td>
    <?php
    }
?>
    <td>AV/CALL</td>
</tr>
</thead>
<tbody>
    <?php
        $id_karyawan =
        $_GET['id_karyawan'];
        $startDate = $_GET['startDate'];
        $endDate = $_GET['endDate'];
        $sql = "SELECT *
        FROM ((tb_laporan
        JOIN tb_master_outlet ON
        tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
        tb_laporan.id_produk=tb_master_produk.id_produk)
        WHERE
        tb_laporan.id_karyawan =
        '$id_karyawan'
        AND tb_laporan.status =
        'verify'
        AND tb_laporan.tgl
        BETWEEN '$startDate'
        AND '$endDate'
        GROUP BY tb_laporan.tgl";
        $query = mysqli_query($conn,
        $sql);
        while ($stampil =
        mysqli_fetch_array($query)) {
            ?>
            <tr>
                <td>
                    <?php echo($stampil['tgl']); ?>
                </td>
                <td>
                    <?php
                        $tgl = $stampil['tgl'];
                        $sql2 = "SELECT count(
                        DISTINCT tb_laporan.id_outlet) as jumlah
                        FROM tb_master_outlet
                        JOIN tb_laporan
                        ON
                        tb_master_outlet.id_outlet=tb_laporan.id_outlet
                        WHERE
                        tb_master_outlet.id_karyawan = '$id_karyawan'
                        AND tb_master_outlet.tgl =
                        '$tgl'
                        AND tb_laporan.status =
                        'verify'
                        GROUP BY
                        tb_master_outlet.tgl";
                        $query2 = mysqli_query($conn,
                        $sql2);
                        $stampil2 =
                        mysqli_fetch_array($query2);
                        echo $jum_outlet =
                        $stampil2['jumlah'];

```

```

        echo(mysqli_error($conn));
    ?>
</td>
<?php
    $sql3 = "SELECT *,
        COUNT(IF(
            (unit != 'X') AND
            (unit != '0') AND
            (unit != 'K'),unit, NULL)
        ) AS jum_item,
        SUM(IF(
            (unit != 'X')
            AND
            (unit != '0')
            AND
            (unit != 'K'),unit,0)) AS
total_item,
        COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
        count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
        count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
    ((tb_laporan
        JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
    WHERE
tb_laporan.id_karyawan = 'Sid_karyawan'
    AND tb_laporan.status =
'verify'
    AND tb_master_outlet.tgl =
'$tgl'
    GROUP BY nama_produk
    ORDER BY tb_laporan.id
ASC";
    $query3 = mysqli_query($conn,
    $sql3);
    while ($stampil3 =
mysqli_fetch_array($query3)) {
    ?>
    <td>
    <?php echo $item_x[] =
($stampil3['jum_x_item']); ?>
    </td>

    <?php
    }
    ?>
    <td>

        <?php
        $sql_akhir = "SELECT *,
        COUNT(IF(
            (unit != 'X') AND
            (unit != '0') AND
            (unit != 'K'),unit, NULL)
        ) AS jum_item,
        SUM(IF(
            (unit != 'X')
            AND
            (unit != '0')
            AND
            (unit != 'K'),unit,0)) AS
total_item,
        COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
        count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
        count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
    ((tb_laporan
        JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
    JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
    WHERE
        tb_laporan.id_karyawan =
'Sid_karyawan'
        AND tb_laporan.status =
'verify'
        AND tb_master_outlet.tgl
= '$tgl'
        ORDER BY tb_laporan.id
ASC";
        $query_akhir =
mysqli_query($conn, $sql_akhir);
        while ($stampil_akhir =
mysqli_fetch_array($query_akhir)) {
            echo
            number_format($item_akhir[] =
$stampil_akhir['jum_x_item']/$jum_outlet,2);
        }
    ?>
</td>
<?php
}
?>
</tbody>
<tfoot>
<tr class="table-primary" style="font-
weight: bold;">
<td>
        Jumlah
    </td>
<td>
        <?php
        $sql5_x = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
    </td>
    </tr>
</tfoot>
</table>
</div>

```

```

        AND
        (unit != '0')
        AND
        (unit != 'K'),unit,0)) AS
total_item,
        COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
        count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
        count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
    ((tb_laporan
        JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
    JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
    WHERE
        tb_laporan.id_karyawan =
'Sid_karyawan'
        AND tb_laporan.status =
'verify'
        AND tb_master_outlet.tgl
= '$tgl'
        ORDER BY tb_laporan.id
ASC";
        $query_akhir =
mysqli_query($conn, $sql_akhir);
        while ($stampil_akhir =
mysqli_fetch_array($query_akhir)) {
            echo
            number_format($item_akhir[] =
$stampil_akhir['jum_x_item']/$jum_outlet,2);
        }
    ?>
</td>
<?php
}
?>
</tbody>
<tfoot>
<tr class="table-primary" style="font-
weight: bold;">
<td>
        Jumlah
    </td>
<td>
        <?php
        $sql5_x = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
    </td>
    </tr>
</tfoot>
</table>

```

```

        ON
        tb_master_outlet.id_outlet=tb_laporan.id_outlet
        WHERE

        tb_master_outlet.id_karyawan = 'Sid_karyawan'
        AND tb_laporan.status =
        'verify'
        AND tb_laporan.tgl
        BETWEEN '$startDate'
        AND '$endDate'
        GROUP BY
        tb_master_outlet.tgl";
        $query5_x = mysqli_query($conn,
        $sql5_x);
        while($stampil5_x =
        mysqli_fetch_array($query5_x)){
            $jum_outlet5_x[] =
            $stampil5_x['jumlah'];
        }
        echo $total_outlet_x =
        array_sum($jum_outlet5_x);
    ?>
</td>
<?php
    $sql6_x = "SELECT *,
        COUNT(IF(
            (unit != 'X') AND
            (unit != '0') AND
            (unit != 'K'),unit, NULL)
        ) AS jum_item,
        COUNT(IF(unit = '0',unit,
        NULL)) as jum_0_item,
        count(IF(unit = 'X',unit,
        NULL)) AS jum_x_item,
        count(if(unit = 'K', unit,
        NULL)) AS jum_k_item
        FROM
        ((tb_laporan
        JOIN tb_master_outlet ON
        tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
        tb_laporan.id_produk=tb_master_produk.id_produk)
        WHERE
        tb_laporan.id_karyawan = 'Sid_karyawan'
        AND tb_laporan.status =
        'verify'
        AND tb_laporan.tgl
        BETWEEN '$startDate'
        AND '$endDate'
        GROUP BY nama_produk
        ORDER BY tb_laporan.id
        ASC";
        $query6_x = mysqli_query($conn,
        $sql6_x);
        while ($stampil6_x =
        mysqli_fetch_array($query6_x)) {
    ?>
</td>
<?php
        echo $total_item_x[] =
        $stampil6_x['jum_x_item'];

```

```

    ?>
</td>
<?php
    }
    ?>
</td>
<?php
    echo
    number_format(((array_sum($total_item_x))/$total_outlet_x),2);
    ?>
</td>
</tr>
<tr class="table-success" style="font-style: italic; font-weight: bold; font-size: 13px;">
    <td colspan="2" align="center">
        %AV/JUMLAH CALL
    </td>
</tr>
<?php
    $query7_x = mysqli_query($conn,
    $sql6_x);
    while ($stampil7_x =
    mysqli_fetch_array($query7_x)) {
    ?>
        <td>
            <?php
                $total_item_x =
                $stampil7_x['jum_x_item'];
                $sav_total_x
                =($total_item_x/$total_outlet_x)*100;
                echo
                (number_format($sav_total_x,2)."% ");
            ?>
        </td>
        <?php
            }
        ?>
    </tr>
</tfoot>
</table>
</div>

<div class="table-responsive">
    <table class="table table-bordered table-striped" >
        <thead>
            <style type="text/css">
                .thead {
                    vertical-align: middle !important;
                }
            </style>
            <tr align="center" >
                <td rowspan="2" class="thead">Tanggal</td>
                <td rowspan="2" class="thead">Call</td>
                <td colspan="16" class="thead">Survei AV Produk "K" (Jumlah Produk)</td>
            </tr>
            <?php
                $sql = "SELECT * FROM
                ((tb_laporan

```

```

        JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
        WHERE
tb_laporan.id_karyawan = '$id_karyawan'
        AND tb_laporan.status =
'verify'
        GROUP BY nama_produk
        ORDER BY tb_laporan.id
ASC";
        $query = mysqli_query($conn,
$sql);
        ?>
</tr>
<tr>
<?php
        while ($stampil =
mysqli_fetch_array($query)) {
        ?>
<td>
<?php
        echo " <a href=#' href=#' data-
toggle='tooltip' data-placement='top'
title='".$stampil[nama_produk].">".$stampil[id_produk]."</a> ";
        ?>
</td>
<?php
        }
        ?>
<td>AV/CALL</td>
</tr>
</thead>
<tbody>
<?php
        $id_karyawan =
$_GET['id_karyawan'];
        $startDate = $_GET['startDate'];
        $endDate = $_GET['endDate'];
        $sql = "SELECT *
        FROM ((tb_laporan
        JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
        WHERE
        tb_laporan.id_karyawan =
'$id_karyawan'
        AND tb_laporan.status =
'verify'
        AND tb_laporan.tgl
        BETWEEN '$startDate'
        AND '$endDate'
        GROUP BY tb_laporan.tgl";
        $query = mysqli_query($conn,
$sql);
        while ($stampil =
mysqli_fetch_array($query)) {
        ?>

```

```

<tr>
<td>
<?php echo($stampil['tgl']); ?>
</td>
<td>
<?php
        $tgl = $stampil['tgl'];
        $sql2 = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
        FROM tb_master_outlet
        JOIN tb_laporan
        ON
        tb_master_outlet.id_outlet=tb_laporan.id_outlet
        WHERE
        tb_master_outlet.id_karyawan = '$id_karyawan'
        AND tb_master_outlet.tgl =
'$tgl'
        AND tb_laporan.status =
'verify'
        GROUP BY
        tb_master_outlet.tgl";
        $query2 = mysqli_query($conn,
$sql2);
        $stampil2 =
mysqli_fetch_array($query2);
        echo $jum_outlet =
$stampil2[jumlah];
        echo(mysqli_error($conn));
        ?>
</td>
<?php
        $sql3 = "SELECT *,
        COUNT(IF(
                (unit != 'X') AND
                (unit != '0') AND
                (unit != 'K'),unit, NULL)
        ) AS jum_item,
        SUM(IF(
                (unit != 'X')
                AND
                (unit != '0')
                AND
                (unit != 'K'),unit,0)) AS
total_item,
        COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
        count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
        count(if(unit = 'K', unit,
NULL)) AS jum_k_item
        FROM
        ((tb_laporan
        JOIN tb_master_outlet ON
        tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
        tb_laporan.id_produk=tb_master_produk.id_produk)
        WHERE
        tb_laporan.id_karyawan = '$id_karyawan'
        AND tb_laporan.status =
'verify'

```

```

        AND tb_master_outlet.tgl =
'$tgl'
        GROUP BY nama_produk
        ORDER BY tb_laporan.id
ASC";
$query3 = mysqli_query($conn,
$query3);
while ($stampil3 =
mysqli_fetch_array($query3)) {
?>
<td>
<?php echo $item_k[] =
($stampil3['jum_k_item']); ?>
</td>

<?php
}
?>
<td>
<?php
$sql_akhir = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,
SUM(IF(
(unit != 'X')
AND
(unit != '0')
AND
(unit != 'K'),unit,0)) AS
total_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
(((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
WHERE
tb_laporan.id_karyawan =
'sid_karyawan'
AND tb_laporan.status =
'verify'
AND tb_master_outlet.tgl
= '$tgl'
ORDER BY tb_laporan.id
ASC";
$query_akhir =
mysqli_query($conn, $sql_akhir);
while ($stampil_akhir =
mysqli_fetch_array($query_akhir)) {

```

```

        echo
number_format($item_akhir[] =
$stampil_akhir['jum_k_item']/$jum_outlet,2);
}
?>
</td>
<?php
}
echo(mysqli_error($conn));
?>
</tr>
<tr>
<td colspan="18">
</td>
</tr>
</tbody>
<tfoot>
<tr class="table-primary" style="font-
weight: bold;">
<td>
Jumlah
</td>
<td>
<?php
$sql5_k = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE
tb_master_outlet.id_karyawan = 'sid_karyawan'
AND tb_laporan.status =
'verify'
AND tb_laporan.tgl
BETWEEN '$startDate'
AND '$endDate'
GROUP BY
tb_master_outlet.tgl";
$query5_k = mysqli_query($conn,
$sql5_k);
while($stampil5_k =
mysqli_fetch_array($query5_k)){
$jum_outlet5_k[] =
$stampil5_k['jumlah'];
}
echo $total_outlet_k =
array_sum($jum_outlet5_k);
?>
</td>
<?php
$sql6_k = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,

```

```

                count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
                count(if(unit = 'K', unit,
NULL)) AS jum_k_item
            FROM
            ((tb_laporan
                JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
                JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
            WHERE
tb_laporan.id_karyawan = 'Sid_karyawan'
            AND tb_laporan.status =
'verify'
            AND tb_laporan.tgl
                BETWEEN '$startDate'
AND '$endDate'
            GROUP BY nama_produk
            ORDER BY tb_laporan.id
ASC";
$query6_k = mysqli_query($conn,
$sql6_k);
while ($stampil6_k =
mysqli_fetch_array($query6_k)) {
    ?>
    <td>
    <?php
        echo $total_item_k[] =
$stampil6_k['jum_k_item'];
    ?>
    </td>
    <?php
    }
    ?>
    <td>
    <?php
        echo
number_format(((array_sum($total_item_k))/$total_outlet_k),2);
    ?>
    </td>
</tr>
<tr class="table-success" style="font-
style: italic; font-weight: bold; font-size: 13px;">
    <td colspan="2" align="center">
        %AV/JUMLAH CALL
    </td>
    <?php
        $query7_k = mysqli_query($conn,
$sql6_k);
        while ($stampil7_k =
mysqli_fetch_array($query7_k)) {
            ?>
            <td>
            <?php
                $total_item_k =
$stampil7_k['jum_k_item'];
                $sav_total_k
                =( $total_item_k/$total_outlet_k)*100;
                echo
                (number_format($sav_total_k,2)."%");

```

```

        ?>
    </td>
    <?php
    }
    ?>
</tr>
</tfoot>
</table>
</div>

Cetak.php
<?php
// memanggil library FPDF
include '../config/config.php';
require('fpdf.php');
class PDF extends FPDF
{
    // Page header
    function Header()
    {
        // Logo
        // Arial bold 15
        include
'../config/config.php';
        $sql ="SELECT * FROM
tb_users
            WHERE
            id_karyawan="".$_GET['id_karyawan'].""";
        $data_karyawan =
mysqli_query($conn, $sql);
        $show_data =
mysqli_fetch_assoc($data_karyawan);
        $this-
>SetFont('Arial','B',15);
        // Title
        $this-
>Cell(27.7,1,'REKAPITULASI LAPORAN
HARIAN CABANG',1,0,'C');
        $this-
>Cell(1,1.2,"",0,1);
        $this-
>SetFont('Arial',"",12);
        $this-
>Cell(3,1,'CABANG'); $this->Cell(0,1,':
'.$show_data['cabang']);
        $this-
>Cell(1,0.7,"",0,1);
        $this->Cell(3,1,'DARI');
        $this->Cell(3,1,':
'.$_GET['startDate']);
        $this-
>Cell(3,1,'SAMPAI');
        $this->Cell(1,1,':
'.$_GET['endDate']);
        // Line break
        $this->Ln(1.5);
    }
}

$pdf = new PDF('L','cm','A4');
$pdf->AliasNbPages();
$pdf->AddPage();

```

```

// Instanciation of inherited class
$startDate = $_GET['startDate'];
$endDate = $_GET['endDate'];
$id_karyawan = $_GET['id_karyawan'];

//START HEADER
$cek = "SELECT * FROM
        ((tb_laporan
         JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
         JOIN tb_master_produk
ON
tb_laporan.id_produk=tb_master_produk.id_produk)
        WHERE tb_laporan.status
= 'verify'
        GROUP BY nama_produk
        ORDER BY tb_laporan.id
ASC";
$query = mysqli_query($conn, $cek);
mysqli_error($conn);
$pdf->SetFont('Times','B',7.5);
$pdf->Cell(1,2,'NO',1,0,'C');
$pdf->Cell(5,2,'RAYON',1,0,'C');
$pdf->Cell(2,2,'CALL',1,0,'C');
$pdf->Cell(18.7,1,'SURVEY AV. PRODUK
(JUMLAH OUTLET)',1,1,'C');

$pdf->Cell(8,1,"");

while ($stampil =
mysqli_fetch_array($query)) {
    $pdf->Cell(1.247,1,$stampil['id_produk'],1,0,'C');
}
$pdf->Cell(1,1,"",0,1);
//END HEADER

//START JABATAN | RAYON
$sql = "SELECT *
FROM (((tb_laporan
        JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
        JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
        WHERE tb_laporan.status =
'verify'
        AND tb_laporan.tgl
        BETWEEN '$startDate' AND
'$endDate'
        GROUP BY
tb_users.id_karyawan";
$query = mysqli_query($conn, $sql);
$no = 1;

```

```

while ($stampil =
mysqli_fetch_array($query)) {
    $pdf->Cell(1,1,$no,1,0,'C');
    $no++;
    $pdf->Cell(5,1,$stampil['jabatan'],1,0,'C');
    //END JABATAN | RAYON

//START NILAI
CALL

        $id_karyawan =
        $stampil['id_karyawan'];
        $sql2 = "SELECT *,COUNT(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM ((tb_laporan
        JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
        JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
        WHERE tb_laporan.status =
'verify'
        AND
        tb_users.id_karyawan = '$id_karyawan'
        AND tb_laporan.tgl
        BETWEEN '$startDate'
AND '$endDate'
        GROUP BY
tb_users.jabatan";
        $query2 = mysqli_query($conn,
        $sql2);
        $stampil2_0 =
        mysqli_fetch_array($query2);
        $pdf->Cell(2,1,$jumlah_outlet =
        $stampil2_0['jumlah'],1,0,'C');
        //END NILAI

//START NILAI
PRODUK
        $sql3 = "SELECT
*,
        COUNT(IF(
        (unit != 'X') AND
        (unit != '0') AND
        (unit != 'K'),unit, NULL)
        ) AS jum_item,
        SUM(IF(
        (unit != 'X')
        AND
        (unit != '0')
        AND
        (unit != 'K'),unit,0)) AS
total_item,
        COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
        count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,

```

```

                count(if(unit = 'K', unit,
NULL)) AS jum_k_item
            FROM
                (((tb_laporan
                    JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
                    JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
                JOIN tb_users ON
tb_users.id_karyawan = tb_laporan.id_karyawan)
            WHERE
                tb_laporan.status =
'verify'
            AND
                tb_users.id_karyawan = 'id_karyawan'
            AND tb_laporan.tgl
                BETWEEN '$startDate' AND
'SendDate'
            GROUP BY nama_produk
            ORDER BY tb_laporan.id
ASC";
        $query3 = mysqli_query($conn,
$sql3);
        while ($stampil3 =
mysqli_fetch_array($query3)) {
            $pdf->Cell(1.247,1,$item[] =
$stampil3['jum_item'],1,0,'C');
        }
        //END NILAI PRODUK
        $pdf-
>Cell(1,1,"0,1);//ENTER KEBAWAH
        }
        $pdf->Cell(6,1,'JUMLAH',1,0,'C');
        //START FOOTER TABLE
        $sql5 = "SELECT count( DISTINCT
tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE tb_laporan.status = 'verify'
AND tb_laporan.tgl
BETWEEN '$startDate' AND
'SendDate'";
        $query5 = mysqli_query($conn, $sql5);
        while($stampil5 =
mysqli_fetch_array($query5)){
            $pdf->Cell(2,1,$total_outlet
= $stampil5['jumlah'],1,0,'C');
        }
        $sql6 = "SELECT *,
COUNT(IF(
                (unit != 'X') AND
                (unit != '0') AND
                (unit != 'K'),unit, NULL)
            ) AS jum_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,

```

```

                count(if(unit = 'K', unit,
NULL)) AS jum_k_item
            FROM
                ((tb_laporan
                    JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
                    JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
            WHERE tb_laporan.status =
'verify'
            AND tb_laporan.tgl
                BETWEEN '$startDate'
AND '$endDate'
            GROUP BY nama_produk
            ORDER BY tb_laporan.id
ASC";
        $query6 = mysqli_query($conn,
$sql6);
        while ($stampil6 =
mysqli_fetch_array($query6)) {
            $pdf-
>Cell(1.247,1,$total_item[] =
$stampil6['jum_item'],1,0,'C');
        }
        //END FOOTER TABLES
        $pdf->Cell(1,1,"0,1");//ENTER KEBAWAH
        $pdf->Cell(8,1,"%AV/JUMLAH
CALL',1,0,'C');
        $query7 = mysqli_query($conn, $sql6);
        while ($stampil7 =
mysqli_fetch_array($query7)) {
            $total_item = $stampil7['jum_item'];
            $pdf-
>Cell(1.247,1,number_format($sav_total
=(($total_item/$total_outlet),2)."%",1,0,'C');
        }
        $pdf->Cell(1,1,"0,1");//ENTER KEBAWAH
        $data_user = "SELECT * FROM tb_users
WHERE level ='sales'";
        $query_user = mysqli_query($conn,
$data_user);
        $pdf->Cell(3,1,'KETERANGAN RAYON');
        $pdf->Cell(0,1,':');
        $pdf->Cell(1,1,"0,1");//ENTER KEBAWAH
        $pdf->Cell(3,1,'KODE',1,0,'C');$pdf-
>Cell(15,1,'KETERANGAN',1,1,'C');
        while ($show_user =
mysqli_fetch_array($query_user)) {
            $pdf-
>Cell(3,1,$show_user['jabatan'],1,0,'C');$pdf-
>Cell(15,1,$show_user['ket'],1,1,'C');
        }
        //END FOOTER ITEM | DATA ITEM
        VALUE
        // -----
        - //
        // -----
        - //
        //START HEADER 0 | DATA ITEM 0
        $query = mysqli_query($conn, $cetak);

```

```

mysql_error($conn);
$pdf->SetFont('Times','B',7.5);
$pdf->Cell(1,2,'NO',1,0,'C');
$pdf-
>Cell(5,2,'RAYON',1,0,'C');
$pdf-
>Cell(2,2,'CALL',1,0,'C');
$pdf-
>Cell(18.7,1,'SURVEY AV. "0" PRODUK
(JUMLAH OUTLET)',1,1,'C');

$pdf->Cell(8,1,");

while ($stampil =
mysql_fetch_array($query)) {

$pdf-
>Cell(1.247,1,$stampil['id_produk'],1,0,'C');

}
$pdf->Cell(1,1,"0,1);
//END HEADER 0

//START JABATAN | RAYON
$query = mysql_query($conn, $sql);
$sno = 1;
while ($stampil = mysql_fetch_array($query))
{
    $pdf->Cell(1,1,$sno,1,0,'C');
    $sno++;
    $pdf-
>Cell(5,1,$stampil['jabatan'],1,0,'C');
    //END JABATAN | RAYON

    //START NILAI CALL

    $id_karyawan =
    $stampil['id_karyawan'];
    $sql2_0 = "SELECT *,COUNT(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM (((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
WHERE tb_laporan.status =
'verify'
AND tb_users.id_karyawan =
'$id_karyawan'
AND tb_laporan.tgl
BETWEEN '$startDate' AND
'$endDate'
GROUP BY tb_users.jabatan";
    $query2_0 = mysql_query($conn,
$sql2_0);
    $stampil3_0 =
mysql_fetch_array($query2_0);
    $pdf->Cell(2,1,$jum_outlet_0
= $stampil3_0['jumlah'],1,0,'C');

```

```

//END NILAI CALL

//START NILAI
PRODUK
$sql30 = "SELECT
*,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,
SUM(IF(
(unit != 'X')
AND
(unit != '0')
AND
(unit != 'K'),unit,0)) AS
total_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
(((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_users.id_karyawan = tb_laporan.id_karyawan)
WHERE
tb_laporan.status =
'verify'
AND
tb_users.id_karyawan = '$id_karyawan'
AND tb_laporan.tgl
BETWEEN '$startDate' AND
'$endDate'
GROUP BY nama_produk
ORDER BY tb_laporan.id
ASC";
    $query30 = mysql_query($conn,
$sql30);
    while ($stampil30 =
mysql_fetch_array($query30)) {
        $pdf->Cell(1.247,1,$item0[] =
    $stampil30['jum_0_item'],1,0,'C');
    }
    //END NILAI PRODUK
    $pdf-
>Cell(1,1,"0,1);//ENTER KEBAWAH
}
$pdf->Cell(6,1,'JUMLAH',1,0,'C');
//START FOOTER TABLE
$sql5 = "SELECT count( DISTINCT
tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan

```

```

        ON
        tb_master_outlet.id_outlet=tb_laporan.id_outlet
        WHERE tb_laporan.status = 'verify'
        AND tb_laporan.tgl
        BETWEEN '$startDate' AND
'SendDate';
        $query5 = mysqli_query($conn, $sql5);
        while($stampil5 =
mysqli_fetch_array($query5)){
            $pdf->Cell(2,1,$total_outlet
= $stampil5['jumlah'],1,0,'C');
        }
        $sql6 = "SELECT *,
COUNT(IF(
        (unit != 'X') AND
        (unit != '0') AND
        (unit != 'K'),unit, NULL)
        ) AS jum_item,
COUNT(IF(unit = '0',unit, NULL))
as jum_0_item,
count(IF(unit = 'X',unit, NULL)) AS
jum_x_item,
count(if(unit = 'K', unit, NULL)) AS
jum_k_item
FROM
        ((tb_laporan
        JOIN tb_master_outlet ON
        tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
        tb_laporan.id_produk=tb_master_produk.id_produk)
        WHERE tb_laporan.status =
'verify'
        AND tb_laporan.tgl
        BETWEEN '$startDate' AND
'SendDate'
        GROUP BY nama_produk
        ORDER BY tb_laporan.id ASC";
        $query6 = mysqli_query($conn, $sql6);
        while ($stampil6 =
mysqli_fetch_array($query6)) {
            $pdf-
>Cell(1.247,1,$total_item_0[] =
$stampil6['jum_0_item'],1,0,'C');
        }
        //END FOOTER TABLES

        //START NILAI % AV/JUMLAH
CALL
        $pdf->Cell(1,1,"0,1");//ENTER
KEBAWAH
            $pdf-
>Cell(8,1,"% AV/JUMLAH CALL',1,0,'C');
            $query7 =
mysqli_query($conn, $sql6);
            while ($stampil7 =
mysqli_fetch_array($query7)) {
                $total_item =
$stampil7['jum_0_item'];
                $pdf-
>Cell(1.247,1,number_format($av_total
=($total_item/$total_outlet),2)."%" ,1,0,'C');

```

```

        }
        $pdf-
>Cell(1,1,"0,1");//ENTER KEBAWAH
        //END NILAI % AV/JUMLAH
CALL
        //FOOTER ITEM 0
            $data_user =
"SELECT * FROM tb_users WHERE level
='sales'";
            $query_user =
mysqli_query($conn, $data_user);
            $pdf-
>Cell(3,1,'KETERANGAN RAYON'); $pdf-
>Cell(0,1,'');
            $pdf-
>Cell(1,1,"0,1");//ENTER KEBAWAH
            $pdf-
>Cell(3,1,'KODE',1,0,'C');$pdf-
>Cell(15,1,'KETERANGAN',1,1,'C');
            while ($show_user =
mysqli_fetch_array($query_user)) {
                $pdf-
>Cell(3,1,$show_user['jabatan'],1,0,'C');$pdf-
>Cell(15,1,$show_user['ket'],1,1,'C');
            }
        //END FOOTER ITEM 0 | DATA
ITEM 0 VALUE

        //START HEADER ITEM X | DATA
ITEM X VALUE
        //START HEADER
        $cetak = "SELECT * FROM
        ((tb_laporan
        JOIN tb_master_outlet ON
        tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk
ON
        tb_laporan.id_produk=tb_master_produk.id_produk)
        WHERE tb_laporan.status
= 'verify'
        GROUP BY nama_produk
        ORDER BY tb_laporan.id
ASC";
        $query = mysqli_query($conn, $cetak);
        mysqli_error($conn);
        $pdf->SetFont('Times','B',7.5);
        $pdf->Cell(1,2,'NO',1,0,'C');
            $pdf-
>Cell(5,2,'RAYON',1,0,'C');
            $pdf-
>Cell(2,2,'CALL',1,0,'C');
            $pdf-
>Cell(18.7,1,'SURVEY AV. "X" PRODUK
(JUMLAH OUTLET)',1,1,'C');
            $pdf->Cell(8,1,"");
            while ($stampil =
mysqli_fetch_array($query)) {

```

```

        $pdf-
>Cell(1.247,1,$stampil['id_produk'],1,0,'C');
    }
    $pdf->Cell(1,1,"0,1);
    //END HEADER

    //START JABATAN | RAYON
    $query = mysqli_query($conn, $sql);
    $no = 1;
    while ($stampil = mysqli_fetch_array($query))
    {
        $pdf->Cell(1,1,$no,1,0,'C');
        $no++;
        $pdf-
>Cell(5,1,$stampil['jabatan'],1,0,'C');
        //END JABATAN | RAYON

        //START NILAI CALL

        $id_karyawan =
        $stampil['id_karyawan'];
        $sql2_0 = "SELECT *,COUNT(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM (((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
WHERE tb_laporan.status =
'verify'
AND tb_users.id_karyawan =
'$id_karyawan'
AND tb_laporan.tgl
BETWEEN '$startDate' AND
'$endDate'
GROUP BY tb_users.jabatan";
        $query2_0 = mysqli_query($conn,
        $sql2_0);
        $stampil3_0 =
        mysqli_fetch_array($query2_0);
        $pdf->Cell(2,1,$jum_outlet_0
        = $stampil3_0['jumlah'],1,0,'C');
        //END NILAI CALL

        //START NILAI
PRODUK
        $sql3 = "SELECT
*,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,
SUM(IF(
(unit != 'X')
AND
(unit != '0')

```

```

AND
(unit != 'K'),unit,0)) AS
total_item,
COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
count(if(unit = 'K', unit,
NULL)) AS jum_k_item
FROM
(((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_users.id_karyawan = tb_laporan.id_karyawan)
WHERE
tb_laporan.status =
'verify'
AND
tb_users.id_karyawan = '$id_karyawan'
AND tb_laporan.tgl
BETWEEN '$startDate' AND
'$endDate'
GROUP BY nama_produk
ORDER BY tb_laporan.id
ASC";
        $query3 = mysqli_query($conn,
        $sql3);
        while ($stampil3 =
        mysqli_fetch_array($query3)) {
            $pdf->Cell(1.247,1,$item[] =
            $stampil3['jum_x_item'],1,0,'C');
        }
        //END NILAI PRODUK
        $pdf-
>Cell(1,1,"0,1);//ENTER KEBAWAH
    }
    $pdf->Cell(6,1,'JUMLAH',1,0,'C');
    //START FOOTER TABLE
    $sql5 = "SELECT count( DISTINCT
tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE tb_laporan.status = 'verify'
AND tb_laporan.tgl
BETWEEN '$startDate' AND
'$endDate'";
    $query5 = mysqli_query($conn, $sql5);
    while($stampil5 =
    mysqli_fetch_array($query5)){
        $pdf->Cell(2,1,$total_outlet
    = $stampil5['jumlah'],1,0,'C');
    }
    $sql6 = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND

```

```

        (unit != 'K'),unit, NULL)
    ) AS jum_item,
    COUNT(IF(unit = '0',unit, NULL))
as jum_0_item,
    count(IF(unit = 'X',unit, NULL)) AS
jum_x_item,
    count(if(unit = 'K', unit, NULL)) AS
jum_k_item
FROM
    ((tb_laporan
    JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
    JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE tb_laporan.status =
'verify'
AND tb_laporan.tgl
BETWEEN '$startDate' AND
'$endDate'
GROUP BY nama_produk
ORDER BY tb_laporan.id ASC";
$query6 = mysqli_query($conn, $sql6);
while ($stampil6 =
mysqli_fetch_array($query6)) {
    >Cell(1.247,1,$total_item_x[] =
$stampil6['jum_x_item'],1,0,'C');
}
//END FOOTER TABLES

//START NILAI % AV/JUMLAH
CALL
    $pdf->Cell(1,1,"0,1");//ENTER
KEBAWAH
    $pdf-
>Cell(8,1,"% AV/JUMLAH CALL',1,0,'C');
    $query7 =
mysqli_query($conn, $sql6);
    while ($stampil7 =
mysqli_fetch_array($query7)) {
        $total_item =
$stampil7['jum_x_item'];
        $pdf-
>Cell(1.247,1,number_format($av_total
=($total_item/$total_outlet),2)."%,1,0,'C');
    }
    $pdf-
>Cell(1,1,"0,1");//ENTER KEBAWAH
//END NILAI % AV/JUMLAH
CALL

//FOOTER ITEM X
    $data_user =
"SELECT * FROM tb_users WHERE level
='sales'";
    $query_user =
mysqli_query($conn, $data_user);
    $pdf-
>Cell(3,1,'KETERANGAN RAYON'); $pdf-
>Cell(0,1,':');

```

```

    $pdf-
>Cell(1,1,"0,1");//ENTER KEBAWAH
    $pdf-
>Cell(3,1,'KODE',1,0,'C');$pdf-
>Cell(15,1,'KETERANGAN',1,1,'C');
    while ($show_user =
mysqli_fetch_array($query_user)) {
        $pdf-
>Cell(3,1,$show_user['jabatan'],1,0,'C');$pdf-
>Cell(15,1,$show_user['ket'],1,1,'C');
    }
//END FOOTER ITEM X | DATA
ITEM X VALUE

//START HEADER ITEM X | DATA
ITEM X VALUE
//START HEADER
$cetak = "SELECT * FROM
    ((tb_laporan
    JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
    JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE tb_laporan.status = 'verify'
GROUP BY nama_produk
ORDER BY tb_laporan.id ASC";
$query = mysqli_query($conn, $cetak);
mysqli_error($conn);
$pdf->SetFont('Times','B',7.5);
    $pdf->Cell(1,2,'NO',1,0,'C');
    $pdf-
>Cell(5,2,'RAYON',1,0,'C');
    $pdf-
>Cell(2,2,'CALL',1,0,'C');
    $pdf-
>Cell(18.7,1,'SURVEY AV. "K" PRODUK
(JUMLAH OUTLET)',1,1,'C');
    $pdf->Cell(8,1,"");
    while ($stampil =
mysqli_fetch_array($query)) {
        $pdf-
>Cell(1.247,1,$stampil['id_produk'],1,0,'C');
    }
    $pdf->Cell(1,1,"0,1");
//END HEADER

//START JABATAN | RAYON
$query = mysqli_query($conn, $sql);
$no = 1;
while ($stampil = mysqli_fetch_array($query))
{
    $pdf->Cell(1,1,$no,1,0,'C');
}

```

```

                $sno++;
                $pdf-
>Cell(5,1,$stampil['jabatan'],1,0,'C');
                //END JABATAN | RAYON

                //START NILAI CALL

                $sid_karyawan =
$stampil['id_karyawan'];
                $sql2_0 = "SELECT *,COUNT(
DISTINCT tb_laporan.id_outlet) as jumlah
                FROM (((tb_laporan
                JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
                JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
                JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
                WHERE tb_laporan.status =
'verify'
                AND tb_users.id_karyawan =
'Sid_karyawan'
                AND tb_laporan.tgl
                BETWEEN '$startDate' AND
'SendDate'
                GROUP BY tb_users.jabatan";
                $query2_0 = mysqli_query($conn,
$sql2_0);
                $stampil3_0 =
mysqli_fetch_array($query2_0);
                $pdf->Cell(2,1,$jum_outlet_0
= $stampil3_0['jumlah'],1,0,'C');
                //END NILAI CALL

                //START NILAI
PRODUK
                $sql3 = "SELECT
*,
                COUNT(IF(
                (unit != 'X') AND
                (unit != '0') AND
                (unit != 'K'),unit, NULL)
                ) AS jum_item,
                SUM(IF(
                (unit != 'X')
                AND
                (unit != '0')
                AND
                (unit != 'K'),unit,0)) AS
total_item,
                COUNT(IF(unit = '0',unit,
NULL)) as jum_0_item,
                count(IF(unit = 'X',unit,
NULL)) AS jum_x_item,
                count(if(unit = 'K', unit,
NULL)) AS jum_k_item
                FROM
                (((tb_laporan
                JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)

```

```

                JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
                JOIN tb_users ON
tb_users.id_karyawan = tb_laporan.id_karyawan)
                WHERE
                tb_laporan.status =
'verify'
                AND
                tb_users.id_karyawan = '$id_karyawan'
                AND tb_laporan.tgl
                BETWEEN '$startDate' AND
'SendDate'
                GROUP BY nama_produk
                ORDER BY tb_laporan.id
ASC";
                $query3 = mysqli_query($conn,
$sql3);
                while ($stampil3 =
mysqli_fetch_array($query3)) {
                $pdf->Cell(1.247,1,$item[] =
$stampil3['jum_k_item'],1,0,'C');
                }
                //END NILAI PRODUK

                $pdf-
>Cell(1,1,"",0,1);//ENTER KEBAWAH
                }
                $pdf->Cell(6,1,'JUMLAH',1,0,'C');
                //START FOOTER TABLE
                $sql5 = "SELECT count( DISTINCT
tb_laporan.id_outlet) as jumlah
                FROM tb_master_outlet
                JOIN tb_laporan
                ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
                WHERE tb_laporan.status = 'verify'
                AND tb_laporan.tgl
                BETWEEN '$startDate' AND
'SendDate'";
                $query5 = mysqli_query($conn, $sql5);
                while($stampil5 =
mysqli_fetch_array($query5)){
                $pdf->Cell(2,1,$total_outlet
= $stampil5['jumlah'],1,0,'C');
                }
                $sql6 = "SELECT *,
                COUNT(IF(
                (unit != 'X') AND
                (unit != '0') AND
                (unit != 'K'),unit, NULL)
                ) AS jum_item,
                COUNT(IF(unit = '0',unit, NULL))
as jum_0_item,
                count(IF(unit = 'X',unit, NULL)) AS
jum_x_item,
                count(if(unit = 'K', unit, NULL)) AS
jum_k_item
                FROM
                ((tb_laporan
                JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)

```

```

        JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
        WHERE tb_laporan.status =
'verify'
        AND tb_laporan.tgl
        BETWEEN '$startDate' AND
'SendDate'
        GROUP BY nama_produk
        ORDER BY tb_laporan.id ASC";
$query6 = mysqli_query($conn, $sql6);
while ($stampil6 =
mysqli_fetch_array($query6)) {
    $pdf->Cell(1.247,1,$total_item_k[] =
$stampil6['jum_k_item'],1,0,'C');
}
//END FOOTER TABLES

//START NILAI %AV/JUMLAH
CALL
    $pdf->Cell(1,1,"0,1");//ENTER
KEBAWAH
    $pdf-
>Cell(8,1,%AV/JUMLAH CALL',1,0,'C');
    $query7 =
mysqli_query($conn, $sql6);
    while ($stampil7 =
mysqli_fetch_array($query7)) {
        $total_item =
$stampil7['jum_k_item'];
        $pdf-
>Cell(1.247,1,number_format($av_total
=(($total_item/$total_outlet),2)."%",1,0,'C');
    }
    $pdf-
>Cell(1,1,"0,1");//ENTER KEBAWAH
//END NILAI %AV/JUMLAH
CALL

//FOOTER ITEM K
    $data_user =
"SELECT * FROM tb_users WHERE level
='sales'";
    $query_user =
mysqli_query($conn, $data_user);
    $pdf-
>Cell(3,1,'KETERANGAN RAYON'); $pdf-
>Cell(0,1,':');
    $pdf-
>Cell(1,1,"0,1");//ENTER KEBAWAH
    $pdf-
>Cell(3,1,'KODE',1,0,'C');$pdf-
>Cell(15,1,'KETERANGAN',1,1,'C');
    while ($show_user =
mysqli_fetch_array($query_user)) {
        $pdf-
>Cell(3,1,$show_user['jabatan'],1,0,'C');$pdf-
>Cell(15,1,$show_user['ket'],1,1,'C');
    }
//END FOOTER ITEM | DATA ITEM
K VALUE

```

```

    $pdf->Output();
?>

Cetak-LHFF.php
<?php
// memanggil library FPDF
include '.././././config/config.php';
require('fpdf.php');
class PDF extends FPDF
{
    // Page header
    function Header()
    {
        // Logo
        // Arial bold 15
        include '.././././config/config.php';
        $sql ="SELECT * FROM tb_users
        WHERE
        id_karyawan=".$_GET['id_karyawan']."";
        $data_karyawan = mysqli_query($conn,
        $sql);
        $show_data =
        mysqli_fetch_assoc($data_karyawan);
        $this->SetFont('Arial','B',10);
        // Title
        $this->Cell(27.7,0.699,REKAPITULASI
        LAPORAN HARIAN FIELD FORCE',1,0,'C');
        $this->Cell(1,0.8,"0,1);
        $this->SetFont('Arial',"9);
        $this->Cell(3,1,'NAMA'); $this-
        >Cell(18,1,': '.$show_data['nama']);
        $this->Cell(3,1,'START DATE'); $this-
        >Cell(3,1,': '.$_GET['startDate']);

        $this->Cell(1,0.7,"0,1); //ENTER
        KEBAWAH
        $this->Cell(3,1,'JABATAN'); $this-
        >Cell(18,1,': '.$show_data['jabatan']. " |
        ".$show_data['ket']);
        $this->Cell(3,1,'END DATE'); $this-
        >Cell(3,1,': '.$_GET['endDate']);
        // Line break
        $this->Ln(1);
    }
}

$pdf = new PDF('L','cm','A4');
$pdf->AliasNbPages();
$pdf->AddPage();
// Instanciation of inherited class
$startDate = $_GET['startDate'];
$endDate = $_GET['endDate'];
$id_karyawan = $_GET['id_karyawan'];
//START HEADER
$ctetak = "SELECT * FROM
((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)

```

```

WHERE
tb_laporan.id_karyawan = '$id_karyawan'
AND tb_laporan.status =
'verify'
GROUP BY nama_produk
ORDER BY tb_laporan.id
ASC";
$query = mysqli_query($conn, $cetak);
mysqli_error($conn);
$pdf->SetFont('Times','B',7.5);
$pdf->Cell(1,1.4,'NO',1,0,'C');
$pdf->Cell(5,1.4,'TANGGAL',1,0,'C');
$pdf->Cell(2,1.4,'CALL',1,0,'C');
$pdf->Cell(19.95,0.7,'SURVEY AV.
PRODUK (JUMLAH OUTLET)',1,1,'C');
$pdf->Cell(8,1,"");
while ($stampil =
mysqli_fetch_array($query)) {
$pdf-
>Cell(1.247,0.7,$stampil['id_produk'],1,0,'C');
}
$pdf-
>Cell(1.247,0.7,'AV/CALL',1,0,'C');
$pdf->Cell(1,0.7,"",0,1);
//END HEADER

//START JABATAN | RAYON
$sql = "SELECT *
FROM ((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE
tb_laporan.id_karyawan =
'$id_karyawan'
AND tb_laporan.status = 'verify'
AND tb_laporan.tgl
BETWEEN '$startDate' AND
'$endDate'
GROUP BY tb_laporan.tgl";
$query = mysqli_query($conn, $sql);
$no = 1;

//NO, TANGGAL, CALL
while ($stampil = mysqli_fetch_array($query))
{
$pdf->Cell(1,0.699,$no,1,0,'C');
$no++;
$pdf->Cell(5,0.699,$stampil['tgl'],1,0,'C');
//END JABATAN | RAYON
$stgl = $stampil['tgl'];
$sql2 = "SELECT count( DISTINCT
tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE
tb_master_outlet.id_karyawan =
'$id_karyawan'
AND tb_master_outlet.tgl = '$stgl'
AND tb_laporan.status = 'verify'
GROUP BY tb_master_outlet.tgl";
$query2 = mysqli_query($conn, $sql2);
$stampil2 =
mysqli_fetch_array($query2);
$pdf->Cell(2,0.699,$jumlah_outlet =
$stampil2['jumlah'],1,0,'C');
//END --
$sql3 = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,
SUM(IF(
(unit != 'X')
AND
(unit != '0')
AND
(unit != 'K'),unit,0)) AS total_item,
COUNT(IF(unit = '0',unit, NULL)) as
jum_0_item,
count(IF(unit = 'X',unit, NULL)) AS
jum_x_item,
count(if(unit = 'K', unit, NULL)) AS
jum_k_item
FROM
(((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
WHERE
tb_laporan.id_karyawan =
'$id_karyawan'
AND tb_laporan.status = 'verify'
AND tb_master_outlet.tgl = '$stgl'
GROUP BY nama_produk
ORDER BY tb_laporan.id ASC";
$query3 = mysqli_query($conn, $sql3);
while ($stampil3 =
mysqli_fetch_array($query3)) {
$pdf->Cell(1.247,0.7,$item[] =
$stampil3['jum_item'],1,0,'C');
}
//END NILAI PRODUK

//START NILAI AV/CALL
$sql_akhir = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,
SUM(IF(
(unit != 'X')
AND
(unit != '0')

```

```

        AND
        (unit != 'K'),unit,0)) AS total_item,
        COUNT(IF(unit = '0',unit, NULL)) AS
jum_0_item,
        count(IF(unit = 'X',unit, NULL)) AS
jum_x_item,
        count(if(unit = 'K', unit, NULL)) AS
jum_k_item
FROM
(((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
WHERE
tb_laporan.id_karyawan =
'Sid_karyawan'
AND tb_laporan.status = 'verify'
AND tb_master_outlet.tgl = '$tgl'
ORDER BY tb_laporan.id ASC";
$query_akhir = mysqli_query($conn,
$sql_akhir);
while ($stampil_akhir =
mysqli_fetch_array($query_akhir)) {
$pdf-
>Cell(1.247,0.699,number_format($item_akhir[]
=
$stampil_akhir['jum_item']/$jum_outlet,2),1,0,'C');
}
//END NILAI CALL
$pdf->Cell(1,0.7,"",0,1);//ENTER
}

$pdf->Cell(6,0.699,'JUMLAH',1,0,'C');
//START FOOTER TABLE
$sql5 = "SELECT count( DISTINCT
tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE tb_master_outlet.id_karyawan
= 'Sid_karyawan'
AND tb_laporan.status = 'verify'
AND tb_laporan.tgl
BETWEEN '$startDate' AND
'SendDate'";
$query5 = mysqli_query($conn, $sql5);
while($stampil5 =
mysqli_fetch_array($query5)){
$pdf->Cell(2,0.699,$total_outlet =
$stampil5['jumlah'],1,0,'C');
}
$sql6 = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,

```

```

COUNT(IF(unit = '0',unit, NULL)) as
jum_0_item,
count(IF(unit = 'X',unit, NULL)) AS
jum_x_item,
count(if(unit = 'K', unit, NULL)) AS
jum_k_item
FROM
((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE tb_master_outlet.id_karyawan =
'Sid_karyawan'
AND tb_laporan.status = 'verify'
AND tb_laporan.tgl
BETWEEN '$startDate' AND
'SendDate'
GROUP BY nama_produk
ORDER BY tb_laporan.id ASC";
$query6 = mysqli_query($conn, $sql6);
while ($stampil6 =
mysqli_fetch_array($query6)) {
$pdf->Cell(1.247,0.699,$total_item[] =
$stampil6['jum_item'],1,0,'C');
}
$pdf-
>Cell(1.247,0.699,number_format(((array_sum($
total_item))/($total_outlet),2),1,0,'C');
//END FOOTER TABLES
$pdf->Cell(1,0.699,"",0,1);//ENTER
KEBAWAH
$pdf->Cell(8,0.699,"% AV/JUMLAH
CALL',1,0,'C');
$query7 = mysqli_query($conn, $sql6);
while ($stampil7 =
mysqli_fetch_array($query7)) {
$total_item = $stampil7['jum_item'];
$pdf-
>Cell(1.247,0.699,number_format($av_total
=(total_item/$total_outlet)*100,2)."%",1,0,'C');
}
//-----
----//
$pdf->Cell(1,0.699,"",0,1);//ENTER
KEBAWAH
//-----
----//

//START HEADER
$ctetak = "SELECT * FROM
((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE
tb_laporan.id_karyawan = 'Sid_karyawan'
AND tb_laporan.status =
'verify'

```

```

GROUP BY nama_produk
ORDER BY tb_laporan.id
ASC";
$query = mysqli_query($conn, $ctetak);
mysqli_error($conn);
$pdf->SetFont('Times','B',7.5);
$pdf->Cell(1,1.4,'NO',1,0,'C');
$pdf->Cell(5,1.4,'TANGGAL',1,0,'C');
$pdf->Cell(2,1.4,'CALL',1,0,'C');
$pdf->Cell(19.95,0.7,'SURVEY AV.
0 PRODUK (JUMLAH OUTLET)',1,1,'C');
$pdf->Cell(8,1,");
while ($stampil =
mysqli_fetch_array($query)) {
$pdf-
>Cell(1.247,0.7,$stampil['id_produk'],1,0,'C');
}
$pdf-
>Cell(1.247,0.7,'AV/CALL',1,0,'C');
$pdf->Cell(1,0.7,"0,1);
//END HEADER

//START JABATAN | RAYON
$sql_0 = "SELECT *
FROM ((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE
tb_laporan.id_karyawan =
'Sid_karyawan'
AND tb_laporan.status = 'verify'
AND tb_laporan.tgl
BETWEEN '$startDate' AND
'SendDate'
GROUP BY tb_laporan.tgl";
$query_0 = mysqli_query($conn, $sql_0);
$no = 1;

//NO, TANGGAL, CALL
while ($stampil_0 =
mysqli_fetch_array($query_0)) {
$pdf->Cell(1,0.699,$no,1,0,'C');
$no++;
$pdf->Cell(5,0.699,$stampil_0['tgl'],1,0,'C');
//END JABATAN | RAYON
$stgl_0 = $stampil_0['tgl'];
$sql2_0 = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE
tb_master_outlet.id_karyawan =
'Sid_karyawan'
AND tb_master_outlet.tgl =
'Stgl_0'
AND tb_laporan.status = 'verify'
GROUP BY tb_master_outlet.tgl";

```

```

$query2_0 = mysqli_query($conn,
$sql2_0);
$stampil2_0 =
mysqli_fetch_array($query2_0);
$pdf->Cell(2,0.699,$jum_outlet_0 =
$stampil2_0['jumlah'],1,0,'C');
//END --
$sql3_0 = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,
SUM(IF(
(unit != 'X')
AND
(unit != '0')
AND
(unit != 'K'),unit,0)) AS total_item,
COUNT(IF(unit = '0',unit, NULL)) as
jum_0_item,
count(IF(unit = 'X',unit, NULL)) AS
jum_x_item,
count(if(unit = 'K', unit, NULL)) AS
jum_k_item
FROM
(((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
WHERE
tb_laporan.id_karyawan =
'Sid_karyawan'
AND tb_laporan.status = 'verify'
AND tb_master_outlet.tgl = '$stgl_0'
GROUP BY nama_produk
ORDER BY tb_laporan.id ASC";
$query3_0 = mysqli_query($conn, $sql3_0);
while ($stampil3_0 =
mysqli_fetch_array($query3_0)) {
$pdf->Cell(1.247,0.7,$item_0[] =
$stampil3_0['jum_0_item'],1,0,'C');
}
//END NILAI PRODUK

//START NILAI AV/CALL
$sql_akhir_0 = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,
SUM(IF(
(unit != 'X')
AND
(unit != '0')
AND
(unit != 'K'),unit,0)) AS total_item,

```

```

COUNT(IF(unit = '0',unit, NULL)) as
jum_0_item,
count(IF(unit = 'X',unit, NULL)) AS
jum_x_item,
count(if(unit = 'K', unit, NULL)) AS
jum_k_item
FROM
(((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
WHERE
tb_laporan.id_karyawan =
'Sid_karyawan'
AND tb_laporan.status = 'verify'
AND tb_master_outlet.tgl = $tgl_0'
ORDER BY tb_laporan.id ASC";
$query_akhir_0 = mysqli_query($conn,
$sql_akhir_0);
while ($stampil_akhir_0 =
mysqli_fetch_array($query_akhir_0)) {
$pdf-
>Cell(1.247,0.699,number_format($item_akhir_0
[] =
$stampil_akhir_0['jum_0_item']/$jum_outlet_0,2),
1,0,'C');
}
//END NILAI CALL
$pdf->Cell(1,0.7,"",0,1);//ENTER
}

$pdf->Cell(6,0.699,'JUMLAH',1,0,'C');
//START FOOTER TABLE
$query5_0 = "SELECT count( DISTINCT
tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE tb_master_outlet.id_karyawan
= 'Sid_karyawan'
AND tb_laporan.status = 'verify'
AND tb_laporan.tgl
BETWEEN '$startDate' AND
'SendDate'";
$query5_0 = mysqli_query($conn, $sql5_0);
while($stampil5_0 =
mysqli_fetch_array($query5_0)){
$pdf->Cell(2,0.699,$total_outlet_0 =
$stampil5_0['jumlah'],1,0,'C');
}
$sql6_0 = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,

```

```

COUNT(IF(unit = '0',unit, NULL)) as
jum_0_item,
count(IF(unit = 'X',unit, NULL)) AS
jum_x_item,
count(if(unit = 'K', unit, NULL)) AS
jum_k_item
FROM
((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE tb_master_outlet.id_karyawan =
'Sid_karyawan'
AND tb_laporan.status = 'verify'
AND tb_laporan.tgl
BETWEEN '$startDate' AND
'SendDate'
GROUP BY nama_produk
ORDER BY tb_laporan.id ASC";
$query6_0 = mysqli_query($conn, $sql6_0);
while ($stampil6_0 =
mysqli_fetch_array($query6_0)) {
$pdf->Cell(1.247,0.699,$total_item_0[] =
$stampil6_0['jum_0_item'],1,0,'C');
}
$pdf-
>Cell(1.247,0.699,number_format(((array_sum($
total_item_0))/$total_outlet_0,2),1,0,'C');
//END FOOTER TABLES
$pdf->Cell(1,0.699,"",0,1);//ENTER
KEBAWAH
$pdf->Cell(8,0.699,"% AV/JUMLAH
CALL',1,0,'C');
$query7_0 = mysqli_query($conn, $sql6_0);
while ($stampil7_0 =
mysqli_fetch_array($query7_0)) {
$total_item_0 =
$stampil7_0['jum_0_item'];
$pdf-
>Cell(1.247,0.699,number_format($sav_total_0
=(($total_item_0/$total_outlet_0)*100,2)."%",1,0,'
C');
}
//-----//
----//
$pdf->Cell(1,0.699,"",0,1);//ENTER
KEBAWAH
//-----//
//START HEADER
$ctetak = "SELECT * FROM
((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE
tb_laporan.id_karyawan = 'Sid_karyawan'

```

```

AND tb_laporan.status =
'verify'
GROUP BY nama_produk
ORDER BY tb_laporan.id
ASC";
$query = mysqli_query($conn, $cetak);
mysqli_error($conn);
$pdf->SetFont('Times', 'B', 7.5);
$pdf->Cell(1, 1.4, 'NO', 1, 0, 'C');
$pdf->Cell(5, 1.4, 'TANGGAL', 1, 0, 'C');
$pdf->Cell(2, 1.4, 'CALL', 1, 0, 'C');
$pdf->Cell(19.95, 0.7, 'SURVEY AV.
X PRODUK (JUMLAH OUTLET)', 1, 1, 'C');
$pdf->Cell(8, 1, "");
while ($stampil =
mysqli_fetch_array($query)) {
    $pdf-
>Cell(1.247, 0.7, $stampil['id_produk'], 1, 0, 'C');
}
    $pdf-
>Cell(1.247, 0.7, 'AV/CALL', 1, 0, 'C');
    $pdf->Cell(1, 0.7, "", 0, 1);
//END HEADER

//START JABATAN | RAYON
$sql_x = "SELECT *
FROM ((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE
tb_laporan.id_karyawan =
'Sid_karyawan'
AND tb_laporan.status = 'verify'
AND tb_laporan.tgl
BETWEEN '$startDate' AND
'SendDate'
GROUP BY tb_laporan.tgl";
$query_x = mysqli_query($conn, $sql_x);
$no = 1;

//NO, TANGGAL, CALL
while ($stampil_x =
mysqli_fetch_array($query_x)) {
    $pdf->Cell(1, 0.699, $no, 1, 0, 'C');
    $no++;
    $pdf->Cell(5, 0.699, $stampil_x['tgl'], 1, 0, 'C');
//END JABATAN | RAYON
    $tgl_x = $stampil_x['tgl'];
    $sql2_x = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE
tb_master_outlet.id_karyawan =
'Sid_karyawan'
AND tb_master_outlet.tgl =
'Stgl_x'

```

```

AND tb_laporan.status = 'verify'
GROUP BY tb_master_outlet.tgl";
$query2_x = mysqli_query($conn,
$sql2_x);
    $stampil2_x =
mysqli_fetch_array($query2_x);
    $pdf->Cell(2, 0.699, $jum_outlet_x =
$stampil2_x['jumlah'], 1, 0, 'C');
//END --
    $sql3_x = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'), unit, NULL)
) AS jum_item,
SUM(IF(
(unit != 'X')
AND
(unit != '0')
AND
(unit != 'K'), unit, 0)) AS total_item,
COUNT(IF(unit = '0', unit, NULL)) as
jum_0_item,
count(IF(unit = 'X', unit, NULL)) AS
jum_x_item,
count(if(unit = 'K', unit, NULL)) AS
jum_k_item
FROM
(((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
WHERE
tb_laporan.id_karyawan =
'Sid_karyawan'
AND tb_laporan.status = 'verify'
AND tb_master_outlet.tgl = 'Stgl_x'
GROUP BY nama_produk
ORDER BY tb_laporan.id ASC";
$query3_x = mysqli_query($conn, $sql3_x);
while ($stampil3_x =
mysqli_fetch_array($query3_x)) {
    $pdf->Cell(1.247, 0.7, $item_x[] =
$stampil3_x['jum_x_item'], 1, 0, 'C');
}
//END NILAI PRODUK

//START NILAI AV/CALL
$sql_akhir_x = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'), unit, NULL)
) AS jum_item,
SUM(IF(
(unit != 'X')
AND
(unit != '0')

```

```

        AND
        (unit != 'K'),unit,0)) AS total_item,
        COUNT(IF(unit = '0',unit, NULL)) as
jum_0_item,
        count(IF(unit = 'X',unit, NULL)) AS
jum_x_item,
        count(if(unit = 'K', unit, NULL)) AS
jum_k_item
FROM
    ((tb_laporan
        JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
        JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
WHERE
    tb_laporan.id_karyawan =
'Sid_karyawan'
        AND tb_laporan.status = 'verify'
        AND tb_master_outlet.tgl = '$tgl_x'
    ORDER BY tb_laporan.id ASC";
$query_akhir_x = mysqli_query($conn,
$sql_akhir_x);
while ($stampil_akhir_x =
mysqli_fetch_array($query_akhir_x)) {
    $pdf->Cell(1.247,0.699,number_format($item_akhir_x
[] =
$stampil_akhir_x['jum_x_item']/$jum_outlet_x,2),
1,0,'C');
}
//END NILAI CALL
$pdf->Cell(1,0.7,"",0,1);//ENTER
}

$pdf->Cell(6,0.699,'JUMLAH',1,0,'C');
//START FOOTER TABLE
$sql5_x = "SELECT count( DISTINCT
tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE tb_master_outlet.id_karyawan
= 'Sid_karyawan'
AND tb_laporan.status = 'verify'
AND tb_laporan.tgl
BETWEEN '$startDate' AND
'SendDate'";
$query5_x = mysqli_query($conn, $sql5_x);
while($stampil5_x =
mysqli_fetch_array($query5_x)){
    $pdf->Cell(2,0.699,$total_outlet_x =
$stampil5_x['jumlah'],1,0,'C');
}
$sql6_x = "SELECT *,
COUNT(IF(
        (unit != 'X') AND
        (unit != '0') AND
        (unit != 'K'),unit, NULL)

```

```

        ) AS jum_item,
        COUNT(IF(unit = '0',unit, NULL)) as
jum_0_item,
        count(IF(unit = 'X',unit, NULL)) AS
jum_x_item,
        count(if(unit = 'K', unit, NULL)) AS
jum_k_item
FROM
    ((tb_laporan
        JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
        WHERE tb_master_outlet.id_karyawan =
'Sid_karyawan'
        AND tb_laporan.status = 'verify'
        AND tb_laporan.tgl
        BETWEEN '$startDate' AND
'SendDate'
        GROUP BY nama_produk
        ORDER BY tb_laporan.id ASC";
$query6_x = mysqli_query($conn, $sql6_x);
while ($stampil6_x =
mysqli_fetch_array($query6_x)) {
    $pdf->Cell(1.247,0.699,$total_item_x[] =
$stampil6_x['jum_x_item'],1,0,'C');
}
$pdf->Cell(1.247,0.699,number_format(((array_sum($
total_item_x))/($total_outlet_x),2),1,0,'C');
//END FOOTER TABLES
$pdf->Cell(1,0.699,"",0,1);//ENTER
KEBAWAHAH
$pdf->Cell(8,0.699,'% AV/JUMLAH
CALL',1,0,'C');
$query7_x = mysqli_query($conn, $sql6_x);
while ($stampil7_x =
mysqli_fetch_array($query7_x)) {
    $total_item_x =
$stampil7_x['jum_x_item'];
    $pdf->Cell(1.247,0.699,number_format($sav_total_x
=($total_item_x/$total_outlet_x)*100,2)."%",1,0,
'C');
}
//-----//
$pdf->Cell(1,0.699,"",0,1);//ENTER
KEBAWAHAH
//-----//

//START HEADER
$ctetak = "SELECT * FROM
        ((tb_laporan
            JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
            JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)

```

```

WHERE
tb_laporan.id_karyawan = 'Sid_karyawan'
AND tb_laporan.status =
'verify'

GROUP BY nama_produk
ORDER BY tb_laporan.id
ASC";
$query = mysqli_query($conn, $cetak);
mysqli_error($conn);
$pdf->SetFont('Times','B',7.5);
$pdf->Cell(1,1.4,'NO',1,0,'C');
$pdf->Cell(5,1.4,'TANGGAL',1,0,'C');
$pdf->Cell(2,1.4,'CALL',1,0,'C');
$pdf->Cell(19.95,0.7,'SURVEY AV.
K PRODUK (JUMLAH OUTLET)',1,1,'C');
$pdf->Cell(8,1,");
while ($stampil =
mysqli_fetch_array($query)) {
$pdf-
>Cell(1.247,0.7,$stampil['id_produk'],1,0,'C');
}
$pdf-
>Cell(1.247,0.7,'AV/CALL',1,0,'C');
$pdf->Cell(1,0.7,"0,1);
//END HEADER

//START JABATAN | RAYON
$sql_k = "SELECT *
FROM ((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
WHERE
tb_laporan.id_karyawan =
'Sid_karyawan'
AND tb_laporan.status = 'verify'
AND tb_laporan.tgl
BETWEEN '$startDate' AND
'SendDate'
GROUP BY tb_laporan.tgl";
$query_k = mysqli_query($conn, $sql_k);
$no = 1;

//NO, TANGGAL, CALL
while ($stampil_k =
mysqli_fetch_array($query_k)) {
$pdf->Cell(1,0.699,$no,1,0,'C');
$no++;
$pdf->Cell(5,0.699,$stampil_k['tgl'],1,0,'C');
//END JABATAN | RAYON
$stgl_k = $stampil_k['tgl'];
$sql2_k = "SELECT count(
DISTINCT tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE
tb_master_outlet.id_karyawan =
'Sid_karyawan'

```

```

AND tb_master_outlet.tgl =
'$stgl_k'
AND tb_laporan.status = 'verify'
GROUP BY tb_master_outlet.tgl";
$query2_k = mysqli_query($conn,
$sql2_k);
$stampil2_k =
mysqli_fetch_array($query2_k);
$pdf->Cell(2,0.699,$jum_outlet_k =
$stampil2_k['jumlah'],1,0,'C');
//END --
$sql3_k = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,
SUM(IF(
(unit != 'X')
AND
(unit != '0')
AND
(unit != 'K'),unit,0)) AS total_item,
COUNT(IF(unit = '0',unit, NULL)) as
jum_0_item,
count(IF(unit = 'X',unit, NULL)) AS
jum_x_item,
count(if(unit = 'K', unit, NULL)) AS
jum_k_item
FROM
(((tb_laporan
JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
WHERE
tb_laporan.id_karyawan =
'Sid_karyawan'
AND tb_laporan.status = 'verify'
AND tb_master_outlet.tgl = '$stgl_k'
GROUP BY tb_laporan.id ASC";
$query3_k = mysqli_query($conn, $sql3_k);
while ($stampil3_k =
mysqli_fetch_array($query3_k)) {
$pdf->Cell(1.247,0.7,$item_k[] =
$stampil3_k['jum_k_item'],1,0,'C');
}
//END NILAI PRODUK

//START NILAI AV/CALL
$sql_akhir_k = "SELECT *,
COUNT(IF(
(unit != 'X') AND
(unit != '0') AND
(unit != 'K'),unit, NULL)
) AS jum_item,
SUM(IF(
(unit != 'X')

```

```

AND
    (unit != '0')
AND
    (unit != 'K',unit,0)) AS total_item,
COUNT(IF(unit = '0',unit, NULL)) as
jum_0_item,
count(IF(unit = 'X',unit, NULL)) AS
jum_x_item,
count(if(unit = 'K', unit, NULL)) AS
jum_k_item
FROM
    (((tb_laporan
        JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
        JOIN tb_users ON
tb_laporan.id_karyawan=tb_users.id_karyawan)
    WHERE
        tb_laporan.id_karyawan =
'Sid_karyawan'
        AND tb_laporan.status = 'verify'
        AND tb_master_outlet.tgl = '$tgl_k'
        ORDER BY tb_laporan.id ASC";
$query_akhir_k = mysqli_query($conn,
$sql_akhir_k);
while ($stampil_akhir_k =
mysqli_fetch_array($query_akhir_k)) {
    $pdf-
>Cell(1.247,0.699,number_format($item_akhir_k
[] =
$stampil_akhir_k['jum_k_item']/$jum_outlet_k,2),
1,0,'C');
}
//END NILAI CALL
$pdf->Cell(1,0.7,"",0,1);//ENTER
}

$pdf->Cell(6,0.699,'JUMLAH',1,0,'C');
//START FOOTER TABLE
$sql5_k = "SELECT count( DISTINCT
tb_laporan.id_outlet) as jumlah
FROM tb_master_outlet
JOIN tb_laporan
ON
tb_master_outlet.id_outlet=tb_laporan.id_outlet
WHERE tb_master_outlet.id_karyawan
= 'Sid_karyawan'
AND tb_laporan.status = 'verify'
AND tb_laporan.tgl
BETWEEN '$startDate' AND
'SendDate'";
$query5_k = mysqli_query($conn, $sql5_k);
while($stampil5_k =
mysqli_fetch_array($query5_k)){
    $pdf->Cell(2,0.699,$total_outlet_k =
$stampil5_k['jumlah'],1,0,'C');
}
$sql6_k = "SELECT *,
COUNT(IF(
    (unit != 'X') AND

```

```

    (unit != '0') AND
    (unit != 'K'),unit, NULL)
    ) AS jum_item,
COUNT(IF(unit = '0',unit, NULL)) as
jum_0_item,
count(IF(unit = 'X',unit, NULL)) AS
jum_x_item,
count(if(unit = 'K', unit, NULL)) AS
jum_k_item
FROM
    ((tb_laporan
        JOIN tb_master_outlet ON
tb_laporan.id_outlet=tb_master_outlet.id_outlet)
        JOIN tb_master_produk ON
tb_laporan.id_produk=tb_master_produk.id_produk)
    WHERE tb_master_outlet.id_karyawan =
'Sid_karyawan'
    AND tb_laporan.status = 'verify'
    AND tb_laporan.tgl
    BETWEEN '$startDate' AND
'SendDate'
    GROUP BY nama_produk
    ORDER BY tb_laporan.id ASC";
$query6_k = mysqli_query($conn, $sql6_k);
while ($stampil6_k =
mysqli_fetch_array($query6_k)) {
    $pdf->Cell(1.247,0.699,$total_item_k[] =
$stampil6_k['jum_k_item'],1,0,'C');
}
$pdf-
>Cell(1.247,0.699,number_format(((array_sum($
total_item_k))/($total_outlet_k),2),1,0,'C');
//END FOOTER TABLES
$pdf->Cell(1,0.699,"",0,1);//ENTER
KEBAWAH
$pdf->Cell(8,0.699,"% AV/JUMLAH
CALL',1,0,'C');
$query7_k = mysqli_query($conn, $sql6_k);
while ($stampil7_k =
mysqli_fetch_array($query7_k)) {
    $total_item_k =
$stampil7_k['jum_k_item'];
$pdf-
>Cell(1.247,0.699,number_format($av_total_k
=($total_item_k/$total_outlet_k)*100,2)."%",1,0,'
C');
}
//-----
----//
$pdf->Cell(1,0.699,"",0,1);//ENTER
KEBAWAH
//-----
----//

$pdf->Output();
?>

```

### Set-password.php

```
<?php
include '../config/config.php';
if (isset($_POST['update-password'])) {

    $id_karyawan = $_POST['id_karyawan'];
    $password = $_POST['password'];
    $password_baru = $_POST['password_baru'];
    $password_lama = $_POST['password_lama'];

    if( $password_lama == $password ) {
        $sql = "UPDATE tb_users
        SET password = '$password_baru'
        WHERE id_karyawan =
'id_karyawan'";
        $query = mysqli_query($conn, $sql);
        if ($query) {
            $hasil = '<div class="alert alert-
success">Berhasil disimpan!</div>';
        } else {
            $hasil = '<div class="alert alert-
warning">Gagal disimpan!</div>';
        }
    } else {
        $hasil = '<div class="alert alert-
success">Gagal disimpan!</div>';
    }
}
?>
```

### Logout.php

```
<?php
session_start();
if(session_destroy()) // Destroying All Sessions
{
header("Location: index.php"); // Redirecting To
Home Page
}
?>
```