

Lampiran

LISTING PROGRAM

1. Index.php

```
<?php
session_start();
include ("koneksi.php");
$statusLogin =
$_SESSION['status_login'];
if($statusLogin != 'login'){
echo "
<script>>window.location='login.php'</scri
pt>";
}
?>
<!DOCTYPE html>
<html lang="en">

<head>

<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible"
content="IE=edge">
<meta name="viewport"
content="width=device-width, initial-
scale=1, shrink-to-fit=no">
<meta name="description" content="">
<meta name="author" content="">

<title>ADMIN - Dashboard</title>
<link rel="shortcut icon" href="log.png">
<!-- Custom fonts for this template-->
<link href="vendor/fontawesome-
free/css/all.min.css" rel="stylesheet"
type="text/css">

<link
href="https://fonts.googleapis.com/css?fa
mily=Nunito:200,200i,300,300i,400,400i,6
00,600i,700,700i,800,800i,900,900i"
rel="stylesheet">

<!-- Custom styles for this template-->
<link href="css/sb-admin-2.min.css"
rel="stylesheet">

<!-- Custom styles for this page -->
<link
href="vendor/datatables/dataTables.bootstrap
4.min.css" rel="stylesheet">
<link href="css/jquery-ui.css"
rel="stylesheet">
<style>
.ui-autocomplete-loading {
background: white url("images/ui-
anim_basic_16x16.gif") right center no-
repeat;
}
</style>
</head>

<body id="page-top">

<!-- Page Wrapper -->
<div id="wrapper">

<!-- Sidebar -->
```

```
<ul class="navbar-nav bg-gradient-primary sidebar sidebar-dark accordion" id="accordionSidebar">
```

```
<!-- Sidebar - Brand -->
```

```
<a class="sidebar-brand d-flex align-items-center justify-content-center" href="?page=index">
```

```
<div class="sidebar-brand-icon rotate-n-15">
```

```
<i class="fas fa-home"></i>
```

```
</div>
```

```
<div class="sidebar-brand-text mx-3" style="font-family:century gothic">Attendance System</div>
```

```
<!-- <div class="sidebar-brand-text mx-3">SB Admin <sup>2</sup></div> --> </a>
```

```
<!-- Divider -->
```

```
<hr class="sidebar-divider my-0">
```

```
<!-- Nav Item - Dashboard -->
```

```
<li class="nav-item active">
```

```
<a class="nav-link" href="?page=index">
```

```
<i class="fas fa-fw fa-home"></i>
```

```
<!--<i class="fas fa-fw fa-tachometer-alt"></i-->
```

```
<span>Dashboard</span></a>
```

```
</li>
```

```
<!-- Divider -->
```

```
<hr class="sidebar-divider">
```

```
<!-- Heading -->
```

```
<div class="sidebar-heading">
```

```
Tabel Data
```

```
</div>
```

```
<!-- Nav Item - Tables -->
```

```
<li class="nav-item">
```

```
<a class="nav-link"
```

```
href="?page=pegawai">
```

```
<i class="fas fa-fw fa-user"></i>
```

```
<span>Data Pegawai</span></a>
```

```
</li>
```

```
<li class="nav-item">
```

```
<a class="nav-link collapsed" href="#" data-toggle="collapse" data-target="#collapseTwo" aria-expanded="true" aria-controls="collapseTwo">
```

```
<i class="fas fa-fw fa-folder"></i>
```

```
<span>Data Absensi</span>
```

```
</a>
```

```
<div id="collapseTwo" class="collapse show" aria-labelledby="headingTwo" data-parent="#accordionSidebar">
```

```
<div class="bg-white py-2 collapse-inner rounded">
```

```
<h6 class="collapse-header">Data Absensi:</h6>
```

```
<a class="collapse-item"
```

```
href="?page=absen">Tabel Data
```

```
Absensi</a>
```

```
<a class="collapse-item"
href="?page=izin">Data
Ketidakhadiran</a>
<a class="collapse-item"
href="?page=rekap">Rekapitulasi
Absensi</a>
</div>
</div>
</li>
```

```
<!-- Divider -->
<hr class="sidebar-divider d-none d-md-
block">
```

```
<!-- Sidebar Toggler (Sidebar) -->
<div class="text-center d-none d-md-
inline">
<button class="rounded-circle border-0"
id="sidebarToggle"></button>
</div>
```

```
</ul>
```

```
<!-- End of Sidebar -->
```

```
<!-- Content Wrapper -->
<div id="content-wrapper" class="d-flex
flex-column">
```

```
<!-- Main Content -->
```

```
<div id="content">
```

```
<!-- Topbar -->
```

```
<nav class="navbar navbar-expand navbar-
light bg-white topbar mb-4 static-top
shadow">
```

```
<!-- Sidebar Toggle (Topbar) -->
```

```
<button id="sidebarToggleTop" class="btn
btn-link d-md-none rounded-circle mr-3">
```

```
<i class="fa fa-bars"></i>
```

```
</button>
```

```
<!-- Topbar Search
```

```
<form class="d-none d-sm-inline-block
form-inline mr-auto ml-md-3 my-2 my-
md-0 mw-100 navbar-search">
```

```
<div class="input-group">
```

```
<input type="text" class="form-control bg-
light border-0 small" placeholder="Search
for..." aria-label="Search" aria-
describedby="basic-addon2">
```

```
<div class="input-group-append">
```

```
<button class="btn btn-primary"
type="button">
```

```
<i class="fas fa-search fa-sm"></i>
```

```
</button>
```

```
</div>
```

```
</div>
```

```
</form> -->
```

```
<!-- Topbar Navbar -->
```

```
<ul class="navbar-nav ml-auto">
```

```
<!-- Nav Item - Search Dropdown (Visible
Only XS) -->
```

```

<li class="nav-item dropdown no-arrow d-sm-none">
  <a class="nav-link dropdown-toggle"
  href="#" id="searchDropdown"
  role="button" data-toggle="dropdown"
  aria-haspopup="true" aria-expanded="false">
    <i class="fas fa-search fa-fw"></i>
  </a>
  <!-- Dropdown - Messages -->
  <div class="dropdown-menu dropdown-menu-right p-3 shadow animated--grow-in" aria-labelledby="searchDropdown">
    <form class="form-inline mr-auto w-100 navbar-search">
      <div class="input-group">
        <input type="text" class="form-control bg-light border-0 small" placeholder="Search for..." aria-label="Search" aria-describedby="basic-addon2">
        <div class="input-group-append">
          <button class="btn btn-primary" type="button">
            <i class="fas fa-search fa-sm"></i>
          </button>
        </div>
      </div>
    </form>
  </div>
</li>

<!-- Nav Item - Alerts -->
<li class="nav-item dropdown no-arrow mx-1">

```

```

  <a class="nav-link dropdown-toggle"
  href="#" id="alertsDropdown"
  role="button" data-toggle="dropdown"
  aria-haspopup="true" aria-expanded="false">
    <i class="fas fa-calendar fa-fw"></i>
  <!-- Counter - Alerts -->
  <h7>
</h7>
</a>
  <div class="dropdown-list dropdown-menu dropdown-menu-right shadow animated--grow-in" aria-labelledby="alertsDropdown">
    <h6 class="dropdown-header">
      Kalender
    </h6>
    <a class="dropdown-item d-flex align-items-center" href="#">
      <h6><span></span>
    <?php
    $hari =
    array("Minggu","Senin","Selasa","Rabu","Kamis","Jum'at","Sabtu");
    $bulan =
    array("", "Januari", "Februari", "Maret", "April", "Mei", "Juni", "Juli", "Agustus", "September", "Oktober", "November", "Desember");
    echo $hari[date("w")].", ".date("j")."
    ".$bulan[date("n")].", ".date("Y");
  ?>
  </h6>
</a>

```

```
</div>
```

```
</li>
```

```
<div class="topbar-divider d-none d-sm-block"></div>
```

```
<!-- Nav Item - User Information -->
```

```
<li class="nav-item dropdown no-arrow">
```

```
<a class="nav-link dropdown-toggle"
```

```
href="#" id="userDropdown"
```

```
role="button" data-toggle="dropdown"
```

```
aria-haspopup="true" aria-
```

```
expanded="false">
```

```
<span class="mr-2 d-none d-lg-inline text-
```

```
gray-600 small"><?php echo
```

```
$_SESSION['nama']?></span>
```

```

```

```
</a>
```

```
<!-- Dropdown - User Information -->
```

```
<div class="dropdown-menu dropdown-
```

```
menu-right shadow animated--grow-in"
```

```
aria-labelledby="userDropdown">
```

```
<a class="dropdown-item" href="#" data-
```

```
toggle="modal" data-
```

```
target="#logoutModal">
```

```
<i class="fas fa-sign-out-alt fa-sm fa-fw
```

```
mr-2 text-gray-400"></i>
```

```
Logout
```

```
</a>
```

```
</div>
```

```
</li>
```

```
</ul>
```

```
</nav>
```

```
<!-- End of Topbar -->
```

```
<!-- Begin Page Content -->
```

```
<!-- Content -->
```

```
<div><?php include"isi.php";?></div>
```

```
<!-- /.container-fluid -->
```

```
<!-- End of Main Content -->
```

```
<!-- Footer -->
```

```
<footer class="sticky-footer bg-white">
```

```
<div class="container my-auto">
```

```
<div class="copyright text-center my-
```

```
auto">
```

```
<span>Copyright &copy; Rizky Arif
```

```
Budiman 2019</span>
```

```
</div>
```

```
</div>
```

```
</footer>
```

```
</div>
```

```
<!-- End of Content Wrapper -->
```

```
</div>
```

```
<!-- End of Page Wrapper -->
```

```
<!-- Scroll to Top Button-->
```

```
<a class="scroll-to-top rounded" href="#page-top">
```

```

<i class="fas fa-angle-up"></i>
</a>

<!-- Logout Modal-->
<div class="modal fade"
id="logoutModal" tabindex="-1"
role="dialog" aria-
labelledby="exampleModalLabel" aria-
hidden="true">
<div class="modal-dialog"
role="document">
<div class="modal-content">
<div class="modal-header">
<h5 class="modal-title"
id="exampleModalLabel">Ready to
Leave?</h5>
<button class="close" type="button" data-
dismiss="modal" aria-label="Close">
<span aria-hidden="true">×</span>
</button>
</div>
<div class="modal-body">Select "Logout"
below if you are ready to end your current
session.</div>
<div class="modal-footer">
<form class="user" method="post">
<button class="btn btn-secondary"
type="button" data-
dismiss="modal">Cancel</button>
<button class="btn btn-secondary"
type="submit"
name="logout">Logout</button>
</form>
<?php
if(isset($_POST['logout'])){
session_destroy();
echo"<script>window.location='login.php'
</script>";
}
?>
</div>
</div>
</div>

<!-- Delete Modal-->
<div class="modal fade" id="deleteModal"
tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-
hidden="true">
<div class="modal-dialog"
role="document">
<div class="modal-content">
<div class="modal-body">Apakah anda
ingin menghapus data ini ?</div>
<div class="modal-footer">
<button class="btn btn-secondary"
type="button" data-
dismiss="modal">Cancel</button>
<a class="btn btn-primary" >Hapus</a>
</div>
</div>
</div>
</div>

<!-- Bootstrap core JavaScript-->

```

```
<script  
src="vendor/jquery/jquery.min.js"></script
```

```
>
```

```
<script  
src="vendor/bootstrap/js/bootstrap.bundle.  
min.js"></script>
```

```
<!-- Core plugin JavaScript-->
```

```
<script src="vendor/jquery-  
easing/jquery.easing.min.js"></script>
```

```
<!-- Custom scripts for all pages-->
```

```
<script src="js/sb-admin-  
2.min.js"></script>
```

```
<!-- Page level plugins -->
```

```
<script  
src="vendor/chart.js/Chart.min.js"></script  
>
```

```
<!-- Page level plugins -->
```

```
<script  
src="vendor/datatables/jquery.dataTables.  
min.js"></script>  
<script  
src="vendor/datatables/dataTables.bootstrap  
4.min.js"></script>
```

```
<!-- Page level custom scripts -->
```

```
<script src="js/demo/datatables-  
demo.js"></script>
```

```
<!-- Page level custom scripts -->
```

```
<script src="js/demo/chart-area-  
demo.js"></script>
```

```
<script src="js/demo/chart-pie-  
demo.js"></script>
```

```
<script src="js/jquery-ui.js"></script>  
<script>
```

```
$(function() {  
  var nip=[];  
  $("#nippegawai").autocomplete({  
    source:function( request, response ){  
      $.ajax({  
        url: "fetchdatapegawai.php",  
        type: 'GET',  
        dataType: "JSON",  
        data: {  
          nip: request.term  
        },  
        success: function(data) {  
          response(data);  
        }  
      });  
    },  
    focus: function( event, ui ) {  
      $( '#nippegawai' ).val( ui.item.id );  
    },  
    select: function( event, ui ) {  
      $( '#nippegawai' ).val( ui.item.nama );  
      $( '#namapegawai' ).val( ui.item.nama );  
      console.log(ui.item.value);  
      var as = ui.item.value;  
      $.ajax({  
        type:'GET',  
        dataType:'json',
```



```

url: 'fetchdatapegawai.php',
data: { 'nip': as }
}).done(function(data) {
nip = data;
console.log(data);
console.log(data.nama);
$('#namapegawai').val(data.nama);
$('#unit_id').val(data.unit_id);
$('#jabatan').val(data.jabatan);
$('#id_unit').val(data.id_unit);
$('#jabatan_id').val(data.jabatan_id);
});
}
});
});
</script>
<script>
$(document).on('click', '#pegawaiHapus',
function(event) {
var id = $(this).data("id")
$('#nip_pegawai').val(id);
});
</script>
</body>
</html>

```

2. Dashboard.php

```

<?php
error_reporting(0);
include ("koneksi.php");

$hari = date('d');
$query1 =
mysqli_query($koneksi,"SELECT

```

```

count(*) as jumlahabsenhariini FROM
absen where DAY(tanggal) = '$hari'
AND jam_masuk IS NOT NULL");
$data0 = mysqli_fetch_array($query1);

$query2 =
mysqli_query($koneksi,"SELECT
count(*) as jumlahpegawai FROM
pegawai ");
$data1 = mysqli_fetch_array($query2);

$query3 =
mysqli_query($koneksi,"SELECT
count(*) as jumlahpegawaionline FROM
pegawai where status = 'Online' ");
$data2 = mysqli_fetch_array($query3);
?>

```

```

<div class="container-fluid">

<!-- Page Heading -->
<div class="d-sm-flex align-items-center
justify-content-between mb-4">
<h1 class="h3 mb-0 text-gray-
800">Dashboard</h1>

```

```

</div>

<!-- Content Row -->
<div class="row">

<!-- Earnings (Monthly) Card Example -
->
<div class="col-xl-4 col-md-6 mb-4">

```

```

<div class="card border-left-primary
shadow h-100 py-2">
<div class="card-body">
<div class="row no-gutters align-items-
center">
<div class="col mr-2">
<div class="text-xs font-weight-bold
text-primary text-uppercase mb-
1">Absensi Hari Ini :</div>
<div class="h5 mb-0 font-weight-bold
text-gray-800">Sudah Absen : <?php
echo $data0['jumlahabsenhariini'] ?> /
<?php echo
$data1['jumlahpegawai']; ?></div>
</div>
<div class="col-auto">
<i class="fas fa-calendar fa-2x text-
gray-300"></i>
</div>
</div>
</div>
</div>
</div>
</div>

```

```

<!-- Earnings (Monthly) Card Example -
->
<div class="col-xl-4 col-md-6 mb-4">
<div class="card border-left-success
shadow h-100 py-2">
<div class="card-body">
<div class="row no-gutters align-items-
center">
<div class="col mr-2">

```

```

<div class="text-xs font-weight-bold
text-success text-uppercase mb-
1">Status User</div>
<div class="h5 mb-0 font-weight-bold
text-gray-800">Online : <?php echo
$data2['jumlahpegawaionline']; ?> /
<?php echo
$data1['jumlahpegawai']; ?></div>
</div>
<div class="col-auto">
<i class="fas fa-user fa-2x text-gray-
300"></i>
</div>
</div>
</div>
</div>
</div>
<!-- /.container-fluid -->

```

3. Pegawai.php

```

<?php
include ("koneksi.php");

if(isset($_POST['hapus'])){
    $nip = $_POST['nip'];
    $query =
    mysqli_query($koneksi,"DELETE
    FROM pegawai WHERE nip = '$nip' ");
    $query2 =
    mysqli_query($koneksi,"DELETE
    FROM absen WHERE nip = '$nip' ");

```

```

$query3 = <div class="d-sm-flex align-items-center
mysqli_query($koneksi,"DELETE
justify-content-between mb-4" >
FROM rekap WHERE nip = '$nip' ");
<form action="print.php"
$query4 = method="GET" class="user"
mysqli_query($koneksi,"DELETE
target="_blank">
FROM izin WHERE nip = '$nip' ");
<div class="d-sm-flex align-items-center
if($query || $query2 || $query3 ||
justify-content-between mb-4" >
$query4 ){
<select class="form-control form-
echo"<script>alert ('Data berhasil di
control-user" name="unit"
hapus');
style="padding:0px; height:50px">
window.location='index.php?page=pega
<option value="" disabled selected >-
wai'</script>";
Pilihan Unit Kerja -</option>
}else{
<?php
echo"<script>alert ('Data Gagal di
$query =
hapus');
mysqli_query($koneksi,"SELECT *
window.location='index.php?page=pega
FROM unit_kerja");
wai'</script>";
while($hasil=mysqli_fetch_array($query
)}
){
?>
<option value="<?php echo
$hasil['id_unit'] ?>"><?php echo
$hasil['unit_kerja'] ?></option>
?>
<!-- Custom styles for this page -->
<?php } ?>
<link
</select>
href="vendor/datatables/dataTables.bootstrap4.min.css" rel="stylesheet">
<button name="print" class="d-none d-
sm-inline-block btn btn-sm btn-primary
<!-- Begin Page Content -->
shadow-sm"><i class="fas fa-download
<div class="container-fluid">
fa-sm text-white-50"></i> Generate
<!-- Page Heading -->
Report</button>
<div class="d-sm-flex align-items-center
</div>
justify-content-between mb-4">
</form>
<h1 class="h3 mb-0 text-gray-
</div>
800">Data Pegawai</h1>

```

```

</div>
<!-- <p class="mb-4">DataTables is a
third party plugin that is used to generate
the demo table below. For more
information about DataTables, please
visit the <a target="_blank"
href="https://datatables.net">official
DataTables documentation</a>.</p> -->

<!-- DataTales Example -->
<div class="card shadow mb-4">
<div class="d-sm-flex align-items-center
justify-content-between card-header py-
3">
<h6 class="m-0 font-weight-bold text-
primary">Tabel Data Pegawai</h6>
<!--<a href="#" class="d-none d-sm-
inline-block btn btn-sm btn-primary
shadow-sm"><i class="fas fa-upload fa-
sm text-white-50"></i> Import Data
Pegawai</a-->
<?php
if($_SESSION['unit_kerja'] == "Bagian
Umum dan Kepegawaian"){

?>
<a href="?page=register" class="d-none
d-sm-inline-block btn btn-sm btn-
primary shadow-sm"><i class="fas fa-
plus fa-sm text-white-50"></i> Tambah
Data Pegawai</a>

<?php } ?>
</div>
<div class="card-body">
<div class="table-responsive">
<table class="table table-bordered"
id="dataTable" width="100%"
cellspacing="0">
<thead>
<tr>
<th>No</th>
<th>NIP</th>
<th>Nama</th>
<th>Unit Kerja</th>
<th>Jabatan</th>
<th>Hak Akses</th>
<th>Status</th>
<th>Opsi</th>
</tr>
</thead>
<tfoot>
<tr>
<th>No</th>
<th>NIP</th>
<th>Nama</th>
<th>Unit Kerja</th>
<th>Jabatan</th>
<th>Hak Akses</th>
<th>Status</th>
<th>Opsi</th>
</tr>
</tfoot>
<tbody>
<?php
error_reporting(0);
include ("koneksi.php");

```

```

$no=1;
$unitKerja = $_SESSION['unit_kerja'];
if($unitKerja != 'Bagian Umum dan
Kepegawaian' ){
$query1 =
mysqli_query($koneksi,"SELECT *
FROM pegawai LEFT JOIN unit_kerja
on unit_id = id_unit LEFT JOIN jabatan
on jabatan_id = id_jabatan WHERE
unit_kerja = '$unitKerja'");
while($data0 =
mysqli_fetch_array($query1)):
?>
<tr>
<td><?php echo $no++ ?></td>
<td><?php echo $data0['nip']; ?></td>
<td><?php echo $data0['nama']; ?></td>
<td><?php echo
$data0['unit_kerja']; ?></td>
<td><?php echo
$data0['jabatan']; ?></td>
<td><?php echo $data0['akses']; ?></td>
<td><?php echo
$data0['status']; ?></td>
<td>
<div class="btn-group">
<a class="btn btn-primary"
href="?page=detail&id=<?php echo
$data0['nip']; ?>"><i class="fas fa-info-
circle"></i></a>
<a class="btn btn-danger" href="#"
data-toggle="modal" data-

```

```

target="#deleteModal"><i class="fas fa-
trash"></i></a>
</div>
</td>
</tr>
<?php endwhile;
}else {
$query2 =
mysqli_query($koneksi,"SELECT *
FROM pegawai LEFT JOIN unit_kerja
on unit_id = id_unit LEFT JOIN jabatan
on jabatan_id = id_jabatan");
while($data0 =
mysqli_fetch_array($query2)):
?>
<tr>
<td><?php echo $no++ ?></td>
<td><?php echo $data0['nip']; ?></td>
<td><?php echo $data0['nama']; ?></td>
<td><?php echo
$data0['unit_kerja']; ?></td>
<td><?php echo
$data0['jabatan']; ?></td>
<td><?php echo $data0['akses']; ?></td>
<td><?php echo
$data0['status']; ?></td>
<td>
<div class="btn-group">
<a class="btn btn-primary"
href="?page=detail&id=<?php echo
$data0['nip']; ?>"><i class="fas fa-info-
circle"></i></a>
<button id="pegawaiHapus" class="btn
btn-danger" href="#" data-

```

```

toggle="modal" data-
target="#deletePegawai" data-
id="<?php echo $data0['nip']; ?>"<i
class="fas fa-trash"></i></button>
</div>
</td>
</tr>
<?php endwhile;
}
?>
</tbody>
</table>
</div>
</div>
</div>

```

```

</div>
<!-- /.container-fluid -->

```

```

<div class="modal fade"
id="deletePegawai" tabindex="-1"
role="dialog" aria-
labelledby="exampleModalLabel" aria-
hidden="true">
<div class="modal-dialog"
role="document">
<div class="modal-content">
<div class="modal-body">Apakah anda
ingin menghapus data ini ?</div>
<div class="modal-footer">
<form method="POST" action="">
<input type="hidden" id="nip_pegawai"
name="nip" value=""/>

```

```

<button class="btn btn-secondary"
type="button" data-
dismiss="modal">Cancel</button>
<button type="submit" name="hapus"
value="hapus" class="btn btn-primary
text-white" >Hapus</button>
</form>
</div>
</div>
</div>

```

4. Absen.php

```

<<div class="container-fluid">
<!-- Page Heading -->
<div class="d-sm-flex align-items-center
justify-content-between mb-4">
<h1 class="h3 mb-0 text-gray-
800">Data Ketidakhadiran</h1>
<!--<div class="d-sm-flex align-items-
center justify-content-between mb-4" >
<input type="date"
style="width:170px;height:35px;margin-
right:10px" class="form-control form-
control-user" name="tanggal" required>
-
<input type="date"
style="height:35px;width:170px;margin-
right:10px;margin-left:10px"
class="form-control form-control-user"
name="tanggal" required>

```

```

<a href="#" class="d-none d-sm-inline-block btn btn-sm btn-primary shadow-sm"><i class="fas fa-download fa-sm text-white-50"></i> Generate Report</a>
</div>-->

```

```

</div>
<!--<p class="mb-4">DataTables is a third party plugin that is used to generate the demo table below. For more information about DataTables, please visit the <a target="_blank" href="https://datatables.net">official DataTables documentation</a>.</p> -->

```

```

<!-- DataTales Example -->
<div class="card shadow mb-4">
<div class="d-sm-flex align-items-center justify-content-between card-header py-3">
<h6 class="m-0 font-weight-bold text-primary">Tabel Data Ketidakhadiran</h6>
<?php
if($_SESSION['unit_kerja'] == "Bagian Umum dan Kepegawaian"){
?>
<a href="?page=ketidakhadiran" class="d-none d-sm-inline-block btn btn-sm btn-primary shadow-sm"><i class="fas fa-plus fa-sm text-white-

```

```

50"></i> Tambah Data Ketidakhadiran</a>
<?php } ?>
</div>
<div class="card-body">
<div class="table-responsive">
<table class="table table-bordered" id="dataTable" width="100%" cellpadding="0">
<thead>
<tr>
<th>NIP</th>
<th>Nama</th>
<th>Unit Kerja</th>
<th>Jabatan</th>
<th>Tanggal</th>
<th>Status Ketidakhadiran</th>
<th>Bukti Ketidakhadiran</th>
<th>Opsi</th>
</tr>
</thead>
<tfoot>
<tr>
<th>NIP</th>
<th>Nama</th>
<th>Unit Kerja</th>
<th>Jabatan</th>
<th>Tanggal</th>
<th>Status Ketidakhadiran</th>
<th>Bukti Ketidakhadiran</th>
<th>Opsi</th>
</tr>
</tfoot>

```

```

<?php
error_reporting(0);
include ("koneksi.php");

$no=1;
$unitKerja = $_SESSION['unit_kerja'];
if($unitKerja != 'Bagian Umum dan
Kepegawaian'){
$query1 =
mysqli_query($koneksi,"SELECT *
FROM izin LEFT JOIN unit_kerja on
unit_id = id_unit LEFT JOIN jabatan on
jabatan_id = id_jabatan WHERE
unit_kerja = '$unitKerja'");
while($data0 =
mysqli_fetch_array($query1)):
?>
<tr>
<td><?php echo $data0['nip']; ?></td>
<td><?php echo $data0['nama']; ?></td>
<td><?php echo
$data0['unit_kerja']; ?></td>
<td><?php echo
$data0['jabatan']; ?></td>
<td><?php echo
$data0['tanggal']; ?></td>
<td><?php echo
$data0['status_izin']; ?></td>
<td><?php echo
$data0['bukti_izin']; ?></td>
<td>
<div class="btn-group">
<a class="btn btn-primary"
href="?page=dtlizin&id=<?php echo
$data0['nip']; ?>"><i class="fas fa-info-
circle"></i></a>
<button id="pegawaiHapus" class="btn
btn-danger" href="#" data-
toggle="modal" data-
target="#deletePegawai" data-
id="<?php echo $data0['nip']; ?>"><i
class="fas fa-trash"></i></button>
</div>
</td>
</tr>
<?php endwhile;
} else {
$query2 =
mysqli_query($koneksi,"SELECT *
FROM izin LEFT JOIN unit_kerja on
unit_id = id_unit LEFT JOIN jabatan on
jabatan_id = id_jabatan");
while($data0 =
mysqli_fetch_array($query2)):
?>
<tr>
<td><?php echo $data0['nip']; ?></td>
<td><?php echo $data0['nama']; ?></td>
<td><?php echo
$data0['unit_kerja']; ?></td>
<td><?php echo
$data0['jabatan']; ?></td>
<td><?php echo
$data0['tanggal']; ?></td>
<td><?php echo
$data0['status_izin']; ?></td>

```



```
<td><?php          echo
$data0['bukti_izin']; ?></td>
<td>
<div class="btn-group">
<a      class="btn      btn-primary"
href="?page=dtlizin&id=<?php      echo
$data0['nip']; ?>&tanggal=<?php      echo
$data0['tanggal']; ?>"><i class="fas fa-
info-circle"></i></a>

</div>
</td>
</tr>
<?php endwhile;
}
?>
</tbody>
</table>
</div>
</div>
</div>

</div>
<!-- /.container-fluid -->
```

