

HASIL WAWANCARA

Wawancara penulis lakukan dengan salah satu karyawan Unit Kerja ICT pada PT Semen Baturaja (Persero) Tbk yaitu Bapak M Rastato Rangga Sakti. Sesi wawancara dilaksanakan pada hari Rabu, 20 Maret 2019. Hal yang di bahas yaitu mengenai aplikasi untuk laporan teknisi dan laporan keluhan kerusakan pada Unit Kerja ICT PT Semen Baturaja (Persero) Tbk. Berikut hasil wawancara:

P: Penulis

N: Narasumber

P: Assalamualaikum, Selamat Pagi pak. Saya mahasiswa dari Politeknik Negeri Sriwijaya ingin menanyakan perihal aplikasi untuk laporan teknisi dan laporan keluhan kerusakan unit kerja lain kepada Unit Kerja ICT.

N: Waalaikumsalam, Selamat Pagi. Baiklah, jadi di Unit Kerja ICT di PT Semen Baturaja ini terdapat tiga bagian yaitu ICT Infrastruktur, ICT Governance, dan Developer atau Programmer. Nah untuk ICT Infrastruktur sendiri tugasnya adalah maintenance harian untuk software, hardware dan network yang ada di PT Semen Baturaja (Persero) Tbk.

P: Apa tujuan dari pembuatan aplikasi itu sendiri?

N: Aplikasi ini nantinya berguna sebagai KPI (Kumulatif Penilaian Indeks) yaitu penilaian pada bagian ICT Infrastruktur, misalnya teknisi melakukan perbaikan terhadap keluhan kerusakan perangkat dan jaringan dari hasil pekerjaan teknisi tersebut nanti akan di ketahui tingkat kepuasan terhadap hasil pekerjaan teknisi tersebut.

P: Lalu unit kerja apa yang akan menerima laporan tersebut?

N: Disini terdapat Sistem KPI. Sistem ini mewajibkan setiap unit kerja untuk membuat laporan kepada Unit Kerja SDM Selain itu juga membuat laporan kepada atasan. Jadi Aplikasi ini nantinya akan membantu Teknisi ICT Infrastruktur untuk membuat laporan tersebut yang nantinya berguna sebagai penilaian terhadap hasil pekerjaannya.

P: Baik, kami rasa cukup pak, terima kasih atas waktu dan informasi yang sudah bapak berikan, Wasalammualaikum Pak.

N: Sama-sama, semoga informasi yang saya berikan dapat membantu kalian nantinya, Waalaikumsalam.

LISTING PROGRAM

Conn.php

```
<?php
$host = "localhost";
$dbname = "db_ptsb";
$username = "root";
$password = "";

try {
$conn = new PDO
("mysql:host=$host;dbname=$dbname",
$username, $password);
$conn-
>setAttribute(PDO::ATTR_ERRMODE,
PDO::ERRMODE_EXCEPTION);
} catch (PDOException $e) {
echo 'Koneksi Gagal: ' . $e-
>getMessage();
}
?>
```

Config.php

```
<?php
$db_host = "localhost";
$db_user = "root";
$db_pass = "";
$db_name = "db_ptsb";

$db = mysqli_connect($db_host,
$db_user, $db_pass, $db_name);

if(mysqli_connect_errno()){
echo 'Gagal melakukan koneksi ke
Database : ' .mysqli_connect_error();
}
```

Index.php

```
<?php
require "conn.php";
session_start();
if (!empty($_SESSION['username']) &&
!empty($_SESSION['password'])) {
header("Location:teknisi/index.php");
}
if (!empty($_POST['Submit'])) {
$username=$_POST['username'];
$password=$_POST['password'];
$query=$conn->prepare("select * from
tb_user where username=:username and
password=:password");
```

```
$query-
>bindParam(":username",$username);
$query-
>bindParam(":password",$password);
$query->execute();
if ($query->rowCount(>0){
session_start();
$data=$query->fetch();
if($data['status']=="admin"){
$_SESSION['username']=$data['userna
me'];
$_SESSION['nama']=$data['nama'];
$_SESSION['status']=$data['status'];
header('location:admin/index.php');
}elseif ($data['status']=="teknisi"){
$_SESSION['nama']=$data['nama'];
$_SESSION['nip']=$data['nik'];
$_SESSION['username']=$data['userna
me'];
$_SESSION['status']=$data['status'];
header('location:teknisi/index.php');
}
elseif ($data['status']=="user"){
$_SESSION['nama']=$data['nama'];
$_SESSION['nip']=$data['nik'];
$_SESSION['username']=$data['userna
me'];
$_SESSION['status']=$data['status'];
header('location:user/index.php');
}
} else {
echo '
<script>
alert("Username dan Password Salah!");
window.location="index.php";
</script>';
}
}
?>
```

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport"
content="width=device-width, initial-
scale=1">
<title>PT Semen Baturaja
(Persero)tbk</title>
<link rel="icon" type="image/png"
href="images/logo-BAturaja.png">
```

```

<link
href="assets/css/bootstrap.min.css"
rel="stylesheet">
<link href="assets/css/datepicker3.css"
rel="stylesheet">
<link href="assets/css/styles.css"
rel="stylesheet">
<!--[if lt IE 9]>
<script src="js/html5shiv.js"></script>
<script
src="js/respond.min.js"></script>
<![endif]-->
</head>
<body style="background-
image:url(images/semem.jpg)">
<br><br><br>
<div class="row">
<div class="col-xs-10 col-xs-offset-1
col-sm-8 col-sm-offset-2 col-md-4 col-
md-offset-4">
<div class="login-panel panel panel-
default">
<div class="panel-heading"
style="background:red">
<h3 class="panel-title
semen">Maintence Report PT Semen
Baturaja(Persero)Tbk</h3>
</div>
<div class="panel-body">
<form method="POST" action=""
role="form">
<fieldset>
<div class="form-group">
<input class="form-control"
placeholder="Username"
name="username" type="text"
autofocus="" required="">
</div>
<div class="form-group">
<input class="form-control"
placeholder="Password"
name="password" type="password"
value="" required="">
</div>
<input name="Submit" type="Submit"
class="btn btn-primary pull-right"
value="Login">
</form>
</div>
</div>

```

```

</div>
</div>
</div>
<script src="assets/js/jquery-
1.11.1.min.js"></script>
<script
src="assets/js/bootstrap.min.js"></script
>
</body>
</html>

```

Index.php

```

<?php
include '../conn.php';
session_start();
if (empty($_SESSION['username']) &&
empty($_SESSION['password'])) {
header("Location:../index.php");
}
?>
<?php
$nip = $_SESSION['nip'];
$sql = "SELECT * FROM tb_perbaikan
left join tb_keluhan on
tb_keluhan.nomor_wo=
tb_perbaikan.nomor_wo where
tb_perbaikan.nik_user = $nip AND
rating is NULL ";
$query = $conn->prepare($sql);
$query->execute();
$result = $query-
>fetch(PDO::FETCH_OBJ);
if(!empty ($result)){
if ($result->operasi == 'Selesai') {
if ($result->rating == " || empty($result-
>rating)){
header("Location:../user/page/pe
nilaian.php");
}
}
}
?>
<?php
require "../conn.php";
if (!empty($_POST['ubmit'])) {
$nip = $_SESSION['nip'];
$username = $_POST['username'];
$password = $_POST['password'];

```

```

$pass_lama = $_POST['pass_lama'];
$query3=$conn->prepare("select * from
tb_user where nik = '$nip' ");
$query3->execute();
$result3 = $query3-
>fetch(PDO::FETCH_OBJ);
if($result3->password == $pass_lama){

```

```

$sql = "UPDATE `tb_user` SET
`username` = :username, `password` =
:password WHERE `nik` = $nip";
$query = $conn->prepare($sql);
$params = array(

```

```

':username' => $username,
':password' => $password

```

```

);
$query->execute($params);

```

```

if ($query) {
echo '
<script>
alert ("Password Berhasil di Ganti.");
window.location="index.php";
</script>';
} else {
echo '<script>
alert("Query Gagal!");
window.location="index.php";
<script>';
}
} else{
echo '
<script>
alert ("Password Lama Salah.");
window.location="index.php";
</script>';
}
}
?>

```

```

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport"
content="width=device-width, initial-
scale=1, maximum-scale=1">

```

```

<title>PT Semen Baturaja
(Persero)tbk</title>
<link rel="icon" type="image/png"
href="../images/logo-BAturaja.png">
<link
href="../assets/css/bootstrap.min.css"
rel="stylesheet">
<link href="../assets/css/font-
awesome.min.css" rel="stylesheet">
<link href="../assets/css/datepicker3.css"
rel="stylesheet">
<link href="../assets/css/styles.css"
rel="stylesheet">
<link href="../assets/css/dropdown.css"
rel="stylesheet">
<link href="../rating/css/star-
rating.min.css" media="all"
rel="stylesheet" type="text/css" />
<!--[if lt IE 9]>
<script src="js/html5shiv.js"></script>
<script
src="js/respond.min.js"></script>
<![endif]-->
</head>
<body>
<?php include_once('page/rating.php')
?>
<nav class="navbar navbar-custom
navbar-fixed-top" role="navigation">
<div class="container-fluid">
<div class="navbar-header">
<a class="navbar-brand ilang"
href="index.php">PT SEMEN
BATURAJA(Persero)TBK</a>
<div class="visible-xs">
<nav class="navbar navbar-default">
<!-- Brand and toggle get grouped for
better mobile display -->
<div class="navbar-header mobile
nama">
<a class="navbar-brand "
href="index.php">PT SEMEN
BATURAJA(Persero)TBK</a>
<button type="button" class="navbar-
toggle collapsed" data-toggle="collapse"
data-target="#bs-example-navbar-
collapse-1" aria-expanded="false">
<span class="sr-only">Toggle
navigation</span>

```

```

<span class="icon-bar"></span>

    <span class="icon-bar"></span>

    <span class="icon-bar"></span>

    </button>
</div>
<div class="collapse navbar-collapse"
id="bs-example-navbar-collapse-1">
<ul class="nav navbar-nav">
<li><a
href="index.php">Beranda</a></li>
<li><a
href="index.php?p=barang">Keluhan</
a></li>
<li><a
href="index.php?p=edit">Perbaikan</a>
</li>
<li><a
data-toggle="modal" data-target=".bd-
example-modal-
sm">Pengaturan</a></li>
<li><a
href="includes/logout.php">Logout</a>
</li>
</ul>

</div><!-- /.navbar-collapse -->
</nav>
</div><!-- /.container-fluid -->
</div>
</div>
</nav>
<div id="sidebar-collapse" class="col-
sm-3 col-lg-2 sidebar">
<div class="profile-sidebar">
<div class="profile-userpic">

</div>
<div class="profile-usertitle">
<div class="profile-usertitle-
name"><b><?php echo ucfirst
($_SESSION['nama']);
?></b></a></div>
<div class="profile-usertitle-
status"><span class="indicator label-
success"></span>Online</div>
</div>
<div class="clear"></div>
</div>

```

```

<div class="divider"></div>

<ul class="nav menu">
<li class=""><a href="index.php"><em
class="fa fa-dashboard">&nbsp;</em>
Dashboard</a></li>
<li class="parent "><a data-
toggle="collapse" href="#sub-item-1">
<em class="fa fa-
download">&nbsp;</em> Input <span
data-toggle="collapse" href="#sub-item-
1" class=""></span>
</a>
<ul class="children collapse" id="sub-
item-1">
<li>
<a class="" href="?p=barang">
<span class="fa fa-arrow-
right">&nbsp;</span> Keluhan</a>
</li>
<li>
<a class="" href="?p=edit">
<span class="glyphicon glyphicon-
file"></span> Perbaikan</a>
</li>
<li>
<a class="" data-toggle="modal" data-
target=".bd-example-modal-sm">
<span class="glyphicon glyphicon-
cog"></span> Pengaturan
</a>
</li>
</ul>
</li>
<li><a data-toggle="modal" data-
target="#exampleModalCenter"><em
class="fa fa-power-off">&nbsp;</em>
Logout</a></li>
</ul>
</div><!--/.sidebar-->
<div class="col-sm-9 col-sm-offset-3
col-lg-10 col-lg-offset-2 main">
<div class="row">
<ol class="breadcrumb">
<li><a href="index.php">
<em class="fa fa-home"></em>
</a></li>
<li class="">Dashboard</li>
</ol>
</div><!--/.row-->

```

```

<?php
include 'includes/controllers-page.php';
?>
</div> <!--/.main-->
<!-- Modals -->
<div class="modal fade"
id="exampleModalCenter" tabindex="-
1" role="dialog" aria-
labelledby="exampleModalCenterTitle"
aria-hidden="true">
<div class="modal-dialog modal-dialog-
centered" role="document">
<div class="modal-content">
<div class="modal-header">
<h5 class="modal-title"
id="exampleModalLongTitle">Konfirm
asi</h5>
<button type="button" class="close"
data-dismiss="modal" aria-
label="Close">
<span aria-
hidden="true">&times;</span>
</button>
</div>
<div class="modal-body">
<h4>Apakah anda yakin ingin keluar
?</h4>
</div>
<div class="modal-footer">
<a href="includes/logout.php" ><button
class="btn btn-
secondary">Logout</button></a>
<button type="button" class="btn btn-
primary" data-
dismiss="modal">Cancel</button>
</div>
</div>
</div>
</div>
<!-- End Modals -->
<!-- Modals -->
<!-- The Modal -->
<div class="modal fade bd-example-
modal-sm" tabindex="-1" role="dialog"
aria-labelledby="myLargeModalLabel"
aria-hidden="true">
<div class="modal-dialog modal-lg">
<div class="modal-content">
<div class="modal-header">

```

```

<h5 class="modal-title"
id="exampleModalLabel">Ganti
Password</h5>
<button type="button" class="close"
data-dismiss="modal" aria-
label="Close">
<span aria-
hidden="true">&times;</span>
</button>
</div>
<div class="modal-body">
<form method="POST" action="">
<div class="form-group" >
<label for="message-text" class="col-
form-label">Password</label>
<input type="Password" class="form-
control" placeholder="Masukan
Password Lama" name="pass_lama"
required maxlength="25">
</div>
<div class="form-group">
<label for="recipient-name" class="col-
form-label">Username Baru</label>
<input type="text" class="form-control"
placeholder="Username Baru"
name="username" maxlength="25"
required>
</div>
<div class="form-group">
<label for="message-text" class="col-
form-label">Password Baru</label>
<input type="Password" class="form-
control" placeholder="Masukan
Password Baru" name="password"
required maxlength="25">
</div>
<div class="modal-footer">
<input name="ubmit" type="submit"
class="btn btn-primary"
value="Simpan">
</div>
</form>
</div>
</div>
</div>
</div>
<!-- Ends Modals -->

```

```

<script src="../../assets/js/jquery-1.11.1.min.js"></script>
<script src="../../assets/js/bootstrap.min.js"></script>
<script src="../../assets/js/bootstrap-datepicker.js"></script>
<script src="../../assets/js/custom.js"></script>
<script src="../../rating/js/jquery.min.js"></script>
<script src="../../rating/js/star-rating.js"></script>
</body>
</html>

```

Controllers-page.php

```

<?php

$dir = 'page/';
if (isset($_GET['p'])) {
    $page = $_GET['p'];
    switch ($page) {

        case 'barang':
            include $dir.'barang.php';
            break;
        case 'edit':
            include $dir.'editdatabarang.php';
            break;
        case 'laporan':
            include $dir.'laporan.php';
            break;
        case 'editbarang':
            include $dir.'edit.php';
            break;
        case 'nilai':
            include $dir.'penilaian.php';
            break;
        default:
            include $dir.'blank.php';
            break;
    }
} else {
    include $dir.'home.php';
}
?>

```

Barang.php

```

<?php
require 'conn.php';

if(!empty($_POST['Submit'])){
    $target_dir = "uploads/";

    if(!is_dir($target_dir)){
        mkdir($target_dir);
    }

    $target_file = $target_dir
        .basename($_FILES['fileToUpload']['name']);
    $uploadOk = 1;

    $imageFileType =
        pathinfo($target_file,PATHINFO_EXTENSION);

    // Check file size
    if ($_FILES["fileToUpload"]["size"] >
        1000000000) {
        echo '
        <script>
        alert("File anda terlalu besar!");
        window.location="index.php?p=barang"
        ;
        </script>';
        $uploadOk = 0;
    }
    // Allow certain file formats
    if($imageFileType != "jpg" &&
        $imageFileType != "png" &&
        $imageFileType != "jpeg" &&
        $imageFileType != "JPG"
        && $imageFileType != "PNG" &&
        $imageFileType != "JPEG" &&
        $imageFileType != "gif" ) {
        echo '
        <script>
        alert("Maap, hanya Jenis File JPG,
        JPEG, PNG & GIF yang
        diperbolehkan!");
        window.location="index.php?p=barang"
        ;
        </script>';
        $uploadOk = 0;
    }
}

```

```

}
// Check if $uploadOk is set to 0 by an
error
if ($uploadOk == 0) {
echo '
<script>
alert("Maap, file tidak dapat di
upload!");
window.location="index.php?p=barang"
;
</script>';
} else {
if
(move_uploaded_file($_FILES["fileTo
Upload"]["tmp_name"], $target_file)) {
$gambar =
basename($_FILES["fileToUpload"]["n
ame"]);
$tanggal = $_POST['tanggal'];
$nip = $_POST['nip'];
$waktu_masuk =
$_POST['waktu_masuk'];
$nomor_wo = $_POST['nomor_wo'];
$jenis_service =
$_POST['jenis_service'];
$detail_kerusakan =
$_POST['detail_kerusakan'];

$sql = "INSERT INTO `tb_keluhan`
(`nik`,`tanggal`,`waktu_masuk`,`nomor_
wo`,`jenis_service`,`detail_kerusakan`,`
gambar`) VALUES (:nip,:tanggal
,:waktu_masuk,:nomor_wo
,:jenis_service,:detail_kerusakan
,:gambar)";
$query = $conn->prepare($sql);
$params = array(
'gambar' => $gambar,
'nip' => $nip,
'tanggal' => $tanggal,
'waktu_masuk' => $waktu_masuk,
'nomor_wo' => $nomor_wo,
'jenis_service' => $jenis_service,
'detail_kerusakan' => $detail_kerusakan
);
$query->execute($params);

if ($query){
echo '
<script>
alert("file berhasil di upload!");
window.location="index.php";
</script>';
} else {
echo '
<script>
alert("file tidak berhasil di upload!");
window.location="index.php?p=barang"
;
</script>';
}
} else {
echo '
<script>
alert("file tidak berhasil di upload!");
window.location="index.php?p=barang"
;
</script>';
}
}

$sql2 = "SELECT max(nomor_wo) as
maxkode from tb_keluhan";
$query2 = $conn->prepare($sql2);
$params2 = array(
);
$query2->execute($params2);
$result2 = $query2-
>fetch(PDO::FETCH_ASSOC);
$nomorWo = $result2['maxkode'];

$noUrut = (int) substr($nomorWo, 3, 6);
$noUrut++;

$char = "MNT";
$nomorWo = $char . sprintf("%06s",
$noUrut);

?>

<!DOCTYPE html>
<html>
<head>
<title>Input Data</title>
<meta charset="utf-8">
<link href=" ../css/bootstrap.css"
rel="stylesheet">

```

```

<meta name="viewport"
content="width=device-width, initial-
scale=1, maximum-scale=1">
<link href="../assets/css/styles.css"
rel="stylesheet">
<link rel="icon" type="images/png"
sizes="16x16" href="../images/logo-
BAturaja.png">
</head>
<body>
<form method="POST"
enctype="multipart/form-data">
<div class="form-group">
<input type="hidden" class="form-
control" id="recipient-name"
placeholder="NIP" name="nip"
maxlength="15" value="<?php echo
($ _SESSION['nip']); ?>"required="">
</div>
<div class="form-group">
<label for="recipient-name" class="col-
form-label">Tanggal & Waktu
Masuk</label>
<div class="row">
<div class="col-xs-12 col-sm-6 col-md-
8">
<input type="date" class="form-control"
id="recipient-name"
placeholder="Tanggal" name="tanggal"
required="" ></div>

<div class="col-xs-6 col-md-4">
<input type="time" class="form-
control" id="recipient-name"
placeholder="Tanggal"
name="waktu_masuk" required=""
style="width:50%"></div>
</div>
</div>
<div class="form-group">

<input type="hidden" class="form-
control" readonly id="recipient-name"
placeholder="No Wo"
name="nomor_wo" maxlength="15"
required value="<?php echo
$ nomorWo; ?>">
</div>
<div class="form-group">

```

```

<label for="message-text" class="col-
form-label">Jenis Service</label>
<select name="jenis_service"
class="form-control">
<option
value="Hardware">Hardware</option>
<option
value="Software">Software</option>
<option
value="Network">Network</option>
</select>
</div>
<div class="form-group">
<label for="recipient-name" class="col-
form-label">Detail Kerusakan</label>
<textarea name="detail_kerusakan"
class="form-control" rows="5"
id="comment"
maxlength="50"></textarea>
</div>
<div class="form-group">
<label for="gambar1" class="col-form-
label">Gambar</label>
<input name="fileToUpload"
type="hidden" required
value="10000000000"/>
<input name="fileToUpload"
type="file" required accept="image/*"
capture/>
</div>

<br>
<div class="modal-footer">
<input name="Submit" type="Submit"
class="btn btn-primary cetak"
value="Simpan"></div>
</form>
</body>
<script
src="https://code.jquery.com/jquery-
2.1.1.min.js"
type="text/javascript"></script>

<script>
function highlightStar(obj) {
removeHighlight();
$( 'li' ).each(function(index) {
$( this ).addClass( 'highlight' );
if(index == $( "li" ).index(obj)) {
return false;

```

```

}
});
}

function removeHighlight() {
$(li).removeClass('selected');
$(li).removeClass('highlight');
}

function addRating(obj) {
$(li).each(function(index) {
$(this).addClass('selected');
$(#rating).val((index-10));
if(index == $(li).index(obj)) {
return false;
}
});
}

function resetRating() {
if($("#rating").val()) {
$(li).each(function(index) {
$(this).addClass('selected');
if((index-8) == $("#rating").val()) {
return false;
}
});
}
}
</script>
</html>

```

Edit.php

```

<?php
session_start();
require "conn.php";
$id = $_GET['id'];
$sql = "SELECT * FROM `tb_teknisi`
WHERE `id` = :id;";
$query = $conn->prepare($sql);
$params = array(
'id' => $id
);
$query->execute($params);
$result = $query->fetch(PDO::FETCH_OBJ);

if (!empty($_POST['Submit'])) {

```

```

$nomor_wo = $_POST['nomor_wo'];
$jenis_service =
$_POST['jenis_service'];
$detail_kerusakan =
$_POST['detail_kerusakan'];
$Solusi = $_POST['solusi'];

$sql = "UPDATE `tb_teknisi` SET
`nomor_wo` = :nomor_wo,
`jenis_service` = :jenis_service,
`detail_kerusakan` = :detail_kerusakan,
`solusi` = :solusi, `gambar` = :gambar
WHERE `id` = :id;";

$query = $conn->prepare($sql);
$params = array(
'kode_up' => $kode_up,
'id_pelanggan' => $id_pelanggan,
'nama_pelanggan' =>
$nama_pelanggan,
'alamat' => $alamat,
'tarif' => $tarif,
'daya' => $daya,
'tanggal' => $tanggal,
'saldo_lama' => $saldo_lama,
'merkmeter_lama' =>
$merkmeter_lama,
'type_lama' => $type_lama,
'noseri_lama' => $noseri_lama,
'tahun_lama' => $tahun_lama,
'reg_lama' => $reg_lama,
'saldo_baru' => $saldo_baru,
'merkmeter_baru' => $merkmeter_baru,
'type_baru' => $type_baru,
'noseri_baru' => $noseri_baru,
'tahun_baru' => $tahun_baru,
'reg_baru' => $reg_baru,
'keterangan' => $keterangan,
'penyebab' => $penyebab
);
$query->execute($params);

if ($query) {
echo '
<script>
alert ("Data berhasil di edit.");
window.location="forms.php";
</script>';

```

```

} else {
echo '<script>
alert("Query Gagal!");
window.location="forms.php";
<script>';
}
}

?>

<!DOCTYPE html>
<html>
<head>
<title>Edit Data</title>
<meta charset="utf-8">
<link type="text/css" rel="stylesheet"
href="../css/lightgallery.min.css" />
<link href="../css/bootstrap.css"
rel="stylesheet">
<meta name="viewport"
content="width=device-width, initial-
scale=1, maximum-scale=1">
<link rel="stylesheet"
href="../css/style.css">
<link rel="icon" type="images/png"
sizes="16x16" href="../images/logo-
BAturaja.png">
</head>
<body>
<form method="POST"
enctype="multipart/form-data">
<div class="form-group">
<label for="recipient-name" class="col-
form-label">Tanggal</label>
<input type="text" class="form-control"
id="recipient-name"
placeholder="Tanggal" name="tanggal"
value="<?php echo $result->tanggal?>"
disabled></div>
<div class="form-group">
<label for="recipient-name" class="col-
form-label">No WO</label>
<input type="text" class="form-control"
id="recipient-name" placeholder="No
Wo" name="nomor_wo" value="<?php
echo $result->nomor_wo?>"
required></div>
<div class="form-group">
<label for="message-text" class="col-
form-label">Jenis Service</label>

```

```

<input type="text" class="form-control"
id="recipient-name" placeholder="No
Wo" name="jenis_service"
value="<?php echo $result-
>jenis_service?>" disabled>
</div>
<div class="form-group">
<label for="recipient-name" class="col-
form-label">Detail Kerusakan</label>
<textarea name="detail_kerusakan"
class="form-control" rows="5"
id="comment" value="<?php echo
$result->detail_kerusakan?>"
></textarea>
</div>
<div class="form-group">
<label for="recipient-name" class="col-
form-label">Solusi</label>
<textarea name="solusi" class="form-
control" rows="5"
id="comment"></textarea>
</div>
<div class="form-group">
<label for="gambar1" class="col-form-
label">Gambar</label>
<input name="fileToUpload"
type="hidden" value="3000000"/>
<input name="fileToUpload"
type="file" accept="image/*" capture/>
<div id="image-holder">
<?php
if(isset($_GET['id']))
echo "<img
src='../img/$gambar.'?rand=" .rand().'"
alt=">";
?>
</div>
<script>
$("#foto").on('change', function () {

//Get count of selected files
var countFiles = $(this)[0].files.length;

var imgPath = $(this)[0].value;
var extn =
imgPath.substring(imgPath.lastIndexOf(
'.' ) + 1).toLowerCase();
var image_holder = $("#image-holder");
image_holder.empty();

```

```

var x =
document.getElementById("foto");
var file = x.files[0];

if (extn == "png" || extn == "jpg" || extn
== "jpeg" || extn == "gif") {
if (typeof (FileReader) != "undefined") {

//loop for each file selected for
uploaded.
for (var i = 0; i < countFiles; i++) {

var reader = new FileReader();
reader.onload = function (e) {
$(("<img />", {
"src": e.target.result,
"class": "thumb-image"
}).appendTo(image_holder);
}

image_holder.show();
reader.readAsDataURL($(this)[0].files[i
]);
}

} else {
alert("This browser does not support
FileReader.");
}
} else {
alert("hanya boleh foto bertipe PNG,
JPG dan GIF");
var control = $("#foto");
control.replaceWith(control.val().clone(
true));
}
});
</script>
</div>
<div class="form-group rating">
<style>
li{ display: inline-block;color:
#F0F0F0;}
.highlight, .selected
{ color:#F4B30A;text-shadow: 0 0 1px
#F48F0A;}
</style>
<label for="gambar1" class="col-form-
label">Berikan Penilaian</label>
<div class="rating">

```

```

<ul class="nav navbar-nav navbar-left"
onmouseout="resetRating();">
<input type="hidden" name="rating"
id="rating"/>
<li onmouseover="highlightStar(this);"
onmouseout="removeHighlight();"
onclick="addRating(this);">&#9733;</li
>
</ul>
</div>
</div>
<br>
<div class="modal-footer">
<input name="Submit" type="Submit"
class="btn btn-primary"
value="Simpan"></div>
</form>

<script
src="https://code.jquery.com/jquery-
2.1.1.min.js"
type="text/javascript"></script>
<script>
function highlightStar(obj) {
removeHighlight();
$(li).each(function(index) {
$(this).addClass("highlight");
if(index == $("li").index(obj)) {
return false;
}
});
});

```

```

}

function removeHighlight() {
$(li).removeClass('selected');
$(li).removeClass('highlight');
}

function addRating(obj) {
$(li).each(function(index) {
$(this).addClass('selected');
$('#rating').val((index-8));
if(index == $("li").index(obj)) {
return false;
}
});
}

function resetRating() {
if($('#rating').val()) {
$(li).each(function(index) {
$(this).addClass('selected');
if((index-8) == $('#rating').val()) {
return false;
}
});
}
}
</script>
</body>
</html>

```

editdatabarang.php

```

<?php
require "conn.php";
if (!empty($_GET['hapus'])) {
$хid = $_GET['hapus'];

$sql = "DELETE FROM `tb_teknisi`
WHERE `id` = :id;";
$query = $conn->prepare($sql);
$params = array(
'id' => $хid,
);
$query->execute($params);

if ($query) {
echo '
<script>
alert ("Data berhasil di hapus.");

```

```

window.location="index.php?p=edit";
</script>';
} else {
echo '<script>
alert("Query Gagal!");
window.location="index.php?p=edit";
</script>';
}
}
?>

```

```

<link type="text/css" rel="stylesheet"
href="../css/lightgallery.min.css" />
<?php include_once('rating.php') ?>
<div class="row" id="div1">
<div class="col-md-12">
<div class="panel panel-default">
<div class="panel-heading">
Data Keluhan Perangkat
</div>
<div class="panel-body">
<div class="row" style="margin-left:
5px;">

</div>
<div class="table-responsive">
<table class="table table-striped table-
bordered table-hover" id="dataTables-
example" style="">
<thead>
<tr>
<th>NO</th>
<th>Tanggal</th>
<th>Jam Masuk</th>
<th>Nomor WO</th>
<th>Jenis Service</th>
<th>Detail Kerusakan</th>
<th>Gambar</th>
<th>Status</th>
<th>Penilaian</th>
</tr>
</thead>
<tfoot>
<tr>
<th>NO</th>
<th>Tanggal</th>
<th>Jam Masuk</th>
<th>Nomor WO</th>
<th>Jenis Service</th>

```



```

}
</script>
<script>
var elements =
document.getElementsByName("li
ghtgallery");
for(var i=0; i<elements.length; i++) {
lightGallery(elements[i]);
}
</script>
<script
src="../../assets/js/style.js"></script>
<!--rating-->
<script type="text/javascript">
$(function(){
$('.rating').on('rating.change',
function(event, value, caption) {
productId = $(this).attr('productId');
$.ajax({
url: "rating.php",
dataType: "json",
data: {vote:value, productId:productId,
type:'save'},
success: function( data ) {
alert("Terima Kasih");
window.location='../user/index.php';
},
error: function(e) {
console.log(e);
},
timeout: 30000
});
});
});
</script>

```

Home.php

```

<?php
require "config.php";
$nip = $_SESSION['nip'];
$data = "SELECT count(nomor_wo) as
total FROM tb_keluhan where nik =
$nip";
$query = mysqli_query($db, $data);
$sambil = mysqli_fetch_array($query);

?>
<center>

```

```

<div class="panel panel-container">
<div class="row">
<center>
<div class="panel panel-teal panel-
widget ">
<div class="row no-padding"><em
class="glyphicon fa-xl glyphicon-level-
up color-blue"></em>
<div class="large"><?php echo
($sambil['total']); ?></div>
<div class="text-muted"><a
href="index.php?p=edit"
style="color:#c5c7cc">Keluhan
Kerusakan</a></div>
</div>
</div>
</center>
</div>
</center>

```

Info.php

```

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport"
content="width=device-width, initial-
scale=1, maximum-scale=1">
<title>PT Semen Baturaja
(PERSERO)tbk</title>
<link rel="icon" type="image/png"
href="../../images/logo-BAturaja.png">
<link href="../../assets/css/sb-admin-
2.min.css" rel="stylesheet">
<link href="../../assets/css/styles.css"
rel="stylesheet">
<link href="../../rating/css/bootstrap.css"
rel="stylesheet">
<link href="../../rating/css/star-
rating.min.css" media="all"
rel="stylesheet" type="text/css" />
<script
src="../../rating/js/jquery.min.js"></scrip
t>
<script
src="../../rating/js/bootstrap.min.js"></sc
ript>

```

```

<script src="../../../rating/js/star-
rating.js"></script>
</head>
<body>
<center>
<div class="col-sm-6">
<div class=" card border-left-success
border-right-success shadow py-2">
<a href="#collapseCardExample"
class="d-block card-header py-3" >
<div class="profile-userpic">

</div>
<h5 style="padding-top:10px; margin-
left:75px !important;"><b>PT SEMEN
BATURAJA (PERSERO)
TBK</b></h5>

</a>
<div class="card-body py-3"
style="margin-top:10px">
<h4>Mohon Maaf</h4>
</div>
<div class="col-md-12">
<center>
<?php
require 'conn.php';
session_start();
$nip = $_SESSION['nip'];
$sql = "SELECT * FROM `tb_keluhan`
left join tb_perbaikan on
tb_keluhan.nomor_wo =
tb_perbaikan.nomor_wo WHERE
tb_keluhan.nik = :nip;";
$query = $conn->prepare($sql);
$params = array(
'nip' => $nip
);
$query->execute($params);
while($result = $query-
>fetch(PDO::FETCH_OBJ)){

?>
Perbaikan <?php echo $result-
>jenis_service ?> Sedang Di Pending
Karena <?php echo $result->solusi ?>

<?php } ?>

```

```

</center>
</div>
</div>
</div>
</center>

<script src="../../../assets/js/sb-admin-
2.min.js"></script>

<script type="text/javascript">
$(function(){
$('.rating').on('rating.change',
function(event, value, caption) {
productId = $(this).attr('productId');
$.ajax({
url: "rating.php",
dataType: "json",
data: {vote:value, productId:productId,
type:'save'},
success: function( data ) {
alert("Terima Kasih");
window.location='../..user/index.php';
},
error: function(e) {
console.log(e);
},
timeout: 30000
});
});
});
</script>
</body>
</html>

```

Penilaian.php

```

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport"
content="width=device-width, initial-
scale=1, maximum-scale=1">
<title>PT Semen Baturaja
(PERSERO)tbk</title>
<link rel="icon" type="image/png"
href="../../../images/logo-BAturaja.png">
<link href="../../../assets/css/sb-admin-
2.min.css" rel="stylesheet">

```

```

<link href="../../assets/css/styles.css"
rel="stylesheet">
<link href="../../rating/css/bootstrap.css"
rel="stylesheet">
<link href="../../rating/css/star-
rating.min.css" media="all"
rel="stylesheet" type="text/css" />
<script
src="../../rating/js/jquery.min.js"></scrip
t>
<script
src="../../rating/js/bootstrap.min.js"></sc
ript>
<script src="../../rating/js/star-
rating.js"></script>
</head>
<body>
<?php include_once('rating.php') ?>
<center>
<div class="col-sm-6">
<div class="card border-left-success
border-right-success shadow py-2">
<a href="#collapseCardExample"
class="d-block card-header py-3" >
<div class="profile-userpic">

</div>
<h5 style="padding-top:10px; margin-
left:75px !important;"><b>PT SEMEN
BATURAJA (PERSERO)
TBK</b></h5>

</a>
<div class="card-body py-3"
style="margin-top:10px">
<h4>Beri Rating Untuk Teknisi?</h4>
</div>
<div class="col-md-12">
<center>
<?php
require 'conn.php';
session_start();
$nip = $_SESSION['nip'];
$sql = "SELECT * FROM
`tb_perbaikan` LEFT JOIN tb_keluhan
on tb_keluhan.nomor_wo =
tb_perbaikan.nomor_wo WHERE

```

```

nik_user = :nip AND `rating` IS
NULL;";
$query = $conn->prepare($sql);
$params = array(
':nip' => $nip
);
$query->execute($params);
while($result = $query-
>fetch(PDO::FETCH_OBJ)){

?>
Perbaikan <?php echo $result-
>jenis_service ?>
<input value="<?=>
getRatingByProductId(connect(), 1); ?>"
type="number" class="rating" min=0
max=5 step=1 data-size="sm" data-
stars="5" productId="<?php echo
$result->nomor_wo; ?>">
<?php } ?>
</center>
</div>
</div>
</center>

<script src="../../assets/js/sb-admin-
2.min.js"></script>

<script type="text/javascript">
$(function(){
$('.rating').on('rating.change',
function(event, value, caption) {
productId = $(this).attr('productId');
$.ajax({
url: "rating.php",
dataType: "json",
data: {vote:value, productId:productId,
type:'save'},
success: function( data ) {
alert("Terima Kasih");
window.location='../../user/index.php';
},
error: function(e) {
console.log(e);
},
timeout: 30000
});
});
});

```

```
});
</script>
</body>
</html>
```

Rating.php

```
<?php

function connect() {
$hostname = "localhost";
$username = "root";
$password = "";
$dbname = "db_ptsb";
$con = mysqli_connect($hostname,
$username, $password, $dbname);
return $con;
}

function getRatingByProductId($con,
$productId) {
$query = "SELECT SUM(rating) as
vote, COUNT(rating) as count from
tb_perbaikan ";
$query2 = mysqli_query($con,
"SELECT * FROM tb_perbaikan ");
$data = mysqli_fetch_array ($query2);

$result = mysqli_query($con, $query);
$resultSet =
mysqli_fetch_array($result);
if($resultSet['count']>0) {
return
($resultSet['vote']/$resultSet['count']);
} else {
return 0;
}
}

if(isset($_REQUEST['type'])) {
if($_REQUEST['type'] == 'save') {
$vote = $_REQUEST['vote'];
$Nomor= $_REQUEST['productId'];
$query = "update tb_perbaikan set rating
= $vote where nomor_wo = '$Nomor' ";
$con = connect();
$result = mysqli_query($con, $query);
echo 1; exit;
}
}
```

```
?>
```

Logout.php

```
<?php
session_start();
if(session_destroy())
{
header("Location: ../index.php");
}
?>
```

Index.php

```
<?php
include '../conn.php';
session_start();
if (empty($_SESSION['username']) &&
empty($_SESSION['password'])) {
header("Location:../index.php");
}
?>

<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport"
content="width=device-width, initial-
scale=1">
<title>PT Semen Baturaja
(PERSERO)tbk</title>
<link rel="icon" type="image/png"
href="../images/logo-Baturaja.png">
<link
href="../assets/css/bootstrap.min.css"
rel="stylesheet">
<link href="../assets/css/font-
awesome.min.css" rel="stylesheet">
<link href="../assets/css/datepicker3.css"
rel="stylesheet">
<link href="../assets/css/styles.css"
rel="stylesheet">
</head>
<body>
<nav class="navbar navbar-custom
navbar-fixed-top" role="navigation">
<div class="container-fluid">
<div class="navbar-header">
```

```

<a class="navbar-brand ilang"
href="#">PT SEMEN
BATURAJA(PERSERO)TBK</a>
<div class="top_left"
style="float:right">
<h2><span></span><i class="fa fa-
calendar"></i>
<?php
$hari =
array("Minggu", "Senin", "Selasa", "Rabu",
"Kamis", "Jum'at", "Sabtu");
$bulan =
array("", "Januari", "Februari", "Maret", "
April", "Mei", "Juni", "Juli", "Agustus", "S
eptember", "Oktober", "November", "Dese
mber");
echo $hari[date("w")].", ".date("j")."
".$bulan[date("n")].".date("Y");
?>
</h2>
</div>
<?php
date_default_timezone_set('Asia/Jakarta'
);
$tanggal=
mktime(date("m"),date("d"),date("Y"));
$tgl= date("Y-m-d", $tanggal);
?>
<div class="visible-xs">
<nav class="navbar navbar-default">
<!-- Brand and toggle get grouped for
better mobile display -->
<div class="navbar-header mobile
nama">
<a class="navbar-brand " href="#">PT
SEMEN
BATURAJA(PERSERO)TBK</a>
<button type="button" class="navbar-
toggle collapsed" data-toggle="collapse"
data-target="#bs-example-navbar-
collapse-1" aria-expanded="false">
<span class="sr-only">Toggle
navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
</div>
<div class="collapse navbar-collapse"
id="bs-example-navbar-collapse-1">

```

```

<ul class="nav navbar-nav">
<li><a href="index.php?p=user">Data
User</a></li>
<li><a
href="index.php?p=laporan">Laporan</
a></li>
<li><a
href="includes/logout.php">Logout</a>
</li>
</ul>
</div><!-- /.navbar-collapse -->
</nav>
</div><!-- /.container-fluid -->
</div>
</nav>
<div id="sidebar-collapse" class="col-
sm-3 col-lg-2 sidebar">
<div class="profile-sidebar">
<div class="profile-userpic">

</div>
<div class="profile-usertitle">
<div class="profile-usertitle-
name"><b><?php echo ucfirst
($SESSION['nama']);
?></b></a></div>
<div class="profile-usertitle-
status"><span class="indicator label-
success"></span>Online</div>
</div>
<div class="clear"></div>
</div>
<div class="divider"></div>
<ul class="nav menu">
<li class=""><a href="index.php"><em
class="fa fa-dashboard"></em>
Dashboard</a></li>
<li><a href="?p=user"><em
class="glyphicon glyphicon-
user"></em> Data User</a></li>
<li><a href="?p=laporan"><em
class="fa fa-archive"></em> Laporan
Perbaikan</a></li>
<li><a data-toggle="modal" data-
target="#exampleModalCenter"><em
class="fa fa-power-off"></em>
Logout</a></li>

```

```

</ul>
</div><!--/.sidebar-->
<div class="col-sm-9 col-sm-offset-3
col-lg-10 col-lg-offset-2 main">
<div class="row">
<ol class="breadcrumb">
<li><a href="?p=home">
<em class="fa fa-home"></em>
</a></li>
<li class="">Dashboard</li>
</ol>
</div><!--/.row-->
<div class="row">
<!--<div class="col-lg-12">
<h1 class="page-
header">Wellcome</h1>
</div>
</div>/row-->
<?php
include 'includes/controllers-page.php';
?>
</div> <!--/.main-->
</div> <!--/.main-->
<!-- Modals -->
<div class="modal fade"
id="exampleModalCenter" tabindex="-
1" role="dialog" aria-
labelledby="exampleModalCenterTitle"
aria-hidden="true">
<div class="modal-dialog modal-dialog-
centered" role="document">
<div class="modal-content">
<div class="modal-header">
<h5 class="modal-title"
id="exampleModalLongTitle">Konfirm
asi</h5>
<button type="button" class="close"
data-dismiss="modal" aria-
label="Close">
<span aria-
hidden="true">&times;</span>
</button>
</div>
<div class="modal-body">
<h4>Apakah anda yakin ingin keluar
?</h4>
</div>
<div class="modal-footer">

```

```

<a href="includes/logout.php" ><button
class="btn btn-
secondary">Logout</button></a>
<button type="button" class="btn btn-
primary" data-
dismiss="modal">Cancel</button>
</div>
</div>
</div>
<!-- End Modals -->
<script src="../assets/js/jquery-
1.11.1.min.js"></script>
<script>
function printContent(el){
var restorepage =
document.body.innerHTML;
var printcontent =
document.getElementById(el).innerHT
ML;
document.body.innerHTML =
printcontent;
window.print();
document.body.innerHTML =
restorepage;
}
</script>
<script
src="../assets/js/bootstrap.min.js"></scri
pt>
<script src="../assets/js/bootstrap-
datepicker.js"></script>
<script
src="../assets/js/custom.js"></script>
<script type="text/javascript">

$(function() {

// We use an inline data source in the
example, usually data would
// be fetched from a server

var data = [],
totalPoints = 300;
function getRandomData() {

if (data.length > 0)
data = data.slice(1);

// Do a random walk

```

```

while (data.length < totalPoints) {

var prev = data.length > 0 ?
data[data.length - 1] : 50,
y = prev + Math.random() * 10 - 5;

if (y < 0) {
y = 0;
} else if (y > 100) {
y = 100;
}

data.push(y);
}

// Zip the generated y values with the x
values

var res = [];
for (var i = 0; i < data.length; ++i) {
res.push([i, data[i]])
}

return res;
}

// Set up the control widget

var updateInterval = 30;
$("#updateInterval").val(updateInterval).
change(function () {
var v = $(this).val();
if (v && !isNaN(+v)) {
updateInterval = +v;
if (updateInterval < 1) {
updateInterval = 1;
} else if (updateInterval > 2000) {
updateInterval = 2000;
}
$(this).val("" + updateInterval);
}
});

var plot = $.plot("#placeholder", [
getRandomData() ], {
series: {
shadowSize: 0 // Drawing is faster
without shadows
},
yaxis: {
min: 0,
max: 100
},
xaxis: {
show: false
}
});

function update() {

plot.setData([getRandomData()]);

// Since the axes don't change, we don't
need to call plot.setupGrid()

plot.draw();
setTimeout(update, updateInterval);
}

update();

// Add the Flot version string to the
footer

$("#footer").prepend("Flot " +
$.plot.version + " &ndash; ");
});
</script>
<!-- /real-time -->
</body>
</html>

Controllers-page.php

<?php
$dir = 'page/';
if (isset($_GET['p'])) {
$page = $_GET['p'];
switch ($page) {
case 'home':
include $dir.'home.php';
break;
case 'user':
include $dir.'datauser.php';
break;
case 'edituser':
include $dir.'edituser.php';
break;
}
}
}

```

```

case 'proses':
include $dir.'proses.php';
break;
case 'ganti':
include $dir.'ganti.php';
break;
case 'pg':
include $dir.'printganti.php';
break;
case 'laporan':
include $dir.'laporan.php';
break;
default:
include $dir.'blank.php';
break;
}
} else {
include $dir.'home.php';
}
?>

```

Datauser.php

```

<?php
require "conn.php";

if (empty($_SESSION['username']) &&
empty($_SESSION['password'])) {
header("Location:../index.php");
}

if (!empty($_POST['Submit'])) {
$nama = $_POST['nama'];
$nip = $_POST['nip'];
$unit = $_POST['unit'];
$username = $_POST['username'];
$password = $_POST['password'];
$status = $_POST['status'];

```

```

$sql = "INSERT INTO `tb_user`
(nama`,`nik`,`unit_kerja`,`username`,`p
assword`,`status`) VALUES (:nama,
:nip, :unit, :username, :password,
:status);";
$query = $conn->prepare($sql);
$params = array(
'nama' => $nama,
'nip' => $nip,
'unit' => $unit,

```

```

'username' => $username,
'password' => $password,
'status' => $status
);
$query->execute($params);

if ($query) {
echo '<script>
alert("Data Berhasil ditambah!");
window.location="index.php?p=user";
</script>';
} else {
echo '<script>
alert("Gagal ditambah!");
window.location="index.php?p=user";
</sciprt>';
}
}

```

```

if (!empty($_GET['hapus'])) {
$id = $_GET['hapus'];

```

```

$sql = "DELETE FROM `tb_user`
WHERE `id` = :id;";
$query = $conn->prepare($sql);
$params = array(
'id' => $id,
);
$query->execute($params);
if ($query) {
echo '<script>
alert("Data Berhasil dihapus!");
window.location="index.php?p=user";
</script>';
}
}
?>

```

```

<link
href="../assets/css/dataTables/dataTables
.bootstrap.css" rel="stylesheet">
<link
href="../assets/css/dataTables/dataTables
.responsive.css" rel="stylesheet">

<div class="row">
<div class="col-md-12">
<div class="panel panel-default">

```

```

<div class="panel-heading">
Data User ICT PT Semen Baturaja
(PERSERO)Tbk
<button type="button" class="btn btn-
primary pull-right" data-toggle="modal"
data-target=".bd-example-modal-lg"><i
class="fa fa-plus"></i> Tambah Data
User</button>
</div>
<div class="panel-body">
<div class="col-sm-3 pull-right" >
<form method="GET" action="">
<input class="pencarian" type="hidden"
placeholder="Pencarian..." name="p"
value="user">
<input class="pencarian" type="text"
placeholder="Pencarian nik..."
name="pencari" required style="border-
radius:5px">
<button class="btn btn-primary
glyphicon glyphicon-search"
name="search" type="submit"
value="cari2">
</button>
</form>
</div>
<div class="row" style="margin-left:
5px;">
</div>
<div class="table-responsive">
<div class="dataTable_wrapper">
<table class="table table-striped table-
bordered table-hover" id="dataTables-
example" style="">
<thead>
<tr>
<th>NO</th>
<th>NIK</th>
<th>Nama</th>
<th>Unit Kerja</th>
<th>Username</th>
<th>Password</th>
<th>Status</th>
<th>Tindakan</th>
</tr>
</thead>
<tbody>
<tr>
<?php

```

```

require "conn.php";
$no = 1;
$sql = "SELECT * FROM tb_user order
by status asc";
if (!empty($_GET['search'])) {
$no = 1;
$nik = $_GET['pencari'];
$sql = "SELECT * FROM tb_user
where nik like '%" . $nik . "%'";
}
$query = $conn->prepare($sql);
$query->execute();
while ($result = $query-
>fetch(PDO::FETCH_OBJ)) {
echo '<tr>
<td>'. $no++. ' </td>
<td>'. $result->nik. ' </td>
<td>'. $result->nama. ' </td>
<td>'. $result->unit_kerja. ' </td>
<td>'. $result->username. ' </td>
<td>'. $result->password. ' </td>
<td>'. $result->status. ' </td>
<td>
<a
href="index.php?p=edituser&id='.$result-
t->id.'"><button class="btn btn-primary"
title="Edit"><i class="fa fa-edit"
></i></button></a>
<a
href="index.php?p=user&hapus='.$result
t->id.'"><button class="btn btn-primary
glyphicon glyphicon-floppy-remove"
title="Hapus" ></button></a>
</td>
</tr>';
}
?>
</tr>
</tbody>
</table>
</div>
</div>
</div>
</div>
</div>
</div><!--/.row-->
<!-- Modals -->
<!-- The Modal -->

```

```

<div class="modal fade bd-example-
modal-lg" tabindex="-1" role="dialog"
aria-labelledby="myLargeModalLabel"
aria-hidden="true">
<div class="modal-dialog modal-lg">
<div class="modal-content">
<div class="modal-header">
<h5 class="modal-title"
id="exampleModalLabel">Tambah Data
User</h5>
<button type="button" class="close"
data-dismiss="modal" aria-
label="Close">
<span aria-
hidden="true">&times;</span>
</button>
</div>
<div class="modal-body">
<form method="POST">
<div class="form-group">
<label for="message-text" class="col-
form-label">Nama</label>
<input type="text" class="form-control"
id="recipient-name"
placeholder="Nama" name="nama"
required maxlength="25">
</div>
<div class="form-group">
<label for="message-text" class="col-
form-label">NIK</label>
<input type="text" class="form-control"
id="recipient-name" placeholder="NIK"
name="nip" required maxlength="25">
</div>
<div class="form-group">
<label for="message-text" class="col-
form-label">Unit Kerja</label>
<select name="unit" class="form-
control">
<option value="Division Corporate &
Secretary">Division Corporate &
Secretary</option>
<option value="Division Internal
Audit">Division Internal
Audit</option>
<option value="Division Safety, Health
& Environment">Division Safety,
Health & Environment</option>

```

```

<option value="Division Research &
Development">Division Research &
Development</option>
<option value="Division
PMO">Division PMO</option>
<option value="Division
Mining">Division Mining</option>
<option value="Division Operation
1">Division Operation 1 </option>
<option value="Division Operation
2">Division Operation 2</option>
<option value="Division Accounting &
Finance">Division Accounting &
Finance</option>
<option value="Division Management
Accounting">Division Management
Accounting</option>
<option value="Division ICT">Division
ICT</option>
<option value="Division Human
Resource">Division Human
Resource</option>
<option value="Division
Procurement">Division
Procurement</option>
<option value="Division Corporate
Service & Management">Division
Corporate Service &
Management</option>
<option value="Division
Marketing">Division
Marketing</option>
<option value="Division
Sales">Division Sales</option>
<option value="Division
Logistic">Division Logistic</option>
</select>
</div>
<div class="form-group">
<label for="recipient-name" class="col-
form-label">Username</label>
<input type="text" class="form-control"
id="recipient-name"
placeholder="Username"
name="username"
maxlength="25"required>
</div>
<div class="form-group">
<label for="message-text" class="col-
form-label">Password</label>

```

```

<input type="Password" class="form-
control" id="recipient-name"
placeholder="Password"
name="password" required
maxlength="25">
</div>
<div class="form-group">
<label for="message-text" class="col-
form-label">Status</label>
<select name="status" class="form-
control">
<option
value="admin">Admin</option>
<option
value="teknisi">Teknisi</option>
<option value="user">User</option>
</select>
</div>
<div class="modal-footer">
<input name="Submit" type="Submit"
class="btn btn-primary"
value="Simpan">
</div>

</form>
</div>

</div>
</div>
</div>

<!-- Ends Modals -->

<script src="../../assets/js/jquery-
1.11.1.min.js"></script>
</script><script
src="../../assets/js/dataTables/dataTables.b
ootstrap.min.js"></script>
<script
src="../../assets/js/bootstrap.min.js"></scri
pt>
<script
src="../../assets/js/dataTables/jquery.dataT
ables.min.js"></script>
<script>
$(document).ready(function() {
$('#dataTables-example').DataTable({
responsive: true
});
});

```

```
</script>
```

Edituser.php

```

<?php
require "conn.php";
$id = $_GET['id'];

$sql = "SELECT * FROM `tb_user`
WHERE `id` = :id;";
$query = $conn->prepare($sql);
$params = array(
'id' => $id
);
$query->execute($params);
$result = $query-
>fetch(PDO::FETCH_OBJ);

if (!empty($_POST['Submit'])) {
$nip = $_POST['nip'];
$nama = $_POST['nama'];
$unit = $_POST['unit'];
$username = $_POST['username'];
$password = $_POST['password'];
$sql = "UPDATE `tb_user` SET `nik` =
:nip, `nama` = :nama, `unit_kerja` =
:unit, `username` = :username,
`password` = :password WHERE `id` =
:id;";
$query = $conn->prepare($sql);
$params = array(
'id' => $id,
'nip' => $nip,
'nama' => $nama,
'unit' => $unit,
'username' => $username,
'password' => $password
);
$query->execute($params);

if ($query) {
echo '
<script>
alert ("Data berhasil di edit.");
window.location="index.php?p=user";
</script>';
} else {
echo '<script>
alert("Query Gagal!");

```

```

window.location="index.php?p=edituser
";
<script>';
}
}
?>
<form method="POST" style="margin-left:20px;margin-right:20px">
<h2>Edit Data User</h2>
<div class="form-group">
<label for="message-text" class="col-form-label">NIK</label>
<input type="text" class="form-control" id="recipient-name" placeholder="NIK" name="nip" required maxlength="25" value="<?php echo $result->nik?>">
</div>
<div class="form-group">
<label for="message-text" class="col-form-label">Nama</label>
<input type="text" class="form-control" id="recipient-name" placeholder="NIP" name="nama" required maxlength="25" value="<?php echo $result->nama?>">
</div>
<div class="form-group">
<label for="message-text" class="col-form-label">Unit Kerja</label>
<select name="unit" class="form-control">
<option value="Division Corporate & Secretary">Division Corporate & Secretary</option>
<option value="Division Internal Audit">Division Internal Audit</option>
<option value="Division Safety, Health & Environment">Division Safety, Health & Environment</option>
<option value="Division Research & Development">Division Research & Development</option>
<option value="Division PMO">Division PMO</option>
<option value="Division Mining">Division Mining</option>
<option value="Division Operation 1">Division Operation 1 </option>
<option value="Division Operation 2">Division Operation 2</option>

```

```

<option value="Division Accounting & Finance">Division Accounting & Finance</option>
<option value="Division Management Accounting">Division Management Accounting</option>
<option value="Division ICT">Division ICT</option>
<option value="Division Human Resource">Division Human Resource</option>
<option value="Division Procurement">Division Procurement</option>
<option value="Division Corporate Service & Management">Division Corporate Service & Management</option>
<option value="Division Marketing">Division Marketing</option>
<option value="Division Sales">Division Sales</option>
<option value="Division Logistic">Division Logistic</option>
</select>
</div>
<div class="form-group">
<label for="recipient-name" class="col-form-label">Username</label>
<input type="text" class="form-control" id="recipient-name" placeholder="Username" name="username" maxlength="25" value="<?php echo $result->username?>" required>
</div>
<div class="form-group">
<label for="message-text" class="col-form-label">Password</label>
<input type="Password" class="form-control" id="recipient-name" placeholder="Password" name="password" maxlength="25" value="<?php echo $result->password?>" required >
</div>
<div class="modal-footer">
<a href="index.php?p=user"><button type="button" class="btn btn-secondary"

```

```

data-
dismiss="modal">Close</button></a>
<input name="Submit" type="Submit"
class="btn btn-primary"
value="Simpan">
</div>
</form>

```

Ganti.php

```

<?php
require 'conn.php';
$nomor_wo = $_GET['nomor_wo'];

$sql = "SELECT * FROM
`tb_perbaikan` WHERE `nomor_wo` =
:nomor_wo";
$query = $conn->prepare($sql);
$params = array(
':nomor_wo' => $nomor_wo

);
$query->execute($params);
$result = $query-
>fetch(PDO::FETCH_OBJ);

?>
<?php

?>
<!DOCTYPE html>
<html>
<head>
<title>Input Data</title>
<meta charset="utf-8">
<link href="../css/bootstrap.css"
rel="stylesheet">
<meta name="viewport"
content="width=device-width, initial-
scale=1, maximum-scale=1">
<link href="../assets/css/styles.css"
rel="stylesheet">
<link rel="icon" type="images/png"
sizes="16x16" href="../images/logo-
BAturaja.png">
</head>
<body style="margin-Left:20px;
Margin-right:20px">

```

```

<form method="POST"
action="page/printganti.php">
<center><h2>REKOMENDASI
PENGANTIAN</h2></center>
<div class="form-group">
<label for="recipient-name" class="col-
form-label">No WO</label>
<input type="text" class="form-control"
placeholder="No Wo"
name="nomor_wo" maxlength="15"
readonly value="<?php echo $result-
>nomor_wo?>">
<div class="row" style="margin-
top:20px">
<div class="col-xs-4">
<label for="recipient-name" class="col-
form-label">Site</label>
<select name="site" class="form-
control" required>
<option value="" disabled selected>-
Site -</option>
<option
value="Baturaja">Baturaja</option>
<option
value="Palembang">Palembang</option
>
<option
value="Panjang">Panjang</option>

</select>
</div>
<div class="col-xs-4">
<label for="recipient-name" class="col-
form-label">Priority</label>
<select name="priority" class="form-
control" required>
<option value="" disabled selected>-
Priority -</option>
<option value="Low">Low</option>
<option
value="Medium">Medium</option>
<option value="High">High</option>

</select>
</div>
<div class="col-xs-4">

</div>
</div>

```

```

<label for="recipient-name" class="col-
form-label" style="margin-
top:20px">Permintaan</label>
<div class="row">
<div class="col-xs-12" style="margin-
bottom:15px">
<input type="text" class="form-control"
id="recipient-name"
placeholder="Permintaan"
name="minta" required="" ></div>
</div>
<label for="recipient-name" class="col-
form-label" style="margin-
top:20px">Tanggal & Waktu
Masuk</label>
<div class="row">
<div class="col-xs-12 col-sm-6 col-md-
8" style="margin-bottom:15px">
<input type="date" class="form-control"
id="recipient-name"
placeholder="Tanggal" name="tanggal"
required="" ></div>

<div class="col-xs-6 col-md-4">
<input type="time" class="form-
control" id="recipient-name"
placeholder="Tanggal" name="waktu"
required="" style="width:50%"></div>
</div>

<label for="recipient-name" class="col-
form-label" style="margin-
top:15px">Keterangan</label>
<textarea name="keterangan"
class="form-control" rows="5"
id="comment" maxlength="255"
required style="margin-
bottom:15px"></textarea>
<label for="recipient-name" class="col-
form-label" style="margin-
top:15px">Yang Meminta</label>
<div class="row">
<div class="col-xs-12" style="margin-
bottom:15px">
<input type="text" class="form-control"
id="recipient-name" placeholder="Yang
Meminta" name="atasan" required=""
></div>
</div>
</div>

```

```

<br>
<div class="modal-footer">
<input name="rekom" type="Submit"
class="btn btn-danger" value="Ganti">
</div>
</form>
</body>
<script
src="https://code.jquery.com/jquery-
2.1.1.min.js"
type="text/javascript"></script>
</html>

```

Home.php

```

<?php
require "config.php";
$data = "SELECT count(nomor_wo) as
total FROM tb_keluhan where operasi =
'Di Laporkan'";
$query = mysqli_query($db, $data);
$sambil = mysqli_fetch_array($query);

$data3 = "SELECT count(nomor_wo) as
total FROM tb_perbaikan";
$query3 = mysqli_query($db, $data3);
$sambil3 = mysqli_fetch_array($query3
);

$data2 = "SELECT count(id) as user
FROM tb_user where status = 'user'";
$query2 = mysqli_query($db, $data2);
$sambil2 = mysqli_fetch_array($query2);
?>

<link href="../../assets/css/sb-admin-
2.min.css" rel="stylesheet">
<link
href="../../assets/vendor/datatables/dataT
ables.bootstrap4.min.css"
rel="stylesheet">
<link type="text/css" rel="stylesheet"
href="../../css/lightgallery.min.css" />
<center>
<div class="panel panel-container">
<div class="row">
<center>
<div class="col-xs-4 border-right" >
<div class="panel panel-teal panel-
widget ">

```

```

<div class="row no-padding"><a
href="#tabel" class="glyphicon fa-xl
glyphicon-folder-close color-blue"></a>
<div class="large"><a
href="#tabel"><?php echo
($ambil['total']); ?></a></div>
<div class="text-muted"><a
href="#tabel"
style="color:#c5c7cc">Keluhan
Baru</a></div>
</div>
</div>
</div>
<div class="col-xs-4 border-right">
<div class="panel panel-teal panel-
widget">
<div class="row no-padding"><a
href="index.php?p=laporan"
class="glyphicon fa-xl glyphicon-folder-
open color-blue"></a>
<div class="large"><a
href="index.php?p=laporan"><?php
echo ($ambil3['total']); ?></a></div>
<div class="text-muted"><a
href="index.php?p=laporan"
style="color:#c5c7cc">Laporan
Perbaikan</a></div>
</div>
</div>
</div>
<div class="col-xs-4">
<div class="panel panel-teal panel-
widget">
<div class="row no-padding"><a
href="index.php?p=user"
class="glyphicon fa-xl glyphicon
glyphicon-user"></a>
<div class="large"><a
href="index.php?p=user"><?php echo
($ambil2['user']); ?></a></div>
<div class="text-muted"><a
href="index.php?p=user"
style="color:#c5c7cc">Data
User</a></div>
</div>
</div>
</div>
</center>
</div>

```

```

</div>
<div class="card shadow mb-4">
<div class="panel panel-default"
id="tabel">
<div class="panel-heading">
Keluhan Kerusakan
</div>
<div class="panel-body">
<div class="card-body">
<div class="card shadow mb-4">
<div class="row">
<div class="col-sm-3 pull-right" >
<form method="GET" action="" >
<input class="pencarian" type="text"
placeholder="Pencarian Wo..."
name="pencari" style="border-
radius:5px" required>
<button class="btn btn-primary
glyphicon glyphicon-search"
name="cari" type="submit"
value="cari1">
</button>
</form>
</div>
</div>
</div>
<div class="table-responsive col-xs-
12">
<table class="table table-bordered"
id="dataTable" width="100%"
cellspacing="0">
<thead>
<tr>
<th>No</th>
<th>Nama</th>
<th>No WO</th>
<th>Unit Kerja</th>
<th>Tanggal Masuk</th>
<th>Jam Masuk</th>
<th>Jenis</th>
<th>Keluhan</th>
<th>Gambar</th>
<th>Aksi</th>
</tr>
</thead>
<tbody>
<tr>
<th>No</th>
<th>Nama</th>
<th>No WO</th>
<th>Unit Kerja</th>

```

```

<th>Tanggal Masuk</th>
<th>Jam Masuk</th>
<th>Jenis</th>
<th>Keluhan</th>
<th>Gambar</th>
<th>Aksi</th>
</tr>
</tfoot>
<tbody>
<tr>
<td><?php
require "conn.php";
$no = 1;
$sql = "SELECT * FROM tb_keluhan
LEFT JOIN tb_user on tb_keluhan.nik =
tb_user.nik where operasi = 'Di
Laporkan' OR operasi = 'Ganti' ORDER
by id_keluhan Desc ";

if (!empty($_GET['cari'])) {
$no = 1;
$nomor_wo = $_GET['pencari'];
$sql = "SELECT * FROM tb_keluhan
LEFT JOIN tb_user on tb_keluhan.nik=
tb_user.nik where nomor_wo like
'%"$nomor_wo%" AND operasi = 'Di
Laporkan' OR operasi = 'Ganti' ORDER
by id_keluhan Desc ";
}
$query = $conn->prepare($sql);
$query->execute();
while ($result = $query-
>fetch(PDO::FETCH_OBJ)) {
?>
<tr>
<td><?=$no++ ?></td>
<td><?=$result->nama?></td>
<td><?=$result->nomor_wo?></td>
<td><?=$result->unit_kerja ?></td>
<td><?=$result->tanggal ?></td>
<td><?=$result->waktu_masuk ?></td>
<td><?=$result->jenis_service?></td>
<td><?=$result->detail_kerusakan
?></td>
<td>
<div class="lightgallery">
<a href=" ../user/uploads/<?=$result-
>gambar?>">

```

```

</img>
</div>
</td>
<td><?php
if($result->operasi == 'Di Laporkan'){
?>

<a
href="index.php?p=proses&id=<?=$res
ult->id_keluhan?>"><button class="btn
btn-primary glyphicon glyphicon-
send">Proses</button></a>

<?php }else if($result->operasi == 'Di
Proses'){
echo "Telah Di Proses";
}else if($result->operasi == 'Sedang
Dikerjakan'){
echo "Sedang Dikerjakan";
}else if($result->operasi == 'Selesai'){
echo "Telah Selesai";
}else if($result->operasi == 'Ganti'){
?> <a
href="index.php?p=ganti&nomor_wo=<
?=$result->nomor_wo?>"><button
class="btn btn-danger glyphicon
glyphicon-warning-
sign">Ganti</button></a>
<?php }
?>

</td>
</tr>
<?php
}
?>

</tr>
</tbody>
</table>
</div>
</div>
</div>
</div>

```

```

</div>
</center>
<script
src="../../assets/vendor/jquery/jquery.mi
n.js"></script>
<script
src="../../assets/vendor/bootstrap/js/boot
strap.bundle.min.js"></script>

<!-- Core plugin JavaScript-->
<script src="../../assets/vendor/jquery-
easing/jquery.easing.min.js"></script>

<!-- Custom scripts for all pages-->
<script src="../../assets/js/sb-admin-
2.min.js"></script>

<!-- Page level plugins -->
<script
src="../../assets/vendor/datatables/jquery
.dataTables.min.js"></script>
<script
src="../../assets/vendor/datatables/dataTa
bles.bootstrap4.min.js"></script>

<!-- Page level custom scripts -->
<script
src="../../assets/js/demo/datatables-
demo.js"></script>
<script
src="../../js/lightgallery.min.js"></script>
<script type="text/javascript">

modal.onclick = function() {
img01.className += " out";
setTimeout(function() {
modal.style.display = "none";
img01.className = "modal-content";
}, 400);

}
</script>
<script>
var elements =
document.getElementsByClassName("li
ghtgallery");
for(var i=0; i<elements.length; i++) {
lightGallery(elements[i]);
}
</script>

```

Laporan.php

```

<?php
error_reporting(0);
if (!empty($_GET['hapus'])) {
$nomor_wo = $_GET['hapus'];

$sql1 = "DELETE FROM `tb_keluhan`
WHERE `nomor_wo` = :nomor_wo;";
$sql2 = "DELETE FROM
`tb_perbaikan` WHERE `nomor_wo` =
:nomor_wo;";
$query1 = $conn->prepare($sql1);
$query2 = $conn->prepare($sql2);
$params1 = array(
'nomor_wo' => $nomor_wo,
);
$params2 = array(
'nomor_wo' => $nomor_wo,
);
$query1->execute($params1);
$query2->execute($params2);
if ($query1 && $query2) {
echo '<script>
alert("Data Berhasil dihapus!");
window.location="index.php?p=laporan
";
</script>';
}
}
?>
<link type="text/css" rel="stylesheet"
href="../../css/lightgallery.min.css" />

<div class="row" id="div1">
<div class="col-md-12">
<div class="panel panel-default">
<div class="panel-heading" >
Laporan Perbaikan Unit Kerja ICT
</div>

<div class="panel-body">

<div class="table-responsive">
<table class="table table-striped table-
bordered table-hover " id="dataTables-
example" style="">

```

```

<label for="recipient-name" class="col-
form-label">Pilih Laporan dari
tanggal:</label>
<label for="recipient-name" class="col-
form-label" style="margin-
left:350px">Sampai Tanggal:</label>
<form method="POST" action="">
<div class="row">
<div class="col-xs-6">
<div class="form-group">
<input type="date" class="form-control
tgl1" id="recipient-name"
name="tgl_awal" style="width:70%"
required>
</div>
</div>
<div class="form-group">
<div class="col-xs-6">
<input type="date" class="form-control
tgl3" id="tgl_akhir" value="<?php echo
$date['Y-m-d']?>" name="tgl_akhir"
style="width:70%" required>
</div>
</div>
</div>
<input name="cari" type="Submit"
class="btn btn-primary" value="Cari">
</form>

```

```

<form method="POST"
action="page/printrekapharianpdf.php">
<input type="hidden" class="form-
control tgl2" id="recipient-name"
name="tgl_awal" style="width:70%">
<input type="hidden" class="form-
control tgl5" id="tgl_akhir"
name="tgl_akhir" style="width:70%">
<input name="Submit" type="Submit"
class="btn btn-primary pull-right"
value="Cetak" style="margin-right:
435px" >
</form>
<hr>
<thead>
<tr>
<th>NO</th>
<th>Tanggal Masuk</th>
<th>Jam Masuk</th>
<th>Nomor WO</th>
<th>Jenis Service</th>

```

```

<th>Detail Kerusakan</th>
<th>Solusi</th>
<th>Gambar</th>
<th>Tanggal Selesai </th>
<th>Jam Selesai</th>
<th>Rating</th>
<th>Aksi</th>
</tr>
</thead>
<tfoot>
<tr>
<th>NO</th>
<th>Tanggal Masuk</th>
<th>Jam Masuk</th>
<th>Nomor WO</th>
<th>Jenis Service</th>
<th>Detail Kerusakan</th>
<th>Solusi</th>
<th>Gambar</th>
<th>Tanggal Selesai </th>
<th>Jam Selesai</th>
<th>Rating</th>
<th>Aksi</th>
</tr>
</tfoot>
<tbody>
<tr>
<?php

```

```

require "conn.php";

$no = 1;
$sql = "SELECT * FROM tb_perbaikan
left join tb_keluhan on
tb_keluhan.nomor_wo =
tb_perbaikan.nomor_wo order by
tb_perbaikan.id_perbaikan desc";

if(!empty($_POST['cari'])){
$no = 1;
$tgl_awal = $_POST['tgl_awal'];
$tgl_akhir = $_POST['tgl_akhir'];
$sql = "SELECT * FROM tb_perbaikan
left join tb_keluhan on
tb_keluhan.nomor_wo =
tb_perbaikan.nomor_wo WHERE
tanggal between '$tgl_awal' AND
'$tgl_akhir' order by
tb_keluhan.id_keluhan desc";
}

```

```

$query = $conn->prepare($sql);
$query->execute();
while ($result = $query-
>fetch(PDO::FETCH_OBJ)) {
echo '<tr>
<td>'. $no++.' </td>
<td>'. $result->tanggal.' </td>
<td>'. $result->waktu_masuk.' </td>
<td>'. $result->nomor_wo.' </td>
<td>'. $result->jenis_service.' </td>
<td>'. $result->detail_kerusakan.' </td>
<td>'. $result->solusi.' </td>
<td>
<div class="lightgallery">
<a href=" ../user/uploads/'. $result-
>gambar.'">
<img "=". $result->gambar.'"
width="100px" height="100px"
src=" ../user/uploads/'. $result-
>gambar.'"></img>
</a>
</div>
</td>
<td>'. $result->tanggal_keluar.' </td>
<td>'. $result->waktu_keluar.' </td>
<td>'. $result->rating.' </td>
<td>
<a
href="index.php?p=laporan&hapus='. $r
esult->nomor_wo.'"><button class="btn
btn-primary glyphicon glyphicon-
floppy-remove" title="Hapus"
></button></a>
</td>
</tr>;
}
?>

</tbody>

</table>
<!-- <i><b>Informasi : </b> Hasil
Pencarian Laporan berdasarkan periode
Tanggal <b><?php echo
$_POST['tgl_awal']?></b> s/d
<b><?php echo
$_POST['tgl_akhir']?></b></i> -->
</div>
<hr>

```

```

<div id="myModal" class="modal">
<img class="modal-content"
id="img01">
</div>
</div>
</div>
</div>
<script
src=" ../js/jquery.min.js"></script>
<script
src=" ../js/lightgallery.min.js"></script>
<script type="text/javascript">

// Get the modal
var modal =
document.getElementById('myModal');
modal.onclick = function() {
img01.className += " out";
setTimeout(function() {
modal.style.display = "none";
img01.className = "modal-content";
}, 400);
}

</script>
<script>
var elements =
document.getElementsByClassName("li
ghtgallery");
for(var i=0; i<elements.length; i++) {
lightGallery(elements[i]);
}
</script>
<script
src=" ../assets/js/style.js"></script>

```

Printganti.php

```

<?php

require_once
'C:\xampp\htdocs\kepuasan\vendors\aut
oload.php';
require ' ../conn.php';

$mpdf = new \Mpdf\Mpdf(['mode' =>
'utf-8', 'format' => 'A4-P']);
ob_start();

```

```

$nama_dokumen = 'REKOMENDASI
GAN TI';
if(isset($_POST['rekom'])){
$minta = $_POST['minta'];
$wo = $_POST['nomor_wo'];
$tgl = $_POST['tanggal'];
$waktu = $_POST['waktu'];
$ket = $_POST['keterangan'];
$atasan = $_POST['atasan'];
$priority = $_POST['priority'];
$site = $_POST['site'];

$sql1 = "UPDATE `tb_perbaikan` SET
`tanggal_keluar` = :tanggal,
waktu_keluar =:waktu_keluar , solusi =
'Rekomendasi Penggantian' WHERE
`nomor_wo` = :nomor_wo;";
$sql2 = "UPDATE `tb_keluhan` SET
`operasi` = 'Selesai' WHERE
`nomor_wo` = :nomor_wo;";

$query1 = $conn->prepare($sql1);
$query2 = $conn->prepare($sql2);
$params1 = array(
'nomor_wo' => $wo,
'tanggal' => $tgl,
'waktu_keluar' => $waktu,
);
$params2 = array(
'nomor_wo' => $wo,
);
$query1->execute($params1);
$query2->execute($params2);
}
?>
<?php
require "conn.php";
if(!empty($_POST['rekom'])){
$sql = "SELECT * from tb_user LEFT
JOIN tb_keluhan ON tb_user.nik =
tb_keluhan.nik";
$query = $conn->prepare($sql);
$query->execute();
($result = $query-
>fetch(PDO::FETCH_OBJ));
?>

```

```

<link
href="../../assets/css/bootstrap.min.css"
rel="stylesheet">
<link href="../../css/style.css"
rel="stylesheet">
<body style="font-family:arial narrow">
<div class="row border" style="margin-
bottom:25px" >
<div class="col-xs-12">
<div class="col-xs-2">
<span>LESS01</span>
</div>
<div class="col-xs-5 btengah"
style="text-align:center;">
<center><h4>PT SEMEN BATURAJA
(PERSERO) TBK</h4>
<h5>Permintaan Lain-
Lain</h5></center>
</div>
<div class="col-xs-3">
<span>Date : <?= $tgl ?></span><br>
<span>Time : <?= $waktu
?></span><br>
<span>Page : 1</span>
</div>
</div>
<div class=" row border" style="margin-
bottom:25px; padding:10px">
<div class="col-xs-12">
<div class="col-xs-5">
<p>Nomor Request : <?= $result-
>nomor_wo; ?></p>
<p>Type Request : Permintaan</p>
<p>Priority : <?= $priority ?></p>
</div>
<div class="col-xs-5">
<p>Site : <?= $site ?></p>
<p>Cost Center : <?= $result-
>unit_kerja; ?></p>
<p>Status : Request</p>
</div>
</div>
</div>
<div class="col-xs-12" >
<div class="row">
<div class="col-xs-3" style="float:left;
padding-
left:25px"><p>Kepada</p></div>

```

```

<div class="col-xs-7" style="float:right;
padding-right:20px">Department ICT
Service</div>
</div>
<div class="row">
<div class="col-xs-3" style="float:left;
padding-left:25px"><p>Dari</p></div>
<div class="col-xs-7" style="float:right;
padding-right:20px"><?= $result-
>unit_kerja; ?></div>
</div>
<div class="row">
<div class="col-xs-10" style="float:left;
padding-left:25px" >
<p>Mengharapkan bantuan untuk
permintaan berikut ini:</p>
</div>
</div>
<div class="row">
<div class="col-xs-3" style="float:left;
padding-
left:25px"><p>Permintaan</p></div>
<div class="col-xs-7" style="float:right;
padding-right:20px">: <?= $minta
?></div>
</div>
<div class="row">
<div class="col-xs-3" style="float:left;
padding-
left:25px"><p>Tanggal</p></div>
<div class="col-xs-7" style="float:right;
padding-right:20px">: <?= $tgl
?></div>
</div>
<div class="row">
<div class="col-xs-3" style="float:left;
padding-
left:25px"><p>Pukul</p></div>
<div class="col-xs-7" style="float:right;
padding-right:20px">: <?= $waktu
?></div>
</div>
<div class="row">
<div class="col-xs-3" style="float:left;
padding-
left:25px"><p>Keterangan</p></div>
<div class="col-xs-7" style="float:right;
padding-right:20px">: <?= $ket
?></div>
</div>

```

```

<div class="row" style="margin-
bottom:10px">
<div class="col-xs-3" style="float:left;
padding-left:25px"></div>
<div class="col-xs-7" style="float:right;
padding-left:40px">Penerima Asset:
<?= $result->nama ?></div>
</div>
<div class="row">
<div class="col-xs-3" style="float:left;
padding-left:25px"></div>
<div class="col-xs-7" style="float:right;
padding-left:40px">Terima Kasih</div>
</div>
<div class="row">
<div class="col-xs-3" style="float:left;
padding-left:25px"><p>Cost
Center</p></div>
<div class="col-xs-7" style="float:right;
padding-right:20px">: <?= $result-
>unit_kerja; ?></div>
</div>
<div class="row">
<div class="col-xs-3" style="float:left;
padding-left:25px"><p>Contact
Person</p></div>
<div class="col-xs-7" style="float:right;
padding-right:20px">: <?= $result-
>nama; ?></div>
</div><br><br>
<div class="col-xs-10"><p>Atas
bantuannya diucapkan terima
kasih.</p></div><br><br><br><br><br>
<div class="row">
<div class="col-xs-12">
<div class="col-xs-5" style="float:left;
padding-left:20px">
<p>Disetujui</p><br><br><br>
<p>Fajrul Falah</p>
</div>
<div class="col-xs-5" style="float:right;
padding-right:0px">
<p>Yang Meminta</p><br><br><br>
<p><?= $atasan?></p>
</div>
</div>
</div>
</div>

```

```

<script
src="../../js/jquery.min.js"></script>
<?php
}
?>
</body>

<?php
$footer = '
<hr>';

$mpdf->setHTMLFooter($footer);
//penulisan output selesai, sekarang
menutup mpdf dan generate kedalam
format pdf
$html = ob_get_contents(); //Proses
untuk mengambil hasil dari OB..
ob_end_clean();
//Disini dimulai proses convert UTF-8,
kalau ingin ISO-8859-1 cukup dengan
mengganti $mpdf->WriteHTML($html);
$mpdf-
>WriteHTML(utf8_encode($html));
$mpdf->Output($nama_dokumen.".pdf"
,'I');

?>

```

Printrekapharian.php

```

<?php

require_once
'C:\xampp\htdocs\kepuasan\vendors\aut
oload.php';

$mpdf = new \Mpdf\Mpdf(['mode' =>
'utf-8', 'format' => 'A3-L']);
ob_start();
$nama_dokumen = 'LAPORAN
PERBAIKAN';

?>

<body style="font-family:arial narrow">

<center><h4 style="text-align:
center;">MAINTENANCE REPORT
UNIT KERJA ICT PT. SEMEN

```

BATURAJA (PERSERO)

TBK</h4></center>

<hr>

```

<table style="border:1px solid
black;border-collapse:collapse;"
border=1>
<tbody>
<tr style="font-size:12px;letter-spacing:-
0.5px">
<th width="15px" style="font-
size:12px;">No</th>
<th width="150px" style="font-
size:12px;">Nomor WO</th>
<th width="100px" style="font-
size:12px;">Nama User</th>
<th width="100px" style="font-
size:12px;">Unit Kerja</th>
<th width="100px" style="font-
size:12px;">Tanggal Masuk</th>
<th width="100px" style="font-
size:12px;">Jam Masuk</th>
<th width="150px" style="font-
size:12px;">Jenis Service </th>
<th width="100px" style="font-
size:12px;">Nama Teknisi</th>
<th width="150px" style="font-
size:12px;">Detail Kerusakan </th>
<th width="150px" style="font-
size:12px;">Solusi</th>
<th width="100px" style="font-
size:12px;">Tanggal Selesai</th>
<th width="100px" style="font-
size:12px;">Jam Selesai</th>
<th width="90px" style="font-
size:12px;">Rating</th>
</tr>
<?php
require "conn.php";
if(!empty($_POST['Submit'])){
$no = 1;
$tgl_awal = $_POST['tgl_awal'];
$tgl_akhir = $_POST['tgl_akhir'];
$sql = "SELECT
tb_perbaikan.nomor_wo,user1.unit_kerj
a,tanggal,waktu_masuk,jenis_service,det
ail_kerusakan,solusi,tanggal_keluar,wak
tu_keluar,rating,user1.nama as
nama_user,user2.nama as nama_teknisi
FROM tb_perbaikan left join tb_keluhan

```

```

on tb_perbaikan.nomor_wo =
tb_keluhan.nomor_wo LEFT JOIN
tb_user as user1 on user1.nik =
tb_perbaikan.nik_user LEFT JOIN
tb_user as user2 on user2.nik =
tb_perbaikan.nik WHERE tanggal
between '$tgl_awal' AND '$tgl_akhir'
AND operasi = 'Selesai' ORDER BY
tb_perbaikan.id_perbaikan ASC";
$query = $conn->prepare($sql);
$query->execute();
while ($result = $query-
>fetch(PDO::FETCH_OBJ)) {

?>
<tr style="text-align:center;font-
size:11px;">
<td style="font-size:12px;text-
align:center;"><?=$no++ ?></td>
<td style="font-size:12px;text-
align:center;"><?=$result->nomor_wo;
?></td>
<td style="font-size:12px;text-
align:center;"><?=$result->nama_user
?></td>
<td style="font-size:12px;text-
align:center;"><?=$result->unit_kerja
?></td>
<td style="font-size:12px;text-
align:left;text-align:center;"><?=$
result->tanggal; ?></td>
<td style="font-size:12px;text-
align:center;"><?=$result-
>waktu_masuk ?></td>
<td style="font-size:12px;text-
align:center;"><?=$result-
>jenis_service ?></td>
<td style="font-size:12px;text-
align:center;"><?=$result-
>nama_teknisi?></td>
<td style="font-size:12px;text-
align:center;"><?=$result->detail_kerusakan
?></td>
<td style="font-size:12px;text-
align:left;"><?=$result->solusi ?></td>
<td style="font-size:12px;text-
align:center;"><?=$result-
>tanggal_keluar ?></td>

```

```

<td style="font-size:12px;text-
align:center;"><?=$result-
>waktu_keluar ?></td>
<td style="font-size:12px;text-
align:center;"><?=$result->rating
?></td>
</tr>
<?php
}
}
?>
</tbody>
</table>
</body>

```

```

<?php
$footer = '
<hr style="text-align:left;width:
50%;border: 5px solid #003c00;display:
inline-block;"><span style="text-align:
right;"><i><b>Informasi : </b> Laporan
Maintenance berdasarkan periode
Tanggal <b>' . $tgl_awal.' </b> s/d
<b>' . $tgl_akhir.' </b></i></span>';

```

```

$mpdf->setHTMLFooter($footer);
//penulisan output selesai, sekarang
menutup mpdf dan generate kedalam
format pdf
$html = ob_get_contents(); //Proses
untuk mengambil hasil dari OB..
ob_end_clean();
//Disini dimulai proses convert UTF-8,
kalau ingin ISO-8859-1 cukup dengan
mengganti $mpdf->WriteHTML($html);
$mpdf-
>WriteHTML(utf8_encode($html));
$mpdf->Output($nama_dokumen." .pdf"
,'I');

```

```
?>
```

Proses.php

```

<?php
require "conn.php";
$id = $_GET['id'];

```

```

$sql = "SELECT tb_user.nama as nama,
tb_keluhan.nik, tb_user.unit_kerja,
tb_keluhan.nomor_wo,
tb_keluhan.tanggal,
tb_keluhan.waktu_masuk,
tb_keluhan.jenis_service,
tb_keluhan.detail_kerusakan,
tb_keluhan.gambar FROM `tb_keluhan`
left join tb_user on tb_keluhan.nik=
tb_user.nik WHERE `id_keluhan` =
:id;";
$query = $conn->prepare($sql);
$params = array(
'id' => $id

);
$query->execute($params);
$result = $query-
>fetch(PDO::FETCH_OBJ);

if (!empty($_POST['Submit'])) {
$nip = $_POST['unit'];
$nip2 = $_POST['nip'];
$no = $_POST['no_wo'];
$sqlInsert = "INSERT into
`tb_perbaikan` (nik, nik_user,
nomor_wo) values (:nip, :nip2,
:nomor);";
$sqlUpdate = "UPDATE `tb_keluhan`
SET `nik_teknisi` = :nip, `operasi` = 'Di
Proses' WHERE `id_keluhan` = :id;";
$query1 = $conn->prepare($sqlUpdate);
$query2 = $conn->prepare($sqlInsert);
$params1 = array(
'id' => $id,
'nip' => $nip,
);
$params2 = array(
'nomor' => $no,
'nip' => $nip,
'nip2' => $nip2,
);
$query1->execute($params1);
$query2->execute($params2);

if ($query1 && $query2) {
echo '
<script>
alert ("Data Terkirim");
window.location="index.php?p=home";

```

```

</script>;
} else {
echo '<script>
alert("Query Gagal!");
window.location="index.php?p=edituser
";
<script>';
}
}

?>
<link type="text/css" rel="stylesheet"
href="../css/lightgallery.min.css" />

<form method="POST" style="margin-
left:20px;margin-right:20px">
<h2>Rician Keluhan</h2>
<div class="form-group">
<label for="message-text" class="col-
form-label">Nama</label>
<input type="text" class="form-control"
id="recipient-name" name="nama"
readonly value="<?php echo $result-
>nama?>">
</div>
<div class="form-group">
<label for="message-text" class="col-
form-label">NIK</label>
<input type="text" class="form-control"
id="recipient-name" name="nip"
readonly value="<?php echo $result-
>nik?>">
</div>
<div class="form-group">
<label for="message-text" class="col-
form-label">Unit Kerja</label>
<input type="text" class="form-control"
id="recipient-name" name="nama"
readonly value="<?php echo $result-
>unit_kerja?>">
</div>
<div class="form-group">
<label for="message-text" class="col-
form-label">Nomor WO</label>
<input type="text" class="form-control"
id="recipient-name" placeholder="NIP"
name="no_wo" readonly value="<?php
echo $result->nomor_wo?>">
</div>

```

```

<div class="form-group">
<label for="recipient-name" class="col-
form-label">Tanggal Masuk</label>
<input type="text" class="form-control"
id="recipient-name"
placeholder="Username"
name="username" maxlength="25"
value="<?php echo $result->tanggal?>"
readonly>
</div>
<div class="form-group">
<label for="recipient-name" class="col-
form-label">Jam Masuk</label>
<input type="text" class="form-control"
id="recipient-name"
placeholder="Username"
name="username" maxlength="25"
value="<?php echo $result-
>waktu_masuk?>" readonly>
</div>
<div class="form-group">
<label for="recipient-name" class="col-
form-label">Jenis Service</label>
<input type="text" class="form-control"
id="recipient-name"
placeholder="Username"
name="username" maxlength="25"
value="<?php echo $result-
>jenis_service?>" readonly>
</div>
<div class="form-group">
<label for="recipient-name" class="col-
form-label">Detail Keluhan</label>
<input type="text" class="form-control"
height="100px" id="recipient-name"
placeholder="Username"
name="username" value="<?php echo
$result->detail_kerusakan?>" readonly>
</div>
<div class="lightgallery"
align="center">
<a href=" ../teknisi/uploads/<?php echo
$result->gambar ?>"></a>
</img>
</div>
<div class="form-group">

```

```

<label for="message-text" class="col-
form-label">PILIH TEKNISI UNTUK
PROSES KELUHAN</label>
<select name="unit" class="form-
control" required>
<option value="" disabled selected>-
Pilih Teknisi -</option>

```

```

<?php
$sql = "SELECT * FROM tb_user
where status = 'teknisi'";
$query = $conn->prepare($sql);

```

```

$query->execute();
while ($result = $query-
>fetch(PDO::FETCH_OBJ)) {

```

```

?>
<option value="<?php echo $result-
>nik?>"><?php echo $result-
>nama?></option>
<?php }
?>

```

```

</select>
</div>

```

```

<div class="modal-footer">
<a href="index.php"><button
type="button" class="btn btn-secondary"
data-dismiss="modal">Close</button>

```

```

<input name="Submit" type="Submit"
class="btn btn-primary" value="Kirim">

```

```

</div>
</form>

```

```

<script
src=" ../js/lightgallery.min.js"></script>

```

Index.php

```

<?php
error_reporting(0);
include ' ../conn.php';
session_start();
if (empty($_SESSION['username']) &&
empty($_SESSION['password'])) {
header("Location: ../index.php");

```

```

}
?>
<?php
require "../conn.php";

if (!empty($_POST['ubmit'])) {
    $nip = $_SESSION['nip'];
    $username = $_POST['username'];
    $password = $_POST['password'];
    $pass_lama = $_POST['pass_lama'];
    $query3=$conn->prepare("select * from
tb_user where nik = '$nip' ");
    $query3->execute();
    $result3 = $query3-
>fetch(PDO::FETCH_OBJ);
    if($result3->password == $pass_lama){

        $sql = "UPDATE `tb_user` SET
`username` = :username, `password` =
:password WHERE `nik` = $nip";
        $query = $conn->prepare($sql);
        $params = array(

            ':username' => $username,
            ':password' => $password

        );
        $query->execute($params);

        if ($query) {
            echo '
<script>
alert ("Password Berhasil di Ganti.");
window.location="index.php";
</script>;
        } else {
            echo '<script>
alert("Query Gagal!");
window.location="index.php";
<script>';
        }
        }else{
            echo '
<script>
alert ("Password Lama Salah.");
window.location="index.php";
</script>;
        }
    }
}
}
?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<meta name="viewport"
content="width=device-width, initial-
scale=1, maximum-scale=1">
<title>PT Semen Baturaja
(Persero)tbk</title>
<link rel="icon" type="image/png"
href="../images/logo-BAturaja.png">
<link
href="../assets/css/bootstrap.min.css"
rel="stylesheet">
<link href="../assets/css/font-
awesome.min.css" rel="stylesheet">
<link href="../assets/css/datepicker3.css"
rel="stylesheet">
<link href="../assets/css/styles.css"
rel="stylesheet">
<link href="../assets/css/dropdown.css"
rel="stylesheet">
<link href="css/style-responsive.css"
rel="stylesheet" />
<!--[if lt IE 9]>
<script src="js/html5shiv.js"></script>
<script
src="js/respond.min.js"></script>
<![endif]-->
</head>
<body>
<nav class="navbar navbar-custom
navbar-fixed-top" role="navigation">
<div class="container-fluid">
<div class="navbar-header">
<a class="navbar-brand hilang"
href="#">PT SEMEN
BATURAJA(Persero)TBK</a>

<div class="visible-xs">
<nav class="navbar navbar-default">
<!-- Brand and toggle get grouped for
better mobile display -->
<div class="navbar-header mobile
nama">
<a class="navbar-brand " href="#">PT
SEMEN BATURAJA(Persero)TBK</a>

```

```

<button type="button" class="navbar-
toggle collapsed" data-toggle="collapse"
data-target="#bs-example-navbar-
collapse-1" aria-expanded="false">
<span class="sr-only">Toggle
navigation</span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
<span class="icon-bar"></span>
</button>
</div>
<div class="collapse navbar-collapse"
id="bs-example-navbar-collapse-1">
<ul class="nav navbar-nav">
<li><a
href="index.php">Beranda</a></li>
<li><a href="index.php?p=edit">Data
Perbaikan</a></li>
<li><a
href="index.php?p=nilai">Penilaian</a>
</li>
<li><a
href="includes/logout.php">Logout</a>
</li>
</ul>
</div><!-- /.navbar-collapse -->
</nav>
</div><!-- /.container-fluid -->
</div>
</div>
</nav>
<div id="sidebar-collapse" class="col-
sm-3 col-lg-2 sidebar">
<div class="profile-sidebar">
<div class="profile-userpic">

</div>
<div class="profile-usertitle">
<div class="profile-usertitle-
name"><b><?php echo ucfirst
($_SESSION['nama']);
?></b></a></div>
<div class="profile-usertitle-
status"><span class="indicator label-
success"></span>Online</div>
</div>
<div class="clear"></div>
</div>
<div class="divider"></div>

```

```

<ul class="nav menu">
<li class=""><a href="index.php"><em
class="fa fa-dashboard">&nbsp;</em>
Dashboard</a></li>
<li class="parent "><a data-
toggle="collapse" href="#sub-item-1">
<em class="fa fa-
download">&nbsp;</em> Input <span
data-toggle="collapse" href="#sub-item-
1" class=""></em></span>
</a>
<ul class="children collapse" id="sub-
item-1">
<li>
<a class="" href="?p=edit">
<span class="glyphicon glyphicon-
file"></span> Data Perbaikan
</a>
</li>
<li>
<a class="" href="?p=nilai">
<span class="glyphicon glyphicon-
star"></span> Penilaian
</a>
</li>
<li>
<a class="" data-toggle="modal" data-
target=".bd-example-modal-sm">
<span class="glyphicon glyphicon-
cog"></span> Pengaturan
</a>
</li>
</ul>
</li>
<li><a data-toggle="modal" data-
target="#exampleModalCenter"><em
class="fa fa-power-off">&nbsp;</em>
Logout</a></li>
</ul>
</div><!--/.sidebar-->
<div class="col-sm-9 col-sm-offset-3
col-lg-10 col-lg-offset-2 main">
<div class="row">
<ol class="breadcrumb">
<li><a href="index.php">
<em class="fa fa-home"></em>
</a></li>
<li class="active">Dashboard</li>

```

```

</ol>
</div><!--/.row-->

<?php
include 'includes/controllers-page.php';
?>
</div> <!--/.main-->
<!-- Modals -->
<div class="modal fade"
id="exampleModalCenter" tabindex="-
1" role="dialog" aria-
labelledby="exampleModalCenterTitle"
aria-hidden="true">
<div class="modal-dialog modal-dialog-
centered" role="document">
<div class="modal-content">
<div class="modal-header">
<h5 class="modal-title"
id="exampleModalLongTitle">Konfirm
asi</h5>
<button type="button" class="close"
data-dismiss="modal" aria-
label="Close">
<span aria-
hidden="true">&times;</span>
</button>
</div>
<div class="modal-body">
<h4>Apakah anda yakin ingin keluar
?</h4>
</div>
<div class="modal-footer">
<a href="includes/logout.php" ><button
class="btn btn-
secondary">Logout</button></a>
<button type="button" class="btn btn-
primary" data-
dismiss="modal">Cancel</button>
</div>
</div>
</div>
</div>
<!-- End Modals -->
<!-- Modals -->
<!-- The Modal -->

<div class="modal fade bd-example-
modal-sm" tabindex="-1" role="dialog"
aria-labelledby="myLargeModalLabel"
aria-hidden="true">

```

```

<div class="modal-dialog modal-lg">
<div class="modal-content">
<div class="modal-header">
<h5 class="modal-title"
id="exampleModalLabel">Ganti
Password</h5>
<button type="button" class="close"
data-dismiss="modal" aria-
label="Close">
<span aria-
hidden="true">&times;</span>
</button>
</div>
<div class="modal-body">
<form method="POST" action="">
<div class="form-group" >
<label for="message-text" class="col-
form-label">Password</label>
<input type="Password" class="form-
control" placeholder="Masukan
Password Lama" name="pass_lama"
required maxlength="25">
</div>
<div class="form-group">
<label for="recipient-name" class="col-
form-label">Username Baru</label>
<input type="text" class="form-control"
placeholder="Username Baru"
name="username" maxlength="25"
required>
</div>
<div class="form-group">
<label for="message-text" class="col-
form-label">Password Baru</label>
<input type="Password" class="form-
control" placeholder="Masukan
Password Baru" name="password"
required maxlength="25">
</div>

<div class="modal-footer">

<input name="ubmit" type="submit"
class="btn btn-primary"
value="Simpan">
</div>

</form>
</div>

```

```

</div>
</div>
</div>

<!-- Ends Modals -->
<script src="../../assets/js/jquery-1.11.1.min.js"></script>

<script
src="../../assets/js/bootstrap.min.js"></scri
pt>
<script src="../../assets/js/bootstrap-
datepicker.js"></script>
<script
src="../../assets/js/custom.js"></script>

<script src="js/jquery.js"></script>
<script src="js/jquery-
1.8.3.min.js"></script>

<script src="js/Chart.js"></script>
<!-- custom chart script for this page
only-->
<script src="js/chartjs-
custom.js"></script>
<!--custome script for all page-->
<script src="js/scripts.js"></script>

<script type="text/javascript"
src="js/cbchart.js"></script>

<script type="text/javascript">
// Load google charts
google.charts.load('current',
{'packages':['corechart']});
google.charts.setOnLoadCallback(draw
Chart);

// Draw the chart and set the chart values
function drawChart() {
var data =
google.visualization.arrayToDataTable([
['Task', 'Hours per Day'],

<?php
require "../conn.php";
$nip = $_SESSION['nip'];
$no = 1;

```

```

$sql = "SELECT rating as bintang,
count(rating) as total from tb_perbaikan
where nik = $nip group by rating order
by rating ";
$query = $conn->prepare($sql);
$query->execute();
while ($result = $query-
>fetch(PDO::FETCH_OBJ)) {

?>
[
'Bintang <?php echo $result-
>bintang?>', <?php echo $result->total;
?>
],
<?php
}
?>
]);

// Optional; add a title and set the width
and height of the chart
var options = {'width':333, 'height':250};

// Display the chart inside the <div>
element with id="piechart"
var chart = new
google.visualization.PieChart(document.
getElementById('piechart'));
chart.draw(data, options);
}
</script>
</body>
</html>

Controllers-page.php
<?php

$dir = 'page/';
if (isset($_GET['p'])) {
$page = $_GET['p'];
switch ($page) {

case 'barang':
include $dir.'barang.php';
break;
case 'pending':
include $dir.'pending.php';
break;

```

```

case 'edit':
include $dir.'editdatabarang.php';
break;
case 'laporan':
include $dir.'laporan.php';
break;
case 'nilai':
include $dir.'penilaian.php';
break;
case 'editbarang':
include $dir.'edit.php';
break;
default:
include $dir.'blank.php';
break;
}
} else {
include $dir.'home.php';
}
?>

```

Barang.php

```

<?php
require 'conn.php';
$nomor_wo = $_GET['nomor_wo'];

$sql = "SELECT * FROM
`tb_perbaikan` WHERE `nomor_wo` =
:nomor_wo";
$query = $conn->prepare($sql);
$params = array(
'nomor_wo' => $nomor_wo

);
$query->execute($params);
$result = $query-
>fetch(PDO::FETCH_OBJ);

if (!empty($_POST['Submit'])) {
$tanggal_keluar =
$_POST['tanggal_keluar'];
$waktu_keluar =
$_POST['waktu_keluar'];
$solusi = $_POST['solusi'];

$sql1 = "UPDATE `tb_perbaikan` SET
`tanggal_keluar` = :tanggal_keluar,
`waktu_keluar` = :waktu_keluar, `solusi`

```

```

= :solusi WHERE `nomor_wo` =
:nomor_wo";
$sql2 = "UPDATE `tb_keluhan` SET
`operasi` = 'Selesai' WHERE
`nomor_wo` = :nomor_wo";
$query1 = $conn->prepare($sql1);
$query2 = $conn->prepare($sql2);
$params1 = array(
'nomor_wo' => $nomor_wo,
'tanggal_keluar' => $tanggal_keluar,
'waktu_keluar' => $waktu_keluar,
'solusi' => $solusi,

);
$params2 = array(
'nomor_wo' => $nomor_wo
);
$query1->execute($params1);
$query2->execute($params2);

if ($query1 && $query2) {
echo '
<script>
alert ("Perbaikan Telah Diselesaikan");
window.location="index.php";
</script>';
} else {
echo '<script>
alert("Query Gagal!");
window.location="index.php";
<script>';
}
}
?>
<!DOCTYPE html>
<html>
<head>
<title>Input Data</title>
<meta charset="utf-8">
<link href=" ../css/bootstrap.css"
rel="stylesheet">
<meta name="viewport"
content="width=device-width, initial-
scale=1, maximum-scale=1">
<link href=" ../assets/css/styles.css"
rel="stylesheet">
<link rel="icon" type="images/png"
sizes="16x16" href=" ../images/logo-
BAturaja.png">
</head>

```

```

<body>
<form method="POST"
enctype="multipart/form-data">

<div class="form-group">
<label for="recipient-name" class="col-
form-label">No WO</label>
<input type="text" class="form-control"
placeholder="No Wo"
name="nomor_wo" maxlength="15"
readonly value="<?php echo $result-
>nomor_wo?>">

</div>
<div class="form-group">
<label for="recipient-name" class="col-
form-label">Tanggal & Waktu
Selesai</label>
<div class="row">
<div class="col-xs-12 col-sm-6 col-md-
8">
<input type="date" class="form-control"
id="recipient-name"
placeholder="Tanggal"
name="tanggal_keluar" required=""
></div>

<div class="col-xs-6 col-md-4">
<input type="time" class="form-
control" id="recipient-name"
placeholder="Tanggal"
name="waktu_keluar" required=""
style="width:50%"></div>
</div>
<div class="form-group">
<label for="recipient-name" class="col-
form-label">Solusi</label>
<textarea name="solusi" class="form-
control" rows="5" id="comment"
maxlength="255" required></textarea>
</div>

<br>
<div class="modal-footer">
<input name="Submit" type="Submit"
class="btn btn-primary cetak"
value="Simpan"></div>
</form>
</body>

```

```

<script
src="https://code.jquery.com/jquery-
2.1.1.min.js"
type="text/javascript"></script>
</html>

```

Edit.php

```

<?php
session_start();
require "conn.php";
$id = $_GET['id'];

$id = $_GET['id'];

$sql = "SELECT * FROM `tb_teknisi`
WHERE `id` = :id;";
$query = $conn->prepare($sql);
$params = array(
'id' => $id
);
$query->execute($params);
$result = $query-
>fetch(PDO::FETCH_OBJ);

if (!empty($_POST['Submit'])) {
$nomor_wo = $_POST['nomor_wo'];
$jenis_service =
$_POST['jenis_service'];
$detail_kerusakan =
$_POST['detail_kerusakan'];
$Solusi = $_POST['solusi'];

$sql = "UPDATE `tb_teknisi` SET
`nomor_wo` = :nomor_wo,
`jenis_service` = :jenis_service,
`detail_kerusakan` = :detail_kerusakan,
`solusi` = :solusi, `gambar` = :gambar
WHERE `id` = :id;";

$query = $conn->prepare($sql);
$params = array(
'kode_up' => $kode_up,
'id_pelanggan' => $id_pelanggan,
'nama_pelanggan' =>
$nama_pelanggan,
'alamat' => $alamat,
'tarif' => $tarif,

```

```

':daya' => $daya,
':tanggal' => $tanggal,
':saldo_lama' => $saldo_lama,
':merkmeter_lama' =>
$merkmeter_lama,
':type_lama' => $type_lama,
':noseri_lama' => $noseri_lama,
':tahun_lama' => $tahun_lama,
':reg_lama' => $reg_lama,
':saldo_baru' => $saldo_baru,
':merkmeter_baru' => $merkmeter_baru,
':type_baru' => $type_baru,
':noseri_baru' => $noseri_baru,
':tahun_baru' => $tahun_baru,
':reg_baru' => $reg_baru,
':keterangan' => $keterangan,
':penyebab' => $penyebab

);
$query->execute($params);

if ($query) {
echo '
<script>
alert ("Data berhasil di edit.");
window.location="forms.php";
</script>;
} else {
echo '<script>
alert("Query Gagal!");
window.location="forms.php";
<script>';
}
}
?>
<!DOCTYPE html>
<html>
<head>
<title>Edit Data</title>
<meta charset="utf-8">
<link type="text/css" rel="stylesheet"
href="../css/lightgallery.min.css" />
<link href="../css/bootstrap.css"
rel="stylesheet">
<meta name="viewport"
content="width=device-width, initial-
scale=1, maximum-scale=1">
<link rel="stylesheet"
href="../css/style.css">

```

```

<link rel="icon" type="images/png"
sizes="16x16" href="../images/logo-
BAturaja.png">
</head>
<body>
<form method="POST"
enctype="multipart/form-data">
<div class="form-group">
<label for="recipient-name" class="col-
form-label">Tanggal</label>
<input type="text" class="form-control"
id="recipient-name"
placeholder="Tanggal" name="tanggal"
value="<?php echo $result->tanggal?>"
disabled></div>
<div class="form-group">
<label for="recipient-name" class="col-
form-label">No WO</label>
<input type="text" class="form-control"
id="recipient-name" placeholder="No
Wo" name="nomor_wo" value="<?php
echo $result->nomor_wo?>"
required></div>
<div class="form-group">
<label for="message-text" class="col-
form-label">Jenis Service</label>
<input type="text" class="form-control"
id="recipient-name" placeholder="No
Wo" name="jenis_service"
value="<?php echo $result-
>jenis_service?>" disabled>
</div>
<div class="form-group">
<label for="recipient-name" class="col-
form-label">Detail Kerusakan</label>
<textarea name="detail_kerusakan"
class="form-control" rows="5"
id="comment" value="<?php echo
$result->detail_kerusakan?>"
></textarea>
</div>
<div class="form-group">
<label for="recipient-name" class="col-
form-label">Solusi</label>
<textarea name="solusi" class="form-
control" rows="5"
id="comment"></textarea>
</div>
<div class="form-group">

```

```

<label for="gambar1" class="col-form-label">Gambar</label>
<input name="fileToUpload"
type="hidden" value="3000000"/>
<input name="fileToUpload"
type="file" accept="image/*" capture/>
<div id="image-holder">
<?php
if(isset($_GET['id']))
echo "<img
src='../img/$gambar.'?rand='".rand().'"
alt=">";
?>
</div>
<script>
$("#foto").on('change', function () {

//Get count of selected files
var countFiles = $(this)[0].files.length;

var imgPath = $(this)[0].value;
var extn =
imgPath.substring(imgPath.lastIndexOf(
'.' ) + 1).toLowerCase();
var image_holder = $("#image-holder");
image_holder.empty();

var x =
document.getElementById("foto");
var file = x.files[0];

if (extn == "png" || extn == "jpg" || extn
== "jpeg" || extn == "gif") {
if (typeof (FileReader) != "undefined") {

//loop for each file selected for
uploaded.
for (var i = 0; i < countFiles; i++) {

var reader = new FileReader();
reader.onload = function (e) {
$("#<img />", {
"src": e.target.result,
"class": "thumb-image"
}).appendTo(image_holder);
}

image_holder.show();
reader.readAsDataURL($(this)[0].files[i
]);

```

```

}
} else {
alert("This browser does not support
FileReader.");
}
} else {
alert("hanya boleh foto bertipe PNG,
JPG dan GIF");
var control = $("#foto");
control.replaceWith(control.val().clone(
true));
}
});
</script>
</div>
<div class="form-group rating">
<style>
li{ display: inline-block;color:
#F0F0F0;}
.highlight, .selected
{ color:#F4B30A;text-shadow: 0 0 1px
#F48F0A;}
</style>
<label for="gambar1" class="col-form-label">Berikan Penilaian</label>
<div class="rating">
<ul class="nav navbar-nav navbar-left"
onmouseout="resetRating();">
<input type="hidden" name="rating"
id="rating"/>
<li onmouseover="highlightStar(this);"
onmouseout="removeHighlight();"
onclick="addRating(this);">&#9733;</li>
>
<li onmouseover="highlightStar(this);"
onmouseout="removeHighlight();"

```

```

onclick="addRating(this);">&#9733;</li
>
</ul>
</div>
</div>
<br>
<div class="modal-footer">
<input name="Submit" type="Submit"
class="btn btn-primary"
value="Simpan"></div>
</form>

<script
src="https://code.jquery.com/jquery-
2.1.1.min.js"
type="text/javascript"></script>

<script>
function highlightStar(obj) {
removeHighlight();
$(li).each(function(index) {
$(this).addClass('highlight');
if(index == $(li).index(obj)) {
return false;
}
});
}

function removeHighlight() {
$(li).removeClass('selected');
$(li).removeClass('highlight');
}

function addRating(obj) {
$(li).each(function(index) {
$(this).addClass('selected');
$(#rating).val((index-8));
if(index == $(li).index(obj)) {
return false;
}
});
}

function resetRating() {
if($(#rating).val()) {
$(li).each(function(index) {
$(this).addClass('selected');
if((index-8) == $(#rating).val()) {
return false;
}
}
}
}

```

```

});
}
}
</script>
</body>
</html>

```

Editdatabarang.php

```

<?php
require "conn.php";
if (!empty($_GET['hapus'])) {
$Id = $_GET['hapus'];
$sql = "DELETE FROM `tb_keluhan`
WHERE `id` = :id;";
$query = $conn->prepare($sql);
$params = array(
'id' => $Id,
);
$query->execute($params);

if ($query) {
echo '
<script>
alert ("Data berhasil di hapus.");
window.location="index.php?p=edit";
</script>';
} else {
echo '<script>
alert("Query Gagal!");
window.location="index.php?p=edit";
</script>';
}
}
?>
<link type="text/css" rel="stylesheet"
href="../css/lightgallery.min.css" />

<div class="row" id="div1">
<div class="col-md-12">
<div class="panel panel-default">
<div class="panel-heading">
Data Perbaikan
</div>
<div class="panel-body">
<div class="row" style="margin-left:
5px;">
</div>
<div class="table-responsive">

```

```

<table class="table table-striped table-bordered table-hover" id="dataTables-example" style="">
<thead>
<tr>
<th>NO</th>
<th>Tanggal Masuk</th>
<th>Jam Masuk</th>
<th>Nomor WO</th>
<th>Jenis Service</th>
<th>Detail Kerusakan</th>
<th>Solusi</th>
<th>Gambar</th>
<th>Tanggal Selesai</th>
<th>Jam Selesai</th>
<th>Rating</th>

</tr>
</thead>
<tbody>
<tr>
<?php
require "conn.php";
$no = 1;
$nip = $_SESSION['nip'];
$sql = "SELECT * FROM tb_keluhan
left join tb_perbaikan on
tb_keluhan.nomor_wo =
tb_perbaikan.nomor_wo where
tb_keluhan.nik_teknisi = '$nip' ORDER
BY tanggal DESC";
$query = $conn->prepare($sql);
$query->execute();
while ($result = $query-
>fetch(PDO::FETCH_OBJ)) {
?><tr>
<td><?=$no++?></td>
<td><?=$result->tanggal?></td>
<td><?=$result->>waktu_masuk?></td>
<td><?=$result->nomor_wo?></td>
<td><?=$result->jenis_service?></td>
<td><?=$result-
>detail_kerusakan?></td>
<td><?=$result->solusi?></td>

<td>
<div class="lightgallery">
<a href="..user/uploads/<?=$result-
>gambar?>">

```

```

</img>
</div>
</td>
<td><?=$result->tanggal_keluar?></td>
<td><?=$result->waktu_keluar?></td>
<td><?php
if($result->rating == ") {
echo 'Belum Diberikan'
?>
<?php } else { ?>
<center><?='Bintang '. $result-
>rating?></center>
<?php } ?>
</td>
</tr>
<?php }
?>
</tbody>
</div>
<div class="modal fade"
id="modal_detail" tabindex="-1"
role="dialog" aria-labelledby="provinsi"
aria-hidden="true">
</div>
</table>
</div>
</div>
</div>
</div>
</div><!--/.row-->

<script
src="..js/jquery.min.js"></script>
<script
src="..js/lightgallery.min.js"></script>
<script type="text/javascript">

modal.onclick = function() {
img01.className += " out";
setTimeout(function() {
modal.style.display = "none";
img01.className = "modal-content";
}, 400);
}
</script>

```



```

<div class="card shadow mb-4">
<div class="panel panel-default"
id="tabel">
<div class="panel-heading">
Keluhan Kerusakan
</div>
<div class="panel-body">
<div class="card-body">
<div class="card shadow mb-4">
<div class="row">
<div class="col-sm-3 pull-right" >
<form method="GET" action="">
<input class="pencarian" type="text"
placeholder="Pencarian..."
name="pencari" required>
<button class="btn btn-primary
glyphicon glyphicon-search"
name="cari" type="submit"
value="cari1">
</button>
</form>
</div>
</div>
<div class="table-responsive col-xs-
12">
<table class="table table-bordered"
id="dataTable" width="100%"
cellspacing="0">
<thead>
<tr>
<th>No</th>
<th>Nama</th>
<th>No WO</th>
<th>Unit Kerja</th>
<th>Tanggal Masuk</th>
<th>Jam Masuk</th>
<th>Jenis</th>
<th>Keluhan</th>
<th>Gambar</th>
<th>Aksi</th>
</tr>
</thead>
<tfoot>
<tr>
<th>No</th>
<th>Nama</th>
<th>No WO</th>
<th>Unit Kerja</th>
<th>Tanggal Masuk</th>
<th>Jam Masuk</th>

```

```

<th>Jenis</th>
<th>Keluhan</th>
<th>Gambar</th>
<th>Aksi</th>
</tr>
</tfoot>
<tbody>
<tr>

<?php
require "conn.php";
$no = 1;
$sql = "SELECT * FROM tb_keluhan
LEFT JOIN tb_user on tb_keluhan.nik =
tb_user.nik where operasi = 'Di Proses'
OR operasi = 'Di Tunda' OR operasi =
'Sedang Dikerjakan' ORDER by
id_keluhan Desc ";

if (!empty($_GET['cari'])) {
$no = 1;
$nomor_wo = $_GET['pencari'];
$sql = "SELECT * FROM tb_keluhan
LEFT JOIN tb_user on tb_keluhan.nik=
tb_user.nik where nomor_wo like
'%$nomor_wo%' AND operasi = 'Di
Proses' OR operasi = 'Di Tunda' OR
operasi = 'Sedang Dikerjakan' ORDER
by id_keluhan Desc ";
}
$query = $conn->prepare($sql);
$query->execute();
while ($result = $query-
>fetch(PDO::FETCH_OBJ)) {
?>
<tr>
<td><?=$no++ ?></td>
<td><?=$result->nama?></td>
<td><?=$result->nomor_wo?></td>
<td><?=$result->unit_kerja ?></td>
<td><?=$result->tanggal ?></td>
<td><?=$result->>waktu_masuk ?></td>
<td><?=$result->jenis_service?></td>
<td><?=$result->detail_kerusakan
?></td>
<td>
<div class="lightgallery">
<a href=" ../user/uploads/<?=$result-
>gambar?>">

```



```

}
</script>
<script>
var elements =
document.getElementsByClassName("li
ghtgallery");
for(var i=0; i<elements.length; i++) {
lightGallery(elements[i]);
}
</script>

```

Pending.php

```

<?php
require 'conn.php';
$nomor_wo = $_GET['nomor_wo'];

$sql = "SELECT * FROM
`tb_perbaikan` WHERE `nomor_wo` =
:nomor_wo";
$query = $conn->prepare($sql);
$params = array(
'nomor_wo' => $nomor_wo

);
$query->execute($params);
$result = $query-
>fetch(PDO::FETCH_OBJ);

if (!empty($_POST['Submit'])) {
$solusi = $_POST['solusi'];

$sql1 = "UPDATE `tb_perbaikan` SET
`solusi` = :solusi WHERE `nomor_wo`
= :nomor_wo";
$sql2 = "UPDATE `tb_keluhan` SET
`operasi` = 'Di Tunda' WHERE
`nomor_wo` = :nomor_wo";
$query1 = $conn->prepare($sql1);
$query2 = $conn->prepare($sql2);
$params1 = array(
'nomor_wo' => $nomor_wo,
'solusi' => $solusi,

);
$params2 = array(
'nomor_wo' => $nomor_wo
);
$query1->execute($params1);
$query2->execute($params2);

```

```

if ($query1 && $query2) {
echo '
<script>
alert ("Pekerjaan di Pending");
window.location="index.php";
</script>';
} else {
echo '<script>
alert("Query Gagal!");
window.location="index.php";
<script>';
}
}

if (!empty($_POST['rekom'])) {
$solusi = $_POST['solusi'];

$sql1 = "UPDATE `tb_perbaikan` SET
`solusi` = :solusi WHERE `nomor_wo`
= :nomor_wo";
$sql2 = "UPDATE `tb_keluhan` SET
`operasi` = 'Ganti' WHERE `nomor_wo`
= :nomor_wo";
$query1 = $conn->prepare($sql1);
$query2 = $conn->prepare($sql2);
$params1 = array(
'nomor_wo' => $nomor_wo,
'solusi' => $solusi,

);
$params2 = array(
'nomor_wo' => $nomor_wo
);
$query1->execute($params1);
$query2->execute($params2);

if ($query1 && $query2) {
echo '
<script>
alert ("Rekomendasi Ganti Berhasil");
window.location="index.php";
</script>';
} else {
echo '<script>
alert("Query Gagal!");
window.location="index.php";
<script>';
}
}

```

```

?>

<!DOCTYPE html>
<html>
<head>
<title>Input Data</title>
<meta charset="utf-8">
<link href="../../css/bootstrap.css"
rel="stylesheet">
<meta name="viewport"
content="width=device-width, initial-
scale=1, maximum-scale=1">
<link href="../../assets/css/styles.css"
rel="stylesheet">
<link rel="icon" type="images/png"
sizes="16x16" href="../../images/logo-
BAturaja.png">
</head>
<body>
<form method="POST"
enctype="multipart/form-data">

<div class="form-group">
<label for="recipient-name" class="col-
form-label">No WO</label>
<input type="text" class="form-control"
placeholder="No Wo"
name="nomor_wo" maxlength="15"
readonly value="<?php echo $result-
>nomor_wo?>">
</div>
<div class="form-group">
<label for="recipient-name" class="col-
form-label">Alasan</label>
<textarea name="solusi" class="form-
control" rows="5" id="comment"
maxlength="255" required></textarea>
</div>
<br>
<div class="modal-footer">
<input name="rekom" type="Submit"
class="btn btn-danger" value="Ganti">
<input name="Submit" type="Submit"
class="btn btn-primary cetak"
value="Pending"></div>
</form>

</body>

```

```

<script
src="https://code.jquery.com/jquery-
2.1.1.min.js"
type="text/javascript"></script>
</html>

```

Penilaian.php

```

<?php
require "config.php";
$nip = $_SESSION['nip'];
$tambah = "SELECT SUM(rating) as
tambah, COUNT(rating) as banyak
FROM tb_perbaikan where nik = $nip";
$query = mysqli_query($db, $tambah);
$sambil = mysqli_fetch_array($query);

$hasil =
$sambil['tambah']/$sambil['banyak'];

?>
<link href="../../css/style-responsive.css"
rel="stylesheet" />

<div class="panel panel-container">
<h3 class="pull-left" style="padding-
left: 20px;">Penilaian</h3>
<div class = "pull-right" style="padding-
right: 30px;">
<center></center>
<b class="">Rating : <?php echo
round($hasil,2); ?></b>
</div>
<center>
<div class="row">
<br><br><br>
<div id="piechart"></div>
</div>
</center>
</div>

<script src="../../js/jquery.js"></script>
<script src="../../js/jquery-
1.8.3.min.js"></script>
<script
src="../../js/bootstrap.min.js"></script>
<script src="../../js/Chart.js"></script>

```

```

<!-- custom chart script for this page
only-->
<script src="../js/chartjs-
custom.js"></script>
<!--custome script for all page-->
<script src="../js/scripts.js"></script>

```

Rating.php

```

<div class="form-group rating">
<style>
li{ display:block;color: #F0F0F0;}
.highlight, .selected
{color:#F4B30A;text-shadow: 0 0 1px
#F48F0A;}
</style>
<label for="gambar1" class="col-form-
label">Berikan Penilaian</label>
<div class="rating">
<div class="container-fluid">
<ul class="nav navbar-nav navbar-left"
onmouseout="resetRating();" style="">
<input type="hidden" name="rating"
id="rating"/>
<li onmouseover="highlightStar(this);"
onmouseout="removeHighlight();"
onclick="addRating(this);">&#9733;</li>
>
</ul>
</div>
</div>
</div>
</div>
<script>

```

```

function highlightStar(obj) {
removeHighlight();
$('li').each(function(index) {
$(this).addClass('highlight');
if(index == $("li").index(obj)) {
return false;
}
});
}

```

```

function removeHighlight() {
$('li').removeClass('selected');
$('li').removeClass('highlight');
}

```

```

function addRating(obj) {
$('li').each(function(index) {
$(this).addClass('selected');
$('#rating').val((index-10));
if(index == $("li").index(obj)) {
return false;
}
});
}

```

```

function resetRating() {
if($("#rating").val()) {
$('li').each(function(index) {
$(this).addClass('selected');
if((index-8) == $("#rating").val()) {
return false;
}
});
}
}
</script>

```