

Index.php

```
<!doctype html>
```

```
<html class="no-js" lang="en">
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta http-equiv="x-ua-compatible"
content="ie=edge">
```

```
<title>Login | Aplikasi Pengolahan Data
Kependudukan Pada Kantor Kelurahan
Rahmah Kecamatan Lubuklinggau Selatan I
Kota Lubuklinggau</title>
```

```
<meta name="description" content="">
```

```
<meta name="viewport"
content="width=device-width, initial-
scale=1">
```

```
<!-- favicon
```

```
=====
===== -->
```

```
<link rel="shortcut icon" type="image/x-
icon" href="img/favicon.ico">
```

```
<!-- Google Fonts
```

```
=====
===== -->
```

```
<link
href="https://fonts.googleapis.com/css?famil
y=Play:400,700" rel="stylesheet">
```

```
<!-- Bootstrap CSS
```

```
=====
===== -->
```

```
<link rel="stylesheet"
href="css/bootstrap.min.css">
```

```
<!-- Bootstrap CSS
```

```
=====
===== -->
```

```
<link rel="stylesheet" href="css/font-
awesome.min.css">
```

```
<!-- owl.carousel CSS
```

```
=====
===== -->
```

```
<link rel="stylesheet"
href="css/owl.carousel.css">
```

```
<link rel="stylesheet"
href="css/owl.theme.css">
```

```
<link rel="stylesheet"
href="css/owl.transitions.css">
```

```
<!-- animate CSS
```

```
=====
===== -->
```

```
<link rel="stylesheet"
href="css/animate.css">
```

```
<!-- normalize CSS
```

```
=====
===== -->
```

```
<link rel="stylesheet"
href="css/normalize.css">
```

```
<!-- main CSS
```

```
=====
===== -->
```

```

<link rel="stylesheet" href="css/main.css">

<!-- morrisjs CSS

=====
===== -->

<link rel="stylesheet"
href="css/morrisjs/morris.css">

<!-- mCustomScrollbar CSS

=====
===== -->

<link rel="stylesheet"
href="css/scrollbar/jquery.mCustomScrollbar.
min.css">

<!--metisMenu CSS

=====
===== -->

<link rel="stylesheet"
href="css/metisMenu/metisMenu.min.css">

<link rel="stylesheet"
href="css/metisMenu/metisMenu-
vertical.css">

<!-- calendar CSS

=====
===== -->

<link rel="stylesheet"
href="css/calendar/fullcalendar.min.css">

<link rel="stylesheet"
href="css/calendar/fullcalendar.print.min.css"
>

<!-- forms CSS

```

```

=====
===== -->

<link rel="stylesheet" href="css/form/all-
type-forms.css">

<!-- style CSS

=====
===== -->

<link rel="stylesheet" href="style.css">

<!-- responsive CSS

=====
===== -->

<link rel="stylesheet"
href="css/responsive.css">

<!-- modernizr JS

=====
===== -->

<script src="js/vendor/modernizr-
2.8.3.min.js"></script>

</head>

<body>

<!--[if lt IE 8]>

<p class="browserupgrade">You are
using an <strong>outdated</strong> browser.
Please <a
href="http://browsehappy.com/">upgrade
your browser</a> to improve your
experience.</p>

<![endif]-->

<?php

```

```
session_start();

include ("koneksi.php");

if(isset($_POST['login'])) {

    $cek_login=mysqli_query($con,
    "select * from user where username
    =".$_POST['username'].\"" and password =
    \"".$_POST['password'].\"");

    $cek2=mysqli_fetch_array($cek_login
    );

    if(mysqli_num_rows($cek_login)>0){

        if($cek2['akses']=='Admin'){

            $_SESSION['Admin']=$_POST['userna
            me'];

            echo "<meta http-
            equiv='refresh' content='0;url=./home.php'>";

        }

        if($cek2['akses']=='Kepala
        Kelurahan'){

            $_SESSION['Kepala
            Kelurahan']=$_POST['username'];

            echo "<meta http-
            equiv='refresh' content='0;url=./home.php'>";

        }

    }

    else{

        echo"<script>alert('Email/Password
        Salah');</script>";

    }

}
```

```

    }
}

?>

<div class="color-line"></div>

<div class="container-fluid">

    <div class="row">

        <div class="col-lg-12 col-md-12 col-sm-12 col-xs-12">

            <div class="back-link back-backend">

                </div>

            </div>

        </div>

    </div>

</div>

<div class="container-fluid">

    <div class="row">

        <div class="col-lg-4 col-md-4 col-sm-4 col-xs-12"></div>

        <div class="col-md-4 col-md-4 col-sm-4 col-xs-12">

            <div class="text-center m-b-md custom-login">

                

                <h3>Aplikasi Pengolahan Data
Kependudukan Pada Kantor Kelurahan
Rahmah Kecamatan Lubuklinggau Selatan I
Kota Lubuklinggau</h3>

                <p></p>

            </div>

            <div class="hpanel">

```

```

<div class="panel-body">

    <form action="#" id="loginForm"
method="post">

        <div class="form-group">

            <label class="control-label"
for="username">Username</label>

            <input type="text"
placeholder="Username" required
name="username" class="form-control">

        </div>

        <div class="form-group">

            <label class="control-label"
for="password">Password</label>

            <input type="password"
placeholder="*****" required
name="password" class="form-control">

        </div>

        <input type="submit"
name="login" class="btn btn-success btn-
block loginbtn" value="Login"></input>

    </form>

</div>

</div>

</div>

<div class="col-lg-4 col-md-4 col-sm-4
col-xs-12"></div>

</div>

<div class="row">

    <div class="col-md-12 col-md-12 col-
sm-12 col-xs-12 text-center"><br>

```

```

    <p>Copyright &copy; 2019 <a
href="https://colorlib.com/wp/templates/"><
/a> All rights reserved.</p>

</div>

</div>

</div>

<!-- jquery

=====
===== -->

<script src="js/vendor/jquery-
1.11.3.min.js"></script>

<!-- bootstrap JS

=====
===== -->

<script src="js/bootstrap.min.js"></script>

<!-- wow JS

=====
===== -->

<script src="js/wow.min.js"></script>

<!-- price-slider JS

=====
===== -->

<script src="js/jquery-price-
slider.js"></script>

<!-- meanmenu JS

=====
===== -->

```

```

<script
src="js/jquery.meanmenu.js"></script>

<!-- owl.carousel JS

=====
===== -->

<script
src="js/owl.carousel.min.js"></script>

<!-- sticky JS

=====
===== -->

<script src="js/jquery.sticky.js"></script>

<!-- scrollUp JS

=====
===== -->

<script
src="js/jquery.scrollUp.min.js"></script>

<!-- mCustomScrollbar JS

=====
===== -->

<script
src="js/scrollbar/jquery.mCustomScrollbar.co
ncat.min.js"></script>

<script src="js/scrollbar/mCustomScrollbar-
active.js"></script>

<!-- metisMenu JS

=====
===== -->

```

```

<script
src="js/metisMenu/metisMenu.min.js"></scri
pt>

<script src="js/metisMenu/metisMenu-
active.js"></script>

<!-- tab JS

=====
===== -->

<script src="js/tab.js"></script>

<!-- icheck JS

=====
===== -->

<script
src="js/icheck/icheck.min.js"></script>

<script src="js/icheck/icheck-
active.js"></script>

<!-- plugins JS

=====
===== -->

<script src="js/plugins.js"></script>

<!-- main JS

=====
===== -->

<script src="js/main.js"></script>

</body>

</html>

```

Home.php

```
<!doctype html>

<html class="no-js" lang="en">


<head>

    <meta charset="utf-8">

    <meta http-equiv="x-ua-compatible"
content="ie=edge">

    <title>Aplikasi Pengolahan Data
Kependudukan Pada Kantor Kelurahan Rahma
Kecamatan Lubuklinggau Selatan I</title>

    <meta name="description" content="">

    <meta name="viewport"
content="width=device-width, initial-
scale=1">

    <!-- favicon

=====
===== -->

    <link rel="shortcut icon" type="image/x-
icon" href="img/favicon.ico">

    <!-- Google Fonts

=====
===== -->

    <link
href="https://fonts.googleapis.com/css?famil
y=Play:400,700" rel="stylesheet">

    <!-- Bootstrap CSS

=====
===== -->
```

```
<link rel="stylesheet"
href="css/bootstrap.min.css">

    <!-- Bootstrap CSS

=====
===== -->

    <link rel="stylesheet" href="css/data-
table/bootstrap-table.css">

    <link rel="stylesheet" href="css/data-
table/bootstrap-editable.css">

    <link rel="stylesheet" href="css/font-
awesome.min.css">

    <!-- owl.carousel CSS

=====
===== -->

    <link rel="stylesheet"
href="css/owl.carousel.css">

    <link rel="stylesheet"
href="css/owl.theme.css">

    <link rel="stylesheet"
href="css/owl.transitions.css">

    <!-- animate CSS

=====
===== -->

    <link rel="stylesheet"
href="css/animate.css">

    <!-- normalize CSS
```

```

=====
===== -->

<link rel="stylesheet"
href="css/normalize.css">

<!-- meanmenu icon CSS

=====
===== -->

<link rel="stylesheet"
href="css/meanmenu.min.css">

<!-- main CSS

=====
===== -->

<link rel="stylesheet" href="css/main.css">

<!-- morrisjs CSS

=====
===== -->

<link rel="stylesheet"
href="css/morrisjs/morris.css">

<!-- mCustomScrollbar CSS

=====
===== -->

<link rel="stylesheet"
href="css/scrollbar/jquery.mCustomScrollbar.
min.css">

<!-- metisMenu CSS

=====
===== -->

```

```

<link rel="stylesheet"
href="css/metisMenu/metisMenu.min.css">

<link rel="stylesheet"
href="css/metisMenu/metisMenu-
vertical.css">

<!-- calendar CSS

=====
===== -->

<link rel="stylesheet"
href="css/calendar/fullcalendar.min.css">

<link rel="stylesheet"
href="css/calendar/fullcalendar.print.min.css"
>

<!-- style CSS

=====
===== -->

<link rel="stylesheet" href="style.css">

<!-- responsive CSS

=====
===== -->

<link rel="stylesheet"
href="css/responsive.css">

<!-- modernizr JS

=====
===== -->

<script src="js/vendor/modernizr-
2.8.3.min.js"></script>

</head>

<?php
session_start();

```

```

include ("koneksi.php");

?>

<body>

    <!--[if lt IE 8]>

        <p class="browserupgrade">You are
using an <strong>outdated</strong> browser.
Please <a
href="http://browsehappy.com/">upgrade
your browser</a> to improve your
experience.</p>

    <![endif]-->

    <div class="left-sidebar-pro">

        <nav id="sidebar" class="">

            <div class="sidebar-header">

                <a href="index.html"></a>

                <strong></strong>

            </div>

            <div class="left-custom-menu-adp-
wrap comment-scrollbar">

                <nav class="sidebar-nav left-sidebar-
menu-pro">

                    <?php

if(isset($_SESSION['Admin'])){

                    $uid=

                    $_SESSION['Admin'];

                    ?>

                <ul class="metismenu"
id="menu1">

                    <li class="active">

```

```

        <a title="Dashboard" href="?"
aria-expanded="false"><i class="fa fa-
bookmark icon-wrap sub-icon-mg" aria-
hidden="true"></i> <span class="mini-click-
non">Dashboard</span></a>

    </li>

    <li>

        <a title="Penduduk"
href="?p=penduduk" aria-
expanded="false"><i class="fa fa-bookmark
icon-wrap sub-icon-mg" aria-
hidden="true"></i> <span class="mini-click-
non">Penduduk</span></a>

    </li>

    <li>

        <a title="Perkawinan"
href="?p=perkawinan" aria-
expanded="false"><i class="fa fa-bookmark
icon-wrap sub-icon-mg" aria-
hidden="true"></i> <span class="mini-click-
non">Perkawinan</span></a>

    </li>

    <li>

        <a title="Perceraian"
href="?p=perceraian" aria-
expanded="false"><i class="fa fa-bookmark
icon-wrap sub-icon-mg" aria-
hidden="true"></i> <span class="mini-click-
non">Perceraian</span></a>

```



```

</li>

<li>

    <a title="Kelahiran"
href="?p=kelahiran" aria-expanded="false"><i
class="fa fa-bookmark icon-wrap sub-icon-
mg" aria-hidden="true"></i> <span
class="mini-click-non">Kelahiran</span></a>

</li>

<li>

    <a title="Kematian"
href="?p=kematian" aria-expanded="false"><i
class="fa fa-bookmark icon-wrap sub-icon-
mg" aria-hidden="true"></i> <span
class="mini-click-non">Kematian</span></a>

</li>

<li>

    <a title="Kartu Keluarga"
href="?p=kartu_keluarga" aria-
expanded="false"><i class="fa fa-bookmark
icon-wrap sub-icon-mg" aria-
hidden="true"></i> <span class="mini-click-
non">Kartu Keluarga</span></a>

</li>

</ul>

<?php }?>

<?php
if(isset($_SESSION['Kepala Kelurahan'])) {

```

```

$uid=

$_SESSION['Kepala Kelurahan'];

?>

    <ul class="metismenu"
id="menu1">

        <li class="active">

            <a title="Dashboard" href="? "
aria-expanded="false"><i class="fa fa-
bookmark icon-wrap sub-icon-mg" aria-
hidden="true"></i> <span class="mini-click-
non">Dashboard</span></a>

        </li>

        <li>

            <a title="Laporan"
href="?p=laporan" aria-expanded="false"><i
class="fa fa-bookmark icon-wrap sub-icon-
mg" aria-hidden="true"></i> <span
class="mini-click-non"><sup>Laporan
<br>Rekapitulasi WNI</sup></span></a>

        </li>

        <li>

            <a title="Laporan"
href="?p=laporan_usia" aria-
expanded="false"><i class="fa fa-bookmark
icon-wrap sub-icon-mg" aria-
hidden="true"></i> <span class="mini-click-
non"><sup>Laporan
Rekapitulasi<br>Berdasarkan
Usia</sup></span></a>

        </li>

```

```

</li>

<a title="Laporan"
href="?p=laporan_pekerjaan" aria-
expanded="false"><i class="fa fa-bookmark
icon-wrap sub-icon-mg" aria-
hidden="true"></i> <span class="mini-click-
non"><sup>Laporan
Rekapitulasi<br>Berdasarkan
Pekerjaan</span></a>

```

```

</li>

```

```

<li>

<a title="Laporan"
href="?p=laporan_jk" aria-
expanded="false"><i class="fa fa-bookmark
icon-wrap sub-icon-mg" aria-
hidden="true"></i> <span class="mini-click-
non"><sup>Laporan
Rekapitulasi<br>Berdasarkan Jenis
Kelamin</span></a>

```

```

</li>

```

```

</ul>

```

```

<?php ??>

```

```

</nav>

```

```

</div>

```

```

</nav>

```

```

</div>

```

```

<!-- Start Welcome area -->

```

```

<div class="all-content-wrapper">

```

```

<div class="container-fluid">

```

```

<div class="row">

```

```

<div class="col-lg-12 col-md-12 col-
sm-12 col-xs-12">

```

```

<div class="logo-pro">

```

```

<br>

```

```

<br>

```

```

<br>

```

```

<br>

```

```

<br>

```

```

<br><center>

```

```

<a href="index.html"></a>

```

```

<br>

```

```

</div>

```

```

</div>

```

```

</div>

```

```

</div>

```

```

<div class="header-advance-area">

```

```

<div class="header-top-area">

```

```

<div class="container-fluid">

```

```

<div class="row">

```

```

<div class="col-lg-12 col-md-12
col-sm-12 col-xs-12">

```

```

<div class="header-top-
wrapper">

```

```

<div class="row">

```

<div class="col-lg-1 col-
md-0 col-sm-1 col-xs-12">

<div class="menu-
switcher-pro">

<button
type="button" id="sidebarCollapse"
class="btn bar-button-pro header-drl-
controller-btn btn-info navbar-btn">

<i class="fa fa-
bars"></i>

</button>

</div>

</div>

<div class="col-lg-11 col-
md-11 col-sm-12 col-xs-12">

<div class="header-
right-info">

<ul class="nav
navbar-nav mai-top-nav header-right-menu">

<li class="nav-
item">

<a href="#" data-
toggle="dropdown" role="button" aria-
expanded="false" class="nav-link dropdown-
toggle">

<i
class="fa fa-user adminpro-user-rounded
header-riht-inf" aria-hidden="true"></i>

<span

class="admin-name">

<i

class="fa fa-angle-down adminpro-icon
adminpro-down-arrow"></i>

<ul role="menu"
class="dropdown-header-top author-log
dropdown-menu animated zoomIn">

<span class="fa fa-lock
author-log-ic">Log Out

</div>

</div>

</div>

</div>

</div>

</div>

</div>

</div>

<!-- Mobile Menu start -->

```

<div class="mobile-menu-area">

    <div class="container">

        <div class="row">

            </div>

        </div>

    </div>

<?php
if(isset($_GET['p'])){
    if($_GET['p']=="penduduk"){include
"penduduk.php";}

    if($_GET['p']=="perceraian"){include
"perceraian.php";}

    if($_GET['p']=="perkawinan"){include
"perkawinan.php";}

    if($_GET['p']=="kelahiran"){include
"kelahiran.php";}

    if($_GET['p']=="kematian"){include
"kematian.php";}

    if($_GET['p']=="kartu_keluarga"){inclu
de "kartu_keluarga.php";}

    if($_GET['p']=="laporan"){include
"laporan.php";}

    if($_GET['p']=="laporan_usia"){includ
e "laporan_usia.php";}

    if($_GET['p']=="laporan_pekerjaan"){i
nclude "laporan_pekerjaan.php";}

    if($_GET['p']=="laporan_jk"){include
"laporan_jk.php";}
}
else{
?>

<!-- Mobile Menu end -->

<div class="breadcome-area">

    <div class="container-fluid">

        <div class="row">

            </div>

        </div>

    </div>

<div class="section-admin container-
fluid">

    <div class="row admin text-center">

        </div>

    </div>

<div class="calender-area mg-tb-30">

    <div class="container-fluid">

        <div class="row">

            <div class="col-lg-12">

                <b>Visi</b><br>

```

Visi Kelurahan Rahmah Kecamatan Lubuklinggau Selatan I Kota Lubuklinggau adalah Menjadikan Kelurahan Rahmah Terdepan dalam Pelayanan dan Pembangunan yang Berwawasan Lingkungan, Menuju masyarakat yang Aman, Damai, Sehat, Serta Berkualitas.

<hr>

Misi

<hr>

Misi dari Kelurahan Rahmah Kecamatan Lubuklinggau Selatan I Kota Lubuklinggau.

a. Peningkatan Kualitas Administrasi Pelayanan Publik Melalui Penyedia Sasaran Dan Prasarana Standar Pelayanan Yang Lebih Jelas, Efektif, Dan Efisien, Serta Tersedianya Media Yang Semakin Mempermudah Masyarakat Untuk Mendapatkan Pelayanan Serta Pengawasan Yang Lebih Ooptimal;

b. Peningkatan Kualitas Pengembangan Pola Kemitraan Dengan Organisasi Kemasyarakatan Dan Pihak Swasta.

c. Peningkatan Kualitas Pengembangan Pemberdayaan Masyarakat Dengan Menumbuh Kembangkan Rasa Memiliki Dan Kebanggaan Terhadap Pembangunan.

</div>

</div>

</div>

</div>

</div>

<?php }?>

<div class="footer-copyright-area">

<div class="container-fluid">

<div class="row">

<div class="col-lg-12">

<div class="footer-copy-right">

<p>Copyright © 2019 All rights reserved.</p>

</div>

</div>

</div>

</div>

</div>

<!-- jquery

===== -->

<script src="js/vendor/jquery-1.11.3.min.js"></script>

<!-- bootstrap JS

===== -->

<script src="js/bootstrap.min.js"></script>

<!-- wow JS

===== -->

```

<script src="js/wow.min.js"></script>

<!-- price-slider JS

=====
===== -->

<script src="js/jquery-price-
slider.js"></script>

<!-- meanmenu JS

=====
===== -->

<script
src="js/jquery.meanmenu.js"></script>

<!-- owl.carousel JS

=====
===== -->

<script
src="js/owl.carousel.min.js"></script>

<!-- sticky JS

=====
===== -->

<script src="js/jquery.sticky.js"></script>

<!-- scrollUp JS

=====
===== -->

<script
src="js/jquery.scrollUp.min.js"></script>

<!-- mCustomScrollbar JS

=====
===== -->

```

```

<script
src="js/scrollbar/jquery.mCustomScrollbar.co
ncat.min.js"></script>

<script src="js/scrollbar/mCustomScrollbar-
active.js"></script>

<!-- metisMenu JS

=====
===== -->

<script
src="js/metisMenu/metisMenu.min.js"></scri
pt>

<script src="js/metisMenu/metisMenu-
active.js"></script>

<!-- morrisjs JS

=====
===== -->

<script src="js/morrisjs/raphael-
min.js"></script>

<script src="js/morrisjs/morris.js"></script>

<script src="js/morrisjs/morris-
active.js"></script>

<!-- morrisjs JS

=====
===== -->

<script
src="js/sparkline/jquery.sparkline.min.js"></s
cript>

<script src="js/sparkline/jquery.charts-
sparkline.js"></script>

<!-- data table JS

```

```

=====
===== -->

<script src="js/data-table/bootstrap-
table.js"></script>

<script src="js/data-
table/tableExport.js"></script>

<script src="js/data-table/data-table-
active.js"></script>

<script src="js/data-table/bootstrap-table-
editable.js"></script>

<script src="js/data-table/bootstrap-
editable.js"></script>

<script src="js/data-table/bootstrap-table-
resizable.js"></script>

<script src="js/data-table/colResizable-
1.5.source.js"></script>

<script src="js/data-table/bootstrap-table-
export.js"></script>

<!-- calendar JS

=====
===== -->

<script
src="js/calendar/moment.min.js"></script>

<script
src="js/calendar/fullcalendar.min.js"></script
>

<script src="js/calendar/fullcalendar-
active.js"></script>

<!-- plugins JS

```

```

=====
===== -->

<script src="js/plugins.js"></script>

<!-- main JS

=====
===== -->

<script src="js/main.js"></script>

</body>

</html>

```

Penduduk.php

```

<?php

if(isset($_GET['edit'])){

    $getData
    =mysqli_fetch_array(mysqli_query($con,
    "SELECT * FROM penduduk WHERE
    id_penduduk = '$_GET[edit]'"));

}

if(isset($_POST['simpan'])){

    if(isset($_GET['edit'])){

        $eksekusi = mysqli_query($con,
        "UPDATE penduduk SET jenis_kelamin =
        '$_POST[jenis_kelamin]'.',rt =
        '$_POST[rt]'.',nik = '$_POST[nik]'.',nama
        = '$_POST[nama]'.',alamat=
        '$_POST[alamat]'.',tmp_lahir=
        '$_POST[tmp_lahir]'.',tgl_lahir=
        '$_POST[tgl_lahir]'.',shdk=

```



```

<div class="breadcome-area">
    <div class="container-fluid">
        <div class="row">
            <div class="col-lg-12
col-md-12 col-sm-12 col-xs-12">
                <br>
            </div>
        </div>
    </div>
</div>
</div>

```

```

<!-- Basic Form Start -->
<div class="basic-form-area mg-tb-15">
    <div class="container-fluid">
        <div class="row">
            <div class="col-lg-4
col-md-4 col-sm-12 col-xs-12">
                <div
class="sparkline8-list mt-b-30">
                    <div
class="sparkline8-hd">
                        <div class="main-sparkline8-hd">
                            <h1>Penduduk</h1>
                        </div>
                    </div>
                </div>
            <div
class="sparkline8-graph">

```

```

<div class="basic-login-form-ad">
    <div class="row">
        <div class="col-lg-12
col-md-12 col-sm-12 col-xs-12">
            <div
class="basic-login-inner">
                <form
method="post">
                    <div class="form-group-inner">
                        <label>Rukun Tetangga
(RT)</label>
                        <select name="rt" class =
"form-control" >
                            <option value = "01"
<?php if(isset($_GET['edit'])){if ($getData
['rt']=="01"){echo "selected=selected"; }}?>>
01</option>
                            <option value = "02"
<?php if(isset($_GET['edit'])){if ($getData
['rt']=="02"){echo "selected=selected"; }}?>>
02</option>

```

```
        <option value = "03"
<?php if(isset($_GET['edit'])) {if ($getData
['rt']=="03"){echo "selected=selected"; }}?>>
03</option>
```

```
        <option value = "04"
<?php if(isset($_GET['edit'])) {if ($getData
['rt']=="04"){echo "selected=selected"; }}?>>
04</option>
```

```
        <option value = "05"
<?php if(isset($_GET['edit'])) {if ($getData
['rt']=="05"){echo "selected=selected"; }}?>>
05</option>
```

```
        <option value = "06"
<?php if(isset($_GET['edit'])) {if ($getData
['rt']=="06"){echo "selected=selected"; }}?>>
06</option>
```

```
        <option value = "07"
<?php if(isset($_GET['edit'])) {if ($getData
['rt']=="07"){echo "selected=selected"; }}?>>
07</option>
```

```
        <option value = "08"
<?php if(isset($_GET['edit'])) {if ($getData
['rt']=="08"){echo "selected=selected"; }}?>>
08</option>
```

```
        <option value = "09"
<?php if(isset($_GET['edit'])) {if ($getData
['rt']=="09"){echo "selected=selected"; }}?>>
09</option>
```

```
        <option value = "10"
<?php if(isset($_GET['edit'])) {if ($getData
['rt']=="10"){echo "selected=selected"; }}?>>
10</option>
```

```
        <option value = "11"
<?php if(isset($_GET['edit'])) {if ($getData
['rt']=="12"){echo "selected=selected"; }}?>>
11</option>
```

```
        <option value = "12"
<?php if(isset($_GET['edit'])) {if ($getData
['rt']=="12"){echo "selected=selected"; }}?>>
12</option>
```

```
</select>
```

```
</div>
```

```
<div class="form-group-inner">
```

```
<label>NIK</label>
```

```
<input type="text"
class="form-control" placeholder="NIK"
name="nik" value="<?php
if(isset($_GET['edit'])) {echo $getData['nik'];
}?>"/>
```

```
</div>
```

```
<div class="form-group-inner">
```

```
</select>
```

```
<label>Nama</label>
```

```
</div>
```

```
<input type="text"
class="form-control" placeholder="Nama"
name="nama" value="<?php
if(isset($_GET['edit'])){echo $getData['nama'];
}}?>"/>
```

```
<div class="form-group-inner">
```

```
<label>Tempat Lahir</label>
```

```
</div>
```

```
<input type="text"
class="form-control" placeholder="Tempat
Lahir" name="tmp_lahir" value="<?php
if(isset($_GET['edit'])){echo
$getData['tmp_lahir']; }?>"/>
```

```
<div class="form-group-inner">
```

```
<label>Jenis Kelamin</label>
```

```
</div>
```

```
<select name="jenis_kelamin"
class = "form-control" >
```

```
<div class="form-group-inner">
```

```
<label>Tanggal Lahir</label>
```

```
<option value = "Laki-
Laki" <?php if(isset($_GET['edit'])){if
($getData ['jenis_kelamin']=="Laki-Laki"){echo
"selected=selected"; }}?>> Laki-Laki</option>
```

```
<input type="date"
class="form-control" name="tgl_lahir"
value="<?php if(isset($_GET['edit'])){echo
$getData['tgl_lahir']; }?>"/>
```

```
<option value =
"Perempuan" <?php if(isset($_GET['edit'])){if
($getData
['jenis_kelamin']=="Perempuan"){echo
"selected=selected"; }}?>>
Perempuan</option>
```

```
</div>
```

```
<div class="form-group-inner">
```

```
<label>SHDK</label>
```

```
<input type="text"
class="form-control" placeholder="SHDK"
name="shdk" value="<?php
if(isset($_GET['edit'])){echo $getData['shdk'];
}?>"/>
```

```
</div>
```

```
<div class="form-group-inner">
```

```
<label>Pekerjaan</label>
```

```
<input type="text"
class="form-control" placeholder="Pekerjaan"
name="pekerjaan" value="<?php
if(isset($_GET['edit'])){echo
$getData['pekerjaan']; }?>"/>
```

```
</div>
```

```
<div class="form-group-inner">
```

```
<label>Nama Ibu</label>
```

```
<input type="text"
```

```
class="form-control" placeholder="Nama Ibu"
name="nama_ibu" value="<?php
if(isset($_GET['edit'])){echo
$getData['nama_ibu']; }?>"/>
```

```
</div>
```

```
<div class="form-group-inner">
```

```
<label>Nama Ayah</label>
```

```
<input type="text"
class="form-control" placeholder="Nama
Ayah" name="nama_ayah" value="<?php
if(isset($_GET['edit'])){echo
$getData['nama_ayah']; }?>"/>
```

```
</div>
```

```
<div class="form-group-inner">
```

```
<label>No Kartu
Keluarga</label>
```

```
<input type="text"
class="form-control" placeholder="No Kartu
Keluarga" name="no_kk" value="<?php
if(isset($_GET['edit'])){echo $getData['no_kk'];
}?>"/>
```

</div>

<label>Status</label>

<div class="form-group-inner">

<select name="status" class =
"form-control" >

<label>Alamat</label>

<textarea class="form-
control" placeholder="Alamat"
name="alamat"><?php
if(isset(\$_GET['edit'])){echo
\$getData['alamat']; }?></textarea>

<option value =
"Terdaftar" <?php if(isset(\$_GET['edit'])){if
(\$getData ['status']=="Terdaftar"){echo
"selected=selected"; }}?>> Terdaftar</option>

</div>

<option value =
"Lahir" <?php if(isset(\$_GET['edit'])){if
(\$getData ['status']=="Lahir"){echo
"selected=selected"; }}?>> Lahir</option>

<div class="form-group-inner">

<option value =
"Mati" <?php if(isset(\$_GET['edit'])){if
(\$getData ['status']=="Mati"){echo
"selected=selected"; }}?>> Mati</option>

<label>Usia</label>

<input type="text"
class="form-control" placeholder="Usia"
name="usia" value="<?php
if(isset(\$_GET['edit'])){echo \$getData['usia'];
}?>"/>

<option value =
"Datang" <?php if(isset(\$_GET['edit'])){if
(\$getData ['status']=="Datang"){echo
"selected=selected"; }}?>> Datang</option>

</div>

<option value =
"Pindah" <?php if(isset(\$_GET['edit'])){if
(\$getData ['status']=="Pindah"){echo
"selected=selected"; }}?>> Pindah</option>

<div class="form-group-inner">

```

</select>

</div>

</div>

<div class="login-btn-inner">

    <div class="inline-remember-
me">

        <button class="btn
btn-sm btn-primary pull-right login-submit-cs"
type="submit"
name="simpan">Simpan</button>

    <label>

</div>

</div>

</form>

</div>

</div>
```

```

</div>

</div>

</div>

</div>

<div class="col-lg-8
col-md-8 col-sm-12 col-xs-12">

    <div
class="sparkline9-list responsive-mg-b-30">

        <div
class="sparkline9-hd">

            <div class="main-sparkline9-hd">

                <h1>Data Penduduk</h1>

            </div>

        </div>

        <div
class="sparkline9-graph">

            <div class="basic-login-form-ad">

                <div class="row">

                    <div class="col-lg-12
col-md-12 col-sm-12 col-xs-12">
```

```

<table
id="table" data-toggle="table" data-
pagination="true" data-search="true" >

<thead>

<tr>

<th>No</th>

<th>RT</th>

<th>NIK</th>

<th>Nama</th>

<th>TTL</th>

<th>SHDK</th>

<th>Pekerjaan</th>

<th>Orang
Tua</th>

<th>NO KK</th>

<th>Alamat</th>

<th>Status</th>

<th>Username</th>

<th>Usia</th>

<th>Aksi</th>

</tr>

</thead>

<tbody>

<?php

```

```

$no=1;

```

```

$eksekusi = mysqli_query($con,
"SELECT * FROM penduduk");

```

```

while ($data =
mysqli_fetch_array($eksekusi)){

```

```

echo "

```

```

<tr>

```

```

<td>".$no++."</td>

```

```

<td>".$data['rt']."</td>

```

```

<td>".$data['nik']."</td>

```

```

<td>".$data['nama']."</td>

```

```

<td>".$data['tmp_lahir'].",
".$data['tgl_lahir']."</td>

```

```

<td>".$data['shdk']."</td>

```

```
<td>".$data['pekerjaan']. "</td>
                                align=center>
                                <td
                                <a
                                href='?p=penduduk&edit= ".$data['id_pendud
                                uk']. "'>Edit</a>
                                </td>
                                </tr>
                                <tr>
                                <td>
                                Nama
                                Ibu : ".$data['nama_ibu']. "<br>
                                </td>
                                <td>
                                Nama
                                Ayah: ".$data['nama_ayah']. "
                                </tr>
                                <tr>
                                <td>
                                ";
                                }
                                <td>".$data['no_kk']. "</td>
                                ?>
                                <td>".$data['alamat']. "</td>
                                </tbody>
                                </table>
                                <td>".$data['status']. "</td>
                                </div>
                                </div>
                                <td>".$data['username']. "</td>
                                </div>
                                <td>".$data['usia']. "</td>
                                </div>
                                </div>
```



```

        </div>

    </div>

</div>

</div>

Laporan.php

<?php

if(isset($_GET['edit'])){

    $getData
    =mysqli_fetch_array(mysqli_query($con,
    "SELECT * FROM penduduk WHERE
    id_penduduk = '$_GET[edit]'"));

}

if(isset($_POST['simpan'])){

    if(isset($_GET['edit'])){

        $eksekusi = mysqli_query($con,
        "UPDATE penduduk SET nik =
        '$_POST[nik]'.',nama =
        '$_POST[nama]'.',alamat=
        '$_POST[alamat]'.',tmp_lahir=
        '$_POST[tmp_lahir]'.',tgl_lahir=
        '$_POST[tgl_lahir]'.',shdk=
        '$_POST[shdk]'.',pekerjaan=
        '$_POST[pekerjaan]'.',nama_ibu=
        '$_POST[nama_ibu]'.',nama_ayah=
        '$_POST[nama_ayah]'.',no_kk=
        '$_POST[no_kk]'.',status=
        '$_POST[status]'.', username='$_SESSION['.suid.'
        WHERE id_penduduk= '$_GET[edit]'.', " ");

        if($eksekusi){

            echo"

```

```

<script>alert('Data Penduduk Berhasil
Diubah ! Terimakasih')</script>

<meta http-
equiv='refresh'
content='0;url=home.php?p=penduduk'>

";

    }

    else{

        echo"

<script>

alert('Ada
Kesalahan ! Periksa Kembali');

</script>

";

    }

}

else {

    $eksekusi = mysqli_query($con,
    "INSERT INTO penduduk SET nik =
    '$_POST[nik]'.',nama =
    '$_POST[nama]'.',alamat=
    '$_POST[alamat]'.',tmp_lahir=
    '$_POST[tmp_lahir]'.',tgl_lahir=
    '$_POST[tgl_lahir]'.',shdk=
    '$_POST[shdk]'.',pekerjaan=
    '$_POST[pekerjaan]'.',nama_ibu=
    '$_POST[nama_ibu]'.',nama_ayah=
    '$_POST[nama_ayah]'.',no_kk=
    '$_POST[no_kk]'.',status=
    '$_POST[status]'.', username='$_SESSION['.suid.'');

    if($eksekusi){

        echo"

```

```
<script>alert('Data Penduduk Berhasil
Disimpan ! Terimakasih')</script>
```

```
<meta http-
equiv='refresh'
content='0;url=home.php?p=penduduk'>
```

```
    ";
}
else{
    echo"

    <script>
    alert('Ada
Kesalahan ! Periksa Kembali');
</script>

    ";
}
```

```
}
}
?>
```

```
<div class="breadcome-area">
```

```
    <div class="container-fluid">
        <div class="row">
            <div class="col-lg-12
col-md-12 col-sm-12 col-xs-12">
                <br>
            </div>
        </div>
    </div>
</div>
```

```
</div>
```

```
</div>
```

```
<!-- Basic Form Start -->
```

```
<div class="basic-form-area mg-tb-15">
```

```
    <div class="container-fluid">
        <div class="row">
            <div class="col-lg-12
col-md-12 col-sm-12 col-xs-12"
id="printableArea">
```

```
                <img
src='./img/kop.jpeg' width='100%'>
            <div
class="sparkline9-list responsive-mg-b-30">
                <div
class="sparkline9-hd">
```

```
                    <div class="main-sparkline9-hd">
```

```
                        <h1><BR><CENTER>LAPORAN
REKAPITULASI WNI</h1>
```

```
                    </div>
```

```
                </div>
```

```
            <div
class="sparkline9-graph">
```

```
                <div class="basic-login-form-ad">
```

```
                    <div class="row">
```

```

<th>P</th>
<div class="col-lg-12
col-md-12 col-sm-12 col-xs-12">
<th>L</th>
<th>P</th>
<table id=""
data-toggle="table" >
</tr>
<thead align="center">
<tbody>
<tr align="center">
<th>
rowspan=2>No</th>
<th>
rowspan=2>Rukun Tetangga (RT)</th>
<th>
colspan=2>Terdaftar</th>
<th>
colspan=2>Lahir</th>
<th>
colspan=2>Mati</th>
<th>
colspan=2>Pindah</th>
<th>
colspan=2>Datang</th>
</tr>
<tr>
<th>L</th>
<th>P</th>
<th>L</th>
<th>P</th>
<th>L</th>
<th>P</th>
<th>L</th>
<th>P</th>
<th>L</th>

```

```

<th>P</th>
<th>L</th>
<th>P</th>
</tr>
</thead>
<tbody>
<?php
$no=1;

$eksekusi = mysqli_query($con,
"SELECT distinct(rt) FROM penduduk order by
rt ASC");

while ($data =
mysqli_fetch_array($eksekusi)){

    $l_daftar
=mysqli_fetch_array(mysqli_query($con,
"SELECT count(*) as jum FROM penduduk
WHERE rt = '$data[rt]' and jenis_kelamin =
'Laki-Laki' and status = 'Terdaftar'"));

    $p_daftar
=mysqli_fetch_array(mysqli_query($con,
"SELECT count(*) as jum FROM penduduk
WHERE rt = '$data[rt]' and jenis_kelamin =
'Perempuan' and status = 'Terdaftar'"));

    $l_lahir
=mysqli_fetch_array(mysqli_query($con,

```

```
"SELECT count(*) as jum FROM penduduk
WHERE rt = '$data[rt]' and jenis_kelamin =
'Laki-Laki' and status = 'Lahir'");
```

```
$p_lahir
=mysqli_fetch_array(mysqli_query($con,
"SELECT count(*) as jum FROM penduduk
WHERE rt = '$data[rt]' and jenis_kelamin =
'Perempuan' and status = 'Lahir'"));
```

```
$l_mati
=mysqli_fetch_array(mysqli_query($con,
"SELECT count(*) as jum FROM penduduk
WHERE rt = '$data[rt]' and jenis_kelamin =
'Laki-Laki' and status = 'Mati'"));
```

```
$p_mati
=mysqli_fetch_array(mysqli_query($con,
"SELECT count(*) as jum FROM penduduk
WHERE rt = '$data[rt]' and jenis_kelamin =
'Perempuan' and status = 'Mati'"));
$l_pindah
=mysqli_fetch_array(mysqli_query($con,
"SELECT count(*) as jum FROM penduduk
WHERE rt = '$data[rt]' and jenis_kelamin =
'Laki-Laki' and status = 'Pindah'"));
```

```
$p_pindah
=mysqli_fetch_array(mysqli_query($con,
"SELECT count(*) as jum FROM penduduk
WHERE rt = '$data[rt]' and jenis_kelamin =
'Perempuan' and status = 'Pindah'"));
```

```
$l_datang
=mysqli_fetch_array(mysqli_query($con,
"SELECT count(*) as jum FROM penduduk
WHERE rt = '$data[rt]' and jenis_kelamin =
'Laki-Laki' and status = 'Datang'"));
```

```
$p_datang
=mysqli_fetch_array(mysqli_query($con,
"SELECT count(*) as jum FROM penduduk
WHERE rt = '$data[rt]' and jenis_kelamin =
'Perempuan' and status = 'Datang'"));
```

```
echo "
```

```
<tr>
```

```
<td>". $no++."</td>
```

```
<td>". $data['rt']."</td>
```

```
<td>". $l_daftar['jum']."</td>
```

```
<td>". $p_daftar['jum']."</td>
```

```
<td>". $l_lahir['jum']."</td>
```

```
<td>". $p_lahir['jum']."</td>
```

<td>".\$l_mati['jum']. "</td>

<p align="right">

DIKELUARKAN DI : LUBUKLINGGAU

<td>".\$p_mati['jum']. "</td>

<U>PADA TANGGAL : <?php echo date('d M y');?></U>

<td>".\$l_pindah['jum']. "</td>

LURAH RAHMAH

SUDARDO, S.Kom

PENATA

NIP. 19860707 200803 1 001

<td>".\$p_pindah['jum']. "</td>

</p> </div>

</div>

<td>".\$l_datang['jum']. "</td>

</div>

<td>".\$p_datang['jum']. "</td>

<input

type="button"

onclick="printDiv('printableArea')"

value="PRINT" class="btn btn-primary ;

hidden-print"/>

</tr>

";

</div>

</div>

}

</div>

</div>

</div>

?>

</div>

</tbody>

<script>

</table>

```
function printDiv(printableArea) {  
    var printContents =  
document.getElementById(printableArea).inn  
erHTML;  
  
    var originalContents =  
document.body.innerHTML;  
  
    document.body.innerHTML =  
printContents;  
  
    window.print();  
  
    document.body.innerHTML =  
originalContents;  
}  
</script>
```