

index.php

```
<?php
session_start();

include "../koneksi.php";

if(isset($_POST['username']) &&
isset($_POST['password'])){

    $cek=mysqli_query($con,"select *
from pengguna where
username='".$_POST['username']."' and
password='".$_POST['password']."'");

    if(mysqli_num_rows($cek)>0){

        $data=mysqli_fetch_array($cek);

        $_SESSION['log']=$data['id_penggun
a'];

        $_SESSION['username']=$_POST['us
ername'];

        $_SESSION['akses']=$data['akses'];

    }

}

$page="home";

if(isset($_GET['p'])){ $page=$_GET['p'];}

if(!isset($_SESSION['log'])){

    header("location:login.php");

}

?>

<!DOCTYPE html>

<html lang="en">
```

```
<head>

    <meta http-equiv="content-
type" content="text/html; charset=UTF-8">

    <meta charset="utf-8">

    <title>Mitra Solusi Logistik
</title>

    <meta name="generator"
content="Bootply" />

    <meta name="viewport"
content="width=device-width, initial-scale=1,
maximum-scale=1">

    <link
href="/assets/css/bootstrap.min.css"
rel="stylesheet" />

    <link href="/assets/css/font-
awesome.min.css" rel="stylesheet">

    <link href="/assets/css/now-
ui-dashboard.css?v=1.1.0" rel="stylesheet" />

    <link
href="/assets/css/dataTables.bootstrap.min.css
" rel="stylesheet">

    <link
href="/assets/css/select2.min.css"
rel="stylesheet">

    <link href="/logo.png"
rel="icon">

    <!-- CSS Just for demo
purpose, don't include it in your project -->

    <script
src="/assets/js/core/jquery.min.js"></script>

    <script
src="/assets/js/core/popper.min.js"></script>

    <script
src="/assets/js/core/bootstrap.min.js"></script>
</script>
```

```

<script
src="/assets/js/jquery.dataTables.min.js"></sc
ript>

<script
src="/assets/js/plugins/perfect-
scrollbar.jquery.min.js"></script>

<!-- Chart JS -->

<script
src="/assets/js/plugins/chartjs.min.js"></script
>

<!-- Notifications Plugin --
>

<script
src="/assets/js/plugins/bootstrap-
notify.js"></script>

<!-- Control Center for Now
Ui Dashboard: parallax effects, scripts for the
example pages etc -->

<script src="/assets/js/now-
ui-dashboard.min.js?v=1.1.0"
type="text/javascript"></script>

<script
src="/assets/js/select2.js"></script>

<style>

#tabel_previous{margin:1em}

#tabel_next{margin:1em}

th{text-
transform:capitalize;;font-
size:1em!important;font-
weight:bold!important;}

.content{padding:2em!important;}

span.badge{color:white;background:#
aaaaaa;padding:5px;}

textarea.form-control{border:1px
#cccccc solid}

```

```

textarea.form-
control:focus{border:1px #cccccc solid}

@media print{

.sidebar,.btn{display:none}

.main-
panel{float:none;width:100%}

}

#tabel_previous{margin:1em}

#tabel_next{margin:1em}

th{text-
transform:capitalize;;font-
size:1em!important;font-
weight:bold!important;}

.content{padding:2em!important;}

.pick{background:yellow!important;}

</style>

</head>

<body>

<body class="">

<div class="wrapper ">

<div class="sidebar" data-color="yellow">

<!--

Tip 1: You can change the color of the
sidebar using: data-color="blue | green |
orange | red | yellow"

-->

<div class="logo" style="text-
align:center;color:white;">



</div>

```

```

<div class="sidebar-wrapper">

    <ul class="nav">

        <li <?=( $page=="home" ) ?
'class="active"' : "?">>

            <a href="?">

                <i class="now-ui-icons
design_app"></i>

                <p>Home</p>

            </a>

        </li>

        <?php

            if($_SESSION['akses']=="Staff
Operasional"){?>

                <li <?=( $page=="pengguna" ) ?
'class="active"' : "?">>

                    <a href="?"p=pengguna">

                        <i class="now-ui-icons text_caps-
small"></i>

                        <p>Pengguna</p>

                    </a>

                </li>

                <li <?=( $page=="mobil" ) ?
'class="active"' : "?">>

                    <a href="?"p=mobil">

                        <i class="now-ui-icons
education_atom"></i>

                        <p>Mobil</p>

                    </a>

                </li>

                <li <?=( $page=="pengiriman" ) ?
'class="active"' : "?">>

```

```

<a href="?"p=pengiriman">

    <i class="now-ui-icons ui-1_bell-
53"></i>

    <p>Pengiriman</p>

</a>

</li>

<li <?=( $page=="laporan_pengiriman" )
? 'class="active"' : "?">>

    <a href="?"p=laporan_pengiriman">

        <i class="now-ui-icons ui-1_bell-
53"></i>

        <p>Laporan Pengiriman</p>

    </a>

</li>

    <?php

        }elseif($_SESSION['akses']=="Staff
Pembukuan"){?>

            <li <?=( $page=="sparepart" ) ?
'class="active"' : "?">>

                <a href="?"p=sparepart">

                    <i class="now-ui-icons location_map-
big"></i>

                    <p>Sparepart</p>

                </a>

            </li>

            <li <?=( $page=="service" ) ?
'class="active"' : "?">>

                <a href="?"p=service">

                    <i class="now-ui-icons location_map-
big"></i>

                    <p>Service</p>

```

```

        </a>

    </li>

    <li <?=( $page=="laporan_perhitungan")
? 'class="active"' : "?">>

        <a href="?p=laporan_perhitungan">

            <i class="now-ui-icons ui-1_bell-
53"></i>

            <p>Laporan Perhitungan</p>

        </a>

    </li>

    <li <?=( $page=="laporan_service") ?
'class="active"' : "?">>

        <a href="?p=laporan_service">

            <i class="now-ui-icons ui-1_bell-
53"></i>

            <p>Laporan Service</p>

        </a>

    </li>

    <?php }else{?>

    <li <?=( $page=="laporan_perhitungan")
? 'class="active"' : "?">>

        <a href="?p=laporan_perhitungan">

            <i class="now-ui-icons ui-1_bell-
53"></i>

            <p>Laporan Perhitungan</p>

        </a>

    </li>

    <li <?=( $page=="laporan_service") ?
'class="active"' : "?">>

        <a href="?p=laporan_service">

            <i class="now-ui-icons ui-1_bell-
53"></i>

```

```

        <p>Laporan Service</p>

    </a>

</li>

    <li <?=( $page=="laporan_pengiriman")
? 'class="active"' : "?">>

        <a href="?p=laporan_pengiriman">

            <i class="now-ui-icons ui-1_bell-
53"></i>

            <p>Laporan Pengiriman</p>

        </a>

    </li>

    <?php }?>

</ul>

</div>

</div>

<div class="main-panel">

    <!-- Navbar -->

    <nav class="navbar navbar-expand-lg
navbar-transparent navbar-absolute bg-primary
fixed-top">

        <div class="container-fluid">

            <div class="navbar-wrapper">

                <div class="navbar-toggle">

                    <button type="button" class="navbar-
toggler">

                        <span class="navbar-toggler-bar
bar1"></span>

                        <span class="navbar-toggler-bar
bar2"></span>

                        <span class="navbar-toggler-bar
bar3"></span>

                    </button>

```

```

        </div>

        <a class="navbar-brand"
href="#pablo"><?=ucfirst(str_replace("_"," ",
",$page))?></a>

    </div>

    <button class="navbar-toggler"
type="button" data-toggle="collapse" data-
target="#navigation" aria-
controls="navigation-index" aria-
expanded="false" aria-label="Toggle
navigation">

        <span class="navbar-toggler-bar
navbar-kebab"></span>

        <span class="navbar-toggler-bar
navbar-kebab"></span>

        <span class="navbar-toggler-bar
navbar-kebab"></span>

    </button>

    <div class="collapse navbar-collapse
justify-content-end" id="navigation">

        <ul class="navbar-nav">

            <li class="nav-item dropdown">

                <a class="nav-link dropdown-
toggle" href="http://example.com"
id="navbarDropdownMenuLink" data-
toggle="dropdown" aria-haspopup="true" aria-
expanded="false">

                    <i class="now-ui-icons
users_single-02"></i>
                    <?=$_SESSION['akses']?>

                </a>

                <div class="dropdown-menu
dropdown-menu-right" aria-
labelledby="navbarDropdownMenuLink">

```

```

                <a class="dropdown-item"
href="?p=ubah_password">Ubah
                Password</a>

                <a class="dropdown-item"
href="?p=logout">Logout</a>

            </div>

        </li>

    </ul>

</div>

</div>

</nav>

<div class="panel-header panel-header-sm"
style="padding:1em;height:4em;">

</div>

<div class="content"
style="background:white;margin:0">

    <div class="row">

        <div class="col-md-12">

            <div class="panel">

                <div class="panel-body">

                    <!--/stories-->

                    <?php
include $page.".php";

                    ?>

                </div>

            </div>

        </div><!--/col-12-->

```

```

</div>

</div>

<footer class="footer">

    <div class="container-fluid">

        <div class="copyright">

            &copy;

            <script>

                document.write(new
Date().getFullYear())

            </script>, Mitra Solusi Logistik

        </div>

    </div>

</footer>

</div>

</div>

    <!-- script references -->

</body>

</html>

```

home.php

```

<center>

<h3>Selamat Datang</h3>





<br>

<br><br>

<h3><b> Visi & Misi <br>PT Varuna Tirta
Prakasya (Persero)</b></h3>

</center>

```

```
<h4><b>Visi</b></h4>
```

<p>Visi adalah pedoman bagi perusahaan yang merupakan suatu keinginan terhadap keadaan di masa yang akan datang PT Varuna Tirta Prakasya (Persero) memiliki visi yang dijadikan acuan untuk pengembangan perusahaan ke depan yaitu :

Menjadi Perusahaan Pengelola Rantai Pasok (Supply Chain) terkemuka dan terpercaya di Indonesia dengan kemampuan Sumber Daya Manusia berdaya saing Global.

```
</p>
```

```
<h4><b>Misi</b></h4>
```

<p>Misi merupakan penjabaran secara tertulis mengenai makna visi yang mengandung falsafah atau nilai-nilai yang harus tertanam dalam tingkah laku seluruh organisasi perusahaan. Misi PT Varuna Tirta Prakasya(Persero) yaitu :</p>

```
<ul>
```

Menyediakan Solusi Rantai Pasok yang spesifik, bernilai tambah kompetitif

Menggunakan teknologi yang ramah lingkungan dan didukung oleh Sistem Informasi Teknologi

Senantiasa memberikan nilai tambah kepada para stakeholder

Senantiasa meningkatkan kompetensi Karyawan

Memberikan pelayanan terbaik kepada para Pelanggan

```
</ul>
```

koneksi.php

```
<?php
```

```
$con = new mysqli('localhost', 'root', '', 'bella');
```

```
if($con->connect_error){die('Connection
failed: '.$con->connect_error);}
```

```
?>
```

laporan_perhitungan.php

```
<?php if(!isset($_POST['cari'])){?>
```

```
<div class="row">
```

```
    <div class="col-md-1"></div>
```

```
    <div class="col-md-10">
```

```
        <form method="post">
```

```
        <div class='hide_print'>
```

```
            <h3>Laporan
```

```
Pengiriman</h3>
```

```
            <hr>
```

```
                Periode &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<input
type='date' name="dari" <?php
if(isset($_POST['cari'])){echo
'value="'.$_POST['dari']."";}>> s/d <input
type='date' name="sampai" <?php
if(isset($_POST['cari'])){echo
'value="'.$_POST['sampai']."";}>>
```

```
                <select name='id_mobil'
class='form-control'>
```

```
                <option value="">Semua
Mobil</option>
```

```
                <?php
$cari=mysqli_query($con,'select * from
mobil');
```

```
                while($opt=mysqli_fetch_array($cari)
){?>
```

```
                <option
value='<?=$opt['id_mobil']?>'><?=$opt['no_p
ol']?> <?=$opt['nama_supir']?></option>
```

```
                <?php }?>
```

```
</select>
```

```
                &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<input
type="submit" name="cari" class="btn btn-
primary'
value='Cari'>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<?php
}?><input type="button" class="btn btn-
primary' value='Cetak'
onclick='window.print()'>
```

```
</div>
```

```
<br>
```

```
<?php
```

```
$periode="";
```

```
if(isset($_POST['cari'])){
```

```
    if(strtotime($_POST['sampai'])<strtoti
me($_POST['dari'])){
```

```
        echo
"<script>alert('Tanggal awal harus lebih kecil
atau sama dengan tanggal akhir');</script>";
```

```
    }
```

```
        $periode="where
tanggal>=$_POST[dari] and
tanggal<=$_POST[sampai]";
```

```
        if($_POST['id_mobil']!=""){ $periode
=$periode." and
mobil.id_mobil=$_POST[id_mobil]";}
```

```
?>
```

```
                <br><b style="text-
align:right;font-size:220%">Laporan
Pengiriman</b><br>Periode: <?php echo
date("d M Y",strtotime($_POST['dari']))."
sampai ".date("d M
Y",strtotime($_POST['sampai']))?><br><br><
br><br>
```

```
<table class='table table-striped table-no-bordered table-hover' id='tabel'>
```

```
<thead><tr>
```

```
<th>id mobil</th>
```

```
<th>barang</th>
```

```
<th>tanggal</th>
```

```
<th>jumlah</th>
```

```
<th>satuan</th>
```

```
<th>asal</th>
```

```
<th>tujuan</th>
```

```
<th>harga</th>
```

```
<th>biaya angkutan</th>
```

```
<th>biaya pelaksanaan</th>
```

```
<th>laba</th>
```

```
</tr></thead>
```

```
<tbody>
```

```
<?php $cari=mysqli_query($con,"select *
from pengiriman inner join mobil on
pengiriman.id_mobil=mobil.id_mobil
$periode");
```

```
$by_1=0;
```

```
$by_2=0;
```

```
$by_3=0;
```

```
while($res=mysqli_fetch_array($cari)){
```

```
$by_1=$by_1+$res['biaya_angkutan'];
```

```
$by_2=$by_2+$res['biaya_pelaksanaan'];
```

```
$by_3=$by_3+$res['harga'];
```

```
    ?>
```

```
<tr>
```

```
<td><?=$res['no_pol']?></td>
```

```
<td><?=$res['barang']?></td>
```

```
<td><?=$res['tanggal']?></td>
```

```
<td><?=$res['jumlah']?></td>
```

```
<td><?=$res['satuan']?></td>
```

```
<td><?=$res['asal']?></td>
```

```
<td><?=$res['tujuan']?></td>
```

```
<td><?=number_format($res['harga'])?></td>
```

```
<td><?=number_format($res['biaya_angkutan'
])?></td>
```

```
<td><?=number_format($res['biaya_pelaksana
an'])?></td>
```

```
<td><?=number_format($res['harga']-
$res['biaya_angkutan']-
$res['biaya_pelaksanaan'])?></td>
```

```
</tr>
```

```
<?php }?>
```

```
<tr>
```

```
<td colspan="7">Total</td>
```

```
<td><?=number_format($by_3)?></td>
```

```
>
```

```
<td><?=number_format($by_1)?></td>
```

```
>
```

```
<td><?=number_format($by_2)?></td>
```

```
>
```

```
<td><?=number_format($by_3-
($by_2+$by_1))?></td>
```

```
</tr>
```

```
</tbody>
```

```
</table>
```



```
<div style="float:right;width:300px"
align="center">
```

```
<b>PLT KEPALA CABANG
```

```
<br><br><br><br><br>KOSOD</b>
```

```
</div>
```

```
<?php
```

```
}
```

```
?>
```

```
</form>
```

```
</div>
```

```
</div>
```

laporan_perhitungan.php

```
<?php if(!isset($_POST['cari'])){?>
```

```
<div class="row">
```

```
<div class="col-md-1"></div>
```

```
<div class="col-md-10">
```

```
<form method="post">
```

```
<div class='hide_print'>
```

```
<h3>Laporan
```

```
Perhitungan</h3>
```

```
<hr>
```

```
Periode &nbsp;&nbsp;&nbsp;<input
type='date' name="dari" <?php
if(isset($_POST['cari'])){echo
'value="" .$_POST['dari']."";}?>> s/d <input
type='date' name="sampai" <?php
if(isset($_POST['cari'])){echo
'value="" .$_POST['sampai']."";}?>>
```

```
&nbsp;&nbsp;&nbsp;&nbsp;<input
type="submit" name="cari" class='btn btn-
primary'
value='Cari'>&nbsp;&nbsp;&nbsp;&nbsp;<?php
```

```
</div>
```

```
<br>
```

```
<?php
```

```
if(isset($_POST['cari'])){
```

```
if(strtotime($_POST['sampai'])<strtoti
me($_POST['dari'])){
```

```
echo
```

```
"<script>alert("Tanggal awal harus lebih kecil
atau sama dengan tanggal akhir");</script>";
```

```
}
```

```
?>
```

```
<br><b style="text-
align:right;font-size:220%">Laporan
Perhitungan</b><br>Periode: <?php echo
date("d M Y",strtotime($_POST['dari']))."
sampai ".date("d M
Y",strtotime($_POST['sampai']))?><br><br><br><br>
```

```
<table class='table table-striped table-no-
bordered table-hover' id='tabel'>
```

```
<thead><tr>
```

```
<th>mobil</th>
```

```
<th>jumlah rit</th>
```

```
<th>harga</th>
```

```
<th>angkutan</th>
```

```
<th>pelaksana</th>
```

```
<th>ban</th>
```

```

<th>sparepart</th>

<th>jumlah biaya</th>

<th>laba/rugi</th>

</tr></thead>

<tbody>

<?php $cari=mysqli_query($con,"select
mobil.*, count(*) as rit, sum(harga) as harga,
sum(biaya_angkutan) as biaya_angkutan,
sum(biaya_pelaksanaan) as biaya_pelaksanaan
from mobil left join pengiriman on
mobil.id_mobil=pengiriman.id_mobil where
pengiriman.tanggal>='$_POST[dari]' and
pengiriman.tanggal<='$_POST[sampai]' group
by mobil.id_mobil");

$jmlh_rit=0;

$bharga=0;

$bangkut=0;

$bpelaksana=0;

$bban=0;

$bsparepart=0;

$bjmlh=0;

$blaba=0;

while($res=mysqli_fetch_array($cari)){

    $ban=mysqli_fetch_array(mysqli_quer
y($con,"select sum(harga*jumlah) as rawat
from service inner join sparepart on
sparepart.id_sparepart=service.id_sparepart
where tanggal>='$_POST[dari]' and
tanggal<='$_POST[sampai]' and
id_mobil='$res[id_mobil]' and jenis='Ban'"));

    $ban=intval($ban['rawat']);

    $sparepart=mysqli_fetch_array(mysqli
_query($con,"select sum(harga*jumlah) as
rawat from service inner join sparepart on
sparepart.id_sparepart=service.id_sparepart
where tanggal>='$_POST[dari]' and

```

```

tanggal<='$_POST[sampai]' and
id_mobil='$res[id_mobil]' and
jenis='Sparepart'"));

    $sparepart=intval($sparepart['rawat']);

    $biaya=$res['biaya_angkutan']+$res['b
iaya_pelaksanaan']+$ban+$sparepart;

    $jmlh_rit=$jmlh_rit+$res['rit'];

    $bharga=$bharga+$res['harga'];

    $bangkut=$bangkut+$res['biaya_angk
utan'];

    $bpelaksana=$bpelaksana+$res['biaya
_pelaksanaan'];

    $bban=$bban+$ban;

    $bsparepart=$bsparepart+$sparepart;

    $bjmlh=$bjmlh+$biaya;

    $blaba=$blaba+$res['harga']-$biaya;

    ?>

<tr>

    <td><?=$res['no_pol']?></td>

    <td><?=$res['rit']?></td>

    <td><?=number_format($res['harga'])?></td>

    <td><?=number_format($res['biaya_angkutan'
])?></td>

    <td><?=number_format($res['biaya_pelaksana
an'])?></td>

    <td><?=number_format($ban)?></td>

    <td><?=number_format($sparepart)?></td>

    <td><?=number_format($biaya)?></td>

    <td><?=number_format($res['harga']-
$biaya)?></td>

```

```

</tr>

<?php }?>

<tr style="font-weight:bold">

    <td>Total</td>

    <td><?=$jmlh_rit?></td>

    <td><?=number_format($bharga)?></td>

    <td><?=number_format($bangkut)?></td>

    <td><?=number_format($bpelaksana)?></td>

    <td><?=number_format($bban)?></td>

    <td><?=number_format($bsparepart)?></td>

    <td><?=number_format($bjmlh)?></td>

    <td><?=number_format($blaba)?></td>

</tr>

</tbody>

</table>

<br><br><br>

<div style="float:right;width:300px"
align="center">

<b>PLT KEPALA CABANG

<br><br><br><br><br>KOSOD</b>

</div>

<?php

    }

?>

</form>

```

```

</div>

</div>

laporan_service.php

<?php if(!isset($_POST['cari'])){?>

<div class="row">

    <div class="col-md-1"></div>

    <div class="col-md-10">

        <form method="post">

            <div class='hide_print'>

                <h3>Laporan Service</h3>

                <hr>

                Periode &nbsp;&nbsp;&nbsp;<input
type='date' name="dari" <?php
if(isset($_POST['cari'])){echo
'value="'. $_POST['dari']. '";}>> s/d <input
type='date' name="sampai" <?php
if(isset($_POST['cari'])){echo
'value="'. $_POST['sampai']. '";}>>

                <select name='id_mobil'
class='form-control'>

                    <option value="">Semua
Mobil</option>

                    <?php
$cari=mysqli_query($con,'select * from
mobil');

                    while($opt=mysqli_fetch_array($cari)
){?>

                        <option
value='<?=$opt['id_mobil']?'>'><?=$opt['no_p
ol']?'> <?=$opt['nama_supir']?'></option>

                    <?php }?>

                </select>

```

```

        &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<input
type="submit" name="cari" class='btn btn-
primary'
value='Cari'>&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<?php
?><input type="button" class='btn btn-
primary' value='Cetak'
onclick='window.print()'>

```

```

</div>

```

```

<br>

```

```

<?php

```

```

    $periode="";

```

```

    if(isset($_POST['cari'])){

```

```

        if(strtotime($_POST['sampai'])<strtoti
me($_POST['dari'])){

```

```

                                echo
"<script>alert('Tanggal awal harus lebih kecil
atau sama dengan tanggal akhir');</script>";

```

```

        }

```

```

        $periode="where
tanggal>='$_POST[dari]' and
tanggal<='$_POST[sampai]";

```

```

        if($_POST['id_mobil']!=""){ $periode
=$periode." and
mobil.id_mobil='$_POST[id_mobil]";}

```

```

        ?>

```

```

                                <br><b style="text-
align:right;font-size:220%">Laporan
Sparepart</b><br>Periode: <?php echo
date("d M Y",strtotime($_POST['dari']))."
sampai ".date("d M
Y",strtotime($_POST['sampai']))?><br><br><
br><br>

```

```

<table class='table table-striped table-no-
bordered table-hover' id='tabel'>

```

```

<thead><tr>

```

```

    <th>mobil</th>

```

```

    <th>tanggal</th>

```

```

    <th>sparepart</th>

```

```

    <th>jumlah</th>

```

```

    <th>harga</th>

```

```

    <th>Total</th>

```

```

</tr></thead>

```

```

<tbody>

```

```

<?php $cari=mysqli_query($con,"select *
from service inner join mobil on
mobil.id_mobil=service.id_mobil inner join
sparepart on
sparepart.id_sparepart=service.id_sparepart
$periode");

```

```

    $jmlh=0;

```

```

    $hrga=0;

```

```

    $total=0;

```

```

    while($res=mysqli_fetch_array($cari)){

```

```

        $jmlh=$jmlh+$res['jumlah'];

```

```

        $hrga=$hrga+$res['harga'];

```

```

        $total=$total+($res['harga']*$res['juml
ah']);?>

```

```

    <tr>

```

```

        <td><?=$res['no_pol']?></td>

```

```

        <td><?=$res['tanggal']?></td>

```

```

        <td><?=$res['nama_sparepart']?></td>

```

```

        <td><?=$res['jumlah']?></td>

```

```

    <td><?=number_format($res['harga'])?></td>

```

```
<td><?=number_format($res['harga']*$res['jumlah'])?></td>
```

```
</tr>
```

```
<?php }?>
```

```
<tr>
```

```
<td colspan="3">Total</td>
```

```
<td><?=number_format($jmlh)?></td>
```

```
>
```

```
<td><?=number_format($hrga)?></td>
```

```
>
```

```
<td><?=number_format($total)?></td>
```

```
>
```

```
</tr>
```

```
</tbody>
```

```
</table>
```

```
<div style="float:right;width:300px"
align="center">
```

```
<b>PLT KEPALA CABANG
```

```
<br><br><br><br><br>KOSOD</b>
```

```
</div>
```

```
<?php
```

```
}
```

```
?>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
login.php
```

```
<?php
```

```
session_start();
```

```
if(isset($_SESSION['log'])){
```

```
header("location:index.php");
```

```
}
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta http-equiv="content-
type" content="text/html; charset=UTF-8">
```

```
<meta charset="utf-8">
```

```
<title>Mitra Solusi Logistik
```

```
</title>
```

```
<meta name="generator"
content="Bootply" />
```

```
<meta name="viewport"
content="width=device-width, initial-scale=1,
maximum-scale=1">
```

```
<link
href="./assets/css/bootstrap.min.css"
rel="stylesheet" />
```

```
<link href="./assets/css/font-
awesome.min.css" rel="stylesheet">
```

```
<link
href="./assets/css/dataTables.bootstrap.min.css"
rel="stylesheet">
```

```
<link href="./assets/css/now-
ui-dashboard.css?v=1.1.0" rel="stylesheet" />
```

```
<link href="./logo.png"
rel="icon">
```

```
<!-- CSS Just for demo
purpose, don't include it in your project -->
```

```
<link
href="./assets/demo/demo.css"
rel="stylesheet" />
```

```

        <script
src="./assets/js/core/jquery.min.js"></script>

        <script
src="./assets/js/core/popper.min.js"></script>

        <script
src="./assets/js/core/bootstrap.min.js"></script>
>

        <script
src="./assets/js/jquery.dataTables.min.js"></sc
ript>

        <script
src="./assets/js/plugins/perfect-
scrollbar.jquery.min.js"></script>

        <!-- Chart JS -->

        <script
src="./assets/js/plugins/chartjs.min.js"></script>
>

        <!-- Notifications Plugin --
>

        <script
src="./assets/js/plugins/bootstrap-
notify.js"></script>

        <!-- Control Center for Now
Ui Dashboard: parallax effects, scripts for the
example pages etc -->

        <script src="./assets/js/now-
ui-dashboard.min.js?v=1.1.0"
type="text/javascript"></script>

        <style>

        #tabel_previous{ margin:1em}

        #tabel_next{ margin:1em}

        </style>

</head>

<body>

<body style="background:linear-gradient(to
bottom right, #99e6ff, #fdffff, #0040ff);">

```

```

<div class="wrapper">

    <center>

        <br><br><br>

        <h3></h3>

        <div style="max-width:400px;
box-shadow:gray 0px 0px
5px;padding:1em;background:#FFF">

            <form method="post"
action="index.php">

                Username

                <input type="text"
class="form-control" placeholder="Username"
name="username" required>

                Password

                <input type="password"
class="form-control" placeholder="Password"
name="password" required>

                <hr>

                <button class="btn btn-info
btn-block" type="submit"><i class="glyphicon
glyphicon-log-in"></i> Login</button>

            </form>

        </div>

        <br><br><br>

    </center>

</div>

<footer class="footer">

```

```

<div class="container-fluid">

<div class="copyright">

    &copy;

    <script>

        document.write(new
Date().getFullYear())

    </script>

</div>

</div>

</footer>

</div>

</div>

    <!-- script references -->

</body>

</html>

```

logout.php

```

<?php
session_destroy();

?>

<script>

document.location='?';

</script>

```

mobil.php

```

<?php
$aksi='tambah';

```

```

if(isset($_GET['e'])){

    $aksi='ubah';

    $id=$_GET['e'];

    $cari=mysqli_query($con,"select * from
mobil where id_mobil='$id'");

    $cd=mysqli_fetch_array($cari);

}

if(isset($_POST['tambah'])){

    $simpan=mysqli_query($con,"insert into
mobil
values(null,$_POST[no_pol'],$_POST[jenis_
kendaraan'],$_POST[nama_supir])");

    if($simpan){

        echo '<script>alert("Data berhasil
disimpan");document.location="?p=mobil";</s
cript>';

    }

}

if(isset($_POST['ubah'])){

    $simpan=mysqli_query($con,"update mobil
set
no_pol=$_POST[no_pol],jenis_kendaraan='$_
_POST[jenis_kendaraan]' where
id_mobil='$id'");

    if($simpan){

        echo '<script>alert("Data berhasil
diubah");document.location="?p=mobil";</scr
ipt>';

    }

}

if(isset($_GET['d'])){

    $hapus=mysqli_query($con,"delete from
mobil where id_mobil=$_GET[d]");

    if($hapus){

```

```

        echo '<script>alert("Data berhasil
dihapus");document.location="?p=mobil";</sc
ript>';

    }

}

?>

<form method='post' enctype='multipart/form-
data'>

<table width='100%'>

<tr><td>No pol</td><td>

<input required type='text' <?php
if($aksi=='ubah'){echo
'value="'. $cd['no_pol']. '";}> name='no_pol'
class='form-control'></td></tr>

<tr><td>Jenis kendaraan</td><td>

<input required type='text' <?php
if($aksi=='ubah'){echo
'value="'. $cd['jenis_kendaraan']. '";}>
name='jenis_kendaraan' class='form-
control'></td></tr>

<tr><td>Nama Supir</td><td>

<input required type='text' <?php
if($aksi=='ubah'){echo
'value="'. $cd['nama_supir']. '";}>
name='nama_supir' class='form-
control'></td></tr>

<tr><td>&nbsp;</td><td><input
type='submit' value='Simpan' name='<?php
if($aksi=='ubah'){echo 'ubah';}else{echo
'tambah';}>' class='btn btn-primary'><input
type='button' value='Refresh'
onclick="document.location='?p=mobil'"
class='btn btn-warning'></td></tr>

</table>

</form>

```

```

<table class='table table-striped table-no-
bordered table-hover' id='tabel'>

<thead><tr>

    <th>no pol</th>

    <th>jenis kendaraan</th>

    <th>Nama Supir</th>

    <th> Aksi </th>

</tr></thead>

<tbody>

<?php $cari=mysqli_query($con,'select * from
mobil');

while($res=mysqli_fetch_array($cari)){?>

<tr>

    <td><?=$res['no_pol']?></td>

    <td><?=$res['jenis_kendaraan']?></td>

    <td><?=$res['nama_supir']?></td>

    <td><a
href="?p=mobil&e=<?=$res['id_mobil']?>"
class='btn btn-warning'><i class='fa fa-
pencil'></i></a><a
href="?p=mobil&d=<?=$res['id_mobil']?>"
class='btn btn-danger' onclick="return
confirm('Hapus data?')"><i class='fa fa-trash-
o'></i></a></td>

</tr>

<?php }?>

</tbody>

</table>

<script>

$(document).ready(function() {

$('#tabel').DataTable();

});

```


</script>

pengguna.php

<?php

\$aksi='tambah';

if(isset(\$_GET['e'])){

 \$aksi='ubah';

 \$id=\$_GET['e'];

 \$cari=mysqli_query(\$con,"select * from
pengguna where id_pengguna='\$id'");

 \$cdd=mysqli_fetch_array(\$cari);

}

if(isset(\$_POST['tambah'])){

 \$simpan=mysqli_query(\$con,"insert into
pengguna
values(null,'\$_POST[username]',\$_POST[user
name'],'".\$_POST['akses'].")");

 if(\$simpan){

 echo '<script>alert("Data berhasil
disimpan");document.location="?p=pengguna"
</script>';

 }

}

if(isset(\$_POST['ubah'])){

 \$simpan=mysqli_query(\$con,"update
pengguna set
username='\$_POST[username]',akses='\$_POS
T[akses]' where id_pengguna='\$id'");

 if(\$simpan){

 echo '<script>alert("Data berhasil
diubah");document.location="?p=pengguna";<
/script>';

 }

}

if(isset(\$_GET['d'])){

 \$hapus=mysqli_query(\$con,"delete from
pengguna where id_pengguna=\$_GET[d]");

 if(\$hapus){

 echo '<script>alert("Data berhasil
dihapus");document.location="?p=pengguna";
</script>';

 }

}

?>

<form method='post' enctype='multipart/form-
data'>

<table width='100%'>

<tr><td>Username</td><td>

<input required type='text' <?php
if(\$aksi=='ubah'){echo
'value="'.\$cdd['username'].'";}?>
name='username' class='form-
control'></td></tr>

<tr><td>Akses</td><td>

<select class='form-control' name='akses'
required>

<option <?php
if(\$aksi=='ubah'){if(\$cdd['akses']=='Staff
Operasional'){echo 'selected="";}}?>>Staff
Operasional</option>

<option <?php
if(\$aksi=='ubah'){if(\$cdd['akses']=='Staff
Pembukuan){echo 'selected="";}}?>>Staff
Pembukuan</option>

<option <?php
if(\$aksi=='ubah'){if(\$cdd['akses']=='Kepala
Cabang){echo 'selected="";}}?>>Kepala
Cabang</option>

</select></td></tr>

```

<tr><td>&nbsp;</td><td><input
type='submit' value='Simpan' name='<?php
if($aksi=='ubah'){echo 'ubah';}else{echo
'tambah';}>' class='btn btn-primary'><input
type='button' value='Refresh'
onclick="document.location='?p=pengguna'"
class='btn btn-warning'></td></tr>

</table>

</form>

<table class='table table-striped table-no-
bordered table-hover' id='tabel'>

<thead><tr>

<th>username</th>

<th>akses</th>

<th> Aksi </th>

</tr></thead>

<tbody>

<?php $cari=mysqli_query($con,'select * from
pengguna');

while($res=mysqli_fetch_array($cari)){?>

<tr>

<td><?=$res['username']?></td>

<td><?=$res['akses']?></td>

<td><a
href="?p=pengguna&e=<?=$res['id_pengguna']?>" class='btn btn-warning'><i class='fa fa-
pencil'></i></a><a
href="?p=pengguna&d=<?=$res['id_pengguna']?>" class='btn btn-danger' onclick="return
confirm('Hapus data?')"><i class='fa fa-trash-
o'></i></a></td>

</tr>

<?php }?>

</tbody>

</table>

```

```

<script>

$(document).ready(function() {

$('#tabel').DataTable();

});

</script>

pengiriman.php

<?php

$aksi='tambah';

if(isset($_GET['e'])){

    $aksi='ubah';

    $id=$_GET['e'];

    $cari=mysqli_query($con,"select * from
pengiriman where id_pengiriman='$id'");

    $cd=mysqli_fetch_array($cari);

}

if(isset($_POST['tambah'])){

    $simpan=mysqli_query($con,"insert into
pengiriman
values(null,$_POST[id_mobil'],$_POST[bara
ng'],$_POST[tanggal'],$_POST[jumlah'],$_P
OST[satuan'],$_POST[asal'],$_POST[tujuan]'
,$_POST[harga'],$_POST[biaya_angkutan]','"
.$_POST[biaya_pelaksanaan]."'");

    if($simpan){

        echo '<script>alert("Data berhasil
disimpan");document.location="?p=pengirima
n";</script>';

    }

}

if(isset($_POST['ubah'])){

```

```

$simpan=mysqli_query($con,"update
pengiriman set
id_mobil=$_POST[id_mobil],barang=$_POST[barang],tanggal=$_POST[tanggal],jumlah=$_POST[jumlah],satuan=$_POST[satuan],asal=$_POST[asal],tujuan=$_POST[tujuan],harga=$_POST[harga],biaya_angkutan=$_POST[biaya_angkutan],biaya_pelaksanaan=$_POST[biaya_pelaksanaan] where
id_pengiriman=$id");

if($simpan){
    echo '<script>alert("Data berhasil
diubah");document.location="?p=pengiriman";
</script>';
}
}

if(isset($_GET['d'])){
    $hapus=mysqli_query($con,"delete from
pengiriman where
id_pengiriman=$_GET[d]");

    if($hapus){
        echo '<script>alert("Data berhasil
dihapus");document.location="?p=pengiriman";
</script>';
    }
}

?>

<form method='post' enctype='multipart/form-data'>

<table width='100%'>

<tr><td>No Polisi</td><td>

<select name='id_mobil' class='form-control'>

<?php $cari=mysqli_query($con,'select * from
mobil');
while($opt=mysqli_fetch_array($cari)){?>

```

```

<option value='<?=$opt[id_mobil]?>' <?php
if($aksi=='ubah'){if($cd[id_mobil]==$opt[id
_mobil]){echo
'selected="";}}?><?=$opt[no_pol]?></option>

<?php }?>

</select></td></tr>

<tr><td>Barang</td><td>

<input required type='text' <?php
if($aksi=='ubah'){echo
'value="'.$cd[barang]."'?> name='barang'
class='form-control'></td></tr>

<tr><td>Tanggal</td><td>

<input required type='date' <?php
if($aksi=='ubah'){echo
'value="'.$cd[tanggal]."'?> name='tanggal'
class='form-control'></td></tr>

<tr><td>Jumlah Barang</td><td>

<input required type='number' <?php
if($aksi=='ubah'){echo
'value="'.$cd[jumlah]."'?> name='jumlah'
class='form-control'></td></tr>

<tr><td>Satuan</td><td>

<select class='form-control' name='satuan'
required>

<option <?php
if($aksi=='ubah'){if($cd[satuan]=='SACK'){e
cho 'selected="";}}?>SACK</option>

<option <?php
if($aksi=='ubah'){if($cd[satuan]=='BALE'){e
cho 'selected="";}}?>BALE</option>

<option <?php
if($aksi=='ubah'){if($cd[satuan]=='PALLET')
{echo 'selected="";}}?>PALLET</option>

<option <?php
if($aksi=='ubah'){if($cd[satuan]=='KG'){e
cho 'selected="";}}?>KG</option>

```

```

<option <?php
if($aksi=='ubah'){if($cd['satuan']=='UNIT'){ec
ho 'selected="";}}?>>UNIT</option>

</select></td></tr>

<tr><td>Asal</td><td>

<input required type='text' <?php
if($aksi=='ubah'){echo
'value="'.$cd['asal'].'";}> name='asal'
class='form-control'></td></tr>

<tr><td>Tujuan</td><td>

<input required type='text' <?php
if($aksi=='ubah'){echo
'value="'.$cd['tujuan'].'";}> name='tujuan'
class='form-control'></td></tr>

<tr><td>Harga</td><td>

<input required type='number' <?php
if($aksi=='ubah'){echo
'value="'.$cd['harga'].'";}> name='harga'
class='form-control'></td></tr>

<tr><td>Biaya angkutan</td><td>

<input required type='number' <?php
if($aksi=='ubah'){echo
'value="'.$cd['biaya_angkutan'].'";}>
name='biaya_angkutan' class='form-
control'></td></tr>

<tr><td>Biaya pelaksanaan</td><td>

<input required type='number' <?php
if($aksi=='ubah'){echo
'value="'.$cd['biaya_pelaksanaan'].'";}>
name='biaya_pelaksanaan' class='form-
control'></td></tr>

<tr><td>&nbsp;</td><td><input
type='submit' value='Simpan' name='<?php
if($aksi=='ubah'){echo 'ubah';}else{echo
'tambah';}>' class='btn btn-primary'><input
type='button' value='Refresh'
onclick="document.location='?p=pengiriman"'
class='btn btn-warning'></td></tr>

</table>

```

```

</form>

<table class='table table-striped table-no-
bordered table-hover' id='tabel'>

<thead><tr>

<th>No Polisi</th>

<th>barang</th>

<th>tanggal</th>

<th>jumlah Barang</th>

<th>satuan</th>

<th>asal</th>

<th>tujuan</th>

<th>harga</th>

<th>biaya angkutan</th>

<th>biaya pelaksanaan</th>

<th> Aksi </th>

</tr></thead>

<tbody>

<?php $cari=mysqli_query($con,'select * from
pengiriman inner join mobil on
mobil.id_mobil=pengiriman.id_mobil');

while($res=mysqli_fetch_array($cari)){?>

<tr>

<td><?=$res['no_pol']?></td>

<td><?=$res['barang']?></td>

<td><?=$res['tanggal']?></td>

<td><?=$res['jumlah']?></td>

<td><?=$res['satuan']?></td>

<td><?=$res['asal']?></td>

<td><?=$res['tujuan']?></td>

```

```
<td><?=number_format($res['harga'])?></td>
```

```
<td><?=number_format($res['biaya_angkutan'])?></td>
```

```
<td><?=number_format($res['biaya_pelaksanaan'])?></td>
```

```
<td><a href="?p=pengiriman&e=<?=$res['id_pengiriman']?>" class='btn btn-warning'><i class='fa fa-pencil'></i></a><a href="?p=pengiriman&d=<?=$res['id_pengiriman']?>" class='btn btn-danger' onclick="return confirm('Hapus data?')"><i class='fa fa-trash-o'></i></a></td>
```

```
</tr>
```

```
<?php }?>
```

```
</tbody>
```

```
</table>
```

```
<script>
```

```
$(document).ready(function() {
```

```
$('#tabel').DataTable();
```

```
});
```

```
</script>
```

report.php

```
<form method='post' enctype='multipart/form-data'>
```

Periode

```
<input type="date" name="dari" required>
```

```
<input type="date" name="sampai" required>
```

```
<button class="btn btn-info" name="cari">Cari</button>
```

```
</form>
```

```
<?php
```

```
if(isset($_POST['cari'])){
```

```
    $total_laba=0;
```

```
    $total_biaya=0;
```

```
?>
```

```
<script>
```

```
$(function(){
```

```
    $("input[name='dari']").val("<?=$_POST['dari']?>");
```

```
    $("input[name='sampai']").val("<?=$_POST['sampai']?>");
```

```
});
```

```
</script>
```

```
<div class="row">
```

```
<div class="col-md-6">
```

```
<table class='table table-striped table-bordered table-hover'>
```

```
<thead><tr>
```

```
<th>mobil</th>
```

```
<th>barang</th>
```

```
<th>tanggal</th>
```

```
<th>rute</th>
```

```
<th>laba</th>
```

```
</tr></thead>
```

```
<tbody>
```

```
<?php $cari=mysqli_query($con,"select * from pengiriman inner join mobil on mobil.id_mobil=pengiriman.id_mobil where
```

```

tanggal>='$_POST[dari]' and
tanggal<='$_POST[sampai]");

while($res=mysqli_fetch_array($cari)){

$lab=$res['harga']-$res['biaya_angkutan']-
$res['biaya_pelaksanaan'];

$total_laba+=$lab;

?>

<tr>

<td><?=$res['no_pol']?></td>

<td><?=$res['barang']?></td>

<td><?=$res['tanggal']?></td>

<td><?=$res['asal']?> -
<?=$res['tujuan']?></td>

<td><?=number_format($lab)?></td>

</tr>

<?php }?>

</tbody>

</table>

<h3>Total Laba Pengiriman Rp
<?=number_format($total_laba)?></h3>

</div>

<div class="col-md-6">

<table class="table table-striped table-bordered
table-hover">

<thead><tr>

<th>mobil</th>

<th>sparepart</th>

<th>tanggal</th>

<th>biaya</th>

</tr></thead>

```

```

<tbody>

<?php $cari=mysqli_query($con,"select *
from service inner join sparepart on
sparepart.id_sparepart=service.id_sparepart
inner join mobil on
mobil.id_mobil=service.id_mobil where
tanggal>='$_POST[dari]' and
tanggal<='$_POST[sampai]");

while($res=mysqli_fetch_array($cari)){

$biaya=$res['harga']*$res['jumlah'];

$total_biaya+=$biaya;

?>

<tr>

<td><?=$res['no_pol']?></td>

<td><?=$res['nama_sparepart']?></td>

<td><?=$res['tanggal']?></td>

<td><?=number_format($biaya)?></td>

</tr>

<?php }?>

</tbody>

</table>

<h3 align="right">Total Biaya service Rp
<?=number_format($total_biaya)?></h3>

</div>

<div class="col-md-12" align="center">

<h3>Laba Rugi Rp
<?=number_format($total_laba-
$total_biaya)?></h3>

</div>

</div>

<?php }?>

```

service.php

```
<?php

$aksi='tambah';

if(isset($_GET['e'])){

    $aksi='ubah';

    $id=$_GET['e'];

    $cari=mysqli_query($con,"select * from
service where id_service='$id'");

    $cd=mysqli_fetch_array($cari);
}

if(isset($_POST['tambah'])){

    $simpan=mysqli_query($con,"insert into
service
values(null,$_POST[id_mobil'],$_POST[id_s
parepart'],$_POST[tanggal'],$_POST[harga'],'
".$_POST[jumlah]."'");

    if($simpan){

        echo '<script>alert("Data berhasil
disimpan");document.location="?p=service";<
/script>';

    }

}

if(isset($_POST['ubah'])){

    $simpan=mysqli_query($con,"update service
set
id_mobil=$_POST[id_mobil],id_sparepart=$_
_POST[id_sparepart],tanggal=$_POST[tangg
al],harga=$_POST[harga],jumlah=$_POST[j
umlah] where id_service='$id'");

    if($simpan){

        echo '<script>alert("Data berhasil
diubah");document.location="?p=service";</sc
ript>';
```

```
    }

}

if(isset($_GET['d'])){

    $hapus=mysqli_query($con,"delete from
service where id_service=$_GET[d]");

    if($hapus){

        echo '<script>alert("Data berhasil
dihapus");document.location="?p=service";</s
cript>';

    }

}

?>

<form method='post' enctype='multipart/form-
data'>

<table width='100%'>

<tr><td>Mobil</td><td>

<select name='id_mobil' class='form-control'>

<?php $cari=mysqli_query($con,'select * from
mobil');

while($opt=mysqli_fetch_array($cari)){?>

<option value='<?=$opt[id_mobil]?>' <?php
if($aksi=='ubah'){if($cd[id_mobil]==$opt[id
_mobil]){echo
'selected="";}}?><?=$opt[no_pol]?></optio
n>

<?php }?>

</select></td></tr>

<tr><td>Sparepart</td><td>

<select name='id_sparepart' class='form-
control'>

<?php $cari=mysqli_query($con,'select * from
sparepart');

while($opt=mysqli_fetch_array($cari)){?>
```

```

<option value='<?=$opt['id_sparepart']?'>'
<?php
if($aksi=='ubah'){if($cd['id_sparepart']==$opt[
'id_sparepart']){echo
'selected="";}}?'><?=$opt['nama_sparepart']
?'></option>

<?php }?>

</select></td></tr>

<tr><td>Tanggal</td><td>

<input required type='date' <?php
if($aksi=='ubah'){echo
'value="'.$cd['tanggal'].'";}}?'> name='tanggal'
class='form-control'></td></tr>

<tr><td>Harga</td><td>

<input required type='number' <?php
if($aksi=='ubah'){echo
'value="'.$cd['harga'].'";}}?'> name='harga'
class='form-control'></td></tr>

<tr><td>Jumlah</td><td>

<input required type='number' <?php
if($aksi=='ubah'){echo
'value="'.$cd['jumlah'].'";}}?'> name='jumlah'
class='form-control'></td></tr>

<tr><td>&nbsp;</td><td><input
type='submit' value='Simpan' name='<?php
if($aksi=='ubah'){echo 'ubah';} else{echo
'tambah';}}?'>' class='btn btn-primary'><input
type='button' value='Refresh'
onclick="document.location='?p=service'"
class='btn btn-warning'></td></tr>

</table>

</form>

<table class='table table-striped table-no-
bordered table-hover' id='tabel'>

<thead><tr>

<th>id mobil</th>

<th>id sparepart</th>

```

```

<th>tanggal</th>

<th>harga</th>

<th>jumlah</th>

<th> Aksi </th>

</tr></thead>

<tbody>

<?php $cari=mysqli_query($con,'select * from
service');

while($res=mysqli_fetch_array($cari)){?>

<tr>

<td><?=$res['id_mobil']?'></td>

<td><?=$res['id_sparepart']?'></td>

<td><?=$res['tanggal']?'></td>

<td><?=$res['harga']?'></td>

<td><?=$res['jumlah']?'></td>

<td><a
href="?p=service&e=<?=$res['id_service']?'>"
class='btn btn-warning'><i class='fa fa-
pencil'></i></a><a
href="?p=service&d=<?=$res['id_service']?'>"
class='btn btn-danger' onclick="return
confirm('Hapus data?')"><i class='fa fa-trash-
o'></i></a></td>

</tr>

<?php }?>

</tbody>

</table>

<script>

$(document).ready(function() {

$('#tabel').DataTable();

});

</script>

```


sparepart.php

```
<?php
$aksi='tambah';

if(isset($_GET['e'])){
    $aksi='ubah';

    $id=$_GET['e'];

    $cari=mysqli_query($con,"select * from
    sparepart where id_sparepart='$id'");

    $cd=mysqli_fetch_array($cari);
}

if(isset($_POST['tambah'])){

    $simpan=mysqli_query($con,"insert into
    sparepart
    values(null,'$_POST[nama_sparepart]',".$_POST['harga_terakhir'].",".$_POST['jenis'].")");

    if($simpan){

        echo '<script>alert("Data berhasil
        disimpan");document.location="?p=sparepart"
        ;</script>';

    }
}

if(isset($_POST['ubah'])){

    $simpan=mysqli_query($con,"update
    sparepart set
    nama_sparepart='$_POST[nama_sparepart]',ha
    rga_terakhir='$_POST[harga_terakhir]',
    jenis="$_POST['jenis']"." where
    id_sparepart='$id'");

    if($simpan){

        echo '<script>alert("Data berhasil
        diubah");document.location="?p=sparepart";</
        script>';

    }
}
```

```
}

if(isset($_GET['d'])){

    $hapus=mysqli_query($con,"delete from
    sparepart where id_sparepart='$_GET[d]'");

    if($hapus){

        echo '<script>alert("Data berhasil
        dihapus");document.location="?p=sparepart";
        </script>';

    }
}

?>

<form method='post' enctype='multipart/form-
data'>

<table width='100%'>

<tr><td>Nama sparepart</td><td>

<input required type='text' <?php
if($aksi=='ubah'){echo
'value="$_cd[nama_sparepart]";}>
name='nama_sparepart' class='form-
control'></td></tr>

<tr><td>Harga terakhir</td><td>

<input required type='number' <?php
if($aksi=='ubah'){echo
'value="$_cd[harga_terakhir]";}>
name='harga_terakhir' class='form-
control'></td></tr>

<tr><td>Jenis</td><td>

<select name='jenis' class='form-control'>

    <option>Ban</option>

    <option>Sparepart</option>

</select></td></tr>

<tr><td>&nbsp;</td><td><input
type='submit' value='Simpan' name='<?php
if($aksi=='ubah'){echo 'ubah';}else{echo
'tambah';}>' class='btn btn-primary'><input
```

```

type='button' value='Refresh'
onclick="document.location='?p=sparepart'"
class='btn btn-warning'></td></tr>

</table>

</form>

<table class='table table-striped table-no-
bordered table-hover' id='tabel'>

<thead><tr>

<th>nama sparepart</th>

<th>harga terakhir</th>

<th>Jenis</th>

<th> Aksi </th>

</tr></thead>

<tbody>

<?php $cari=mysqli_query($con,'select * from
sparepart');

while($res=mysqli_fetch_array($cari)){?>

<tr>

<td><?=$res['nama_sparepart']?></td>

<td><?=$res['harga_terakhir']?></td>

<td><?=$res['jenis']?></td>

<td><a
href="?p=sparepart&e=<?=$res['id_sparepart']
?>" class='btn btn-warning'><i class='fa fa-
pencil'></i></a><a
href="?p=sparepart&d=<?=$res['id_sparepart']
?>" class='btn btn-danger' onclick="return
confirm('Hapus data?')"><i class='fa fa-trash-
o'></i></a></td>

</tr>

<?php }?>

</tbody>

</table>

```

```

<script>

$(document).ready(function() {

$('#tabel').DataTable();

});

</script>

```

ubah_password.php

```

<?php

if(isset($_POST['simpan'])){

$cek=0;

if($_POST['baru']!==$_POST['konf']){echo
"<script>alert('Konfirmasi password
salah');</script>";$cek=1;}

$cp=mysqli_query($con,"select * from
pengguna where
username='".$_SESSION['username']."' and
password='".$_POST['lama']."'");

if(mysqli_num_rows($cp)==0){echo
"<script>alert('Password lama
salah');</script>";$cek=1;}

if($cek==0){

$simpan=mysqli_query($con,"update
pengguna set password='".$_POST['baru']."'
where username='".$_SESSION['username']."'
and password='".$_POST['lama']."'");

if($simpan){

echo
"<script>document.location='?p=ubah_passwo
rd';alert('Password Berhasil
diubah');</script>";} else{

echo "<script>alert('Password Gagal
diubah');</script>";}}

}

?>

```

```
<center>

<br><br><br>

<div class="well" style="max-width:500px">

<h3>Ubah Password</h3><br>

<form action="" method="post"
enctype="multipart/form-data">

<table width="100%">

<tr>

<td>Password Lama</td>

<td><input required type="password"
name="lama" class="form-control"></td>

</tr><tr>

<td>Password Baru</td>

<td><input required type="password"
name="baru" class="form-control"></td>

>
```

```
</tr><tr>

<td>Konfirmasi Password</td>

<td><input required type="password"
name="konf" class="form-control"></td>

</tr><tr>

<td>&nbsp;</td>

<td><br><input type="submit"
value="Simpan" name="simpan" class="btn
btn-info">&nbsp;<input type="button"
value="Refresh"
onclick="document.location='?p=pass'"
class="btn btn-success"></td>

</tr>

</table></form>

</div>

</center>
```

PENGGODEAN SISTEM

1. Pengkodean Tabel Pengguna

```
CREATE TABLE `pengguna` (  
  `id_pengguna` int(11) NOT NULL,  
  `username` varchar(15) NOT NULL,  
  `password` varchar(15) NOT NULL,  
  `akses` enum('Staff Operasional','Staff Pembukuan','Kepala Cabang')  
  NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

2. Pengkodean Tabel Mobil

```
CREATE TABLE `mobil` (  
  `id_mobil` int(11) NOT NULL,  
  `no_pol` varchar(10) NOT NULL,  
  `jenis_kendaraan` varchar(15) NOT NULL,  
  `nama_supir` varchar(15) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

3. Pengkodean Tabel Pengiriman

```
CREATE TABLE `pengiriman` (  
  `id_pengiriman` int(11) NOT NULL,  
  `id_mobil` int(11) NOT NULL,  
  `barang` varchar(15) NOT NULL,  
  `tanggal` date NOT NULL,  
  `jumlah` int(11) NOT NULL,  
  `satuan` enum('SACK','BALE','PALLET','KG','UNIT') NOT NULL,  
  `asal` varchar(15) NOT NULL,  
  `tujuan` varchar(15) NOT NULL,  
  `harga` int(11) NOT NULL,  
  `biaya_angkutan` int(11) NOT NULL,  
  `biaya_pelaksanaan` int(11) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

4. Pengkodean Tabel Sparepart

```
CREATE TABLE `sparepart` (  
  `id_sparepart` int(11) NOT NULL,  
  `nama_sparepart` varchar(15) NOT NULL,  
  `harga_terakhir` int(11) NOT NULL,  
  `jenis` enum('Ban','Sparepart') NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```

5. Pengkodean Tabel *Service*

```
CREATE TABLE `service` (  
  `id_service` int(11) NOT NULL,  
  `id_mobil` int(11) NOT NULL,  
  `id_sparepart` int(11) NOT NULL,  
  `tanggal` date NOT NULL,  
  `harga` int(11) NOT NULL,  
  `jumlah` int(11) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=latin1;
```