LAMPIRAN

Listing Program

Koneksi.php

```
<?php
session_start();
$hostname = "localhost";
$user = "root";
$password = "";
$database = "parkir";
$koneksi = mysqli_connect($hostname,$user,$password,$database);
?>
```

Index.php

```
<!DOCTYPE html>
<html>
<head>
<title>Login</title>
<link rel="shortcut icon" href="images/icon/ico.png">
<link rel="stylesheet" type="text/css" href="style.css">
</head>
<body>



<?php
if(isset($_GET['pesan'])){
```

```
if($_GET['pesan']=="gagal"){
echo "<div class='alert'>Username dan Password Salah!</div>";
}
}
?>
<div class="kotak_login">
<center><img src="images/icon/logo.png" height="60" width="170"></center>
<form action="cek_login.php" method="post">
<label>Username</label>
<input type="text" name="username" class="form_login" placeholder="Username" required="required">
<label>Password</label>
<input type="password" name="password" class="form_login" placeholder="Password" required="required">
<input type="submit" class="tombol_login" value="LOGIN">
<br/>
<br/>
</form>
</div>
</body>
</html>
```

Cek_login.php

```
<?php
// mengaktifkan session pada php
```

```
session_start();

// menghubungkan php dengan koneksi database

include 'koneksi.php';

// menangkap data yang dikirim dari form login

$username = $_POST['username'];

$password = $_POST['password'];

// menyeleksi data user dengan username dan password yang sesuai

$login = mysqli_query($koneksi,"select * from user where username='$username'
and password='$password'");

// menghitung jumlah data yang ditemukan

$cek = mysqli_num_rows($login);

// cek apakah username dan password di temukan pada database

if($cek > 0){

$data = mysqli_fetch_assoc($login);

// cek jika user login sebagai admin

if($data['level']=="admin"){

// buat session login dan username

$_SESSION['username'] = $username;

$_SESSION['level'] = "admin";

// alihkan ke halaman dashboard admin

header("location:home.php");

}else{

// alihkan ke halaman login kembali

header("location:index.php?pesan=gagal");

}
```

```
}else{
header("location:index.php?pesan=gagal");
}
?>
```

Home.php

```
<?php
require_once "koneksi.php";

if(!isset($_SESSION['username'])){
header("Location: index.php");
die();
}

$Hitung = "SELECT * from data where Jenis_Kendaraan = 'Motor' ";
$Hitung2 = "SELECT * from data where Jenis_Kendaraan = 'Mobil' ";
$Hitung3 = "SELECT * from data ";

$data = mysqli_query( $koneksi, $Hitung);
$dataKendaraan = mysqli_num_rows($data);

$data2 = mysqli_query( $koneksi, $Hitung2);
$dataKendaraan2 = mysqli_num_rows($data2);

$data3 = mysqli_query( $koneksi, $Hitung3);
```

```
$dataKendaraan3 = mysqli_num_rows($data3);


?>

<html lang="en">

<head>

<!-- Required meta tags-->

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

<!-- Title Page-->

<title>Admin Panel</title>

<link rel="shortcut icon" href="images/icon/ico.png">

<!-- Fontfaces CSS-->

<link href="css/font-face.css" rel="stylesheet" media="all">

<link href="vendor/font-awesome-4.7/css/font-awesome.min.css" rel="stylesheet" media="all">

<link href="vendor/font-awesome-5/css/fontawesome-all.min.css" rel="stylesheet" media="all">

<link href="vendor/mdi-font/css/material-design-iconic-font.min.css" rel="stylesheet" media="all">

<!-- Bootstrap CSS-->

<link href="vendor/bootstrap-4.1/bootstrap.min.css" rel="stylesheet" media="all">

<!-- Vendor CSS-->

<link href="vendor/animsition/animsition.min.css" rel="stylesheet" media="all">

<link href="vendor/wow/animate.css" rel="stylesheet" media="all">

<!-- Main CSS-->
```

```
<link href="css/theme.css" rel="stylesheet" media="all">
<link href="css/home.css" rel="stylesheet" media="all">
</head>
<body class="animsition">
<div class="page-wrapper">

<!-- MENU SIDEBAR-->
<aside class="menu-sidebar d-none d-lg-block">
<div class="logo">
<a href="#">
<img src="images/icon/logo.png" alt="Parking Admin" />
</a>
</div>
<div class="menu-sidebar__content js-scrollbar1">
<nav class="navbar-sidebar">
<ul class="list-unstyled navbar__list">
<li class="active has-sub">
<a class="js-arrow" href="home.php">
<i class="fa fa-home"></i>Home</a>
</li>
<li class="has-sub">
<a class="js-arrow" href="data.php">
<i class="fa fa-bars"></i>Data Pengemudi</a>
</li>
<li class="has-sub">
```

```
<a class="js-arrow" href="#">
<i class="fa fa-motorcycle"></i>Parkir
</a>
<li class="has-sub">
<a class="js-arrow" href="masuk.php">
<i class="pl-4"></i>Parkir Masuk
</a>
<a class="js-arrow" href="Keluar.php">
<i class="pl-4"></i>Parkir Keluar
</a>
</li>
</li>
<li class="has-sub">
<a class="js-arrow" href="cctv.php">
<i class="fa fa-television"></i>Monitoring CCTV</a>
</li>
<li class="has-sub">
<a class="js-arrow" href="logout.php">
<i class="fa fa-power-off"></i>Logout</a>
</li>
</ul>
</nav>
</div>
</aside>
<!-- END MENU SIDEBAR-->
```

```
<!-- PAGE CONTAINER-->
<div class="page-container">

<!-- HEADER DESKTOP-->
<header class="header-desktop">
<div class="section__content section__content--p30">
<div class="container-fluid">
<div class="header-wrap clearfix">
<div class="header-button">
<div class="account-wrap ">
<div class="account-item clearfix js-item-menu">
<div class="image">
<img src="images/icon/profil.png" alt="User" />
</div>
<div class="content">
<a class="js-acc-btn" href="#">Admin</a>
</div>
<div class="account-dropdown js-dropdown">
<div class="info clearfix">
<div class="image">
<a href="#">
<img src="images/icon/profil.png" alt="Admin" />
</a>
</div>
```

```
<div class="content">
<h5 class="name">
<a href="#">Admin</a>
</h5>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</header>
<!-- HEADER DESKTOP-->
<!-- MAIN CONTENT-->
<div class="main-content">
<div class="section__content section__content--p30">
<div class="row">
<div class="col">
<div class="card">
<div class="card-body">
<div class="judul">Total Motor</div>
<img src="images/icon/Motor.png" height="80" width="80">
<div class="besar">
```

```
<?php
echo $dataKendaraan;
?>
</div>
</div>
</div>
</div>
<div class="col">
<div class="card">
<div class="card-body">
<div class="judul">Total Mobil</div>
<img src="images/icon/Mobil.png" height="80" width="80">
<div class="besar">
<?php
echo $dataKendaraan2;
?>
</div>
</div>
</div>
</div>
<div class="col">
<div class="card">
<div class="card-body">
<div class="judul">Total User</div>
<img src="images/icon/User.png" height="80" width="80">
```

```
<div class="besar">
<?php
echo $dataKendaraan3;
?>
</div>
</div>
</div>
</div>
</div>
</div>
<div class="row m-0" id="footer-container">
<div class="col-md-12">
<div class="copyright"">
<p>Copyright © POLSRI | TEKNIK KOMPUTER</p>
</div>
</div>
</div>
</div>
<!-- END MAIN CONTENT-->
<!-- END PAGE CONTAINER-->
</div>

</div>

<!-- Jquery JS-->
```

```
<script src="vendor/jquery-3.2.1.min.js"></script>

<!-- Bootstrap JS-->

<script src="vendor/bootstrap-4.1/popper.min.js"></script>

<script src="vendor/bootstrap-4.1/bootstrap.min.js"></script>

<!-- Vendor JS       -->

<script src="vendor/animsition/animsition.min.js"></script>

<!-- Main JS-->

<script src="js/main.js"></script>

</body>

</html>
```

Data.php

```
<html lang="en">

<head>

<!-- Required meta tags-->

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

<!-- Title Page-->

<title>Admin Panel</title>

<link rel="shortcut icon" href="images/icon/ico.png">


<!-- Fontfaces CSS-->

<link href="css/font-face.css" rel="stylesheet" media="all">
```

```
<link href="vendor/font-awesome-4.7/css/font-awesome.min.css" rel="stylesheet" media="all">

<link href="vendor/font-awesome-5/css/fontawesome-all.min.css" rel="stylesheet" media="all">

<link href="vendor/mdi-font/css/material-design-iconic-font.min.css" rel="stylesheet" media="all">

<!-- Bootstrap CSS-->

<link href="vendor/bootstrap-4.1/bootstrap.min.css" rel="stylesheet" media="all">

<!-- Vendor CSS-->

<link href="vendor/animsition/animsition.min.css" rel="stylesheet" media="all">

<link href="vendor/wow/animate.css" rel="stylesheet" media="all">

<!-- Main CSS-->

<link href="css/theme.css" rel="stylesheet" media="all">

<link href="css/home.css" rel="stylesheet" media="all">

<link href="style.css" rel="stylesheet" type="text/css">

</head>

<body class="animsition">

<div class="page-wrapper">

<!-- MENU SIDEBAR-->

<aside class="menu-sidebar d-none d-lg-block">

<div class="logo">

<a href="#">

<img src="images/icon/logo.png" alt="Parking Admin" />

</a>

</div>

<div class="menu-sidebar__content js-scrollbar1">
```

```
<nav class="navbar-sidebar">
<ul class="list-unstyled navbar__list">
<li class="has-sub">
<a class="js-arrow" href="home.php">
<i class="fa fa-home"></i>Home</a>
</li>
<li class="active has-sub">
<a class="js-arrow" href="data.php">
<i class="fa fa-bars"></i>Data Pengemudi</a>
</li>
<li class="has-sub">
<a class="js-arrow" href="#">
<i class="fa fa-motorcycle"></i>Parkir
</a>
<li class="has-sub">
<a class="js-arrow" href="masuk.php">
<i class="pl-4"></i>Parkir Masuk
</a>
<a class="js-arrow" href="keluar.php">
<i class="pl-4"></i>Parkir Keluar
</a>
</li>
</li>
<li class="has-sub">
<a class="js-arrow" href="cctv.php">
```

```
<i class="fa fa-television"></i>Monitoring CCTV</a>
</li>
<li class="has-sub">
<a class="js-arrow" href="logout.php">
<i class="fa fa-power-off"></i>Logout</a>
</li>
</ul>
</nav>
</div>
</aside>
<!-- END MENU SIDEBAR-->
<!-- PAGE CONTAINER-->
<div class="page-container">
<!-- HEADER DESKTOP-->
<header class="header-desktop">
<div class="section__content section__content--p30">
<div class="container-fluid">
<div class="header-wrap clearfix">
<div class="header-button">
<div class="account-wrap ">
<div class="account-item clearfix js-item-menu">
<div class="image">
<img src="images/icon/profil.png" alt="User" />
</div>
<div class="content">
```

```
<a class="js-acc-btn" href="#">Admin</a>
</div>
<div class="account-dropdown js-dropdown">
<div class="info clearfix">
<div class="image">
<a href="#">
<img src="images/icon/profil.png" alt="Admin" />
</a>
</div>
<div class="content">
<h5 class="name">
<a href="#">Admin</a>
</h5>

</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</header>
<!-- HEADER DESKTOP-->
```

```
<!-- MAIN CONTENT-->
<div class="main-content">
<div class="section__content section__content--p30">
<div class="row">
<div class="col">
<div class="card">
<div class="card-body">
<?php
$konek = mysqli_connect("localhost","root","","parkir");

// Langkah 1. Tentukan batas,cek halaman & posisi data
$batas   = 10;
$halaman = @$_GET['halaman'];
if(empty($halaman)){
$posisi  = 0;
$halaman = 1;
}
else{
$posisi  = ($halaman-1) * $batas;
}
// Langkah 2. Sesuaikan query dengan posisi dan batas
$query  = "SELECT * FROM data LIMIT $posisi,$batas";
$tampil = mysqli_query($konek, $query);

echo "<table>
```

```
<tr>
<th>No Induk</th>
<th>Nama</th>
<th>Jurusan</th>
<th>Jabatan</th>
<th>No RFID</th>
<th>No STNK</th>
<th>No Polisi</th>
<th>Jenis Kendaraan</th>
</tr>";
$no = $posisi+1;
while ($data=mysqli_fetch_array($tampil)){
echo "<tr>
<td>$data[no_induk]</td>
<td>$data[nama]</td>
<td>$data[jurusan]</td>
<td>$data[jabatan]</td>
<td>$data[no_rfid]</td>
<td>$data[no_stnk]</td>
<td>$data[no_polisi]</td>
<td>$data[jenis_kendaraan]</td>
</tr>";
$no++;
}
echo "</table>";
```

```
// Langkah 3: Hitung total data dan halaman serta link 1,2,3
$query2     = mysqli_query($konek, "select * from data");
$jmldata    = mysqli_num_rows($query2);
$jmlhalaman = ceil($jmldata/$batas);

echo "<br> Halaman : ";

for($i=1;$i<=$jmlhalaman;$i++)
if ($i != $halaman){
echo " <a href=\"data.php?halaman=$i\">$i</a> | ";
}
else{
echo " <b>$i</b> | ";
}
echo "<p>Total data : <b>$jmldata</b> orang</p>";
?>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- END MAIN CONTENT-->
<!-- END PAGE CONTAINER-->
</div>
```

```
</div>
<!-- Jquery JS-->
<script src="vendor/jquery-3.2.1.min.js"></script>
<!-- Bootstrap JS-->
<script src="vendor/bootstrap-4.1/popper.min.js"></script>
<script src="vendor/bootstrap-4.1/bootstrap.min.js"></script>
<!-- Vendor JS       -->
<script src="vendor/animsition/animsition.min.js"></script>
<!-- Main JS-->
<script src="js/main.js"></script>
</body>
</html>
```

Masuk.php

```
<html lang="en">

<head>
<!-- Required meta tags-->
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<meta http-equiv="refresh" content="3"/>
<!-- Title Page-->
<title>Admin Panel</title>
<link rel="shortcut icon" href="images/icon/ico.png">
```

```
<!-- Fontfaces CSS-->

<link href="css/font-face.css" rel="stylesheet" media="all">

<link href="vendor/font-awesome-4.7/css/font-awesome.min.css" rel="stylesheet"
media="all">

<link href="vendor/font-awesome-5/css/fontawesome-all.min.css" rel="stylesheet"
media="all">

<link href="vendor/mdi-font/css/material-design-iconic-font.min.css"
rel="stylesheet" media="all">

<!-- Bootstrap CSS-->

<link href="vendor/bootstrap-4.1/bootstrap.min.css" rel="stylesheet" media="all">

<!-- Vendor CSS-->

<link href="vendor/animsition/animsition.min.css" rel="stylesheet" media="all">

<link href="vendor/wow/animate.css" rel="stylesheet" media="all">



<!-- Main CSS-->

<link href="css/theme.css" rel="stylesheet" media="all">

<link href="css/home.css" rel="stylesheet" media="all">

<link href="style.css" rel="stylesheet" type="text/css">

</head>

<body class="animsition">

<div class="page-wrapper">

<!-- MENU SIDEBAR-->

<aside class="menu-sidebar d-none d-lg-block">

<div class="logo">

<a href="#">
```

```
<img src="images/icon/logo.png" alt="Parking Admin" />
</a>
</div>
<div class="menu-sidebar__content js-scrollbar1">
<nav class="navbar-sidebar">
<ul class="list-unstyled navbar__list">
<li class="has-sub">
<a class="js-arrow" href="home.php">
<i class="fa fa-home"></i>Home</a>
</li>
<li class="has-sub">
<a class="js-arrow" href="data.php">
<i class="fa fa-bars"></i>Data Pengemudi</a>
</li>
<li class="has-sub">
<a class="js-arrow" href="#">
<i class="fa fa-motorcycle"></i>Parkir
</a>
<li class="active has-sub">
<a class="js-arrow" href="masuk.php">
<i class="pl-4"></i>Parkir Masuk
</a>
<li class="has-sub">
<a class="js-arrow" href="keluar.php">
<i class="pl-4"></i>Parkir Keluar
```

```
</a>
</li>
</li>
<li class="has-sub">
<a class="js-arrow" href="cctv.php">
<i class="fa fa-television"></i>Monitoring CCTV</a>
</li>
<li class="has-sub">
<a class="js-arrow" href="logout.php">
<i class="fa fa-power-off"></i>Logout</a>
</li>
</ul>
</nav>
</div>
</aside>
<!-- END MENU SIDEBAR-->
<!-- PAGE CONTAINER-->
<div class="page-container">
<!-- HEADER DESKTOP-->
<header class="header-desktop">
<div class="section__content section__content--p30">
<div class="container-fluid">
<div class="header-wrap clearfix">
<div class="header-button">
<div class="account-wrap ">
```

```
<div class="account-item clearfix js-item-menu">
<div class="image">
<img src="images/icon/profil.png" alt="User" />
</div>
<div class="content">
<a class="js-acc-btn" href="#">Admin</a>
</div>
<div class="account-dropdown js-dropdown">
<div class="info clearfix">
<div class="image">
<a href="#">
<img src="images/icon/profil.png" alt="Admin" />
</a>
</div>
<div class="content">
<h5 class="name">
<a href="#">Admin</a>
</h5>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
```

```
</div>
</div>
</header>
<!-- HEADER DESKTOP-->



<!-- MAIN CONTENT-->
<div class="main-content">
<div class="section__content section__content--p30">
<div class="row">
<div class="col">
<div class="card">
<div class="card-body">
        <center><h2>Data Parkir Masuk</h2></center>
<br>
<center><?php
$konek = mysqli_connect("localhost","root","","parkir");

// Langkah 1. Tentukan batas,cek halaman & posisi data
$batas   = 10;
$halaman = @$_GET['halaman'];
if(empty($halaman)){
$posisi  = 0;
$halaman = 1;
}
```

```
else{
$posisi  = ($halaman-1) * $batas;
}

// Langkah 2. Sesuaikan query dengan posisi dan batas
$query  = "SELECT * FROM masuk LIMIT $posisi,$batas";
$tampil = mysqli_query($konek, $query);

echo "<table>
<tr>

<th>No</th>
<th>Tanggal</th>
<th>NIM</th>
<th>Nama</th>
<th>No RFID</th>
<th>Jabatan</th>
<th>Jurusan</th>
<th>Jenis Kendaraan</th>
</tr>";

$no = $posisi+1;
while ($data=mysqli_fetch_array($tampil)){
echo "<tr>
<td>$data[no]</td>
```

```
<td>$data[tanggal]</td>
<td>$data[nim]</td>
<td>$data[nama]</td>
<td>$data[idcard]</td>
<td>$data[jabatan]</td>
<td>$data[jurusan]</td>
<td>$data[jenis_kendaraan]</td>
</tr>";
$no++;
}
echo "</table>";
// Langkah 3: Hitung total data dan halaman serta link 1,2,3
$query2     = mysqli_query($konek, "select * from masuk");
$jmldata    = mysqli_num_rows($query2);
$jmlhalaman = ceil($jmldata/$batas);

echo "<br> Halaman : ";

for($i=1;$i<=$jmlhalaman;$i++)
if ($i != $halaman){
echo " <a href=\"masuk.php?halaman=$i\">$i</a> | ";
}
else{
echo " <b>$i</b> | ";
}
```

```
echo "<p>Total data : <b>$jmldata</b> orang</p>";
?></center>
</div>

</div>
</div>
</div>
</div>
</div>
</div>
<!-- END MAIN CONTENT-->
<!-- END PAGE CONTAINER-->
</div>

</div>

<!-- Jquery JS-->
<script src="vendor/jquery-3.2.1.min.js"></script>
<!-- Bootstrap JS-->
<script src="vendor/bootstrap-4.1/popper.min.js"></script>
<script src="vendor/bootstrap-4.1/bootstrap.min.js"></script>
<!-- Vendor JS       -->
<script src="vendor/animsition/animsition.min.js"></script>
<!-- Main JS-->
<script src="js/main.js"></script>
```

```
</body>

</html>
```

Keluar.php

```
<html lang="en">

<head>

<!-- Required meta tags-->

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

<meta http-equiv="refresh" content="3"/>

<!-- Title Page-->

<title>Admin Panel</title>

<link rel="shortcut icon" href="images/icon/ico.png">

<!-- Fontfaces CSS-->

<link href="css/font-face.css" rel="stylesheet" media="all">

<link href="vendor/font-awesome-4.7/css/font-awesome.min.css" rel="stylesheet" media="all">

<link href="vendor/font-awesome-5/css/fontawesome-all.min.css" rel="stylesheet" media="all">

<link href="vendor/mdi-font/css/material-design-iconic-font.min.css" rel="stylesheet" media="all">

<!-- Bootstrap CSS-->

<link href="vendor/bootstrap-4.1/bootstrap.min.css" rel="stylesheet" media="all">

<!-- Vendor CSS-->

<link href="vendor/animsition/animsition.min.css" rel="stylesheet" media="all">
```

```
<link href="vendor/wow/animate.css" rel="stylesheet" media="all">
<!-- Main CSS-->
<link href="css/theme.css" rel="stylesheet" media="all">
<link href="css/home.css" rel="stylesheet" media="all">
<link href="style.css" rel="stylesheet" type="text/css">
</head>
<body class="animsition">
<div class="page-wrapper">

<!-- MENU SIDEBAR-->
<aside class="menu-sidebar d-none d-lg-block">
<div class="logo">
<a href="#">
<img src="images/icon/logo.png" alt="Parking Admin" />
</a>
</div>
<div class="menu-sidebar__content js-scrollbar1">
<nav class="navbar-sidebar">
<ul class="list-unstyled navbar__list">
<li class="has-sub">
<a class="js-arrow" href="home.php">
<i class="fa fa-home"></i>Home</a>
</li>
<li class="has-sub">
<a class="js-arrow" href="data.php">
```

```
<i class="fa fa-bars"></i>Data Pengemudi</a>
</li>
<li class="has-sub">
<a class="js-arrow" href="#">
<i class="fa fa-motorcycle"></i>Parkir
</a>
<li class="has-sub">
<a class="js-arrow" href="masuk.php">
<i class="pl-4"></i>Parkir Masuk
</a>
<li class="Active has-sub">
<a class="js-arrow" href="keluar.php">
<i class="pl-4"></i>Parkir Keluar
</a>
</li>
</li>
<li class="has-sub">
<a class="js-arrow" href="cctv.php">
<i class="fa fa-television"></i>Monitoring CCTV</a>
</li>
<li class="has-sub">
<a class="js-arrow" href="logout.php">
<i class="fa fa-power-off"></i>Logout</a>
</li>
</ul>
```

```
</nav>
</div>
</aside>
<!-- END MENU SIDEBAR-->
<!-- PAGE CONTAINER-->
<div class="page-container">
<!-- HEADER DESKTOP-->
<header class="header-desktop">
<div class="section__content section__content--p30">
<div class="container-fluid">
<div class="header-wrap clearfix">
<div class="header-button">
<div class="account-wrap ">
<div class="account-item clearfix js-item-menu">
<div class="image">
<img src="images/icon/profil.png" alt="User" />
</div>
<div class="content">
<a class="js-acc-btn" href="#">Admin</a>
</div>
<div class="account-dropdown js-dropdown">
<div class="info clearfix">
<div class="image">
<a href="#">
<img src="images/icon/profil.png" alt="Admin" />
```

```
</a>
</div>
<div class="content">
<h5 class="name">
<a href="#">Admin</a>
</h5>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</header>
<!-- HEADER DESKTOP-->
<!-- MAIN CONTENT-->
<div class="main-content">
<div class="section__content section__content--p30">
<div class="row">
<div class="col">
<div class="card">
<div class="card-body">
```

```
<center><h2>Data Parkir Keluar</h2></center>
<br><center><?php
$konek = mysqli_connect("localhost","root","","parkir");

// Langkah 1. Tentukan batas,cek halaman & posisi data
$batas   = 8;
$halaman = @$_GET['halaman'];
if(empty($halaman)){
$posisi  = 0;
$halaman = 1;
}
else{
$posisi  = ($halaman-1) * $batas;
}

// Langkah 2. Sesuaikan query dengan posisi dan batas
$query  = "SELECT * FROM keluar LIMIT $posisi,$batas";
$tampil = mysqli_query($konek, $query);

echo "<table>
<tr>

<th>No</th>
<th>Tanggal</th>
<th>NIM</th>
```

```
<th>Nama</th>
<th>No STNK</th>
<th>Jabatan</th>
<th>Jurusan</th>
<th>Jenis Kendaraan</th>
</tr>";

$no = $posisi+1;
while ($data=mysqli_fetch_array($tampil)){
echo "<tr>
<td>$data[no]</td>
<td>$data[tanggal]</td>
<td>$data[nim]</td>
<td>$data[nama]</td>
<td>$data[idcard]</td>
<td>$data[jabatan]</td>
<td>$data[jurusan]</td>
<td>$data[jenis_kendaraan]</td>
</tr>";
$no++;
}
echo "</table>";
// Langkah 3: Hitung total data dan halaman serta link 1,2,3
$query2     = mysqli_query($konek, "select * from keluar");
$jmldata    = mysqli_num_rows($query2);
```

```
$jmlhalaman = ceil($jmldata/$batas);

echo "<br> Halaman : ";

for($i=1;$i<=$jmlhalaman;$i++)
if ($i != $halaman){
echo " <a href=\"keluar.php?halaman=$i\">$i</a> | ";
}
else{
echo " <b>$i</b> | ";
}
echo "<p>Total data : <b>$jmldata</b> orang</p>";
?></center>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- END MAIN CONTENT-->
<!-- END PAGE CONTAINER-->
</div>
</div>
```

```
<!-- Jquery JS-->
<script src="vendor/jquery-3.2.1.min.js"></script>
<!-- Bootstrap JS-->
<script src="vendor/bootstrap-4.1/popper.min.js"></script>
<script src="vendor/bootstrap-4.1/bootstrap.min.js"></script>
<!-- Vendor JS       -->
<script src="vendor/animsition/animsition.min.js"></script>
<!-- Main JS-->
<script src="js/main.js"></script>
</body>
</html>
```

Cctv.php

```
<html lang="en">
<head>
<!-- Required meta tags-->
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
<meta http-equiv="refresh" content="30000000"/>
<!-- Title Page-->
<title>Admin Panel</title>
<link rel="shortcut icon" href="images/icon/ico.png">
<!-- Fontfaces CSS-->
<link href="css/font-face.css" rel="stylesheet" media="all">
```

```
<link href="vendor/font-awesome-4.7/css/font-awesome.min.css" rel="stylesheet" media="all">

<link href="vendor/font-awesome-5/css/fontawesome-all.min.css" rel="stylesheet" media="all">

<link href="vendor/mdi-font/css/material-design-iconic-font.min.css" rel="stylesheet" media="all">

<!-- Bootstrap CSS-->

<link href="vendor/bootstrap-4.1/bootstrap.min.css" rel="stylesheet" media="all">

<!-- Vendor CSS-->

<link href="vendor/animsition/animsition.min.css" rel="stylesheet" media="all">

<link href="vendor/wow/animate.css" rel="stylesheet" media="all">

<!-- Main CSS-->

<link href="css/theme.css" rel="stylesheet" media="all">

<link href="css/home.css" rel="stylesheet" media="all">

</head>



<body class="animsition">

<div class="page-wrapper">

<!-- MENU SIDEBAR-->

<aside class="menu-sidebar d-none d-lg-block">

<div class="logo">

<a href="#">

<img src="images/icon/logo.png" alt="Parking Admin" />

</a>

</div>
```

```
<div class="menu-sidebar__content js-scrollbar1">
<nav class="navbar-sidebar">
<ul class="list-unstyled navbar__list">
<li class="has-sub">
<a class="js-arrow" href="home.php">
<i class="fa fa-home"></i>Home</a>
</li>
<li class="has-sub">
<a class="js-arrow" href="data.php">
<i class="fa fa-bars"></i>Data Pengemudi</a>
</li>
<li class="has-sub">
<a class="js-arrow" href="#">
<i class="fa fa-motorcycle"></i>Parkir
</a>
<li class="has-sub">
<a class="js-arrow" href="masuk.php">
<i class="pl-4"></i>Parkir Masuk
</a>
<a class="js-arrow" href="keluar.php">
<i class="pl-4"></i>Parkir Keluar
</a>
</li>
</li>
<li class="Active has-sub">
```

```
<a class="js-arrow" href="cctv.php">
<i class="fa fa-television"></i>Monitoring CCTV</a>
</li>
<li class="has-sub">
<a class="js-arrow" href="logout.php">
<i class="fa fa-power-off"></i>Logout</a>
</li>
</ul>
</nav>
</div>
</aside>
<!-- END MENU SIDEBAR-->
<!-- PAGE CONTAINER-->
<div class="page-container">
<!-- HEADER DESKTOP-->
<header class="header-desktop">
<div class="section__content section__content--p30">
<div class="container-fluid">
<div class="header-wrap clearfix">
<div class="header-button">
<div class="account-wrap ">
<div class="account-item clearfix js-item-menu">
<div class="image">
<img src="images/icon/profil.png" alt="User" />
</div>
```

```
<div class="content">
<a class="js-acc-btn" href="#">Admin</a>
</div>
<div class="account-dropdown js-dropdown">
<div class="info clearfix">
<div class="image">
<a href="#">
<img src="images/icon/profil.png" alt="Admin" />
</a>
</div>
<div class="content">
<h5 class="name">
<a href="#">Admin</a>
</h5>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</header>
<!-- HEADER DESKTOP-->
```

```
<!-- MAIN CONTENT-->
<div class="main-content">
<div class="section__content section__content--p30">
<div class="row">
<div class="col">
<div class="card">
<div class="card-body">



<center><h2>Monitoring CCTV</h2></center>
</div>
<div>
<table border="7" align="center">
<tr align="center">
<td align="center">
<h1>CAM 1</h1>
<img style="width:95%;" src="http://192.168.43.98:8081//?action=stream">
</td>
<td align="center">
<h1> CAM 2 </h1>
<img style="width:95%;" src="http://192.168.43.98:8082//?action=stream">
</td>
</tr>
</table>
</div>
```

```
</div>
</div>
</div>
</div>
</div>
<!-- END MAIN CONTENT-->
<!-- END PAGE CONTAINER-->
</div>
</div>
<!-- Jquery JS-->
<script src="vendor/jquery-3.2.1.min.js"></script>
<!-- Bootstrap JS-->
<script src="vendor/bootstrap-4.1/popper.min.js"></script>
<script src="vendor/bootstrap-4.1/bootstrap.min.js"></script>
<!-- Vendor JS       -->
<script src="vendor/animsition/animsition.min.js"></script>
<!-- Main JS-->
<script src="js/main.js"></script>
</body>
</html>
```

Logout.php

```
<?php
// mengaktifkan session php
session_start();
```

```
// menghapus semua session
session_destroy();

// mengalihkan halaman ke halaman login
header("location:index.php");
?>
```

Connection.php

```
<?php
$username = "root";
$pass = "";
$host = "localhost";
$db_name = "parkir";
$con = mysqli_connect ($host, $username, $pass);
$db = mysqli_select_db ( $con, $db_name );
```

Insert1.php

```
<?php
include ('connection.php');
$var1 = $_GET['ID'];
$tanggal = date("d/m/Y H:i");
$data = "select * from data where No_RFID = '$var1'";
$cekdata = mysqli_query($con, $data);
if (mysqli_num_rows($cekdata) != 0){
$vardata = mysqli_fetch_array($cekdata);
```

```
$nim = $vardata['no_induk'];

$nama = $vardata['nama'];

$jurusan = $vardata['jurusan'];

$jabatan = $vardata['jabatan'];

$kendaraan = $vardata['jenis_kendaraan'];

$varno = mysqli_query($con,"Select * from masuk");

$no = mysqli_num_rows($varno);

$no = $no + 1;

$masuk = "insert into
masuk(no,tanggal,nim,nama,idcard,jabatan,jurusan,jenis_kendaraan) values
('$no','$tanggal','$nim','$nama','$var1','$jabatan','$jurusan','$kendaraan')";

mysqli_query($con,$masuk);

}

?>
```

Insert2.php

```
<?php

include ('connection.php');

$var1 = $_GET['STNK'];

$tanggal = date("d/m/Y H:i");

$data = "select * from data where no_stnk = '$var1'";

$cekdata = mysqli_query($con, $data);

if (mysqli_num_rows($cekdata) != 0){

$vardata = mysqli_fetch_array($cekdata);

$nim = $vardata['no_induk'];
```

```
$nama = $vardata['nama'];

$jurusan = $vardata['jurusan'];

$jabatan = $vardata['jabatan'];

$kendaraan = $vardata['jenis_kendaraan'];

$varno = mysqli_query($con,"Select * from keluar");

$no = mysqli_num_rows($varno);

$no = $no + 1;

$keluar = "insert into
keluar(no,tanggal,nim,nama,idcard,jabatan,jurusan,jenis_kendaraan) values
('$no','$tanggal','$nim','$nama','$var1','$jabatan','$jurusan','$kendaraan')";

mysqli_query($con,$keluar);

}

?>
```

Style.css

```
body{

font-family: sans-serif;

background: #e5e5e5;

}


h1{

text-align: center;

/*ketebalan font*/

font-weight: 400;

}
```

```
.tulisan_login{
text-align: center;
/*membuat semua huruf menjadi kapital*/
text-transform: uppercase;
}

.kotak_login{
width: 350px;
height: 300px;
background: white;

/*meletakkan form ke tengah*/
margin: 100px auto;
padding: 30px 20px;
box-shadow: 0px 0px 100px 4px #d6d6d6;

}


label{
font-size: 11pt;
}

.form_login{
```

```
/*membuat lebar form penuh*/
box-sizing : border-box;
width: 100%;
padding: 10px;
font-size: 11pt;
margin-bottom: 20px;
}

.tombol_login{
background: #4471d8;
color: white;
font-size: 11pt;
width: 100%;
border: none;
border-radius: 3px;
padding: 10px 20px;
}

.link{
color: #232323;
text-decoration: none;
font-size: 10pt;
}

.alert{
```

```
background: #ffffff;
color: rgb(0, 0, 0);
padding: 10px;
text-align: center;
border:1px solid #c6c4c4;
}

table { border-collapse: collapse; }
th {
background-color: #2e6ab1;
padding-left: 14px;
padding-right: 8px;
border: 1px solid #cccccc;
text-align:left;
color:#ffffff;
}
td {
font-size: 11pt;
background-color: #F0F0F0;
padding-left: 8px;
padding-right: 8px;
padding-top: 5px;
padding-bottom: 5px;
border: 1px solid #cccccc;
}
```

```
input,select { font-size: 10pt; }
```

Home.css

```
.main-content {
position: relative;
}

#footer-container {
position: absolute;
bottom: 0;
left: 0;
right: 0;
}

.besar{
font-size: 30px;
position: relative
}
.judul{
font-size: 25px;
font-style: italic;

}
```

Theme.css

```
* {
margin: 0;
padding: 0;
-webkit-box-sizing: border-box;
-moz-box-sizing: border-box;
box-sizing: border-box;
}
ul {
margin: 0;
}
img {
max-width: 100%;
height: auto;
}
p {
margin: 0;
}
/* ----- Links ----- */
a {
display: inline-block;
}
a:hover,
a:focus,
a:active {
```

```
text-decoration: none;
outline: none;
}
a:hover,
a {
-webkit-transition: all 0.3s ease;
-o-transition: all 0.3s ease;
-moz-transition: all 0.3s ease;
transition: all 0.3s ease;
}
/*-----------------------------------------------------*/
/*                    OBJECTS                          */
/*-----------------------------------------------------*/
/* ----- Section----- */
section {
position: relative;
}
.section__content {
position: relative;
margin: 0 auto;
z-index: 1;
}
.section__content--w1830 {
max-width: 1830px;
}
```

```
.section__content--p30 {
padding: 0 30px;
}
@media (max-width: 991px) {
.section__content--p30 {
padding: 0;
}
}
.section__content--p35 {
padding: 0 35px;
}
/* ----- Page Wrapper----- */
/*Override Grid Bootstrap*/
@media (min-width: 1200px) {
.container {
max-width: 1320px;
}
}
/*Page Objects*/
.page-wrapper {
overflow: hidden;
}
.page-container {
background: #e5e5e5;
padding-left: 300px;
```

```
}
.main-content {
padding-top: 116px;
min-height: 100vh;
}
/* ----- Header ----- */
.header-desktop {
background: #f5f5f5;
-webkit-box-shadow: 0px 2px 5px 0px rgba(0, 0, 0, 0.1);
-moz-box-shadow: 0px 2px 5px 0px rgba(0, 0, 0, 0.1);
box-shadow: 0px 2px 5px 0px rgba(0, 0, 0, 0.1);
position: fixed;
top: 0;
right: 0;
left: 300px;
height: 75px;
z-index: 3;
}
.header-desktop .section__content {
overflow: visible;
position: absolute;
top: 50%;
left: 0;
right: 0;
-webkit-transform: translateY(-50%);
```

```
-moz-transform: translateY(-50%);
-ms-transform: translateY(-50%);
-o-transform: translateY(-50%);
transform: translateY(-50%);
}
.header-button {
display: -webkit-box;
display: -webkit-flex;
display: -moz-box;
display: -ms-flexbox;
display: flex;
-webkit-box-align: center;
-webkit-align-items: center;
-moz-box-align: center;
-ms-flex-align: center;
align-items: center;
}
.account-wrap {
position: relative;
}
.account-item {
cursor: pointer;
}
.account-item .image {
width: 45px;
```

```
height: 45px;
float: left;
overflow: hidden;
-webkit-border-radius: 3px;
-moz-border-radius: 3px;
border-radius: 3px;
}
.account-item .image > img {
width: 100%;
}
.account-item > .content {
margin-left: 45px;
padding: 9px 0;
padding-left: 12px;
}
.account-item > .content > a {
color: #333;
text-transform: capitalize;
font-weight: 500;
}
.account-item > .content > a:after {
font-family: "Material-Design-Iconic-Font";
font-weight: 500;
content: '\f2f9';
display: inline-block;
```

```
font-size: 16px;
margin-left: 5px;
}
.account-item > .content > a:hover {
color: #666;
}
.account-dropdown {
min-width: 305px;
position: absolute;
top: 58px;
right: 0;
background: #fff;
-webkit-box-shadow: 0px 5px 10px 0px rgba(0, 0, 0, 0.1);
-moz-box-shadow: 0px 5px 10px 0px rgba(0, 0, 0, 0.1);
box-shadow: 0px 5px 10px 0px rgba(0, 0, 0, 0.1);
-webkit-transform: scale(0);
-moz-transform: scale(0);
-ms-transform: scale(0);
-o-transform: scale(0);
transform: scale(0);
-webkit-transition: all 0.4s ease;
-o-transition: all 0.4s ease;
-moz-transition: all 0.4s ease;
transition: all 0.4s ease;
-webkit-transform-origin: right top;
```

```
-moz-transform-origin: right top;
-ms-transform-origin: right top;
-o-transform-origin: right top;
transform-origin: right top;
z-index: 3;
}

.account-dropdown .info {
padding: 25px;
border-top: 1px solid #f5f5f5;
border-bottom: 1px solid #f2f2f2;
}

.account-dropdown .info .image {
float: left;
height: 65px;
width: 65px;
overflow: hidden;
-webkit-border-radius: 3px;
-moz-border-radius: 3px;
border-radius: 3px;
}

.account-dropdown .info .content {
margin-left: 65px;
```

```
padding: 11px 0;
padding-left: 12px;
}

.account-dropdown .info .content .name {
line-height: -webkit-calc(20/16);
line-height: -moz-calc(20/16);
line-height: calc(20/16);
}
.account-dropdown .info .content .name a {
color: #333;
font-weight: 500;
text-transform: capitalize;
}
.account-dropdown .info .content .name a:hover {
color: #666;
}
.account-dropdown:after {
content: '';
display: block;
width: 19px;
height: 19px;
border-bottom: 9px solid #fff;
border-top: 9px solid transparent;
border-left: 9px solid transparent;
```

```
border-right: 9px solid transparent;
position: absolute;
top: -18px;
right: 33px;
}
.account-dropdown__item a:hover {
background: #4272d7;
color: #fff;
}
.menu-sidebar {
width: 300px;
position: fixed;
left: 0;
top: 0;
bottom: 0;
background: #fff;
overflow-y: auto;
}
.menu-sidebar .logo {
background: #f5f5f5;
height: 75px;
padding: 0 35px;
display: -webkit-box;
display: -webkit-flex;
display: -moz-box;
```

```
display: -ms-flexbox;
display: flex;
-webkit-box-align: center;
-webkit-align-items: center;
-moz-box-align: center;
-ms-flex-align: center;
align-items: center;
-webkit-box-shadow: 0px 2px 5px 0px rgba(0, 0, 0, 0.1);
-moz-box-shadow: 0px 2px 5px 0px rgba(0, 0, 0, 0.1);
box-shadow: 0px 2px 5px 0px rgba(0, 0, 0, 0.1);
border-right: 1px solid #e5e5e5;
position: relative;
z-index: 3;
}
.menu-sidebar .navbar__list .navbar__sub-list {
display: none;
padding-left: 34px;
}
.menu-sidebar .navbar__list .navbar__sub-list li a {
padding: 11.5px 0;
}
.menu-sidebar__content {
position: relative;
height: -webkit-calc(100vh - 75px);
height: -moz-calc(100vh - 75px);
```

```
height: calc(100vh - 75px);
}
.navbar-sidebar {
padding: 35px;
padding-bottom: 0;
}
.navbar-sidebar .navbar__list li a {
display: block;
color: #555;
font-size: 16px;
padding: 15px 0;
}
.navbar-sidebar .navbar__list li a i {
margin-right: 19px;
}
.navbar-sidebar .navbar__list li a:hover {
color: #4272d7;
}
.navbar-sidebar .navbar__list li.active > a {
color: #4272d7;
}
.has-sub {
position: relative;
}
```

```
.show-dropdown .js-dropdown {
-webkit-transform: scale(1);
-moz-transform: scale(1);
-ms-transform: scale(1);
-o-transform: scale(1);
transform: scale(1);
}
/* ----- Footer ----- */
.copyright {
text-align: center;
padding: 60px 0;
padding-top: 20px;
}
.copyright p {
font-size: 14px;
color: #666;
line-height: -webkit-calc(24/14);
line-height: -moz-calc(24/14);
line-height: calc(24/14);
}
```