

Index.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <!-- Required meta tags-->
  <meta charset="UTF-8">
  <meta name="viewport"
content="width=device-width, initial-scale=1,
shrink-to-fit=no">
  <meta name="description" content="au theme
template">
  <meta name="author" content="Hau Nguyen">
  <meta name="keywords" content="au theme
template">
  <!-- Title Page-->
  <title>Login</title>
  <!-- Fontfaces CSS-->
  <link href="css/font-face.css" rel="stylesheet"
media="all">
  <link href="vendor/font-awesome-4.7/css/font-
awesome.min.css" rel="stylesheet" media="all">
  <link href="vendor/font-awesome-
5/css/fontawesome-all.min.css" rel="stylesheet"
media="all">
  <link href="vendor/mdi-font/css/material-
design-iconic-font.min.css" rel="stylesheet"
media="all">
  <!-- Bootstrap CSS-->
  <link href="vendor/bootstrap-
4.1/bootstrap.min.css" rel="stylesheet"
media="all">
  <!-- Vendor CSS-->
  <link
href="vendor/ansition/ansition.min.css"
rel="stylesheet" media="all">
  <link href="vendor/bootstrap-
progressbar/bootstrap-progressbar-3.3.4.min.css"
rel="stylesheet" media="all">
  <link href="vendor/wow/animate.css"
rel="stylesheet" media="all">
  <link href="vendor/css-
hamburgers/hamburgers.min.css" rel="stylesheet"
media="all">
  <link href="vendor/slick/slick.css"
rel="stylesheet" media="all">
  <link href="vendor/select2/select2.min.css"
rel="stylesheet" media="all">
  <link href="vendor/perfect-scrollbar/perfect-
scrollbar.css" rel="stylesheet" media="all">
  <!-- Main CSS-->
  <link href="css/theme.css" rel="stylesheet"
media="all">
</head>
<body class="ansition">
  <div class="page-wrapper">
    <div class="page-content--bge5">
      <div class="container">
```

```
<div class="login-wrap">
  <div class="login-content">
    <div class="login-form">
      <form id="sign_in"
method="POST" action="proses_login.php">
        <div class="msg"><h3 style="text-align:
center;">Masuk untuk memulai
aplikasi</h3></div><br>
        <div class="input-group">
          <div class="form-line"> Nama
Pengguna
            <input type="text" class="form-
control" name="username" required>
          </div>
        </div>
        <div class="input-group">
          <div class="form-line"> Kata Sandi
            <input type="password"
class="form-control" name="password" required>
          </div>
        </div>
        <button class="au-btn au-btn--block
au-btn--green m-b-20" type="submit"
style="background: lightblue;color:
black">masuk</button>
      </form>
    </div>
  </div>
</div>
<!-- JQuery JS-->
<script src="vendor/jquery-
3.2.1.min.js"></script>
<!-- Bootstrap JS-->
<script src="vendor/bootstrap-
4.1/popper.min.js"></script>
<script src="vendor/bootstrap-
4.1/bootstrap.min.js"></script>
<!-- Vendor JS -->
<script src="vendor/slick/slick.min.js">
</script>
<script src="vendor/wow/wow.min.js"></script>
<script
src="vendor/ansition/ansition.min.js"></scrip
t>
<script src="vendor/bootstrap-
progressbar/bootstrap-progressbar.min.js">
</script>
<script src="vendor/counter-
up/jquery.waypoints.min.js"></script>
<script src="vendor/counter-
up/jquery.counterup.min.js">
</script>
<script src="vendor/circle-progress/circle-
progress.min.js"></script>
```

```

<script src="vendor/perfect-scrollbar/perfect-scrollbar.js"></script>
<script
src="vendor/chartjs/Chart.bundle.min.js"></script>
>
<script src="vendor/select2/select2.min.js">
</script>
<!-- Main JS-->
<script src="js/main.js"></script>
</body>
</html>
<!-- end document-->
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<meta content="width=device-width, initial-scale=1, maximum-scale=1, user-scalable=no"
name="viewport">
<!-- Google Fonts -->
<link
href="https://fonts.googleapis.com/css?family=Roboto:400,700&subset=latin,cyrillic-ext"
rel="stylesheet" type="text/css">
<link
href="https://fonts.googleapis.com/icon?family=Material+Icons" rel="stylesheet" type="text/css">
<!-- Bootstrap Core Css -->
<link href="plugins/bootstrap/css/bootstrap.css"
rel="stylesheet">
<!-- Waves Effect Css -->
<link href="plugins/node-waves/waves.css"
rel="stylesheet" />
<!-- Animation Css -->
<link href="plugins/animate-css/animate.css"
rel="stylesheet" />
<!-- Custom Css -->
<link href="css/style.css" rel="stylesheet">
</head>
</html>

```

Koneksi.php

```

<?php
session_start();
$koneksi =
mysqli_connect('localhost','mi6dpolsri_saskia','Pol
sri_Saskia','mi6dpolsri_saskia');

if(!$koneksi)
{
die("Koneksi gagal
: ".mysqli_connect_error());
}

?>

```

Proses_login.php

```

<?php
include 'koneksi.php';

$username=$_POST['username'];
$password=$_POST['password'];

$query=mysqli_query($koneksi,"select
* from tb_login where username='$username' and
password='$password'");
$cek=mysqli_num_rows($query);
if($cek > 0)
{

$data=mysqli_fetch_array($query);

$_SESSION['id_login']=$data['id_login'];

$_SESSION['posisi']=$data['posisi'];
if($data['posisi']=='Purchasing')
{
echo "<script>
alert('Anda
berhasil login');

document.location='purchasing/index.php';
</script>";
}
elseif($data['posisi']=='Group Leader')
{
echo "<script>
alert('Anda
berhasil login');

document.location='group_leader/index.php';
</script>";
}

elseif($data['posisi']=='Kepala
Mekanik')
{
echo "<script>
alert('Anda
berhasil login');

document.location='kepala_mekanik/index.php';
</script>";
}

elseif($data['posisi']=='Operator')
{
echo "<script>
alert('Anda
berhasil login');

document.location='operator/index.php';
</script>";
}
}
}

```

```

    }
elseif($data['posisi']=='Mekanik')
    {
        echo "<script>
            alert('Anda
berhasil login');
document.location='mekanik/index.php';
        </script>";
    }
elseif($data['posisi']=='Maintenance
Service')
    {
        echo "<script>
alert('Anda berhasil login');
document.location='maintenance_servi
ce/index.php';
        </script>";
    }
else
    {
        echo "<script>
            alert('Cek kembali username
atau password anda');
document.location='index.php';
        </script>";
    }
?>

```

Header.php

```

<?php
include '../koneksi.php';
$data=mysqli_fetch_array(mysqli_query($koneksi,
"select * from tb_login where
id_login='$_SESSION[id_login]'"));
?>

<!DOCTYPE html>
<html>

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible"
content="IE=Edge">
    <meta content="width=device-width, initial-
scale=1, maximum-scale=1, user-scalable=no"
name="viewport">
    <title>Purchasing</title>
    <!-- Google Fonts -->
    <link
href="https://fonts.googleapis.com/css?family=Ro
boto:400,700&subset=latin,cyrillic-ext"
rel="stylesheet" type="text/css">

```

```

    <link
href="https://fonts.googleapis.com/icon?family=
Material+Icons" rel="stylesheet" type="text/css">

    <!-- Bootstrap Core Css -->
    <link
href="../plugins/bootstrap/css/bootstrap.css"
rel="stylesheet">

    <!-- Waves Effect Css -->
    <link href="../plugins/node-waves/waves.css"
rel="stylesheet" />
    <!-- Animation Css -->
    <link href="../plugins/animate-css/animate.css"
rel="stylesheet" />

    <!-- JQuery DataTable Css -->
    <link href="../plugins/jquery-
datatable/skin/bootstrap/css/dataTables.bootstra
p.css" rel="stylesheet">

    <!-- Custom Css -->
    <link href="../css/style.css" rel="stylesheet">

    <!-- AdminBSB Themes. You can choose a theme
from css/themes instead of get all themes -->
    <link href="../css/themes/all-themes.css"
rel="stylesheet" />

    <!-- Bootstrap Select Css -->
    <link href="../plugins/bootstrap-
select/css/bootstrap-select.css" rel="stylesheet" />
</head>

```

```

<body class="theme-red">
    <!-- Page Loader -->
    <div class="page-loader-wrapper">
        <div class="loader">
            <div class="preloader">
                <div class="spinner-layer pl-red">
                    <div class="circle-clipper left">
                        <div class="circle"></div>
                    </div>
                    <div class="circle-clipper right">
                        <div class="circle"></div>
                    </div>
                </div>
                <p>Please wait...</p>
            </div>
        </div>
    <!-- #END# Page Loader -->
    <!-- Overlay For Sidebars -->
    <div class="overlay"></div>
    <!-- #END# Overlay For Sidebars -->
    <!-- Top Bar -->
    <nav class="navbar">

```

```

<div class="container-fluid"
style="background: #1f91f3">
  <div class="navbar-header">
    <a href="javascript:void(0);"
class="navbar-toggle collapsed" data-
toggle="collapse" data-target="#navbar-collapse"
aria-expanded="false"></a>
    <a href="javascript:void(0);"
class="bars"></a>
    <a class="navbar-brand" href="index.php"
style="color: white">PURCHASING</a>
  </div>
</div>
</nav>
<!-- #Top Bar -->
<section>
  <!-- Left Sidebar -->
  <aside id="leftsidebar" class="sidebar">
    <!-- User Info -->
    <div class="user-info" style="background:
#1f91f3">
      <div class="image">
        
      </div>
      <div class="info-container">
        <div class="name" data-
toggle="dropdown" aria-haspopup="true" aria-
expanded="false" style="margin-top:-10px"><?php
echo $data['nama']; ?><br>
        <?php echo $data['posisi']; ?></div>
        <!-- <div class="btn-group user-helper-
dropdown">
          <i class="material-icons" data-
toggle="dropdown" aria-haspopup="true" aria-
expanded="true">keyboard_arrow_down</i>
          <ul class="dropdown-menu pull-
right">
            <li><a href="javascript:void(0);"><i
class="material-icons">person</i>Profile</a></li>
            <li role="separator"
class="divider"></li>
            <li><a href="javascript:void(0);"><i
class="material-
icons">group</i>Followers</a></li>
            <li><a href="javascript:void(0);"><i
class="material-
icons">shopping_cart</i>Sales</a></li>
            <li><a href="javascript:void(0);"><i
class="material-icons">favorite</i>Likes</a></li>
            <li role="separator"
class="divider"></li>
            <li><a href="javascript:void(0);"><i
class="material-icons">input</i>Sign Out</a></li>
          </ul>
        </div> -->
      </div>
    </div>

```

```

</div>
<!-- #User Info -->
<!-- Menu -->
<div class="menu">
  <ul class="list">
    <li class="header">MAIN
NAVIGATION</li>
    <li>
      <a href="index.php">
        <i class="material-icons">home</i>
        <span>Beranda</span>
      </a>
    </li>
    <li>
      <a href="javascript:void(0);"
class="menu-toggle">
        <i class="material-
icons">view_list</i>
        <span>Laporan</span>
      </a>
      <ul class="ml-menu"><!--
        <li>
          <a href="pages/tables/normal-
tables.html">Normal Tables</a>
        </li> -->
        <li>
          <a
href="table_service.php">Laporan Kerusakan
Harian</a>
        </li>
        <li>
          <a
href="table_maintenance.php">Laporan
Maintenance Service</a>
        </li>
      </ul>
    </li>
    <li>
      <a href="user.php">
        <i class="material-
icons">person</i>
        <span>Tabel Pengguna</span>
      </a>
    </li>
    <li>
      <a href="purchasing_akun.php">
        <i class="material-icons">error</i>
        <span>Akun Info</span>
      </a>
    </li>
    <li>
      <a href="../keluar.php">
        <i class="material-
icons">remove</i>
        <span>Keluar</span>
      </a>
    </li>

```

```

    </ul>
</div>

<!-- <div class="menu">
  <ul class="list">
    <li class="header">MAIN
NAVIGATION</li>
    <li class="active">
      <a href="index.php">
        <i class="material-icons">home</i>
        <span>Beranda</span>
      </a>
    </li>

    <li>
      <a href="table_maintenance.php">
        <i class="material-icons">book</i>
        <span>Laporan
Maintenance</span>
      </a>
    </li>

    <a href="table_service.php">
      <i class="material-
icons">assignment</i>
      <span>Laporan Service</span>
    </a>
    </li>

    <a href="purchasing_akun.php">
      <i class="material-
icons">person</i>
      <span>Akun Info</span>
    </a>
    </li>

    <a href="..keluar.php">
      <i class="material-
icons">remove</i>
      <span>Keluar</span>
    </a>
    </li>
  </ul>
</div> -->
<!-- #Menu -->
<!-- Footer -->
<div class="legal">
  <div class="copyright">
    <p style="text-align: right;">&copy;
2019 </p> <p style="color: red;text-align:
right;">PT Bangun Karya Pratama Lestari</p>
  </div>
</div>
<!-- #Footer -->
</aside>
<!-- #END# Left Sidebar -->
</section>

```

Footer.php

```

<!-- JQuery Core Js -->
<script
src="..plugins/jquery/jquery.min.js"></script>

<!-- Bootstrap Core Js -->
<script
src="..plugins/bootstrap/js/bootstrap.js"></script
>

<!-- Select Plugin Js -->
<script src="..plugins/bootstrap-
select/js/bootstrap-select.js"></script>

<!-- Slimscroll Plugin Js -->
<script src="..plugins/jquery-
slimscroll/jquery.slimscroll.js"></script>

<!-- Waves Effect Plugin Js -->
<script src="..plugins/node-
<li>waves/waves.js"></script>

<!-- JQuery DataTable Plugin Js -->
<script src="..plugins/jquery-
datatable/jquery.dataTables.js"></script>
<script src="..plugins/jquery-
datatable/skin/bootstrap/js/dataTables.bootstrap.
<li>js"></script>
  <script src="..plugins/jquery-
datatable/extensions/export/dataTables.buttons.
min.js"></script>
  <script src="..plugins/jquery-
datatable/extensions/export/buttons.flash.min.js"
></script>
<li> <script src="..plugins/jquery-
datatable/extensions/export/jszip.min.js"></script
>
  <script src="..plugins/jquery-
datatable/extensions/export/pdfmake.min.js"></s
cript>
  <script src="..plugins/jquery-
datatable/extensions/export/vfs_fonts.js"></script
>
  <script src="..plugins/jquery-
datatable/extensions/export/buttons.html5.min.js
"></script>
  <script src="..plugins/jquery-
datatable/extensions/export/buttons.print.min.js"
></script>

<!-- Custom Js -->
<script src="..js/admin.js"></script>
<script src="..js/pages/tables/jquery-
datatable.js"></script>

<!-- Demo Js -->

```



```



```

```

<div class="form-group">


```

```

<div class="form-group">


```

```

<a href="cetakall_mt.php" target="_blank" style="text-decoration: none;" title="Print">
<br><br>

```

```

<p class="btn btn-primary" style="margin-left: -490px">Cetak Keseluruhan</p>

```

```

</a>
&nbsp;
<a href="excelall_mt.php" target="_blank" placeholder="save" style="text-decoration: none;">

```

```

<p class="btn btn-primary">Simpan</p> </a>
</div>
</div>

```

```

<div class="table-responsive">
<table class="table table-bordered table-striped table-hover js-basic-example dataTable">

```

```

<thead>
<tr>
<th>No</th>
<th>Tanggal</th>
<th>NoUnit</th>
<th>OilEngine</th>
<th>OilFilter</th>
<th>RacorFilter</th>
<th>FinalDrive</th>
<th>Hidrolik</th>
<th>Transmisi</th>
<th>AirCleaner</th>
<th>MotorSwing</th>
<th>AirFilterAC</th>
<th>CircleSwing</th>
<th>PMServis</th>
<th>HourMeter</th>
</tr>
</thead>

```

```

<tbody>
<?php
</table>
</div>
<div class="col-sm-3">

```

```

</div>
</div>
</div>
<!-- #END# Basic Examples -->
</div>
<div class="col-sm-4">

```

```

</section>
<?php
include 'footer.php';
?>

```

```

Excelall_mt.php
<?php

```

```

include '../koneksi.php';

```

```

/*BLOCK FUNCTION EXCELL*/
function cleanDataExcel(&$str){
    $str = preg_replace("/\t/", "\\t", $str);
    $str = preg_replace("/\r?\n/", "\\n", $str);
    if($str == 't') $str = 'TRUE';
    if($str == 'f') $str = 'FALSE';
    if(preg_match("/^0/", $str) || preg_match("/^\.+?\d{8,}$/", $str) || preg_match("/^\d{4}.\d{1,2}.\d{1,2}$/", $str)) {
        $str = ""$str";
    }
    if(strpos($str, "'") $str = "' . str_replace("'", "", $str) . "'";
}

```

```

function createExcel($filename,$array){
    // filename for download
    $filename = $filename.".xls";
    header("Content-Disposition: attachment; filename=\"$filename\"");
    header("Content-Type: application/vnd.ms-excel");
    $flag = false;
    foreach($array as $row) {
        if(!$flag) {
            // display field/column names as first row
            echo implode("\t", array_keys($row)) . "\r\n";
            $flag = true;
        }
        array_walk($row, 'cleanDataExcel');
        echo implode("\t", array_values($row)) . "\r\n";
    }
}

```

```

    }
    return;
}
/*END OF - BLOCK FUNCTION EXCELL*/

/*BLOCK FUNCTION SQL*/
$keluarga=array();
$result=mysqli_query($koneksi, "select * from
tb_p2h inner join tb_maintenance on
tb_p2h.id_p2h=tb_maintenance.id_p2h where
tb_p2h.tujuan='Maintenance'");
if ($result === FALSE) {
    die(mysql_error()); }
while($row=mysqli_fetch_array($result)){
    $keluarga[]=array(
        "Tanggal"=>$row['tgl_mt'],
        "No Unit"=>$row['no_unit'],
        "Oil
Engin"=>$row['oil_engin'],
        "Oil
Filter"=>$row['oil_filter'],
        "Racor
Filter"=>$row['racor_filter'],
        "Final
Drive"=>$row['final_drive'],
        "Hidrolik"=>$row['hidrolik'],

        "Transmisi"=>$row['transmisi'],
        "Air
Cleaner"=>$row['air_cleaner'],
        "Motor
Swing"=>$row['motor_swing'],
        "Air Filter
AC"=>$row['air_filter_ac'],
        "Circle
Swing"=>$row['circle_swing'],
        "PM
Servis"=>$row['pm_servis'],
        "Hour Meter"=>$row['hm']
    );
}
/*END BLOCK FUNCTION SQL*/

/*TRANSFER KE SYSTEM*/
createExcel("Maintenance Service",$keluarga);

?>

Cetakall_mt.php
<!DOCTYPE html>
<html>
<head>
    <title>Print Laporan Maintenance
Service</title>
    <!-- Google Fonts -->
    <link
href="https://fonts.googleapis.com/css?family=Ro

```

```

boto:400,700&subset=latin,cyrillic-ext"
rel="stylesheet" type="text/css">
    <link
href="https://fonts.googleapis.com/icon?family=
Material+Icons" rel="stylesheet" type="text/css">

    <!-- Bootstrap Core Css -->
    <link
href="../plugins/bootstrap/css/bootstrap.css"
rel="stylesheet">

    <!-- Waves Effect Css -->
    <link href="../plugins/node-waves/waves.css"
rel="stylesheet" />

    <!-- Animation Css -->
    <link href="../plugins/animate-css/animate.css"
rel="stylesheet" />

    <!-- Morris Chart Css-->
    <link href="../plugins/morrisjs/morris.css"
rel="stylesheet" />

    <!-- Custom Css -->
    <link href="../css/style.css" rel="stylesheet">

    <!-- AdminBSB Themes. You can choose a theme
from css/themes instead of get all themes -->
    <link href="../css/themes/all-themes.css"
rel="stylesheet" />
</head>
<body>
    <table class="table table-bordered
table-striped table-hover js-basic-example
dataTable">
        <thead>
            <tr>
                <th>No</th>
                <th>Tanggal</th>
                <th>NoUnit</th>
                <th>OilEngin</th>
                <th>OilFilter</th>
                <th>RacorFilter</th>
                <th>FinalDrive</th>
                <th>Hidrolik</th>
                <th>Transmisi</th>
                <th>AirCleaner</th>
                <th>MotorSwing</th>
                <th>AirFilterAC</th>
                <th>CircleSwing</th>
                <th>PMServis</th>
                <th>HourMeter</th>
            </tr>
        </thead>
        <tbody>
            <?php
include ("../koneksi.php");

```

```

                $no=0;

                $sql=mysqli_query($koneksi, "select * from
                tb_p2h inner join tb_maintenance on
                tb_p2h.id_p2h=tb_maintenance.id_p2h where
                tb_p2h.tujuan='Maintenance'");

                while($data=mysqli_fetch_array($sql)){
                    $no++;
                    ?>
                    <tr>
                    <td><?php echo $no;
                    ?></td>
                    <td><?php echo
                    $data['tgl_mt']; ?></td>
                    <td><?php echo
                    $data['no_unit']; ?></td>
                    <td><?php echo
                    $data['oil_engin']; ?></td>
                    <td><?php echo
                    $data['oil_filter']; ?></td>
                    <td><?php echo
                    $data['racor_filter']; ?></td>
                    <td><?php echo
                    $data['final_drive']; ?></td>
                    <td><?php echo
                    $data['hidrolik']; ?></td>
                    <td><?php echo
                    $data['transmisi']; ?></td>
                    <td><?php echo
                    $data['air_cleaner']; ?></td>
                    <td><?php echo
                    $data['motor_swing']; ?></td>
                    <td><?php echo
                    $data['air_filter_ac']; ?></td>
                    <td><?php echo
                    $data['circle_swing']; ?></td>
                    <td><?php echo
                    $data['pm_servis']; ?></td>
                    <td><?php echo
                    $data['hm']; ?></td>

                    </tr>
                    <?php
                    }
                    ?>
                </tbody>
            </table>
            <script>
                window.print();
            </script>
        </body>
    </html>

Table_p2h.php
    <?php
    include 'header.php';

```

```

include '../phpqrcode/qrlib.php';
?>
<section class="content">
    <div class="container-fluid">
        <div class="block-header">
            <h2>
                Beranda > Tabel P2H
            </h2>
        </div>

        <!-- Basic Examples -->
        <div class="row clearfix">
            <div class="col-lg-12 col-md-12 col-sm-12
            col-xs-12">
                <div class="card">
                    <div class="header">
                        <h2>
                            Tabel P2H
                        </h2>
                    </div>
                    <div class="body">
                        <div class="table-responsive">
                            <table class="table table-
                            bordered table-striped table-hover js-basic-
                            example dataTable">
                                <thead>
                                    <tr>
                                        <th>No</th>
                                        <th>Tanggal</th>
                                        <th>Hari</th>
                                        <th>Operator</th>
                                        <th>NoUnit</th>
                                        <th>Shift</th>
                                        <th>HMAwal</th>
                                        <th>HMAKhir</th>
                                        <th>Total</th>
                                        <th>Catatan</th>
                                        <th>Proses</th>
                                        <th>Tindakan</th>
                                    </tr>
                                </thead>
                                <tbody>
                                    <?php

                                    "<img src='barcode$data[id_p2h].png'>";

                                </tbody>
                            </table>
                        </div>
                    </div>
                </div>
            </div>
        </div>
        <!-- #END# Basic Examples -->
    </div>
</section>
<?php

```

```

include 'footer.php';

if(isset($_GET['tujuan'])){
    $proses=mysqli_query($koneksi,"update
    tb_p2h set tujuan='$_GET[tujuan]' where
    id_p2h='$_GET[id_p2h]'");
    if($proses)
    {
        echo"<script>alert('P2H
        berhasil diteruskan');</script>";
        echo "<meta http-
        equiv='refresh' content='0;url=?'>";
    }
}
elseif(isset($_GET['hapus'])){
    $proses=mysqli_query($koneksi,"delete
    e from tb_detail_p2h where
    id_p2h='$_GET[id_p2h]'");
    if($proses)
    {

        mysqli_query($koneksi,"delete from
        tb_maintenance where id_p2h='$_GET[id_p2h]'");

        mysqli_query($koneksi,"delete from
        tb_laporankerusakan where
        id_p2h='$_GET[id_p2h]'");

        mysqli_query($koneksi,"delete from
        tb_p2h where id_p2h='$_GET[id_p2h]'");
        echo"<script>alert('Data
        P2H berhasil dihapus');</script>";
        echo "<meta http-
        equiv='refresh' content='0;url=?'>";
    }
}
?>

```