L I S T I N G

PROGRAM

```
<?php
session_start();
error_reporting(0);
include "config/koneksi.php";
//SourceCode by AndezNET.com
include "config/page.php";

$nip=$_SESSION['nip'];
$nm_user=$_SESSION['namauser'];
$photo=$_SESSION['photo'];
$sesi_username                    =
isset($_SESSION['username']) ? $_SESSION['username']
: NULL;
if ($sesi_username != NULL || !empty($sesi_username)
||$_SESSION['leveluser']=='1'  ) {?>

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width,
initial-scale=1.0">
<meta name="description" content="">
<meta name="author" content="Dashboard">
<meta name="keyword" content="SAGA - Sms
Andeznet Gateway">

<title>DISHUT SUMSEL</title>

<!-- Bootstrap core CSS -->
<link href="assets/css/bootstrap.css" rel="stylesheet">
<!--external css-->
<link href="assets/font-awesome/css/font-awesome.css"
rel="stylesheet" />
<link rel="stylesheet" type="text/css"
href="assets/css/zabuto_calendar.css">
<link rel="stylesheet" type="text/css"
href="assets/lineicons/style.css">
<link rel="stylesheet"  type="text/css" href="<?php echo
$ambilcss1; ?>">
<link rel="stylesheet"  type="text/css" href="<?php echo
$ambilcss2; ?>">
        <link rel="shortcut icon" href="logosaga.png">

<!-- Custom styles for this template -->
<link href="assets/css/style.css" rel="stylesheet">
<link href="assets/css/style-responsive.css"
rel="stylesheet">

<script src="assets/js/chart-master/Chart.js"></script>
<script src="assets/js/time.js"
type="text/javascript"></script>
<style type="text/css">
      .web{
font-family:tahoma;
top:10%;
border:1px solid #CDCDCD;
border-radius:10px;
padding:10px;
width:38%;
margin:auto;}
      #search_keyword_id
      {
width:300px;
border:solid 1px #CDCDCD;
padding:10px;
font-size:14px;
      }
      #result
      {
position:absolute;
width:320px;
display:none;
margin-top:-1px;
border-top:0px;
overflow:hidden;
border:1px #CDCDCD solid;
background-color: white;
      }
      .show
      {
font-family:tahoma;
padding:10px;
border-bottom:1px #CDCDCD dashed;
font-size:15px;
      }
      .show:hover
      {
background:#364956;
color:#FFF;
cursor:pointer;
      }
</style>
</head>
<body>

<section id="container" >
    TOP BAR CONTENT & NOTIFICATIONS
<!--header start-->
<header class="header black-bg">
<div class="sidebar-toggle-box">
<div class="fa fa-bars tooltips" data-placement="right"
data-original-title="Toggle Navigation"></div>
</div>
<!--logo start-->
<a href="media.php?id=home" class="logo"><img
src="images/logo.png" width="27px"
height="27px"/> <img src="images/sumsel.png"
align="center" width="27px"
height="27px"/> <b>DISHUT SUMSEL</b></a>
<!--logo end-->
<div class="nav notify-row" id="top_menu">
<!--  notification start -->
<ul class="nav top-menu">
```

```
<!-- settings start -->
<!-- settings end -->
<!-- inbox dropdown start-->
<li id="header_inbox_bar" class="dropdown">

</li>
<span id="dates"><span id="the-day">Hari, 00 Bulan
0000</span><span id="the-
time">00:00:00</span></span>
</ul>
<!--  notification end -->

</div>
<div class="top-menu">
            <ul class="nav pull-right top-menu">

<li><a class="logout" href="logout.php" onclick="return
confirm('Apakah anda yakin ?');"><i class="glyphicon
glyphicon-off"></i><span> Logout</span></a></li>
            </ul>
</div>
</header>
<!--header end-->

<!--
**********************************************
**********************************************
**********************************************
**********
    MAIN SIDEBAR MENU

**********************************************
**********************************************
**********************************************
********** -->
<!--sidebar start-->
<aside>
<div id="sidebar"  class="nav-collapse ">
<!-- sidebar menu start-->
<ul class="sidebar-menu" id="nav-accordion">
<?php
            $user=mysqli_query($mysqli,"select * from
tbl_user where nip='$nip'");
while($rowuser=mysqli_fetch_array($user,MYSQL_ASS
OC)) {
echo "<p class='centered'><a href='?id=profile'><img
src='" . $rowuser['photo'] . "' class='img-circle'
width='60'></a></p>";
echo "<h5 class='centered'>" . $rowuser['username'] .
"</h5>";
            }
            ?>

<li class="mt">
<a class="<?php echo $classmenu1 ?>"
href="?id=home">
<i class="fa fa-dashboard"></i>
<span>Beranda</span>
</a>
</li>

<li class="sub-menu">
<a href="javascript:;" >
<i class="fa fa-spinner"></i>
<span>Olah Data Pegawai</span>
</a>
<ul class="sub active">
<li><a  class="<?php echo $classmenu10 ?>"
href="?id=peg">Data Pegawai</a></li>
<li><a  class="<?php echo $classmenu11 ?>"
href="?id=gaji">Data Gaji Pegawai</a></li>
</ul>
</li>

<li class="sub-menu">
<a data-toggle="modal" data-target="#myModal" href=""
>
<i class="fa          fa-pencil-square-o"></i>
<span>Tulis Pesan</span>
</a>
</li>

<li class="sub-menu">
<a href="javascript:;" >
<i class="fa fa-folder-o"></i>
<span>Berkas</span>
</a>
<ul class="sub active">
<li><a  class="<?php echo $classmenu2 ?>"
href="?id=inbox">Kotak Masuk</a></li>
<li><a  class="<?php echo $classmenu3 ?>"
href="?id=outbox">Kotak Keluar</a></li>
<li><a  class="<?php echo $classmenu4 ?>"
href="?id=sent">Pesan Terkirim</a></li>
</ul>
</li>

<li class="sub-menu">
<a href="javascript:;" >
<i class="fa fa-cogs"></i>
<span>Pengaturan</span>
</a>
<ul class="sub">
<li><a class="<?php echo $classmenu6 ?>"
href="?id=profile">Profile</a></li>
<!--li><a  class="<?php echo $classmenu7 ?>"
href="?id=auto">AutoReplay</a></li-->
</ul>
</li>

<li class="mt">

<a class="logout" href="logout.php" onclick="return
confirm('Apakah anda yakin ?');">
<i class="glyphicon glyphicon-off"></i>
<span>logout</span>
```

```
</a>
</li>

</ul>
<!-- sidebar menu end-->
</div>
</aside>
<!--sidebar end-->


<!--
**********************************************
**********************************************
**********************************************
**********
    MAIN CONTENT

**********************************************
**********************************************
**********************************************
********** -->
<!--main content start-->
<section id="main-content">

            <div class="modal fade" id="myModal"
tabindex="-1" role="dialog" aria-
labelledby="myModalLabel" aria-hidden="true">

            <div class="modal-dialog">

            <div class="modal-content">

            <div class="modal-header">

            <button type="button" class="close" data-
dismiss="modal" aria-hidden="true">&times;</button>

            <h4 class="modal-title"
id="myModalLabel">Tulis Pesan</h4>

            </div>

            <div class="modal-body">

            <form class="form-horizontal style-form"
action="" method="post">


                                    <div class="form-group">

                                    <label class="col-sm-2 col-
sm-2 control-label">Pesan</label>

                                    <div class="col-sm-10">
<textarea type="text" class="form-control"
name="pesan" placeholder="Isikan Pesan"
required></textarea>
                                    </div>

                                    </div>

<div class="form-group">
<label class="col-sm-2 col-sm-2 control-
label">To</label>
<div class="col-sm-10">
<input type="text" class="form-control search_keyword"
name="nohp" id="search_keyword_id"
placeholder="Isikan No Hp Tujuan" required>
<span id="result"></span>
</div>
</div>



            <div class="modal-footer">


            <button type="button" class="btn btn-default"
data-dismiss="modal">Close</button>

            <input type="submit" class="btn btn-primary"
name="input" value="KIRIM">

            </div>

                        </form>
</div>

            </div>

            </div>
                                                </div>
<div class="modal fade" id="modalsiaran" tabindex="-1"
role="dialog" aria-labelledby="myModalLabel" aria-
hidden="true">
<div class="modal-dialog">
<div class="modal-content">
<div class="modal-header">
<button type="button" class="close" data-
dismiss="modal" aria-hidden="true">&times;</button>
<h4 class="modal-title" id="myModalLabel">Pesan
Siaran</h4>
</div>
<div class="modal-body">
<form class="form-horizontal style-form" action=""
method="post">
<div class="form-group">
<label class="col-sm-2 col-sm-2 control-
label">Group</label>
<div class="col-sm-10">

<select name="group"><option value=0 selected>- Pilih
Grups -</option>
```

```
<?php
                                    $q =
mysqli_query($mysqli,"select * from pbk_groups");

while ($a = mysqli_fetch_array($q)){

echo "<option value='$a[1]'>$a[0]</option>";

                                    }
                                    ?>
                                    ?>
</select>
</div>
</div>
<div class="form-group">
<label class="col-sm-2 col-sm-2 control-
label">Pesan</label>
<div class="col-sm-10">
<textarea type="text" class="form-control"
name="pesan" placeholder="Isikan Pesan"
required></textarea>
</div>
</div>
</div>
<div class="modal-footer">
<button type="button" class="btn btn-default" data-
dismiss="modal">Close</button>
<input type="submit" class="btn btn-primary"
name="inputgroup" value="KIRIM">
</div>
</form>
</div>
</div>
</div>

<section class="wrapper">
<?php
include "config/koneksi.php";
if (isset($_POST['input'])) {
            $nohp=$_POST['nohp'];
            $pesan=$_POST['pesan'];
      $jmlSMS=ceil(strlen($pesan)/153);
      $pecah=str_split($pesan, 153);
      $hasil=mysqli_query($mysqli,"SHOW TABLE
STATUS LIKE 'outbox'");
      $data=mysqli_fetch_array($hasil);
      $newID=$data['Auto_increment'];
for ($i=1; $i<=$jmlSMS; $i++)
      {

$udh="050003A7".sprintf("%02s",$jmlSMS).sprintf("%0
2s",$i);

        $msg=$pecah[$i-1];
if($i == 1){
         $sql = mysqli_query($mysqli,"INSERT INTO
outbox(DestinationNumber,UDH,TextDecoded,ID,
SequencePosition, Multipart,CreatorID) VALUES
('$nohp','$udh','$msg','$newID','$i','true','Gammu')");
if ($sql > 0) {
echo "<div class='alert alert-block alert-success'><button
type='button' class='close' data-dismiss='alert'><i
class='fa fa-times'></i></button><strong><i class='fa fa-
check'></i> BERHASIL </strong>Pesan Berhasil di
Kirim<br/></div>";
          } else {
echo "<div class='alert alert-danger'><button
type='button' class='close' data-dismiss='alert'><i
class='fa fa-times'></i></button><strong><i class='fa fa-
times'></i> MAAF! </strong>"
.mysqli_error($mysqli)."<br/></div>";
          }
}else {
          $sql = mysqli_query($mysqli,"INSERT INTO
outbox_multipart(UDH,TextDecoded,ID,SequencePositi
on) VALUES
          ('$udh','$msg','$newID','$i')");
if ($sql > 0) {
echo "<div class='alert alert-block alert-success'><button
type='button' class='close' data-dismiss='alert'><i
class='fa fa-times'></i></button><strong><i class='fa fa-
check'></i> BERHASIL </strong>Pesan Berhasil di
Kirim<br/></div>";
          } else {
echo "<div class='alert alert-danger'><button
type='button' class='close' data-dismiss='alert'><i
class='fa fa-times'></i></button><strong><i class='fa fa-
times'></i> MAAF! </strong>"
.mysqli_error($mysqli)."<br/></div>";
          }
        }
      }




          }
if (isset($_POST['inputgroup'])) {
            $group = $_POST['group'];
            $message = $_POST['pesan'];
            $query = mysqli_query($mysqli, "SELECT *
FROM pbk WHERE GroupID='".$group."'");
while ($row = mysqli_fetch_array($query,
MYSQL_ASSOC)) {
              $query2 = "INSERT INTO outbox
(DestinationNumber, TextDecoded, CreatorID) VALUES
('" . $row['Number'] . "', '$message', 'Gammu')";
            $hasil = mysqli_query($mysqli,$query2);

if ($hasil > 0) {
echo "<div class='alert alert-block alert-success'><button
type='button' class='close' data-dismiss='alert'><i
class='fa fa-times'></i></button><strong><i class='fa fa-
check'></i> BERHASIL </strong>Pesan Berhasil di
Kirim ke no " . $row['Number'] . "<br/></div>";
```

```
                } else {
echo "<div class='alert alert-danger'><button
type='button' class='close' data-dismiss='alert'><i
class='fa fa-times'></i></button><strong><i class='fa fa-
times'></i> MAAF! </strong>"
.mysql_error()."<br/></div>";
                }

            }
        }

        ?>
<?php include $ambil; ?>

</section>
</section>

<!--main content end-->
<!--footer start-->
<div>
<footer class="site-footer">
<div class="text-center">
        Dinas Kehutanan Provinsi Sumatera Selatan -
2019
<a href="#" class="go-top">
<i class="fa fa-angle-up"></i>
</a>
</div>
</footer>
</div>
<!--footer end-->


<!-- js placed at the end of the document so the pages
load faster -->

<script src="assets/js/jquery-1.8.3.min.js"></script>
<script src="assets/js/bootstrap.min.js"></script>
<script class="include" type="text/javascript"
src="assets/js/jquery.dcjqaccordion.2.7.js"></script>
<script src="assets/js/jquery.scrollTo.min.js"></script>
<script src="assets/js/jquery.nicescroll.js"
type="text/javascript"></script>
<script src="assets/js/jquery.sparkline.js"></script>

<!--common script for all pages-->
<script src="assets/js/common-scripts.js"></script>

<!--script for this page-->

<script src="<?php echo $ambiljs1; ?>"></script>
<script src="<?php echo $ambiljs2; ?>"></script>
<script src="<?php echo $ambiljs3; ?>"></script>
<script src="<?php echo $ambiljs4; ?>"></script>
<?php include $ambilfungsi; ?>


<script type="text/javascript">

function Ajax()
    {
var
        $http,
        $self = arguments.callee;

if (window.XMLHttpRequest) {
        $http = new XMLHttpRequest();
    } else if (window.ActiveXObject) {
try {
            $http = new
ActiveXObject('Msxml2.XMLHTTP');
        } catch(e) {
            $http = new
ActiveXObject('Microsoft.XMLHTTP');
        }
    }

if ($http) {
        $http.onreadystatechange = function()
        {
if (/4|^complete$/.test($http.readyState)) {
document.getElementById('header_inbox_bar').innerHT
ML = $http.responseText;
setTimeout(function(){$self();}, 10000);
            }

        };
        $http.open('GET', 'cek_inbox.php' + '?' + new
Date().getTime(), true);
        $http.send(null);
    }
else  {
document.getElementById('header_inbox_bar').innerHT
ML = $http.responseText;
    }

}


</script>
<script type="text/javascript">
setTimeout(function() {Ajax();}, 10000);
</script>

<script type="text/javascript">
    $(function(){
        $(".search_keyword").keyup(function()
        {
var search_keyword_value = $(this).val();
var dataString = 'search_keyword='+
search_keyword_value;
if(search_keyword_value!='')
        {
            $.ajax({
type: "POST",
url: "search.php",
```

```
data: dataString,
cache: false,
success: function(html)
                    {
                       $("#result").html(html).show();
                    }
                 });
              }
return false;
          });

          $("#result").live("click",function(e){
var $clicked = $(e.target);
var $phonebook = $clicked.find('.phonebook').html();
var decoded = $("<span/>").html($phonebook).text();
              $('#search_keyword_id').val(decoded);
          });

          $(document).live("click", function(e) {
var $clicked = $(e.target);
if (! $clicked.hasClass("search_keyword")){
                 $("#result").fadeOut();
              }
          });

          $('#search_keyword_id').click(function(){
             $("#result").fadeIn();
          });
       });
</script>

</body>
</html>
<?php
}else{
   session_destroy();
header('Location:index.php?status=Silahkan Login');
}
?>

<?php
session_start();
error_reporting(0);
include "config/koneksi.php";
//SourceCode by AndezNET.com
include "config/page.php";

$nip=$_SESSION['nip'];
$nm_user=$_SESSION['namauser'];
$photo=$_SESSION['photo'];
$sesi_username      = isset($_SESSION['username']) ?
$_SESSION['username'] : NULL;
if ($sesi_username != NULL || !empty($sesi_username)
||$_SESSION['leveluser']=='1'  )

{

?>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width,
initial-scale=1.0">
<meta name="description" content="">
<meta name="author" content="Dashboard">
<meta name="keyword" content="SAGA - Sms
Andeznet Gateway">

<title>DISHUT SUMSEL</title>

<!-- Bootstrap core CSS -->
<link href="assets/css/bootstrap2.css" rel="stylesheet">
<link href="assets/css/bootstrap.css" rel="stylesheet">
<link href="css/sb-admin2.css" rel="stylesheet">
<link rel="stylesheet"
href="http://cdn.oesmith.co.uk/morris-0.4.3.min.css">

<script type="text/javascript">
function hitung_gaji() {
var sewa = document.transfer.sewa.value;
var iuran = document.transfer.iuran.value;
var iurandw = document.transfer.iurandw.value;
var arisandw = document.transfer.arisandw.value;
var kopbp = document.transfer.kopbp.value;
var zakat = document.transfer.zakat.value;
var infaq = document.transfer.infaq.value;
var bank = document.transfer.bank.value;
var bri = document.transfer.bri.value;
var yudha = document.transfer.yudha.value;
var kpwn = document.transfer.kpwn.value;
var kopsil = document.transfer.kopsil.value;
var asuransi = document.transfer.asuransi.value;
var kopmulia = document.transfer.kopmulia.value;
var kopberingin = document.transfer.kopberingin.value;
var hpk = document.transfer.hpk.value;
var tjanak = document.transfer.tjanak.value;
var tjpasangan = document.transfer.tjpasangan.value;
var tjprofesi = document.transfer.tjprofesi.value;
var tjfungsional = document.transfer.tjfungsional.value;
var tjpajak = document.transfer.tjpajak.value;
var tjberas = document.transfer.tjberas.value;
var gapok = document.transfer.gapok.value;
var kotor = document.transfer.kotor.value;
var potongan = document.transfer.potongan.value;
var gaber = document.transfer.gaber.value;

kotor = (gapok - tjpasangan - tjanak - tjprofesi -
tjfungsional - tjpajak - tjberas) + (2 * tjpasangan ) + ( 2 *
tjanak) + (2 * tjprofesi )
        + (2 * tjfungsional)  + (2 * tjpajak )  + (2 * tjberas );
document.transfer.kotor.value = Math.floor( kotor );

potongan =(sewa - iurandw - iuran - arisandw - kopbp -
zakat - infaq - bank - kopsil - bri - kpwn - yudha -
asuransi - kopmulia - kopberingin - hpk)
```

```
        + (2 * iurandw) + (2 * iuran) + (2 * arisandw) + (2
* kopbp) + (2 * zakat) + (2 * infaq) + (2 * bank) + (2 *
kopsil) + (2 * bri)
        + (2 * kpwn) + (2 * yudha) + (2 * asuransi) + (2 *
kopmulia) + (2 * kopberingin) + (2 * hpk);
document.transfer.potongan.value = Math.floor(
potongan );

gaber = (kotor - potongan);
document.transfer.gaber.value = Math.floor( gaber );
}
</script>
<!--external css-->
<link href="assets/font-awesome/css/font-awesome.css"
rel="stylesheet" />
<link href="assets/font-awesome/css/font-
awesome.min.css" rel="stylesheet" />
<link rel="stylesheet" type="text/css"
href="assets/css/zabuto_calendar.css">
<link rel="stylesheet" type="text/css"
href="assets/lineicons/style.css">
<link rel="stylesheet"  type="text/css" href="<?php echo
$ambilcss1; ?>">
<link rel="stylesheet"  type="text/css" href="<?php echo
$ambilcss2; ?>">
<link rel="shortcut icon" href="logosaga.png">

<!-- Custom styles for this template -->
<link href="assets/css/style.css" rel="stylesheet">
<link href="assets/css/style-responsive.css"
rel="stylesheet">

<script src="assets/js/chart-master/Chart.js"></script>
<script src="assets/js/time.js"
type="text/javascript"></script>
<style type="text/css">
        .web{
font-family:tahoma;
top:10%;
border:1px solid #CDCDCD;
border-radius:10px;
padding:10px;
width:38%;
margin:auto;
        }
        #search_keyword_id
        {
width:300px;
border:solid 1px #CDCDCD;
padding:10px;
font-size:14px;
        }
        #result
        {
position:absolute;
width:320px;
display:none;
margin-top:-1px;
border-top:0px;
overflow:hidden;
border:1px #CDCDCD solid;
background-color: white;
        }
        .show
        {
font-family:tahoma;
padding:10px;
border-bottom:1px #CDCDCD dashed;
font-size:15px;
        }
        .show:hover
        {
background:#364956;
color:#FFF;
cursor:pointer;
        }
</style>


</head>
<body>
<div id="wrapper">

<!-- Sidebar -->


<?php } ?>


<section id="container" >
<!--
**********************************************
**********************************************
**********************************************
**********
    TOP BAR CONTENT & NOTIFICATIONS
**********************************************
**********************************************
**********************************************
********** -->
<!--header start-->
<header class="header black-bg">
<div class="sidebar-toggle-box">
<div class="fa fa-bars tooltips" data-placement="right"
data-original-title="Toggle Navigation"></div>
</div>
<!--logo start-->
<a href="media.php?id=home" class="logo"><img
src="images/logo.png" width="27px"
height="27px"/> <img src="images/sumsel.png"
align="center" width="27px"
height="27px"/> <b>DISHUT SUMSEL</b></a>
<!--logo end-->
<div class="nav notify-row" id="top_menu">
<!--  notification start -->
<ul class="nav top-menu">
```

```
<!-- settings start -->

<!-- settings end -->
<!-- inbox dropdown start-->
<li id="header_inbox_bar" class="dropdown">

</li>
<span id="dates"><span id="the-day">Hari, 00 Bulan
0000</span><span id="the-
time">00:00:00</span></span>
</ul>
<!--  notification end -->

</div>
<div class="top-menu">
<ul class="nav pull-right top-menu">

<li><a class="logout" href="logout.php" onclick="return
confirm('Apakah anda yakin ?');"><i class="glyphicon
glyphicon-off"></i><span> Logout</span></a></li>
</ul>
</div>
</header>
<!--header end-->

<!--
**********************************************
**********************************************
**********************************************
**********
    MAIN SIDEBAR MENU

**********************************************
**********************************************
**********************************************
********** -->
<!--sidebar start-->
<aside>
<div id="sidebar"  class="nav-collapse ">
<!-- sidebar menu start-->
<ul class="sidebar-menu" id="nav-accordion">
<?php
            $user=mysqli_query($mysqli,"select * from
tbl_user where nip='$nip'");
while($rowuser=mysqli_fetch_array($user,MYSQL_ASS
OC)) {
echo "<p class='centered'><a
href='media.php?id=profile'><img src='" .
$rowuser['photo'] . "' class='img-circle'
width='60'></a></p>";
echo "<h5 class='centered'>" . $rowuser['username'] .
"</h5>";
            }
            ?>
<li><a href="media.php?id=peg">
<i class='fa fa-rotate-left'></i>
<font size="2px">   Kembali</font>
</a></li>
</ul>
<!-- sidebar menu end-->
</div>
</aside>

<section id="main-content">

<div id="page-wrapper">


<div class="row">
<div class="col-lg-12">
<div class="panel panel-primary">
<ol class="breadcrumb">
<li class="active"><i class="fa fa-dashboard"></i> SLIP
GAJI / TAMBAH DATA GAJI</li>
</ol>
</div><!-- /.row -->
<!--
<div class="row">
<div class="col-lg-12">
<div class="panel panel-primary">
<div class="panel-heading">
<h3 class="panel-title"><i class="fa fa-bar-chart-o"></i>
Traffic Statistics: October 1, 2013 - October 31,
2013</h3>
</div>
<div class="panel-body">
<div id="morris-chart-area"></div>
</div>
</div>
</div>
</div>-->
<!-- /.row -->
<div class="col-lg-12">
<div class="panel panel-primary">
<div class="panel-heading">
<h3 class="panel-title"><i class="fa fa-
book"></i> Data Gaji Pegawai </h3>
</div>
<div class="panel-body">
<div class="table-responsive">

<?php
   $tampil = mysqli_query($mysqli,"SELECT * FROM
pegawai WHERE nip='$_GET[kd]'");
   $data=mysqli_fetch_array($tampil,MYSQL_ASSOC)
?>
<form action="insertgaji.php" method="post"
autocomplete="off" name="transfer">
<table class="table table-condensed">
<tr>
<td><label for="nip">NIP</label></td>
<td><input name="nip" type="text" class="form-control"
id="nip" value="<?php echo $data['nip'];?>"
readonly="readonly"/></td>
</tr>
```

```
<tr>
<td><label for="nama">Nama</label></td>
<td><input name="nama" type="text" class="form-
control" id="nama" value="<?php echo $data['nama'];?>"
readonly="readonly"/></td>
</tr>
<tr>
<td><label for="gapok">Gaji Pokok</label></td>
<td><input name="gapok" type="text" class="form-
control" id="gapok" value="<?php echo
$data['gapok'];?>" readonly="readonly"/></td>
</tr>
<tr><br>
<table class="table-condensed"  align="left" padding-
left="10px">
<tr><td ><b>TUNJANGAN</b></td></tr>
<td><label for="tjpasangan">Tunjangan
Suami/Istri</label></td>
<td><input name="tjpasangan" type="text" class="form-
control" id="tjpasangan" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="tjanak">Tunjangan Anak</label></td>
<td><input name="tjanak" type="text" class="form-
control" id="tjanak" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="tjprofesi">Tunjangan
Jabatan</label></td>
<td><input name="tjprofesi" type="text" class="form-
control" id="tjprofesi" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="tjfungsional">Tunjangan
Fungsional</label></td>
<td><input name="tjfungsional" type="text"
class="form-control" id="tjfungsional" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="tjpajak">Tunjangan Pajak</label></td>
<td><input name="tjpajak" type="text" class="form-
control" id="tjpajak" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="tjberas">Tunjangan Beras</label></td>
<td><input name="tjberas" type="text" class="form-
control" id="tjberas" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="kotor">Gaji Kotor</label></td>
<td><input name="kotor" type="text" class="form-
control" id="kotor" readonly="readonly" /></td>
</tr>
</table>
<table class="table-condensed" align="center" >
<tr><td ><b>POTONGAN</b></td></tr>
<tr>
<td><label for="sewa">Sewa Rumah</label></td>
<td><input name="sewa" type="text" class="form-
control" id="sewa" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="iuran">Iuran Korpri</label></td>
<td><input name="iuran" type="text" class="form-
control" id="iuran" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="iurandw">Iuran DW</label></td>
<td><input name="iurandw" type="text" class="form-
control" id="iurandw" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="arisandw">Arisan DW</label></td>
<td><input name="arisandw" type="text" class="form-
control" id="arisandw" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="kopbp">Koperasi Bina P</label></td>
<td><input name="kopbp" type="text" class="form-
control" id="kopbp" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="zakat">Zakat 2,5 %</label></td>
```

```
<td><input name="zakat" type="text" class="form-
control" id="zakat" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()"/></td>
</tr>
<tr>
<td><label for="infaq">Infaq dan Sodaqoh</label></td>
<td><input name="infaq" type="text" class="form-
control" id="infaq" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="bank">Bank Sumsel</label></td>
<td><input name="bank" type="text" class="form-
control" id="bank" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="kopsil">Koperasi Silva</label></td>
<td><input name="kopsil" type="text" class="form-
control" id="kopsil" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="bri">BRI & IP/BPR</label></td>
<td><input name="bri" type="text" class="form-control"
id="bri" autofocus="on" onKeyUp="hitung_gaji()"
onKeyDown="hitung_gaji()"
onChange="hitung_gaji()"/></td>
</tr>
<tr>
<td><label for="yudha">Bank Yudha
Bhakti</label></td>
<td><input name="yudha" type="text" class="form-
control" id="yudha" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="kpwn">KPWN JKT</label></td>
<td><input name="kpwn" type="text" class="form-
control" id="kpwn" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="asuransi">Asuransi</label></td>
<td><input name="asuransi" type="text" class="form-
control" id="asuransi" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="kopmulia">Koperasi K
Mulia</label></td>
<td><input name="kopmulia" type="text" class="form-
control" id="kopmulia" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="kopberingin">Koperasi
Beringin</label></td>
<td><input name="kopberingin" type="text"
class="form-control" id="kopberingin" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="hpk">HPK</label></td>
<td><input name="hpk" type="text" class="form-
control" id="hpk" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus
autocomplete='off'/></td>
</tr>
<tr>
<td><label for="potongan">Total Potongan</label></td>
<td><input name="potongan" type="text" class="form-
control" id="potongan" readonly="readonly" /></td>
</tr>
</table>
<table class="table table-condensed">
<tr>
<td><label for="gaber">Gaji Bersih</label></td>
<td><input name="gaber" type="text" class="form-
control" id="gaber" autofocus="on"
onKeyUp="hitung_gaji()" onKeyDown="hitung_gaji()"
onChange="hitung_gaji()" autofocus autocomplete='off'
readonly="readonly"/></td>
</tr>
<tr>
<td><label for="bln_gaji">Bulan Gaji</label></td>
<td><select name="bln_gaji" name="bln_gaji"
id="bln_gaji" class="form-control" required>
<option></option>
<option value="Januari">Januari</option>
<option value="Februari">Februari</option>
<option value="Maret">Maret</option>
<option value="April">April</option>
<option value="Mei">Mei</option>
<option value="Juni">Juni</option>
<option value="Juli">Juli</option>
<option value="Agustus">Agustus</option>
<option value="September">September</option>
```

```
<option value="Oktober">Oktober</option>
<option value="November">November</option>
<option value="Desember">Desember</option>
</select></td>
</tr>
<tr>
<td><input type="submit" value="Simpan Data"
class="btn btn-sm btn-primary"/></td>
</tr>
</table>
</form>
</div>

</div>
</div>
</div>
</div><!-- /.row -->
</div><!-- /#page-wrapper -->

</div><!-- /#wrapper -->

</section>

<!-- JavaScript -->
<script src="js/jquery-1.10.2.js"></script>
<script src="js/bootstrap.js"></script>

<!-- Page Specific Plugins -->
<script
src="http://cdnjs.cloudflare.com/ajax/libs/raphael/2.1.0/ra
phael-min.js"></script>
<script src="http://cdn.oesmith.co.uk/morris-
0.4.3.min.js"></script>
<script src="js/morris/chart-data-morris.js"></script>
<script src="js/tablesorter/jquery.tablesorter.js"></script>
<script src="js/tablesorter/tables.js"></script>

</body>
</html>

<?php
error_reporting(0);
include "config/koneksi.php";

        $nip        = $_POST['nip'];
   $username        = $_POST['username'];
        $password           = $_POST['password2'];
        $email      = $_POST['email'];
        $enkrip_pass= md5($password);
        $nohp       = $_POST['nohp'];


$cek_username=mysqli_num_rows(mysqli_query
        ($mysqli,"SELECT username FROM tbl_user
          WHERE username='$username'"));

$cek_email=mysqli_num_rows(mysqli_query
        ($mysqli,"SELECT email FROM tbl_user
          WHERE email='$email'"));


if ($cek_username > 0) {
echo "<div id='gagal' class='alert alert-danger'>Maaf
Username sudah terdaftar<button type='button'
class='close' data-dismiss='alert'><i class='fa fa-
times'></i></button></div>";
}
else if ($cek_email > 0){
echo "<div id='gagal' class='alert alert-danger'>Mohon
maaf Email anda sudah terdaftar<button type='button'
class='close' data-dismiss='alert'><i class='fa fa-
times'></i></button></div>";

}else {
   $input = mysqli_query($mysqli, "INSERT INTO
tbl_user(nip,username,
pass,
email,
                level_user,photo,nohp)


        VALUES('$nip','$username',

                        '$enkrip_pass',

                        '$email',


        '1','assets/img/noname.jpg','$nohp')");

if ($input > 0) {
      echo "<div class='alert alert-success'><button
type='button' class='close' data-dismiss='alert'><i
class='fa fa-times'></i></button><strong><i class='fa fa-
check'></i> BERHASIL </strong>Silahkan <a
href='index.php'>Login</a><br/></div>";
   } else {
echo "<div class='alert alert-danger'><button
type='button' class='close' data-dismiss='alert'><i
class='fa fa-times'></i></button><strong><i class='fa fa-
times'></i> MAAF! </strong>" . mysqli_error($mysqli) .
"<br/></div>";
   }
}
```