

AuthModel.php

```
<?php

defined('BASEPATH') or exit('No direct script access allowed');

class AuthModel extends CI_Model

{

    function __construct()

    {

        parent::__construct();

    }

    function login($no_kontrol, $password)

    {

        $this->db->select('*');

        $this->db->from('tb_login l');

        $this->db->join('tb_pelanggan p', 'l.no_kontrol = p.no_kontrol');

        $this->db->where('l.no_kontrol', $no_kontrol);

        $this->db->where('l.password', $password);

        $query = $this->db->get();

        if ($query->num_rows() == 1) {

            return $query->result();

        } else {

            return false;

        }

    }

}
```

ChatModel.php

```
<?php

defined('BASEPATH') or exit('No direct script access allowed');

class AuthModel extends CI_Model
```

```

{
    function __construct()
    {
        parent::__construct();
    }

    function login($no_kontrol, $password)
    {
        $this->db->select('*');
        $this->db->from('tb_login l');
        $this->db->join('tb_pelanggan p', 'l.no_kontrol = p.no_kontrol');
        $this->db->where('l.no_kontrol', $no_kontrol);
        $this->db->where('l.password', $password);
        $query = $this->db->get();
        if ($query->num_rows() == 1) {
            return $query->result();
        } else {
            return false;
        }
    }
}

```

Index.html

```

<!DOCTYPE html>

<html>
<head>
    <title>403 Forbidden</title>
</head>
<body>
    <p>Directory access is forbidden.</p>
</body>

```

```
</html>
```

MainModel.php

```
<?php

defined('BASEPATH') or exit('No direct script access allowed');

class MainModel extends CI_Model

{

    function __construct()

    {

        parent::__construct();

    }

    public function get_statistik_buruk()

    {

        $sql = "SELECT COUNT(nilai) as banyak FROM penilaian WHERE nilai = 1";

        $res = $this->db->query($sql);

        return $res->result_array();

    }

    public function get_statistik_cukup()

    {

        $sql = "SELECT COUNT(nilai) as banyak FROM penilaian WHERE nilai = 2";

        $res = $this->db->query($sql);

        return $res->result_array();

    }

    public function get_statistik_baik()

    {

        $sql = "SELECT COUNT(nilai) as banyak FROM penilaian WHERE nilai = 3";

        $res = $this->db->query($sql);

        return $res->result_array();

    }

}
```

```

    }

    public function get_statistik_sangatbaik()
    {
        $sql = "SELECT COUNT(nilai) as banyak FROM penilaian WHERE nilai = 4";
        $res = $this->db->query($sql);
        return $res->result_array();
    }
}

```

MemberModel.php

```

<?php

defined('BASEPATH') or exit('No direct script access allowed');

class MemberModel extends CI_Model
{
    function __construct()
    {
        parent::__construct();
    }

    public function get_nomor_urut()
    {
        $sql = "SELECT max(no_kontrol) as no_kontrol FROM tb_login";
        $res = $this->db->query($sql);
        return $res->result_array();
    }

    public function tambah_keluhan($data)
    {
        $this->db->set('no_kontrol', $data['no_kontrol']);
        $this->db->set('nama_permohon', $data['nama_permohon']);
        $this->db->set('alamat_permohon', $data['alamat_permohon']);
    }
}

```

```

$this->db->set('tanggal_permohon', $data['tanggal_permohon']);

$this->db->set('no_agenda', $data['no_agenda']);

$this->db->set('ukuran_meter', $data['ukuran_meter']);

$this->db->set('merek_meter', $data['merek_meter']);

$this->db->set('seri_meter', $data['seri_meter']);

$this->db->set('tgl_pengaduan', $data['tgl_pengaduan']);

$this->db->set('tgl_pk', $data['tgl_pk']);

$this->db->set('tgl_meter', $data['tgl_meter']);

$this->db->set('tgl_pasang', $data['tgl_pasang']);

$this->db->set('jenis_keluhan', $data['jenis_keluhan']);

$this->db->set('catatan', $data['catatan']);

$this->db->insert('tb_keluhan');

$this->db->insert_id();

}

public function input_nilai($data, $id_user, $date)

{

    $this->db->set('nilai', $data);

    $this->db->set('id_user', $id_user);

    $this->db->set('tanggal', $date);

    $this->db->insert('penilaian');

    $this->db->insert_id();

}

public function get_konsultasi_userid($userid)

{

    $sql = 'SELECT * from konsultasi where status != "" AND id_user=' . $userid;

    $res = $this->db->query($sql);

    return $res->result_array();

}

```

```

public function get_all_keluhan($no_kontrol)
{
    $sql = "SELECT * from tb_keluhan WHERE no_kontrol = '" . $no_kontrol . "'";
    $res = $this->db->query($sql);
    return $res->result_array();
}

public function get_personal_keluhan($id_keluhan)
{
    $sql = "SELECT * from tb_keluhan WHERE id_keluhan =" . $id_keluhan;
    $res = $this->db->query($sql);
    return $res->result_array();
}

public function get_all_pengumuman()
{
    $sql = "SELECT * from tb_pengumuman";
    $res = $this->db->query($sql);
    return $res->result_array();
}

public function get_detail_pengumuman($id_pengumuman)
{
    $sql = "SELECT * from tb_pengumuman WHERE id_pengumuman =" . $id_pengumuman;
    $res = $this->db->query($sql);
    return $res->result_array();
}

```

PdfModel.php

```

<?php
if (!defined('BASEPATH'))

```

```
exit('No direct script access allowed');

class PdfModel extends CI_Model

{
    public function getContent($data)
    {
        $this->db->select(array('b.*'));

        // $this->db->select('b.*');

        $this->db->from('konsultasi b');

        $this->db->where('no_konsul', $data);

        $query = $this->db->get();

        return $query->row_array();
    }
}

?>
```

register.php

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="utf-8">

    <meta http-equiv="X-UA-Compatible" content="IE=edge">

    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <meta name="description" content="">

    <meta name="author" content="">

    <link rel="icon" type="image/png" href="= base_url('assets/'); ?&gt;img/logopdam.png"&gt;

    &lt;title&gt;

        &lt;?= $title; ?&gt;

    &lt;/title&gt;</pre
```

```

<!-- Custom fonts for this template-->

<link href=<?= base_url('assets/'); ?>vendor/fontawesome-free/css/all.min.css"
rel="stylesheet" type="text/css">

<link
href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600,600i,700,700i,
800,800i,900,900i" rel="stylesheet">

<!-- Custom styles for this template-->

<link href=<?= base_url('assets/'); ?>css/sb-admin-2.min.css" rel="stylesheet">

<link href=<?= base_url('assets/'); ?>vendor/datatables/dataTables.bootstrap4.min.css"
rel="stylesheet">

</head>

<body class="bg-gradient-info">

<div class="container">

<div class="row justify-content-center">

<div class="col-xl-12 col-lg-12 col-md-12">

<div class="card o-hidden border-0 shadow-lg my-5">

<div class="card-body p-0">

<!-- Nested Row within Card Body -->

<div class="row">

<div class="col-lg-6 d-lg-block bg-register-
image" style="background-image: url('/pdamkaranganyar/assets/img/backgroundreg.png')"></div>

<div class="col-lg-6">

<div class="p-5">

<div class="text-center">

<h1 class="h6 text-
gray-900 mb-4"></h1>

<h1 class="h3 text-
info mb-4"><b>Pasang Baru</b></h1>

</div>

<form class="user"
method="POST" action=<?= base_url('AuthLogin/register'); ?>" enctype="multipart/form-data">

```

```
<div class="form-group">
    <input type="text" class="form-control" id="nomor_kontrol" name="nomor_kontrol" placeholder="Nomor Kontrol" value=<?= $no_urut ?> readonly>
    <?= form_error('nomor_kontrol', '<small class="text-danger pl-3">', '</small>'); ?>
</div>

<div class="form-group">
    <input type="text" class="form-control" id="name" name="name" placeholder="Full name" value=<?= set_value('name'); ?>>
    <?= form_error('name', '<small class="text-danger pl-3">', '</small>'); ?>
</div>

<div class="form-group">
    <input type="text" class="form-control" id="no_rekair" name="no_rekair" placeholder="Nomor Rekening Air" value=<?= set_value('no_rekair'); ?>>
    <?= form_error('no_rekair', '<small class="text-danger pl-3">', '</small>'); ?>
</div>

<div class="form-group row">
    <div class="col-sm-6 mb-3 mb-sm-0">
        <input type="password" class="form-control" id="password1" name="password1" placeholder="Password">
        <?= form_error('password1', '<small class="text-danger pl-3">', '</small>'); ?>
    </div>
    <div class="col-sm-6">
```

```
<input type="password" class="form-control" id="password2" name="password2"
placeholder="Repeat Password">

</div>

</div>

<div class="form-
group">

<label>Upload KTP : </label>

<div
class="custom-file">

<input type="file" name="ktp_image" id="ktp_image" accept="image/*">
<?=
form_error('ktp_image', '<small class="text-danger pl-3">', '</small>'); ?>

</div>

</div>

<div class="form-
group">

<label>Upload KK : </label>

<div
class="custom-file">

<input type="file" name="kk" id="kk" accept="image/*">
<?=
form_error('kk', '<small class="text-danger pl-3">', '</small>'); ?>

</div>

</div>

<div class="form-
group">

<label>Upload Sertifikat PBB : </label>

<div
class="custom-file">
```

```
<input type="file" name="ppb" id="ppb" accept="image/*">
<?=
form_error('ppb', '<small class="text-danger pl-3">', '</small>'); ?>
</div>
</div>
<div class="form-group">
<input
type="text" class="form-control" id="alamat" name="alamat" placeholder="Alamat" value="<?=
set_value('alamat'); ?>">
<?=
form_error('alamat', '<small class="text-danger pl-3">', '</small>'); ?>
</div>
<div class="form-group">
<input
type="text" class="form-control" id="nomor_telepon" name="nomor_telepon" placeholder="Nomor
Telepon" value="<?= set_value('nomor_telepon'); ?>">
<?=
form_error('nomor_telepon', '<small class="text-danger pl-3">', '</small>'); ?>
</div>
<button
type="submit" class="btn btn-success btn-block">Register
Account</button>
</form>
<hr>
<div class="text-center">
<a class="small"
href="<?= base_url('AuthLogin'); ?>" style="font-size:14px;">Sudah
memiliki
akun pasang baru? Silahkan Login!</a>
</div>
```

```

        </div>
    </div>
    </div>
    </div>
</div>
</div>

<!-- Bootstrap core JavaScript-->
<script src="= base_url('assets/') ?&gt;vendor/jquery/jquery.min.js"&gt;&lt;/script&gt;
&lt;script src="<?= base_url('assets/') ?&gt;vendor/bootstrap/js/bootstrap.bundle.min.js"&gt;&lt;/script&gt;

&lt;!-- Core plugin JavaScript--&gt;
&lt;script src="<?= base_url('assets/') ?&gt;vendor/jquery-easing/jquery.easing.min.js"&gt;&lt;/script&gt;
&lt;!-- Custom scripts for all pages--&gt;
&lt;script src="<?= base_url('assets/') ?&gt;js/sb-admin-2.min.js"&gt;&lt;/script&gt;
&lt;!-- Page level plugins --&gt;
&lt;script src="<?= base_url('assets/') ?&gt;vendor/datatables/jquery.dataTables.min.js"&gt;&lt;/script&gt;
&lt;script src="<?= base_url('assets/'); ?&gt;vendor/datatables/dataTables.bootstrap4.min.js"&gt;&lt;/script&gt;

&lt;!-- Page level custom scripts --&gt;
&lt;script src="<?= base_url('assets/') ?&gt;js/demo/datatables-demo.js"&gt;&lt;/script&gt;
&lt;/body&gt;
&lt;/html&gt;

<bwelcome_message.php

<?php
defined('BASEPATH') OR exit('No direct script access allowed');

?><!DOCTYPE html>
```

```
<html lang="en">

<head>

    <meta charset="utf-8">

    <title>Welcome to CodeIgniter</title>

    <style type="text/css">

        ::selection { background-color: #E13300; color: white; }

        ::-moz-selection { background-color: #E13300; color: white; }

        body {

            background-color: #fff;

            margin: 40px;

            font: 13px/20px normal Helvetica, Arial, sans-serif;

            color: #4F5155;

        }

        {

            color: #003399;

            background-color: transparent;

            font-weight: normal;

        }

        h1 {

            color: #444;

            background-color: transparent;

            border-bottom: 1px solid #D0D0D0;

            font-size: 19px;

            font-weight: normal;

            margin: 0 0 14px 0;

            padding: 14px 15px 10px 15px;

        }

        code {

    
```

```
font-family: Consolas, Monaco, Courier New, Courier, monospace;  
font-size: 12px;  
background-color: #f9f9f9;  
border: 1px solid #D0D0D0;  
color: #002166;  
display: block;  
margin: 14px 0 14px 0;  
padding: 12px 10px 12px 10px;  
}  
  
#body {  
margin: 0 15px 0 15px;  
}  
  
p.footer {  
text-align: right;  
font-size: 11px;  
border-top: 1px solid #D0D0D0;  
line-height: 32px;  
padding: 0 10px 0 10px;  
margin: 20px 0 0 0;  
}  
  
#container {  
margin: 10px;  
border: 1px solid #D0D0D0;  
box-shadow: 0 0 8px #D0D0D0;  
}  
  
</style>  
  
</head>  
  
<body>
```

```
<div id="container">

    <h1>Welcome to CodeIgniter!</h1>

    <div id="body">

        <p>The page you are looking at is being generated dynamically by CodeIgniter.</p>

        <p>If you would like to edit this page you'll find it located at:</p>
        <code>application/views/welcome_message.php</code>

        <p>The corresponding controller for this page is found at:</p>
        <code>application/controllers/Welcome.php</code>

        <p>If you are exploring CodeIgniter for the very first time, you should start by
reading the <a href="user_guide/">User Guide</a>.</p>

    </div>

    <p class="footer">Page rendered in <strong>{elapsed_time}</strong> seconds. <?php echo
(ENVIRONMENT === 'development') ? 'CodeIgniter Version <strong>' . CI_VERSION . '</strong>'
: " ?></p>

</div>

</body>

</html>
```

Index.html

```
<!DOCTYPE html>

<html>
<head>
    <title>403 Forbidden</title>
</head>
<body>

<p>Directory access is forbidden.</p>
</body>
</html>
```

Login.php

```
<!DOCTYPE html>
```

```
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">
    <link rel="icon" type="image/png" href="= base_url('assets/'); ?&gt;img/logopdam.png"&gt;
    &lt;title&gt;
        &lt;?= $title; ?&gt;
    &lt;/title&gt;
    &lt;!-- Custom fonts for this template--&gt;
    &lt;link href="<?= base_url('assets/'); ?&gt;vendor/fontawesome-free/css/all.min.css"
        rel="stylesheet" type="text/css"&gt;
    &lt;link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600,600i,700,700i,
        800,800i,900,900i" rel="stylesheet"&gt;
    &lt;!-- Custom styles for this template--&gt;
    &lt;link href="<?= base_url('assets/'); ?&gt;css/sb-admin-2.min.css" rel="stylesheet"&gt;
    &lt;link href="<?= base_url('assets/'); ?&gt;vendor/datatables/dataTables.bootstrap4.min.css"
        rel="stylesheet"&gt;
&lt;/head&gt;

&lt;body class="bg-gradient-info"&gt;
    &lt;div class="container"&gt;
        &lt;!-- Outer Row --&gt;
        &lt;div class="row justify-content-center"&gt;
            &lt;div class="col-xl-9 col-lg-12 col-md-9" style="padding-top: 50px;"&gt;
                &lt;div class="card o-hidden border-0 shadow-lg my-5" "&gt;</pre
```

```

<div class="card-body p-0">

    <!-- Nested Row within Card Body -->

    <div class="row">

        <div class="col-lg-6 d-none d-lg-block bg-
login-image" style="background-image: url('/pdamkaranganyar/assets/img/bg.png')"></div>

        <div class="col-lg-6">

            <div class="p-5">

                <div class="text-center">

                    <h1 class="h6 text-
gray-900 mb-4"></h1>

                    <h2 class="h3 text-
info mb-4"><b>Login</b></h2>

                </div>

                <?= $this->session-
>flashdata('message'); ?>

                <form class="Sign_in"
method="post" action="<?= base_url('AuthLogin'); ?>">

                    <div class="form-
group">

                        <input
type="text" class="form-control" id="username" name="username" placeholder="Username"
value="<?= set_value('username'); ?>">

                        <?=
form_error('username', '<small class="text-danger pl-3">', '</small>'); ?>

                    </div>

                    <div class="form-
group">

                        <input
type="password" class="form-control" id="password" name="password" placeholder="Password">

                        <?=
form_error('password', '<small class="text-danger pl-3">', '</small>'); ?>

                    </div>


```

```
<button  
type="submit" class="btn btn-success btn-user btn-block">  
    Login  
</button>  
  
</form>  
  
<hr>  
  
<div class="text-center">  
    <a class="small  
text-info" href="= base_url('AuthLogin/register'); ?" style="font-size:14px;">Daftar Pasang  
Baru!</a>  
</div>  
  
</div>  
  
</div>  
  
</div>  
  
</div>  
  
</div>  
  
</div>  
  
</div>  
  
<!-- Bootstrap core JavaScript-->  
  
<script src="= base_url('assets/'); ?&gt;vendor/jquery/jquery.min.js"&gt;&lt;/script&gt;<br/  
<script src="= base_url('assets/'); ?&gt;vendor/bootstrap/js/bootstrap.bundle.min.js"&gt;&lt;/script&gt;<br/  
<!-- Core plugin JavaScript-->  
  
<script src="= base_url('assets/'); ?&gt;vendor/jquery-easing/jquery.easing.min.js"&gt;&lt;/script&gt;<br/  
<!-- Custom scripts for all pages-->  
  
<script src="= base_url('assets/'); ?&gt;js/sb-admin-2.min.js"&gt;&lt;/script&gt;<br/  
<!-- Page level plugins -->  
  
<script src="= base_url('assets/'); ?&gt;vendor/datatables/jquery.dataTables.min.js"&gt;&lt;/script&gt;<br/  
<script src="= base_url('assets/'); ?&gt;vendor/datatables/dataTables.bootstrap4.min.js"&gt;&lt;/script&gt;</pre
```

```
<!-- Page level custom scripts -->

<script src="= base_url('assets/'); ?&gt;js/demo/datatables-demo.js"&gt;&lt;/script&gt;

&lt;/body&gt;
&lt;/html&gt;

<bfooter.php

<!-- Footer -->

<footer class="sticky-footer bg-white">

    <div class="container my-auto">

        <div class="copyright text-right my-auto">

            <span>Copyright &copy; PDAM Unit Karang Anyar Kota Palembang <?= date('Y'); ?></span>

        </div>

    </div>

</footer>

<!-- End of Footer -->

</div>

<!-- End of Content Wrapper -->

</div>

<!-- End of Page Wrapper -->

<!-- Scroll to Top Button-->

<a class="scroll-to-top rounded" href="#page-top">

    <i class="fas fa-angle-up"></i>

</a>

<!-- Logout Modal-->

<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">

    <div class="modal-dialog" role="document">

        <div class="modal-content">

            <div class="modal-header">
```

```

<h5 class="modal-title" id="exampleModalLabel">Ready to
Leave?</h5>

<button class="close" type="button" data-dismiss="modal" aria-
label="Close">

    <span aria-hidden="true">×</span>

</button>

</div>

<div class="modal-body">Select "Logout" below if you are ready to end
your current session.</div>

<div class="modal-footer">

    <button class="btn btn-secondary" type="button" data-
dismiss="modal">Cancel</button>

    <a class="btn btn-primary" href="= base_url('auth/logout'); ?&gt;"Logout</a>

</div>

</div>

</div>

```

```

<!-- Bootstrap core JavaScript-->

<script src="= base_url('assets/'); ?&gt;vendor/jquery/jquery.js"&gt;&lt;/script&gt;

&lt;script src="<?= base_url('assets/'); ?&gt;vendor/jquery/jquery.min.js"&gt;&lt;/script&gt;

&lt;script src="<?= base_url('assets/'); ?&gt;vendor/bootstrap/js/bootstrap.bundle.min.js"&gt;&lt;/script&gt;

&lt;!-- Core plugin JavaScript--&gt;

&lt;script src="<?= base_url('assets/'); ?&gt;vendor/jquery-easing/jquery.easing.min.js"&gt;&lt;/script&gt;

&lt;!-- Custom scripts for all pages--&gt;

&lt;script src="<?= base_url('assets/'); ?&gt;js/sb-admin-2.min.js"&gt;&lt;/script&gt;

&lt;!-- Page Another plugins --&gt;

&lt;script src="<?= base_url('assets/'); ?&gt;vendor/datatables/jquery.dataTables.min.js"&gt;&lt;/script&gt;

&lt;script src="<?= base_url('assets/'); ?&gt;vendor/datatables/dataTables.bootstrap4.min.js"&gt;&lt;/script&gt;
</pre

```

```

<!-- Sweetalert -->

<script src=<?php echo base_url('assets'); ?>/vendor/sweetalert/sweetalert.min.js"></script>

<!-- Page Script Admin -->

<script>

$(document).ready(function() {

    $('#laporan_pelayanan').DataTable();

    //$('#laporan_konsultasi').DataTable();

});

</script>

</body>

</html>

```

Header.php

```

<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="utf-8">

    <meta http-equiv="X-UA-Compatible" content="IE=edge">

    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <meta name="description" content="">

    <meta name="author" content="">

    <link rel="icon" type="image/png" href=<?= base_url('assets/'); ?>img/logopdam.png">

    <title>PDAM Unit Karang Anyar Kota Palembang</title>

    <!-- Custom fonts for this template-->

    <link href=<?= base_url('assets/'); ?>vendor/fontawesome-free/css/all.min.css"
rel="stylesheet" type="text/css">

    <link
    href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600,600i,700,700i,
800,800i,900,900i" rel="stylesheet">

    <!-- Custom styles for this template-->

    <link href=<?= base_url('assets/'); ?>css/sb-admin-2.min.css" rel="stylesheet">

```

```

<link href="= base_url('assets/'); ?&gt;vendor/datatables/dataTables.bootstrap4.min.css"
rel="stylesheet"&gt;

&lt;link href="<?php echo base_url('assets'); ?&gt;/vendor/sweetalert/sweetalert.css"
rel="stylesheet"&gt;

&lt;/head&gt;

&lt;body id="page-top"&gt;

&lt;!-- Page Wrapper --&gt;

&lt;div id="wrapper"&gt;

&lt;/div&gt;

&lt;!-- End of Content Wrapper --&gt;

&lt;/div&gt;

&lt;!-- End of Page Wrapper --&gt;

&lt;!-- Scroll to Top Button--&gt;

&lt;a class="scroll-to-top rounded" href="#page-top"&gt;

    &lt;i class="fas fa-angle-up"&gt;&lt;/i&gt;

&lt;/a&gt;

&lt;!-- Logout Modal--&gt;

&lt;div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true"&gt;

    &lt;div class="modal-dialog" role="document"&gt;

        &lt;div class="modal-content"&gt;

            &lt;div class="modal-header"&gt;

                &lt;h5 class="modal-title" id="exampleModalLabel"&gt;Ready to
Leave?&lt;/h5&gt;

                &lt;button class="close" type="button" data-dismiss="modal"
aria-label="Close"&gt;

                    &lt;span aria-hidden="true"&gt;x&lt;/span&gt;

                &lt;/button&gt;

            &lt;/div&gt;

            &lt;div class="modal-body"&gt;Select "Logout" below if you are ready to
end your current session.&lt;/div&gt;
</pre

```

```

<div class="modal-footer">

    <button class="btn btn-secondary" type="button" data-
dismiss="modal">Cancel</button>

    <a class="btn btn-primary" href="<?= base_url('MainControl/logout'); ?>">Logout</a>

</div>

</div>

</div>

<!-- Bootstrap core JavaScript-->

<script src="<?= base_url('assets/'); ?>vendor/jquery/jquery.min.js"></script>

<script src="<?= base_url('assets/'); ?>vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

<!-- Core plugin JavaScript-->

<script src="<?= base_url('assets/'); ?>vendor/jquery-easing/jquery.easing.min.js"></script>

<!-- Custom scripts for all pages-->

<script src="<?= base_url('assets/'); ?>js/sb-admin-2.min.js"></script>

<!-- Page level plugins -->

<script src="<?= base_url('assets/'); ?>vendor/datatables/jquery.dataTables.min.js"></script>

<script src="<?= base_url('assets/');
?>vendor/datatables/dataTables.bootstrap4.min.js"></script>

<!-- Page level custom scripts -->

<script src="<?= base_url('assets/'); ?>js/demo/datatables-demo.js"></script>

</body>

</html>

```

Sidebar.php

```
<!-- Sidebar -->

<ul class="navbar-nav bg-gradient-info sidebar sidebar-dark accordion" id="accordionSidebar">

    <!-- Sidebar - Brand -->

    <a class="sidebar-brand d-flex align-items-center justify-content-center" href="<?= base_url('AdminControl/dashboard'); ?>">
        <div class="sidebar-brand-icon">
            <!-- 
            <i class="fas fa-fw fa-city"></i>
        </div>
        <div class="sidebar-brand-text mx-3">PDAM Kota Palembang</div>
    </a>

    <?php if ($session['role_id'] == 1) { ?>
        <!-- Divider -->
        <hr class="sidebar-divider">
        <!-- Nav Item - Dashboard -->
        <div class="sidebar-heading">
            Admin
        </div>
        <li class="nav-item">
            <a class="nav-link" href="<?= base_url('AdminControl/dashboard'); ?>">
                <i class="fas fa-fw fa-tachometer-alt"></i>
                <span>Dashboard</span></a>
            </li>
        <li class="nav-item">
            <a class="nav-link" href="<?= base_url('AdminControl/konfirmasi_pasangbaru'); ?>">
                <i class="far fa-fw fa-address-card"></i>
                <span>Konfirmasi Pasang Baru</span></a>
            </li>
        <?php } ?>
    </ul>
```

```

</li>

<li class="nav-item">
    <a class="nav-link" href="= base_url('AdminControl/konfirmasi_keluhan'); ?"&gt;"
        <i class="fas fa-fw fa-envelope"></i>
        <span>Konfirmasi Keluhan Pelanggan</span></a>
    </li>

<li class="nav-item">
    <a class="nav-link" href="= base_url('AdminControl/input_pengumuman'); ?"&gt;"
        <i class="fas fa-fw fa-pen"></i>
        <span>Input Pengumuman</span></a>
    </li>

<li class="nav-item">
    <a class="nav-link" href="= base_url('AdminControl/pilih_chat_pelanggan'); ?"&gt;"
        <i class="fas fa-fw fa-comments"></i>
        <span>Chatting Pelanggan</span></a>
    </li>

<?php } else { ?>
    <!-- Divider -->
    <hr class="sidebar-divider">
    <!-- Heading -->
    <div class="sidebar-heading">
        User
    </div>
    <!-- Nav Item - Charts -->
    <li class="nav-item">
        <a class="nav-link" href="php echo site_url('MemberControl/dashboard'); ?"&gt;"
            <i class="fas fa-fw fa-tachometer-alt"></i>
            <span>Dashboard</span></a>
        </li>
    </ul>
</div>

```

```
</li>

<?php if ($session['status'] == 'yes') { ?>

<li class="nav-item">
    <a class="nav-link" href="<?= base_url('MemberControl/myprofile'); ?>">
        <i class="fas fa-fw fa-user"></i>
        <span>Profile Pelanggan</span>
    </a>
</li>

<li class="nav-item">
    <a class="nav-link" href="<?= base_url('MemberControl/pengaduan_keluhan'); ?>">
        <i class="fas fa-fw fa-edit"></i>
        <span>Pengajuan Keluhan</span>
    </a>
</li>

<li class="nav-item">
    <a class="nav-link" href="<?= base_url('MemberControl/rekap_keluhan'); ?>">
        <i class="fas fa-fw fa-paper-plane"></i>
        <span>Rekap Keluhan</span>
    </a>
</li>

<li class="nav-item">
    <a class="nav-link" href="<?= base_url('MemberControl/pengumuman'); ?>">
        <i class="fas fa-fw fa-bullhorn"></i>
        <span>Info Pengumuman</span>
    </a>
</li>

<?php } ?>

<li class="nav-item">
```

```

<a class="nav-link" href="= base_url('MemberControl/chatting'); ?"&gt;
    &lt;i class="fas fa-fw fa-comments"&gt;&lt;/i&gt;
    &lt;span&gt;Layanan Chatting&lt;/span&gt;
&lt;/a&gt;
&lt;/li&gt;

&lt;?php } ?&gt;

&lt!-- Divider --&gt;

&lt;hr class="sidebar-divider d-none d-md-block"&gt;

&lt;li class="nav-item"&gt;
    &lt;a class="nav-link" href="<?= base_url('MainControl/logout'); ?"&gt;
        &lt;i class="fas fa-fw fa-sign-out-alt"&gt;&lt;/i&gt;
        &lt;span&gt;Log Out&lt;/span&gt;&lt;/a&gt;
&lt;/li&gt;

&lt!-- Divider --&gt;

&lt;hr class="sidebar-divider"&gt;

&lt;!-- Sidebar Toggler (Sidebar) --&gt;
&lt;div class="text-center d-none d-md-inline"&gt;
    &lt;button class="rounded-circle border-0" id="sidebarToggle"&gt;&lt;/button&gt;
&lt;/div&gt;

&lt;/ul&gt;

&lt;!-- End of Sidebar --&gt;
</pre

```

Topbar.php

```

<!-- Content Wrapper -->

<div id="content-wrapper" class="d-flex flex-column">
    <!-- Main Content -->

```

```

<div id="content">

    <!-- Topbar -->

    <nav class="navbar navbar-expand navbar-light bg-white topbar mb-4 static-top shadow">

        <!-- Sidebar Toggle (Topbar) -->

        <button id="sidebarToggleTop" class="btn btn-link d-md-none rounded-circle mr-3">
            <i class="fa fa-bars"></i>
        </button>

        <!-- Topbar Navbar -->

        <ul class="navbar-nav ml-auto">

            <div class="topbar-divider d-none d-sm-block"></div>

            <!-- Nav Item - User Information -->

            <li class="nav-item dropdown no-arrow">
                <a class="nav-link dropdown-toggle" href="#" id="userDropdown" role="button" data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">
                    <span class="mr-2 d-none d-lg-inline text-gray-600"><?= $session['name'] ?></span>
                    <i class="fas fa-fw fa-user"></i>
                    <!-- 
                </a>
                <!-- Dropdown - User Information -->
                <div class="dropdown-menu dropdown-menu-right shadow animated--grow-in" aria-labelledby="userDropdown">
                    <?php if ($session['role_id'] == 2) { ?>
                        <a class="dropdown-item" href="<?= base_url('MemberControl/myprofile'); ?>">
                            <i class="fas fa-user fa-sm fa-fw mr-2 text-gray-400"></i>
                            Profile
                        </a>
                    <?php } ?>
                    <a class="dropdown-item" href="<?= base_url('MainControl/logout'); ?>">

```

```
<i class="fas fa-sign-out-alt fa-sm fa-fw mr-2 text-gray-400"></i>
Logout
</a>
</div>
</li>
</ul>
</nav>
<!-- End of Topbar --&gt;</pre>
```

Dashboard.php

```
<!-- Begin Page Content -->
<div class="container-fluid">
<!-- Page Heading -->
<!-- <h1 class="h3 mb-4 text-gray-800">Selamat Datang Website Pengadilan Agama</h1> --
>
<div class="row">
<div class="col-lg-12">
<?php if ($session['status'] == 'no') { ?>
<div class="alert alert-danger" role="alert">
<h4 align="center">MAAF AKUN ADA BELUM
DIKONFIRMASI </h4>
</div>
<?php } ?>
</div>
</div>
<div class="row">
<!-- Earnings (Monthly) Card Example -->
<?php if ($session['status'] == 'yes') { ?>
<div class="col-xl-4 col-md-6 mb-4">
<div class="card bg-gradient-success text-white shadow h-100 py-2">
```

```
<div class="card-body">

    <div class="row no-gutters align-items-center">

        <div class="col mr-2">

            <div class="h5 text-md font-weight-
bold text-uppercase">

                <a href="<?=base_url('MemberControl/pengaduan_keluhan'); ?>" class="text-white">Pengajuan Keluhan</a>

            </div>

        </div>

        <div class="col-auto">

            <i class="fas fa-edit fa-6x text-
white"></i>

        </div>

    </div>

</div>

</div>

<!-- Earnings (Monthly) Card Example -->

<div class="col-xl-4 col-md-6 mb-4">

    <div class="card bg-gradient-primary text-white shadow h-100 py-
2">

        <div class="card-body">

            <div class="row no-gutters align-items-center">

                <div class="col mr-2">

                    <div class="h5 text-md font-weight-
bold text-uppercase">

                        <a href="<?=base_url('MemberControl/rekap_keluhan'); ?>" class="text-white">Rekap Keluhan</a>

                    </div>

                </div>

                <div class="col-auto">
```

```
<i class="fas fa-paper-plane fa-6x
text-white"></i>

</div>

</div>

</div>

</div>

<!-- Earnings (Monthly) Card Example -->

<div class="col-xl-4 col-md-6 mb-4">

    <div class="card bg-gradient-info text-white shadow h-100 py-2">

        <div class="card-body">

            <div class="row no-gutters align-items-center">

                <div class="col mr-2">

                    <div class="h5 text-md font-weight-
bold text-uppercase">

                        <a href="#">
```

```
<div class="card bg-gradient-danger text-white shadow h-100 py-2">
    <div class="card-body">
        <div class="row no-gutters align-items-center">
            <div class="col mr-2">
                <div class="h5 text-md font-weight-
bold text-uppercase">
                    <a href="=base_url('MemberControl/chatting'); ?&gt;" class="text-white"&gt;Layanan Chatting&lt;/a&gt;
                &lt;/div&gt;
            &lt;/div&gt;
            &lt;div class="col-auto"&gt;
                &lt;i class="fas fa-6x text-white fa-
comments"&gt;&lt;/i&gt;
            &lt;/div&gt;
        &lt;/div&gt;
    &lt;/div&gt;
&lt;/div&gt;

&lt;div class="col-xl-4 col-md-6 mb-4"&gt;
    &lt;div class="card bg-gradient-warning text-white shadow h-100 py-
2"&gt;
        &lt;div class="card-body"&gt;
            &lt;div class="row no-gutters align-items-center"&gt;
                &lt;div class="col mr-2"&gt;
                    &lt;div class="h5 text-md font-weight-
bold text-uppercase"&gt;
                        &lt;a href="<?=base_url('MemberControl/myprofile'); ?&gt;" class="text-white"&gt;Profile
                            Pelanggan&lt;/a&gt;
                    &lt;/div&gt;
                &lt;/div&gt;
            &lt;/div&gt;
        &lt;/div&gt;
    &lt;/div&gt;
&lt;/div&gt;</pre
```

```
</div>

<div class="col-auto">
    <i class="fas fa-user fa-6x text-
white"></i>
</div>

</div>
</div>
</div>
</div>
</div>
<?php } ?>
</div>
</div>
<!-- /.container-fluid -->

</div>
<!-- End of Main Content -->

Myprofile.php

<!-- Begin Page Content -->
<div class="container-fluid">
    <div class="col-xl-8 col-md-3 mb-2">
        <div class="card shadow h-10">
            <div class="card-header py-2">
                <h1 class="h3" align="center">Profile Pelanggan</h1>
            </div>
            <div class="card-body">
                <div class="row no-gutters align-items-center">
                    <div class="col-sm-1"></div>
                    <div class="col-sm-2">
                        <i class="far fa-user fa-8x text-gray-300"></i>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>
```

```

</div>

<div class="col-sm-9">
    <table cellpadding="2">
        <tr>
            <td class="h6 font-weight-bold text-primary" width="220">Nama</td>
            <td class="h6 font-weight-bold text-primary">: <?= $session['name']; ?></td>
        </tr>
        <tr>
            <td class="h6 font-weight-bold text-primary">Nomor Kontrol PDAM</td>
            <td class="h6 font-weight-bold text-primary">: <?= $session['no_kontrol']; ?></td>
        </tr>
        <tr>
            <td class="h6 font-weight-bold text-primary">Tanggal Pasang Baru</td>
            <td class="h6 font-weight-bold text-primary">: <?= $session['date_created']; ?></td>
        </tr>
        <tr>
            <td class="h6 font-weight-bold text-primary">Alamat</td>
            <td class="h6 font-weight-bold text-primary">: <?= $session['alamat']; ?></td>
        </tr>
    </table>
    <!-- <div class="h5 mb-0 font-weight-bold text-gray-800"><?= $session['name']; ?></div>

```

```
<div class="text-xs font-weight-bold text-primary text-  
uppercase mb-1">  
    <?= $session['nik']; ?></div>  
  
<div class="text-xs font-weight-bold text-primary text-  
uppercase mb-1">  
    <?= $session['email']; ?></div>  
  
<div class="text-xs font-weight-bold text-primary text-  
uppercase mb-1">  
    <?= $session['pekerjaan']; ?></div>  
  
<div class="text-xs font-weight-bold text-primary text-  
uppercase mb-1">  
    <?= $session['alamat']; ?></div>  
  
<div class="h6 mb-0 font-weight-bold text-gray-  
800"><small>Member since  
    <?= date('d F Y', $session['date_created']);  
?></small></div>  
  
    </div> -->  
    </div>  
    </div>
```

Pelayanan.php

```
<!-- Begin Page Content -->  
<div class="container-fluid">  
    <div class="card mb-12">
```

```
<div class="card-header">  
    <h1 class="h3">Pelayanan Masyarakat</h1>  
</div>  
  
<div class="card-body">  
    <div class="row">  
        <!-- Laporan Konsultasi -->  
        <div class="col-lg-12">  
            <!-- Collapsible Card Example -->  
  
        </div>  
    </div>  
    </div>  
    </div>  
    <!-- Page Heading -->  
</div>
```

Pengaduan_keluhan.php

```
<!-- Begin Page Content -->  
  
<div class="container-fluid">  
    <div class="card-body">  
        <div class="row">  
            <!-- Laporan Konsultasi -->  
            <div class="col-lg-1"></div>  
            <div class="col-lg-10" align="center">  
                <!-- Collapsible Card Example -->  
                <div class="card shadow mb-4">  
                    <!-- Card Header - Accordion -->  
                    <div class="card-header">  
                        <h1 class="h3 text-primary">Form Pengaduan  
Keluhan Air Pelanggan</h1>
```

```
</div>

<!-- Card Content - Collapse -->

<div class="collapse show" id="collapseCardExample">

    <div class="card-body" align="left">

        <div class="card-header" align="center">

            <h2 class="h5 text-primary">PDAM  
TIRTA MUSI UNIT KARANG ANYAR</h2>

            <h2 class="h6 text-primary">KOTA  
PALEMBANG</h2>

        </div>

        <br />

        <div class="form-group">

            <label class="text-primary"><b>Kode Unit : 7 Unit Karang Anyar</b></label>

        </div>

        <form id="mohon_form" class="user" method="POST">

            <div class="form-group">

                <label>No. Kontrol :</label>

                <input type="text" class="form-control" id="nomor_urut" name="nomor_urut" value=<?php echo $no_kontrol ?>" readonly>

            </div>

            <div class="form-group">

                <label>Nama Pelanggan :</label>

                <input type="text" class="form-control" id="nama_permohon" name="nama_permohon" value=<?php echo $nama ?>" readonly>

            </div>

            <div class="form-group">
```

```

<label>Alamat : </label>
<input type="text"
class="form-control" id="nama_permohon" value=<?php echo $alamat ?>" name="alamat_permohon" readonly>
</div>

<div class="form-group">
<label>Tanggal : </label>
<input type="date"
class="form-control" id="tanggal_permohonan" value=<?php echo $date ?>" name="tanggal_permohon" readonly>
</div>

<div class="form-row">
<div class="form-group col-md-6">
<label>No. Agenda : </label>
<input type="text"
class="form-control" id="no_agenda" value="" name="no_agenda" required>
<?= form_error('no_agenda', '<small class="text-danger pl-3">', '</small>'); ?>
</div>
</div>

<div class="form-row">
<div class="form-group col-md-4">
<label>Ukuran Meter</label>
<select class="form-control" id="ukuran_meter" name="ukuran_meter" required>
<option value="2" selected>2 Inch</option>
<option value="5" selected>5 Inch</option>
</select>

```

```
<?=
form_error('ukuran_meter', '<small class="text-danger pl-3">', '</small>'); ?>
</div>
<div class="form-group col-
md-4">
<label>Merek
Meter</label>

<select class="form-
control" id="merek_meter" name="merek_meter" required>
<option
value="ITRON" selected>ITRON</option>
<option
value="ATARIS" selected>ATARIS</option>
</select>
<?=
form_error('merek_meter', '<small class="text-danger pl-3">', '</small>'); ?>
</div>
<div class="form-group col-
md-4">
<label>Seri
Meter</label>
<input type="text"
class="form-control" id="seri_meter" name="seri_meter" required>
<?=
form_error('seri_meter', '<small class="text-danger pl-3">', '</small>'); ?>
</div>
</div>
<div class="form-row">
<div class="form-group col-
md-6">
<label>Tanggal
Pengaduan:</label>
```

```
<input type="date"
class="form-control" id="tgl_pengaduan" name="tgl_pengaduan" required>
<?=
form_error('tgl_pengaduan', '<small class="text-danger pl-3">', '</small>'); ?>
</div>
<div class="form-group col-
md-6">
<label>Tanggal PK:
</label>
<input type="date"
class="form-control" id="tgl_pk" name="tgl_pk" required>
<?=
form_error('tgl_pk', '<small class="text-danger pl-3">', '</small>'); ?>
</div>
</div>
<div class="form-row">
<div class="form-group col-
md-6">
<label>Tanggal
Meter: </label>
<input type="date"
class="form-control" id="tgl_meter" name="tgl_meter" required>
<?=
form_error('tgl_meter', '<small class="text-danger pl-3">', '</small>'); ?>
</div>
<div class="form-group col-
md-6">
<label>Tanggal
Pasang: </label>
<input type="date"
class="form-control" id="tgl_pasang" name="tgl_pasang" required>
<?=
form_error('tgl_pasang', '<small class="text-danger pl-3">', '</small>'); ?>
</div>
```

```
</div>

<div class="form-group ">
    <label>Jenis Keluhan:</label>
    <select class="form-control" id="jenis_keluhan" name="jenis_keluhan" required>
        <option value="" selected>Pilih Keluhan</option>
        <option value="Air Tidak Keluar">Air Tidak Keluar</option>
        <option value="Rekening Kemahalan">Rekening Kemahalan</option>
        <option value="Masalah Meteran">Masalah Meteran</option>
        <option value="Diputus">Diputus</option>
        <option value="Keluhan Lainnya">Keluhan Lainnya</option>
    </select>
    <?= form_error('jenis_keluhan', '<small class="text-danger pl-3">', '</small>'); ?>
<div class="form-group">
    <label for="informasi">Catatan:</label>
    <textarea class="form-control" rows="3" name="catatan" id="tujuan_informasi" required></textarea>
    <?= form_error('catatan', '<small class="text-danger pl-3">', '</small>'); ?>
</div>
    <button type="submit" value="clear" id="setUlang" class="btn btn-danger">Refresh</button>
    <button type="submit" class="btn btn-primary" id="submitMohon">Kirim</button>
</form>
```

```
</div>

</div>

</div>

<div class="col-lg-1"></div>

</div>

</div>

<!-- Page Heading -->

</div>

<script type="text/javascript" src="php echo base_url() . 'assets/js/jquery-3.2.1.js' ?&gt;"&gt;&lt;/script&gt;

&lt;script type="text/javascript"&gt;

$(document).ready(function() {

    $('#mohon_form').submit(function(e) {

        e.preventDefault();

        $.ajax({

            url: '<?php echo base_url(); ?&gt;index.php/MemberControl/submit_pengaduan',

            type: "post",

            data: new FormData(this),

            processData: false,

            contentType: false,

            cache: false,

            async: false,

            success: function(data) {

                location.reload();

                swal({
                    title: 'Keluhan Dikirim',
</pre
```

```

        text: '',
        type: 'success'
    });
}

});

});

});

</script>

```

Pengumuman.php

```

<div class="container">

    <div class="row">

        <!-- Page Heading -->

        <h1 class="h3 mb-2 text-gray-800" align="center">Info Pengumuman pada PDAM
        Unit Karang Anyar Kota Palembang</h1>

        <br>

        <!-- DataTales Example -->

        <div class="col-lg-12" align="center">

            <!-- Collapsable Card Example -->

            <div class="card shadow mb-4">

                <!-- Card Header - Accordion -->

                <a href="#collapseCardExample" class="d-block card-header py-3"
                data-toggle="collapse" role="button" aria-expanded="true" aria-controls="collapseCardExample">

                    <h6 class="m-0 font-weight-bold text-primary">Info
                    Pengumuman</h6>

                </a>

                <!-- Card Content - Collapse -->

                <div class="collapse show" id="collapseCardExample">

                    <div class="card-body" align="left">

                        <?php foreach ($all as $row) { ?>

                            <div class="alert alert-info" role="alert">

```

```

<p class="h6">
    <?php echo $row['judul'] ?>
    <br>
    <small>upload date : <?php
echo $row['created'] ?> </small>
    <br>
    <button type="button"
class="btn btn-primary btn_pengumuman" id="<?php echo $row['id_pengumuman'] ?>" data-
toggle="modal" data-target="#PengumumanModal">Details</button>
</div>

<?php
} ?>
</div>
</div>
</div>
</div>
<!-- Modal -->
<div class="modal fade bd-example-modal-xl" id="PengumumanModal" tabindex="-1" role="dialog"
aria-labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog modal-xl" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">Laporan Keluhan
                Pelanggan</h5>
                <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
                    <span aria-hidden="true">&times;</span>
                </button>
            </div>

```

```
<div class="modal-body">

    <div class="col-md-12">

        <h3>Info Keluhan</h3>

        <p id="test1"></p>

        <p id="test2"></p>

        <p id="test3"></p>

        <p id="test4"></p>

        <p id="test5"></p>

    </div>

</div>

<div class="modal-footer">

    <button type="button" class="btn btn-secondary" data-
dismiss="modal">Close</button>

</div>

</div>

</div>

<script src="= base_url('assets/'); ?&gt;vendor/jquery/jquery.min.js"&gt;&lt;/script&gt;

&lt;script type="text/javascript" language="javascript"&gt;

    $('#detail_pengumuman').ready(function() {

        $(document).on("click", ".btn_pengumuman", function() {

            var id_pengumuman = $(this).attr('id');

            $.ajax({</pre
```

```

        url: "<?php echo site_url('MemberControl/get_detail_pengumuman');  

?>",  

        method: "GET",  

        data: {  

            id_pengumuman: id_pengumuman,  

        },  

        success: function.ajaxData) {  

            var hasil = JSON.parse(ajaxData);  

            $("#test1").text(hasil[0]['judul']);  

            $("#test2").text(hasil[0]['tanggal']);  

            $("#test3").text(hasil[0]['time']);  

            $("#test4").text(hasil[0]['wilayah']);  

            $("#test5").text(hasil[0]['isi_pengumuman']);  

  

        }  

    });  

});  

});  

</script>

```

Rekap_keluhan.php

```

<div class="container">  

    <!-- DataTales Example -->  

    <div class="card shadow mb-4">  

        <div class="card-header py-3">  

            <h4 class="m-0 font-weight-bold text-primary">Rekap Keluhan <?= $session['name'] ?></h4>  

        </div>  

        <div class="card-body">

```

```

<div class="table-responsive">

    <table class="table table-bordered table-responsive"
id="rekap_keluhan" width="100%">

        <thead>

            <tr>

                <th width="1%">
                    <center>No</center>
                </th>

                <th width="20%">
                    <center>Nama</center>
                </th>

                <th width="15%">
                    <center>Tanggal Keluhan</center>
                </th>

                <th width="15%">
                    <center>Jenis Keluhan</center>
                </th>

                <th width="18%">
                    <center>Detail Keluhan</center>
                </th>

                <th width="20%">
                    <center>Tanggapan
Keluhan</center>
                </th>

            </tr>

        <thead>

            <tbody>

                </tbody>

        </table>

```

```

</div>

</div>

</div>

<!-- /.container-fluid -->

<!-- Modal -->

<div class="modal fade bd-example-modal-xl" id="exampleModal" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
  <div class="modal-dialog modal-xl" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="exampleModalLabel">Laporan Keluhan  
Pelanggan</h5>
        <button type="button" class="close" data-dismiss="modal" aria-label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div>
      <div class="modal-body">
        <div class="col-md-12">
          <h3>Info Keluhan</h3>
          <table class="table table-bordered table-responsive" id="detail_keluhan" width="100%">
            <thead>
              <tr>
                <th width="1%">
                  <center>No.  
kontrol</center>
                </th>
              </tr>
            <tbody>
              <tr>
                <td>1</td>
                <td>Keluhan 1</td>
                <td>Detail 1</td>
              </tr>
              <tr>
                <td>2</td>
                <td>Keluhan 2</td>
                <td>Detail 2</td>
              </tr>
              <tr>
                <td>3</td>
                <td>Keluhan 3</td>
                <td>Detail 3</td>
              </tr>
              <tr>
                <td>4</td>
                <td>Keluhan 4</td>
                <td>Detail 4</td>
              </tr>
              <tr>
                <td>5</td>
                <td>Keluhan 5</td>
                <td>Detail 5</td>
              </tr>
            </tbody>
          </table>
        </div>
      </div>
    </div>
  </div>
</div>

```

<p><th width="10%"></p> <p><center>Nama</center></p> <p></th></p>	<p><th width="15%"></p> <p><center>Alamat</center></p> <p></th></p>	<p><th width="10%"></p> <p><center>Ukuran</p> <p>Meter</center></p> <p></th></p>	<p><th width="10%"></p> <p><center>Merek</p> <p>Meter</center></p> <p></th></p>	<p><th width="10%"></p> <p><center>Seri</p> <p>Meter</center></p> <p></th></p>	<p><th width="10%"></p> <p><center>No. Locus</center></p> <p></th></p>	<p><th width="10%"></p> <p><center>No.</p> <p>Agenda</center></p> <p></th></p>	<p><th width="10%"></p> <p><center>Tgl.</p> <p>Pengaduan</center></p> <p></th></p>
---	---	--	---	--	--	--	--

```

<center>Tgl. PK</center>

</th>

<th width="18%">

<center>Tgl.

Meter</center>

</th>

<th width="10%">

<center>Tgl.

Pasang</center>

</th>

<th width="15%">

<center>Jenis

Keluhan</center>

</th>

<th width="15%">

<center>Catatan</center>

</th>

</tr>

</thead>

<tbody>

</tbody>

</table>

</div>

</div>

<div class="modal-footer">

<button type="button" class="btn btn-secondary" data-
dismiss="modal">Close</button>

</div>

</div>

</div>

```

```
</div>
```

```
<script src="= base_url('assets/') ?&gt;vendor/jquery/jquery.min.js"&gt;&lt;/script&gt;

&lt;script type="text/javascript" language="javascript"&gt;
$(#rekap_keluhan').ready(function() {

    var c = $('#rekap_keluhan').DataTable();

    load_data();

    function load_data() {
        $.ajax({
            url: '&lt;?php echo site_url("MemberControl/get_rekap_keluhan") ?&gt;',
            dataType: "JSON",
            success: function(data) {
                c.clear().draw();

                for (var i = 0; i &lt; data.length; i++) {
                    var modal = '&lt;button type="button" class="btn btn-xs btn-primary btn_detail" id="' + data[i]['id_keluhan'] + '" data-toggle="modal" data-target="#exampleModal"&gt;Lihat&lt;/button&gt;';

                    //var btn = '&lt;button type="button" name="btn_terima" id="' + data[i]['no_konsul'] + '" class="btn btn-xs btn-primary btn-circle btn_terima"&gt;&lt;i class="fas fa-check"&gt;&lt;/i&gt;&lt;/button&gt;';

                    //var imgHtml = "&lt;img src='..//assets/img/" +
                    data[i]['ktp'] + "' width='150' height='100'

                    c.row.add([
                        "&lt;center&gt;" + [i + 1] + "&lt;/center&gt;",</pre
```

```

        "<center>" + data[i]['nama_permohon'] +
    "</center>",

        "<center>" + data[i]['tanggal_permohon'] +
    "</center>",

        "<center>" + data[i]['jenis_keluhan'] +
    "</center>",

        "<center>" + modal + "</center>",

        "<center>" + data[i]['reply_keluhan'] +
    "</center>",

    ]).draw();

}

}

});

}

}

```

```

$(document).on("click", ".btn_detail", function() {

    var id_keluhan = $(this).attr('id');

    var t = $('#detail_keluhan').DataTable();

    $.ajax({
        url: "<?php echo site_url('MemberControl/get_personal_keluhan')?>",
        method: "GET",
        data: {
            id_keluhan: id_keluhan
        },
        success: function.ajaxData) {
            t.clear().draw();
            var result = JSON.parse(ajaxData);

```

```

        t.row.add([
            "<center>" + result[0]['no_kontrol'] + "</center>",
            "<center>" + result[0]['nama_permohon'] +
            "</center>",
            "<center>" + result[0]['alamat_permohon'] +
            "</center>",
            "<center>" + result[0]['ukuran_meter'] +
            "</center>",
            "<center>" + result[0]['merek_meter'] + "</center>",
            "<center>" + result[0]['seri_meter'] + "</center>",
            "<center>" + result[0]['no_locis'] + "</center>",
            "<center>" + result[0]['no_agenda'] + "</center>",
            "<center>" + result[0]['tgl_pengaduan'] +
            "</center>",
            "<center>" + result[0]['tgl_pk'] + "</center>",
            "<center>" + result[0]['tgl_meter'] + "</center>",
            "<center>" + result[0]['tgl_pasang'] + "</center>",
            "<center>" + result[0]['jenis_keluhan'] +
            "</center>",
            "<center>" + result[0]['catatan'] + "</center>",
        ]).draw();
    }
});

$(document).on("click", ".btn_kirim", function() {

```

```

var id_keluhan = $(this).attr('id');

$.ajax({
    url: "<?php echo site_url('AdminControl/get_balasan_keluhan'); ?>",
    method: "GET",
    data: {
        id_keluhan: id_keluhan,
    },
    success: function.ajaxData) {
        var hasil = JSON.parse(ajaxData);
        $('#isi_balasan').val(hasil[0]['reply_keluhan']);
    }
});

$(document).on("click", "#btn_reply", function() {
    isi_balasan = $('#isi_balasan').val();
    $.ajax({
        url: "<?php echo site_url('AdminControl/kirim_reply'); ?>",
        method: "GET",
        data: {
            id_keluhan: id_keluhan,
            isi_balasan: isi_balasan
        },
        success: function.ajaxData) {
            //load_data();
            swal({
                title: 'Berhasil Dibalas',
                text: "",
                type: 'success'
            }
        }
    });
});

```

Tanggapan_konsultasi.php

```
<div class="container">

    <!-- Page Heading -->

    <h1 class="h3 mb-2 text-gray-800">Konfirmasi Konsultasi</h1>

    -->

    <!-- DataTales Example -->

    <div class="card shadow mb-4">

        <div class="card-header py-3">

            <h4 class="m-0 font-weight-bold text-primary">Konfirmasi Konsultasi</h4>

        </div>

        <div class="card-body">

            <div class="table-responsive">

                <table class="table table-bordered" id="tanggapan_konsultasi"
width="100%">

                    <thead>

                        <tr>

                            <th width="1%"><center>No</center></th>

                            <th

width="12%"><center>Nama</center></th>

                            <!-- <th
width="10%"><center>Alamat</center></th> -->
```

```

<th
width="7%"><center>No.Telpon</center></th>

<th width="10%"><center>Photo
KTP</center></th>

<th width="5%"><center>Tanggal
Permohonan</center></th>

<th width="5%"><center>Jenis
Informasi</center></th>

<th width="18%"><center>Tanggapan
Konsultasi</center></th>

<th
width="10%"><center>Aksi</center></th>

</tr>

</thead>

<tbody>

</tbody>

</table>

</div>

</div>

</div>

<!-- /.container-fluid -->

<script src="<?= base_url('assets/'); ?>vendor/jquery/jquery.js"></script>
<script src="<?= base_url('assets/'); ?>vendor/jquery/jquery.min.js"></script>

<script>
$(document).ready(function() {

    $('#tanggapan_konsultasi').DataTable();

```

```

    });
</script>

<script type="text/javascript" language="javascript">
$( '#tanggapan_konsultasi' ).ready( function() {
    var c = $( '#tanggapan_konsultasi' ).DataTable();
    load_data();

    function load_data() {
        $.ajax({
            url: '<?php echo site_url('MemberControl/get_tanggapan_konsultasi') ?>',
            dataType: "JSON",
            success: function(data) {
                c.clear().draw();
                var HTMLbuilder = "";
                for ( var i = 0; i < data.length; i++ ) {
                    //var btn1 = '<a href = "#" target=_blank'
                    name="btn_cetak" id="" + data[i]['no_konsul'] + " class="btn btn-xs btn-primary btn_cetak">Cetak PDF</a>';
                    //      var btn2 = '<button type="button"'
                    name="btn_delete" id="" + data[i]['no_konsul'] + " class="btn btn-xs btn-danger btn_tolak">Ditolak</button>';
                    //      var btn2 = '<a href="<?php echo site_url('CetakControl/generatePDFFile') ?>" target=_blank" class="pull-right btn btn-primary btn-xs" style="margin: 2px;"><i class="fa fa-plus"></i> Cetak PDF</a>';
                    var btn1 = '<a href="http://localhost/pengadilan/CetakControl/generatePDFFile?id=' + data[i]['no_konsul'] + ""
                    target=_blank" class="d-none d-sm-inline-block btn btn-sm btn-primary shadow-sm" style="font-size:5;"><i class="fa fa-download"></i> Report</a>';

```

```

var imgHtml = "<img src='..../assets/img/" +
data[i]['ktp'] + "' width='100' height='70'>";
//      HTMLbuilder = HTMLbuilder + imgHtml;

if (data[i]['status'] == "terima") {
    status = "<b>DITERIMA</b>";
} else {
    status = "<b>DITOLAK</b>";
}

c.row.add([
    "<center>" + [i + 1] + "</center>",
    "<center>" + data[i]['nama_permohon'] +
    "</center>",
    "<center>" + data[i]['no_telepon'] +
    "</center>",
    "<center>" + imgHtml + "</center>",
    "<center>" + data[i]['tanggal_permohonan'] +
    "</center>",
    "<center>" + data[i]['jenis_informasi'] +
    "</center>",
    "<center>" + status + "</center>",
    "<center>" + btn1 + "</center>",
]).draw();

}

});

$(document).on("click", ".btn_cetak", function() {
    var no_konsul = $(this).attr('id');
}

```

```
$.ajax({  
    url: "<?php echo site_url('CetakControl/generatePDFFile') ?>",  
    method: "POST",  
    data: {  
        no_konsul: no_konsul  
    },  
    success: function(data) {  
        //load_data();  
    }  
});  
});  
});  
</script>
```

Chat.php

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <meta charset="utf-8">
```

```
    <title>Kotak Masuk </title>
```

```
    <style>
```

```
        .chat-main {
```

```
            bottom: 0;
```

```
        }
```

```
        .chat-header {
```

```
            background: #E5EFC1;
```

```
border: 1px solid #D7DF71;  
}
```

```
.image img {  
    height: 40px;  
    width: 40px;  
}
```

```
.user-detail h6 {  
    display: inline-block;  
}
```

```
.user-detail .active {  
    color: #32B92D;  
    font-size: 12px;  
}
```

```
.options i {  
    color: #a1a1a1;  
    font-size: 19px;  
    cursor: pointer;  
}
```

```
.chat-content,  
.chat-content .sender,  
.user-detail h6 {  
    font-size: 14px;  
}
```

```
.chat-content ul {  
    height: 260px;  
    overflow-x: scroll;  
    overflow-x: hidden;  
}  
  
.chat-content ul li {  
    list-style: none;  
    background: #F5F5F5;  
}  
  
.chat-content .msg-box {  
    background: #e1e1e1;  
}  
  
.chat-content .msg-box .send-btn {  
    background: #39AEA9;  
}  
  
.chat-content .time {  
    font-size: 10px;  
    color: #a1a1a1;  
}  
  
</style>  
<script src="= base_url('assets/') ?&gt;vendor/jquery/jquery.js"&gt;&lt;/script&gt;<br/<script src="= base_url('assets/') ?&gt;vendor/jquery/jquery.min.js"&gt;&lt;/script&gt;</pre
```

```

<script>

$(document).ready(function() {

    var e = jQuery.Event("keydown", {
        keyCode: 13
    });

    $('#pesan').on('keydown', function(e) {
        if (e.keyCode === 13) {
            var target = $('#target').val();
            var pesan = $('#pesan').val();
            var user = $('#user').val();
            $.ajax({
                type: "POST",
                url: "<?= site_url('ChatControl/kirim_chat'); ?>",
                data: 'pesan=' + pesan + '&user=' + user + '&target='
                + target,
                success: function(data) {
                    $('#pesan').val("");
                    $('#isi_chat').html(data);
                }
            });
        }
    });
    $('#pesan').trigger(e);
})

```

```
function scan() {
    alert('hello');
}

function tampildata() {
    var target = $('#target').val();
    var user = $('#user').val();
    $.ajax({
        type: "GET",
        url: "<?= site_url('ChatControl/ambil_pesan'); ?>",
        data: 'target=' + target + '&user=' + user,
        success: function(data) {
            $('#isi_chat').html(data);
        }
    });
}

$('#kirim').click(function() {
    var target = $('#target').val();
    var pesan = $('#pesan').val();
    var user = $('#user').val();
    $.ajax({
        type: "POST",
        url: "<?= site_url('ChatControl/kirim_chat'); ?>",

```

```
        data: 'pesan=' + pesan + '&user=' + user + '&target=' + target,
        success: function(data) {
            $('#pesan').val("");
            $('#isi_chat').html(data);
        }
    });

});

setInterval(function() {
    tampildata();
}, 1000);
});

</script>
<style>
#isi_chat {
    height: 400px;
}
</style>

</head>

<body>
<div class="container">
    <h1 class="h3 mb-2 text-gray-800">Chatting Pelanggan</h1>
    <div class="row">
        <div class="col-md-9 m-0 chat-main">
            <div class="card mb-12">
                <div class="row">
```

```

<div class="col-md-12 chat-header bg-white rounded-top p-2">

    <div class="row">

        <div class="col-md-3 image">
            
        </div>

        <div class="col-md-5 user-detail pt-2">
            <h6 class="pt-1"><?php echo $name ?></h6>
            <i class="fa fa-circle active ml-1" aria-hidden="true"></i>
        </div>

        </div>

        <div class="col-md-12 chat-content p-0 bg-white border border-top-0">

            <ul class="pl-3 pr-3 pt-1 mb-1">
                <li class="p-2 mb-1 rounded" id="isi_chat"></li>
            </ul>

            <h6 class="text-center mb-2 sender font-italic"><?php echo $session['name'] ?></h6>

            <div class="msg-box p-2">
                <div class="row">
                    <form class="col-lg-12">
                        <div class="col-sm-9">
                            <input type="hidden" name="user" id="user" value="<?php echo $session['no_kontrol'] ?>" class="form-control">
                        </div>
                    </form>
                </div>
            </div>
        </div>
    </div>

```

```
        <input  
        type="hidden" name="target" id="target" value="<?php echo $userid ?>" class="form-control">  
  
        <input  
        type="text" class="form-control" placeholder="message ..." id="pesan" name="pesan">  
  
    </div>  
    <div class="col-sm-  
3 ">  
        <input  
        type="button" value="kirim" id="kirim" class="btn btn-md btn-primary">  
    </div>  
    </form>  
    </div>  
    </div>  
    </div>  
    </div>  
    </div>  
    <br>  
    </div>  
    </body>
```

```
</html>
```

File.php

```
<div class="container-fluid">  
    <div class="row">  
        <div class="col-lg-12">
```

```
<table border="">

    <tr>

        <td rowspan="3" width="100"></td>

        <td width="700"></td>

    </tr>

    <tr>

        <td></td>

    </tr>

</table>

<h3 align="center">

    PENGADILAN TINGGI AGAMA KOTA PALEMBANG

</h3>

<h3 align="center">

    Instrumen Bukti Pengajuan Permohonan

</h3>

<h6 align="center">

    Jl. Pangeran Ratu, 5 Ulu, Kecamatan Seberang Ulu I, Kota  

    Palembang, Sumatera Selatan 30257

</h5>

<hr />

<hr />

<h4 align="center">

    BUKTI PENGAJUAN PERMOHONAN INFORMASI

</h4>

<h4 align="center">

    Model A - Untuk Prosedur Biasa

</h4>

<p></p>
```

```

<p></p>

<table cellpadding="4">

    <tr>

        <td width="250">Tanggal Permohonan</td>
        <td width="600" align="left">: <?php print
$ getInfo['tanggal_permohonan']; ?></td>

    </tr>

    <tr>

        <td width="250">Tanggal Pemberitahuan</td>
        <td width="600" align="left">: <?php print
$ getInfo['tanggal_permohonan']; ?></td>

    </tr>

    <tr>

        <td width="250">No.Pendaftaran</td>
        <td width="600" align="left">: <?php print
$ getInfo['no_konsul']; ?></td>

    </tr>

    <br>

</table>

<table cellpadding="2">

    <tr>

        <td width="250"></td>
        <td width="600" align="left"></td>

    </tr>

</table>

<table cellpadding="4">

    <tr>

        <td width="250">Nama</td>
        <td width="600" align="left">: <?php print
$ getInfo['nama_permohon']; ?></td>

    </tr>

```

```

</tr>

<tr>

<td width="250">Alamat</td>
<td width="600" align="left">: <?php print
$ getInfo['tujuan_informasi']; ?></td>

</tr>

</table>

<table cellpadding="2">

<tr>

<td width="250"></td>
<td width="600" align="left"></td>

</tr>

</table>

<table cellpadding="4">

<tr>

<td width="250">Pekerjaan</td>
<td width="600" align="left">: </td>
<!-- <td width="600" align="left">: <?php print
$ getInfo['pekerjaan']; ?></td>-->

</tr>

<tr>

<td width="250">Nomor Telepon</td>
<td width="600" align="left">: <?php print
$ getInfo['no_telepon']; ?></td>

</tr>

<tr>

<td width="250">Tujuan Informasi</td>
<td width="600" align="left">: <?php print
$ getInfo['tujuan_informasi']; ?></td>

```

```

        </tr>

    </table>

<table cellpadding="2">

    <tr>

        <td width="250"></td>

        <td width="600" align="left"></td>

    </tr>

</table>

<table cellpadding="4">

    <tr>

        <td width="250">Cara memperoleh Informasi</td>

        <td width="600" align="left">: <span style="font-size: 18px;">O</span> Melihat/Membaca/Mendengarkan</td>

    </tr>

    <tr>

        <td width="250"></td>

        <td width="600" align="left">&ampnbsp <span style="font-size: 18px;">O</span> Mendapatkan Salinan Informasi</td>

    </tr>

    <tr>

        <td width="250">(Softcopy/Hardcopy)****</td>

        <td width="600" align="left"></td>

    </tr>

    <tr>

        <td width="250">Cara Mendapatkan Informasi</td>

        <td width="600" align="left">: <span style="font-size: 18px;">O</span> Mengambil Langsung &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<span style="font-size: 18px;">O</span> Email</td>

    </tr>

</table>

```

```

<table cellpadding="2">

    <tr>
        <td width="250"></td>
        <td width="600" align="left"></td>
    </tr>

    <tr>
        <td width="250"></td>
        <td width="600" align="left"></td>
    </tr>

</table>

<table cellpadding="3">

    <tr>
        <td width="200"></td>
        <td width="200"></td>
        <td width="200" align="center">Palembang, .....</td>
    </tr>

    <tr>
        <td width="200" align="center">Petugas Informasi</td>
        <td width="200"></td>
        <td width="200" align="center"> Pemohon Informasi</td>
    </tr>

```

```
</tr>

</table>

<table cellpadding="2">

<tr>

<td width="250"></td>

<td width="600" align="left"></td>

</tr>

<tr>

<td width="250"></td>

<td width="600" align="left"></td>

</tr>

<tr>

<td width="250"></td>

<td width="600" align="left"></td>

</tr>

</table>

<table cellpadding="3">

<tr>

<td width="200" align="center">(.....)</td>

<td width="200"></td>

<td width="200" align="center">(.....)</td>

</tr>

</table>

<table cellpadding="2">

<tr>

<td width="250"></td>

<td width="600" align="left"></td>

</tr>
```

```

</table>

<font size="6">
    <table cellpadding="2" >
        <tr>
            <td width="500" align="left">Keterangan</td>
        </tr>
        <tr>
            <td width="500" align="left">* Diisi oleh Petugas</td>
        </tr>
        <tr>
            <td width="600" align="left">* Diisi oleh petugas  

berdasarkan nomor registrasi permohonan
                <td width="500" align="left">Informasi Publik yang terdaftar dalam Buku  

RegisterPermohonan Informasi</td>
                </td>
            </tr>
            <tr>
                <td width="500" align="left">* Pilih salah satu dengan memberi tanda (✓)</td>
            </tr>
            <tr>
                <td width="500" align="left">* Coret yang tidak perlu</td>
            </tr>
    </table>
</font>
</div>
</div>
</div>

```

Konfirmasi.keluhan

```
<div class="container">
```

```

<!-- DataTales Example -->
<div class="card shadow mb-4">
    <div class="card-header py-3">
        <h4 class="m-0 font-weight-bold text-primary">Konfirmasi Keluhan
        Pelanggan</h4>
    </div>
    <div class="card-body">
        <div class="table-responsive">
            <table class="table table-bordered table-responsive"
            id="laporan_keluhan" width="100%">
                <thead>
                    <tr>
                        <th width="1%">
                            <center>No</center>
                        </th>
                        <th width="20%">
                            <center>Nama</center>
                        </th>
                        <th width="15%">
                            <center>Tanggal Keluhan</center>
                        </th>
                        <th width="15%">
                            <center>Jenis Keluhan</center>
                        </th>
                        <th width="18%">
                            <center>Detail Keluhan</center>
                        </th>
                        <th width="">
                            <center>Aksi</center>
                        </th>
                    </tr>
                <tbody>

```

```

        </th>

        </tr>

    </thead>

    <tbody>

        </tbody>

    </table>

</div>

</div>

</div>

<!-- /.container-fluid -->

<!-- Modal -->

<div class="modal fade bd-example-modal-xl" id="exampleModal" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">

    <div class="modal-dialog modal-xl" role="document">

        <div class="modal-content">

            <div class="modal-header">

                <h5 class="modal-title" id="exampleModalLabel">Laporan Keluhan  
Pelanggan</h5>

                <button type="button" class="close" data-dismiss="modal" aria-label="Close">

                    <span aria-hidden="true">&times;</span>

                </button>

            </div>

            <div class="modal-body">

                <div class="col-md-12">

                    <h3>Info Keluhan</h3>

                    <table class="table table-bordered table-responsive" id="detail_keluhan" width="100%">

```

<thead>
<tr>
<th width="1%">
<center>No.
kontrol</center>
</th>
<th width="10%">
<center>Nama</center>
</th>
<th width="15%">
<center>Alamat</center>
</th>
<th width="10%">
<center>Ukuran
Meter</center>
</th>
<th width="10%">
<center>Merek
Meter</center>
</th>
<th width="10%">
<center>Seri
Meter</center>
</th>
<!-- <th width="10%">
<center>No. Locis</center>
</th> -->
<th width="10%">
<center>No.
Agenda</center>

Tgl.	PK	Jenis
Pengaduan		
Meter		
Pasang		
Keluhan		

```

<div class="modal-footer">
    <button type="button" class="btn btn-secondary" data-
dismiss="modal">Close</button>
</div>

</div>

</div>

<!-- Modal Reply -->

<div class="modal fade bd-example-modal-xl" id="BalasModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true">

<div class="modal-dialog modal-xl" role="document">

    <div class="modal-content">

        <div class="modal-header">

            <h5 class="modal-title" id="exampleModalLabel">Balasan Keluhan
Pelanggan</h5>

            <button type="button" class="close" data-dismiss="modal" aria-
label="Close">

                <span aria-hidden="true">&times;</span>
            </button>
        </div>

        <div class="modal-body">

            <div class="col-md-12">

                <h3>Balasan Keluhan</h3>

                <form id="balas_form" class="user" method="POST">

                    <div class="form-group">
                        <textarea class="form-control" rows="3"
name="isi_balasan" id="isi_balasan"></textarea>
                    </div>

                    <button type="submit" class="btn btn-primary"
name="btn_reply" id="btn_reply">Kirim</button>
                </form>
            </div>
        </div>
    </div>
</div>

```

```

        </form>

    </div>

</div>

<div class="modal-footer">

    <button type="button" class="btn btn-secondary" data-
dismiss="modal">Close</button>

</div>

</div>

</div>

<script src="= base_url('assets/') ?&gt;vendor/jquery/jquery.min.js"&gt;&lt;/script&gt;

&lt;script type="text/javascript" language="javascript"&gt;

$(#laporan_keluhan').ready(function() {

    var c = $('#laporan_keluhan').DataTable();

    load_data();

    function load_data() {

        $.ajax({

            url: '&lt;?php echo site_url("AdminControl/get_rekap_keluhan") ?&gt;',

            dataType: "JSON",

            success: function(data) {

                c.clear().draw();

                for (var i = 0; i &lt; data.length; i++) {

                    var modal = '&lt;button type="button" class="btn btn-
xs btn-primary btn_detail" id="' + data[i]['id_keluhan'] + '" data-toggle="modal" data-
target="#exampleModal"&gt;Lihat&lt;/button&gt;';

                    //var btn = '&lt;button type="button"
name="btn_terima" id="' + data[i]['no_konsul'] + '" class="btn btn-xs btn-primary btn-circle
btn_terima"&gt;&lt;i class="fas fa-check"&gt;&lt;/i&gt;&lt;/button&gt;';

                    var btn1 = '&lt;button type="button"
name="btn_terima" id="' + data[i]['id_keluhan'] + '" class="btn btn-xs btn-primary btn_kirim" data-
toggle="modal" data-target="#BalasModal"&gt;Reply&lt;/button&gt;';

</pre

```

```

//var imgHtml = "<img src='..../assets/img/" +
data[i]['ktp'] + "' width='150' height='100'"

c.row.add([
    "<center>" + [i + 1] + "</center>",
    "<center>" + data[i]['nama_permohon'] +
"</center>",
    "<center>" + data[i]['tanggal_permohon'] +
"</center>",
    "<center>" + data[i]['jenis_keluhan'] +
"</center>",
    "<center>" + modal + "</center>",
    "<center>" + btn1 + "</center>",

]).draw();

}

}

});

}

}

```

```

$(document).on("click", ".btn_detail", function() {

    var id_keluhan = $(this).attr('id');

    var t = $('#detail_keluhan').DataTable();

    $.ajax({
        url: "<?php echo site_url('AdminControl/get_personal_keluhan')?>",
        method: "GET",
        data: {
            id_keluhan: id_keluhan
        },

```

```

success: function.ajaxData) {

    t.clear().draw();

    var result = JSON.parse(ajaxData);

    t.row.add([
        "<center>" + result[0]['no_kontrol'] + "</center>",

        "<center>" + result[0]['nama_permohon'] + "  

"</center>",

        "<center>" + result[0]['alamat_permohon'] + "  

"</center>",

        "<center>" + result[0]['ukuran_meter'] + "  

"</center>",

        "<center>" + result[0]['merek_meter'] + "</center>",

        "<center>" + result[0]['seri_meter'] + "</center>",

        //"  

"<center>" + result[0]['no_locis'] + "</center>",

        "<center>" + result[0]['no_agenda'] + "</center>",

        "<center>" + result[0]['tgl_pengaduan'] + "  

"</center>",

        "<center>" + result[0]['tgl_pk'] + "</center>",

        "<center>" + result[0]['tgl_meter'] + "</center>",

        "<center>" + result[0]['tgl_pasang'] + "</center>",

        "<center>" + result[0]['jenis_keluhan'] + "  

"</center>",

        "<center>" + result[0]['catatan'] + "</center>",

        ]).draw();

    }

});

$(document).on("click", ".btn_kirim", function() {

    var id_keluhan = $(this).attr('id');


```

```

$.ajax({
    url: "<?php echo site_url('AdminControl/get_balasan_keluhan'); ?>",
    method: "GET",
    data: {
        id_keluhan: id_keluhan,
    },
    success: function.ajaxData) {
        var hasil = JSON.parse(ajaxData);
        $('#isi_balasan').val(hasil[0]['reply_keluhan']);
    }
});

$(document).on("click", "#btn_reply", function() {
    isi_balasan = $('#isi_balasan').val();
    $.ajax({
        url: "<?php echo site_url('AdminControl/kirim_reply'); ?>",
        method: "GET",
        data: {
            id_keluhan: id_keluhan,
            isi_balasan: isi_balasan
        },
        success: function.ajaxData) {
            //load_data();
            swal({
                title: 'Berhasil Dibalas',
                text: '',
                type: 'success'
            });
    }
})

```

```

    });
}

});

});

});

};

</script>

Laporan_pasangbaru.php

<div class="container">
    <!-- DataTales Example -->
    <div class="card shadow mb-4">
        <div class="card-header py-3">
            <h4 class="m-0 font-weight-bold text-primary">Konfirmasi Pasang
            Baru</h4>
        </div>
        <div class="card-body">
            <div class="table-responsive">
                <table class="table table-bordered" id="laporan_pasangbaru"
width="100%">
                    <thead>
                        <tr>
                            <th width="1%">
                                <center>No</center>
                            </th>
                            <th width="20%">
                                <center>Nama</center>
                            </th>
                            <th width="15%">

```

<center>No. Rek</center>	<center>Tanggal</center>	<center>Photo KTP</center>	<center>Photo KK</center>	<center>Photo PBB</center>	<center>Alamat</center>	<center>No Telepon</center>	<center>Aksi</center>
Pengajuan							

```

        </div>
    </div>
</div>

<!-- /.container-fluid -->

<script src="= base_url('assets/') ?&gt;vendor/jquery/jquery.min.js"&gt;&lt;/script&gt;
&lt;script type="text/javascript" language="javascript"&gt;

$(#laporan_pasangbaru').ready(function() {

    var c = $('#laporan_pasangbaru').DataTable();

    load_data();

    function load_data() {

        $.ajax({

            url: '&lt;?php echo site_url("AdminControl/get_aju_pasangbaru") ?&gt;',

            dataType: "JSON",

            success: function(data) {

                c.clear().draw();

                var HTMLbuilder = "";

                for (var i = 0; i &lt; data.length; i++) {

                    var btn1 = '&lt;button type="button"
name="btn_terima" id="' + data[i]['no_kontrol'] + '" class="btn btn-xs btn-primary btn-circle
btn_terima"&gt;&lt;i class="fas fa-check"&gt;&lt;/i&gt;&lt;/button&gt;';

                    var btn2 = '&lt;button type="button"
name="btn_delete" id="' + data[i]['no_kontrol'] + '" class="btn btn-xs btn-danger btn-circle
btn_tolak"&gt;&lt;i class="fas fa-trash"&gt;&lt;/i&gt;&lt;/button&gt;';

                    var imgHtml = "&lt;img src='..//assets/img/" +
data[i]['ktp'] + "' width='150' height='100'&gt;";

                    var imgHtml1 = "&lt;img src='..//assets/img/" +
data[i]['kk'] + "' width='150' height='100'&gt;";

                    var imgHtml2 = "&lt;img src='..//assets/img/" +
data[i]['pbb'] + "' width='150' height='100'&gt;";

                    c.row.add([
</pre

```

```

        "<center>" + [i + 1] + "</center>",

        "<center>" + data[i]['name'] + "</center>",

        "<center>" + data[i]['no_rek'] + "</center>",

        "<center>" + data[i]['date_created'] +

    "</center>",

        "<center>" + imgHtml + "</center>",

        "<center>" + imgHtml1 + "</center>",

        "<center>" + imgHtml2 + "</center>",

        "<center>" + data[i]['alamat'] + "</center>",

        "<center>" + data[i]['no_telepon'] +

    "</center>",

        "<center>" + btn1 + btn2 + "</center>",

        ]).draw();

    }

}

});

}

$(document).on("click", ".btn_terima", function() {

    var no_kontrol = $(this).attr('id');

    var status = "yes";

    $.ajax({

        url: "<?php echo site_url('AdminControl/konfirm_pasangbaru'); ?>",

        method: "POST",

        data: {

            no_kontrol: no_kontrol,

            status: status

        },

        success: function(data) {

            load_data();


```

```
        swal({
            title: 'Konfirmasi Berhasil',
            text: '',
            type: 'success'
        });
    });

});

$(document).on("click", ".btn_tolak", function() {
    var no_kontrol = $(this).attr('id');
    var status = "tolak";
    swal({
        title: "Tolak Pasang Baru",
        text: "Apakah anda yakin akan Menolak Pasang Baru ini?",
        type: "warning",
        showCancelButton: true,
        confirmButtonText: "Hapus",
        closeOnConfirm: true,
    },
    function() {
        $.ajax({
            url: "<?php echo
site_url('AdminControl/konfirm_pasangbaru'); ?>",
            method: "POST",
            data: {
                no_kontrol: no_kontrol,
                status: status
            }
        });
    });
});
```

```

        },
        success: function(data) {
            load_data();
            swal({
                title: 'Berhasil Ditolak',
                text: '',
                type: 'success'
            });
        }
    });
});
});
});

```

</script>

Pilih_chat_pelanggan.php

```

<?php $date = date('Y'); ?>

<div class="container">
    <!-- Page Heading -->
    <h1 class="h3 mb-2 text-gray-800">Chatting Pelanggan</h1>
    <!-- DataTales Example -->
    <div class="card shadow mb-4">
        <div class="card-header py-3">
            <h6 class="m-0 font-weight-bold text-primary">Chatting Pelanggan</h6>
        </div>
        <div class="card-body">
            <div class="table-responsive">
                <table class="table table-bordered" id="chat_pelayanan"
width="100%">
                    <thead>

```

```

<tr>
    <th width="10%">
        <center>NO</center>
    </th>
    <th width="95%">
        <center>Kotak Masuk</center>
    </th>
</tr>
</thead>
<tbody>

</tbody>
</table>
</div>
</div>
</div>
<!-- /.container-fluid -->
<!-- Bootstrap core JavaScript-->
<script src="= base_url('assets/') ?&gt;vendor/jquery/jquery.js"&gt;&lt;/script&gt;
&lt;script src="<?= base_url('assets/') ?&gt;vendor/jquery/jquery.min.js"&gt;&lt;/script&gt;

&lt;script type="text/javascript" language="javascript"&gt;
    $('#chat_pelayanan').ready(function() {
        var c = $('#chat_pelayanan').DataTable();
        load_data();
    });

    function load_data() {
</pre

```

```

$.ajax({
    url: "<?php echo site_url('AdminControl/get_name_chat') ?>",
    dataType: "JSON",
    success: function(data) {
        c.clear().draw();
        var HTMLbuilder = "";
        for (var i = 0; i < data.length; i++) {
            //var btn1 = '<button type="button" id="' +
            data[i]["id_user"] + '" name="' + data[i]["name"] + '" class="btn btn-xs btn btn-light btn_chat"><i class="far fa-comment"></i>' + data[i]["name"] + '</button>';
            var btn1 = '<a href="http://localhost/pdamkaranganyar/AdminControl/chat_pelanggan?id=' + data[i]["id_user"] + '&name=' + data[i]["name"] + '" target="_blank" type="button" class="btn btn-xs btn btn-light btn_chat"><i class="far fa-comment"></i>' + data[i]["name"] + '</a>';
            //      var imgHtml = "<img src='../assets/img/" +
            data[i]['ktp'] + "' width='150' height='100'>";
            //      HTMLbuilder = HTMLbuilder + imgHtml;
            c.row.add([
                "<center>" + [i + 1] + "</center>",
                "<center>" + btn1 + "</center>",
            ]).draw();
        }
    });
}

$(document).on("click", ".btn_chat", function() {
    var id_user = $(this).attr('id');
    var name = $(this).attr('name');
    $.ajax({

```

```

url: "<?php echo site_url('AdminControl/chat_pelanggan'); ?>",

method: "POST",

data: {

    id_user: id_user,

    name: name

},

success: function(data) {

    //load_data();

}

});

});

});

</script>

```

ChatControl.php

```
<?php if (!defined('BASEPATH')) exit('No direct script access allowed');
```

```
class ChatControl extends CI_Controller
```

```
{
```

```
public function __construct()
```

```
{
```

```
parent::__construct();
```

```
$this->load->library('form_validation', 'session');
```

```
$this->load->model('ChatModel');
```

```
}
```

```
public function index()
```

```
{
```

```

$this->load->library('form_validation');

if ($this->session->userdata('sess_admin')) {
    redirect("AdminControl", 'refresh');
} else if ($this->session->userdata('sess_member')) {
    redirect("MemberControl", 'refresh');
} else {
    redirect("AuthLogin");
}

}

public function kirim_chat()
{
    $this->form_validation->set_rules('user', 'User', 'required|trim');
    $this->form_validation->set_rules('pesan', 'Pesan', 'required|trim');
    $this->form_validation->set_rules('target', 'Target', 'required|trim');

    if ($this->form_validation->run() == false) {
        redirect("ChatControl/ambil_pesan");
        //echo "salah";
    } else {
        $userid = $this->input->post("user");
        $pesan = $this->input->post("pesan");
        $id_target = $this->input->post("target");
        $result = $this->ChatModel->send_pesan($userid, $pesan, $id_target);
    }
    //echo json_encode($result);
    redirect("ChatControl/ambil_pesan");
}

public function ambil_pesan()

```

```

{
    // $session_data = $this->session->userdata('sess_member');

    // $userid = $session_data['id_user'];

    $id_target = $this->input->GET('target');

    $userid = $this->input->get('user');

    // echo "OYYYYY = " . $id_target;

    $tampil = $this->ChatModel->get_pesan($id_target, $userid);

    foreach ($tampil as $r) {

        if ($r['id_user'] == $userid) {

            echo "<li class='p-2 mb-1 rounded bg-default'><h5><b>$r[name]</b> : $r[pesan]</h5>(<i>$r[waktu]</i>)</li>";

        } else {

            echo "<li class='p-2 mb-1 rounded bg-success text-white'><h6>$r[name] : $r[pesan]</h6>(<i>$r[waktu]</i>)</li>";

        }

    }

}

```

Index.html

```

<!DOCTYPE html>

<html>
    <head>
        <title>403 Forbidden</title>
    </head>
    <body>
        <p>Directory access is forbidden.</p>
    </body>
</html>

```

MainControl.php

```
<?php

defined('BASEPATH') or exit('No direct script access allowed');

class MainControl extends CI_Controller

{

    public function __construct()

    {

        parent::__construct();

        $this->load->model('MainModel');

    }

    public function index()

    {

        if ($this->session->userdata('sess_admin')) {

            redirect("AdminControl", 'refresh');

        } else if ($this->session->userdata('sess_member')) {

            redirect("MemberControl", 'refresh');

        } else {

            redirect("AuthLogin");

        }

    }

    public function logout()

    {

        // $id_user = "";

        if ($this->session->userdata('sess_member')) {

            // $session_data = $this->session->userdata('sess_member');

            // $id_user = $session_data['id_user'];

            $this->session->unset_userdata('sess_member');

        } else if ($this->session->userdata('sess_admin')) {
```

```

//$session_data = $this->session->userdata('sess_admin');

//$id_user = $session_data['id_user'];

$this->session->unset_userdata('sess_admin');

}

redirect('AuthLogin', 'refresh');

}

public function get_statistik_penilaian()

{

$buruk = $this->MainModel->get_statistik_buruk();

$cukup = $this->MainModel->get_statistik_cukup();

$baik = $this->MainModel->get_statistik_baik();

$sangatbaik = $this->MainModel->get_statistik_sangatbaik();

$statistik['buruk'] = $buruk[0]['banyak'];

$statistik['cukup'] = $cukup[0]['banyak'];

$statistik['baik'] = $baik[0]['banyak'];

$statistik['sangatbaik'] = $sangatbaik[0]['banyak'];

echo json_encode($statistik);

}

}

```

MemberControl.php

```

<?php

defined('BASEPATH') or exit('No direct script access allowed');

class MemberControl extends CI_Controller

{

public function __construct()

{

parent::__construct();

if (!$this->session->userdata('sess_member')) {

```

```
    redirect("AuthLogin");

}

$this->load->library('form_validation', 'session');

$this->load->helper(array('form', 'url'));

$this->load->model('MemberModel');

// $this->load->library('form_validation', 'session');

date_default_timezone_set('Asia/Jakarta');

}

public function index()

{

    $this->load->library('form_validation');

    $session_data = $this->session->userdata('sess_member');

    $datacontent['session'] = $session_data;

    $data['title'] = 'Welcome to Website Pelayanan Pengadilan Tinggi Agama Kota Palembang';

    $this->load->view('template/header', $datacontent, $data);

    $this->load->view('template/sidebar', $datacontent);

    $this->load->view('template/topbar', $datacontent, $data);

    $this->load->view('template/member/dashboard', 2, $datacontent, $data);

    $this->load->view('template/footer');

}

public function dashboard()

{

    $session_data = $this->session->userdata('sess_member');

    $datacontent['session'] = $session_data;

    $data['title'] = 'Dashboard';

    $this->load->view('template/header', $datacontent, $data);

    $this->load->view('template/sidebar', 2, $datacontent);

    $this->load->view('template/topbar', $datacontent, $data);
```

```

$this->load->view('template/member/dashboard', 2, $datacontent, $data);

$this->load->view('template/footer');

}

public function myprofile()

{

    $session_data = $this->session->userdata('sess_member');

    $datacontent['session'] = $session_data;

    $data['title'] = 'My Profile';

    $this->load->view('template/header', $datacontent, $data);

    $this->load->view('template/sidebar', $datacontent, $data);

    $this->load->view('template/topbar', $datacontent, $data);

    $this->load->view('template/member/myprofile', 2, $datacontent, $data);

    $this->load->view('template/footer');

}

public function pengaduan_keluhan()

{

    $session_data = $this->session->userdata('sess_member');

    $datacontent['session'] = $session_data;

    $kode = $session_data['no_kontrol'];

    $data['no_kontrol'] = $kode;

    $data['nama'] = $session_data['name'];

    $data['alamat'] = $session_data['alamat'];

    $data['date'] = date('Y-m-d');

    $this->load->view('template/header', $datacontent, $data);

    $this->load->view('template/sidebar', $datacontent, $data);

    $this->load->view('template/topbar', $datacontent, $data);

    $this->load->view('template/member/pengaduan_keluhan', $data);

    $this->load->view('template/footer');

}

```

```
}

public function konfirmasi_konsultasi()

{

    $session_data = $this->session->userdata('sess_member');

    $datacontent['session'] = $session_data;

    $data['title'] = 'Form Pelayanan';

    $this->load->view('template/header', $datacontent, $data);

    $this->load->view('template/sidebar', $datacontent, $data);

    $this->load->view('template/topbar', $datacontent, $data);

    $this->load->view('template/member/konfirmasi_konsultasi', 2, $datacontent, $data);

    $this->load->view('template/footer');

}

public function rekap_keluhan()

{

    $session_data = $this->session->userdata('sess_member');

    $datacontent['session'] = $session_data;

    $data['title'] = 'Tanggapan Permohonan Konsultasi';

    $this->load->view('template/header', $datacontent, $data);

    $this->load->view('template/sidebar', $datacontent, $data);

    $this->load->view('template/topbar', $datacontent, $data);

    $this->load->view('template/member/rekap_keluhan', 2, $datacontent);

    $this->load->view('template/footer');

}

public function tanggapan_konsultasi()

{

    $session_data = $this->session->userdata('sess_member');

    $datacontent['session'] = $session_data;

    $data['title'] = 'Tanggapan Permohonan Konsultasi';
```

```
$this->load->view('template/header', $datacontent, $data);

$this->load->view('template/sidebar', $datacontent, $data);

$this->load->view('template/topbar', $datacontent, $data);

$this->load->view('template/member/tanggapan_konsultasi', 2, $datacontent, $data);

$this->load->view('template/footer');

}

public function pengumuman()

{

    $session_data = $this->session->userdata('sess_member');

    $datacontent['session'] = $session_data;

    $data['all'] = $this->MemberModel->get_all_pengumuman();

    $this->load->view('template/header', $datacontent, $data);

    $this->load->view('template/sidebar', $datacontent, $data);

    $this->load->view('template/topbar', $datacontent, $data);

    $this->load->view('template/member/pengumuman', $data);

    $this->load->view('template/footer');

}

public function chatting()

{

    $session_data = $this->session->userdata('sess_member');

    $datacontent['session'] = $session_data;

    $data['title'] = "Form Pelayanan Kepuasan Layanan";

    $data['userid'] = "admin";

    $data['name'] = "Admin";

    $this->load->view('template/header', $datacontent, $data);

    $this->load->view('template/sidebar', $datacontent, $data);

    $this->load->view('template/topbar', $datacontent, $data);

    $this->load->view('template/chat/chat', $data);
```

```

    $this->load->view('template/footer');

}

public function input_pengumuman()
{
    $session_data = $this->session->userdata('sess_member');

    $datacontent['session'] = $session_data;

    $data['title'] = 'Penilaian Kepuasan Pelayanan';

    $this->load->view('template/header', $datacontent, $data);

    $this->load->view('template/sidebar', $datacontent, $data);

    $this->load->view('template/topbar', $datacontent, $data);

    $this->load->view('template/member/input_pengumuman', 2, $datacontent, $data);

    $this->load->view('template/footer');

}

private function _uploadImage()
{
    $config['upload_path']      = './uploads/';
    $config['allowed_types']    = 'gif|jpg|png';
    //$config['file_name']        = $this->product_id;
    $config['overwrite']         = true;
    $config['max_size']          = 5024; // 1MB
    // $config['max_width']       = 1024;
    // $config['max_height']       = 768;
    $this->load->library('upload', $config);

    if ($this->upload->do_upload('ktp')) {

        return $this->upload->data();

    } else {

        return "default.jpg";
    }
}

```

```

}

public function submit_pengaduan()
{
    $this->form_validation->set_rules('nama_permohon', 'Text', 'required|trim');

    $this->form_validation->set_rules('alamat_permohon', 'Text', 'required|trim');

    $this->form_validation->set_rules('tanggal_permohon', 'Text', 'required|trim');

    $this->form_validation->set_rules('no_agenda', 'Text', 'required|trim');

    $this->form_validation->set_rules('merek_meter', 'Text', 'required|trim');

    $this->form_validation->set_rules('seri_meter', 'Text', 'required|trim');

    $this->form_validation->set_rules('tgl_pengaduan', 'Text', 'required|trim');

    $this->form_validation->set_rules('tgl_pk', 'Text', 'required|trim');

    $this->form_validation->set_rules('tgl_meter', 'Text', 'required|trim');

    $this->form_validation->set_rules('jenis_keluhan', 'Text', 'required|trim');

    $this->form_validation->set_rules('catatan', 'Text', 'required|trim');

    if ($this->form_validation->run() == false) {

        $this->pengaduan_keluhan();

        // $this->load->view('template/member/pendaftaran_konsultasi', $data);

    } else {

        $session_data = $this->session->userdata('sess_member');

        $data['no_kontrol'] = $session_data['no_kontrol'];

        $data['alamat_permohon'] = $this->input->post('alamat_permohon');

        $data['nama_permohon'] = $this->input->post('nama_permohon');

        $data['tanggal_permohon'] = $this->input->post('tanggal_permohon');

        $data['no_agenda'] = $this->input->post('no_agenda');

        $data['ukuran_meter'] = $this->input->post('ukuran_meter');

        $data['merek_meter'] = $this->input->post('merek_meter');

        $data['seri_meter'] = $this->input->post('seri_meter');

        $data['tgl_pengaduan'] = $this->input->post('tgl_pengaduan');
    }
}

```

```

$data['tgl_pk'] = $this->input->post('tgl_pk');

$data['tgl_meter'] = $this->input->post('tgl_meter');

$data['tgl_pasang'] = $this->input->post('tgl_pasang');

$data['jenis_keluhan'] = $this->input->post('jenis_keluhan');

$data['catatan'] = $this->input->post('catatan');

$result = $this->MemberModel->tambah_keluhan($data);

}

}

public function input_nilai()

{

$session_data = $this->session->userdata('sess_member');

$id_user = $session_data['id_user'];

$date = date('Y-m-d');

$jumlah = 0;

$data[0] = $this->input->post('pertanyaan1');

$data[1] = $this->input->post('pertanyaan2');

$data[2] = $this->input->post('pertanyaan3');

$data[3] = $this->input->post('pertanyaan4');

$data[4] = $this->input->post('pertanyaan5');

$data[5] = $this->input->post('pertanyaan6');

$data[6] = $this->input->post('pertanyaan7');

$data[7] = $this->input->post('pertanyaan8');

$data[8] = $this->input->post('pertanyaan9');

for ($i = 0; $i < sizeof($data); $i++) {

    $jumlah = $jumlah + $data[$i];

}

$rata = $jumlah / sizeof($data);

$result = $this->MemberModel->input_nilai($rata, $id_user, $date);

```

```
echo json_decode($result);

}

public function get_tanggapan_konsultasi()
{
    $session_data = $this->session->userdata('sess_member');

    $userid = $session_data['id_user'];

    $result = $this->MemberModel->get_konsultasi_userid($userid);

    echo json_encode($result);
}

public function get_rekap_keluhan()
{
    $session_data = $this->session->userdata('sess_member');

    $no_kontrol = $session_data['no_kontrol'];

    $result = $this->MemberModel->get_all_keluhan($no_kontrol);

    echo json_encode($result);
}

public function get_personal_keluhan()
{
    $id_keluhan = $this->input->GET('id_keluhan');

    $result = $this->MemberModel->get_personal_keluhan($id_keluhan);

    echo json_encode($result);
}

public function get_detail_pengumuman()
{
```

```
$id_pengumuman = $this->input->GET('id_pengumuman');

$result = $this->MemberModel->get_detail_pengumuman($id_pengumuman);

echo json_encode($result);

}

}
```

Welcome.php

```
<?php

defined('BASEPATH') OR exit('No direct script access allowed');

class Welcome extends CI_Controller {

    /**
     * Index Page for this controller.
     *
     * Maps to the following URL
     *
     *      http://example.com/index.php/welcome
     *
     *      - or -
     *
     *      http://example.com/index.php/welcome/index
     *
     *      - or -
     *
     * Since this controller is set as the default controller in
     *
     * config/routes.php, it's displayed at http://example.com/
     *
     * So any other public methods not prefixed with an underscore will
     *
     * map to /index.php/welcome/<method_name>
     *
     * @see https://codeigniter.com/user_guide/general/urls.html
     */

    public function index()
    {

```

```
$this->load->view('welcome_message');  
}  
}
```