

DAFTAR PUSTAKA

1. Garlotta, D., 2011, A Literature Review of Poly(Lactic Acid), *Journal of Polymers and the Environment*, vol. 9, no. 2, pp. 63 – 84.
2. Mohsen Attaran., 2017. The rise of 3-D printing: The advantages of additive manufacturing over traditional manufacturing. *Business Horison.*, Volume 60, Issue 5. P. 677-688.
<https://doi.org/10.1016/j.bushor.2017.05.011>
3. Pham D, Gault R., 1998. A comparison of rapid prototyping technologies, *IntJ Mach Tools Manuf.*, 1998;38:1257–87
4. Tontowi, A, E., et al., 2017. Optimization of 3D-Printer Process Parameters for Improving Quality of Polylactic Acid Printed Part, *International Journal of Engineering and Technology (IJET)*, Vol 9 No 2 Apr-May 2017
5. Wang, J., Xie, H., Weng, Z., Senthil, T., dan Wu, L. 2016. A Novel Approach to Improve Mechanical Properties of Parts Fabricated by Fused Deposition Modeling. *Materials and Design* 105 (2016): 152–159.
6. Centola, M. et al. 2010. Combining electrospinning and fused deposition modeling for the fabrication of a hybrid vascular graft, *Biofabrication* 2 (1) (2010) 014102.
7. Seprianto. Dicky, Wilza. Romi, Iskandar,. 2017. “Optimasi Parameter Pada Proses Pembuatan Objek 3D Printing Dengan Teknologi FDM Terhadap Akurasi Geometri”. Seminar Nasional Teknik Industri Universitas Gadjah Mada.
8. Lanzotti, A., Grasso, M., Staiano, G., dan Martorelli, M. 2015. The Impact of Process Parameters on Mechanical Properties of Parts Fabricated in PLA with an Open-Source 3-D Printer. *Rapid Prototyping Journal* 21 (5): 604-617.
9. Annual Book of standar, D 638-02, 2004. “Standard Test Methods for Tensile Properties of Plastics1”, ASTM
10. Min-Wen Wang, FatahulArifindan Hong-Lin Kuo. 2019. Study on micromoulding of a high viewing angle LED lens, *Plastics, Rubber and Composites*. *Journal of Macromolecular Engineering* 2019.

11. Satyanarayana, B, and Prakash, KJ 2015, Component Replication using 3D Printing Technology.
Procedia Materials Science 10., p.263 – 269.
12. Basavaraj, C. K., dan Vishwas, M. (2016). *Studies on Effect of Fused Deposition Modelling ProcessParameters on Ultimate Tensile Strength and Dimensional Accuracy of Nylon. Materials Science andEngineering* Vol. 2016, 1–12.
13. Alafaghani Ala’aldin, Qattawi Ala, Buraaq Alrawi, and Guzman Arturo 2017, ExperimentalOptimization of Fused Deposition Modelling Processing Parameters: a Design-for-ManufacturingApproach *Procedia Manufacturing 10.*, p. 791 – 803.
14. Taguchi, G., Chowdhury, S. and Wu, Y, *Taguchi's Engineering Quality Handbook*, 1st ed, John Willey& Sons, Inc, Hoboken, New Jersey, 2005.
15. Ş. Karabulut, "Optimization of surface roughness and cutting force during AA7039/Al2O3 metal matrix composites milling using neural networks and Taguchi method," *Measurement*, vol. 66, pp. 139-149, 2015.
16. Gibson, I., Rosen, D. W., Stucker, B., 2010, Additive Manufacturing Technologies Rapid Prototyping to Direct Digital Manufacturing, Springer.
17. Stotz, I., Heynick, M., 2006, 3D CAD, CAM and Rapid Prototyping, LAPA Digital Technology Seminar,v1.1.
18. Kalpakjian, S. danSchmid, S.R., 2003, *Manufacturing Processes for Engineering Materials*, 4th Edition, Prentice Hall.
Marcincinova, L.N., Kuric, I., 2012, Basic and Advanced Materials for Fused Deposition Modeling Rapid Prototyping Technology, Manufacture and Industrial Engineering 11(1), pp. 24-27.
19. Rutkowski, J.V. , Levin, B.C., 1986, Acrylonitrile-Butadiene-Styrene Copolymers (ABS): Pyrolysis and Combustion Products and their Toxicity – A Review of the Literature, *Fire and Materials*, vol. 10, pp. 93 – 105.
20. Arifin, Fatahul., Wang, Min-Wen., Huang, Jyun-Yan. 2019. *OPTIMIZATION OF THE MICRO MOLDING OF A BICONCAVE STRUCTURE. International Journal of Technology 10(2)*: 269-279

21. Liu, Y., Liang, X., Saeed, A., et al., *Properties of 3D printed dough and optimization of printing parameters, Innovative Food Science and Emerging Technologies*,<https://doi.org/10.1016/j.ifset.2019.03.008>
22. Setiawan, Andik Aris; Karuniawan, Bayu Wiro., Arumsari, Nurvita. 2018. Optimasi Parameter 3D Printing Terhadap Keakuratan Dimensi dan Kekasaran Permukaan Produk Menggunakan Metode Taguchi Grey Relational Analysis. *Proceedings Conference on Design Manufacture Engineering and its Application*. Politeknik Perkapalan Negeri Surabaya
23. Farzadia, Arghavan., n, Vicknes Waranb., Mehran Solati Hashjina., Zainal Ariff Abdul Rahmanc., Mitra Asadia., Noor Azuan Abu Osmana. 2015. *Effect of layer printing delay on mechanical properties and dimensional accuracy of 3D printed porous prototypes in bone tissue engineering*. *Ceramics International* 41.